

树兰（杭州）医院有限公司温湿度记录数据

2025-06-01 00:00---2025-06-30 23:59

设备_通道
242310259_温度2

最大值
5.1℃

最小值
4.0℃

平均值
4.35℃

序号	仪器名称	类别	SN	记录时间	通道1	设备状态	超标原因
1	7-4（2-1药）备	冰箱	242310259	2025/6/1 0:00:00	4.6℃	正常	
2	7-4（2-1药）备	冰箱	242310259	2025/6/1 0:05:00	4.3℃	正常	
3	7-4（2-1药）备	冰箱	242310259	2025/6/1 0:10:00	4.6℃	正常	
4	7-4（2-1药）备	冰箱	242310259	2025/6/1 0:15:00	4.2℃	正常	
5	7-4（2-1药）备	冰箱	242310259	2025/6/1 0:20:00	4.6℃	正常	
6	7-4（2-1药）备	冰箱	242310259	2025/6/1 0:25:00	4.1℃	正常	
7	7-4（2-1药）备	冰箱	242310259	2025/6/1 0:30:00	4.7℃	正常	
8	7-4（2-1药）备	冰箱	242310259	2025/6/1 0:35:00	4.1℃	正常	
9	7-4（2-1药）备	冰箱	242310259	2025/6/1 0:40:00	4.7℃	正常	
10	7-4（2-1药）备	冰箱	242310259	2025/6/1 0:45:00	4.1℃	正常	
11	7-4（2-1药）备	冰箱	242310259	2025/6/1 0:50:00	4.6℃	正常	
12	7-4（2-1药）备	冰箱	242310259	2025/6/1 0:55:00	4.1℃	正常	
13	7-4（2-1药）备	冰箱	242310259	2025/6/1 1:00:00	4.6℃	正常	
14	7-4（2-1药）备	冰箱	242310259	2025/6/1 1:05:00	4.1℃	正常	
15	7-4（2-1药）备	冰箱	242310259	2025/6/1 1:10:00	4.6℃	正常	
16	7-4（2-1药）备	冰箱	242310259	2025/6/1 1:15:00	4.0℃	正常	
17	7-4（2-1药）备	冰箱	242310259	2025/6/1 1:20:00	4.6℃	正常	
18	7-4（2-1药）备	冰箱	242310259	2025/6/1 1:25:00	4.1℃	正常	
19	7-4（2-1药）备	冰箱	242310259	2025/6/1 1:30:00	4.5℃	正常	
20	7-4（2-1药）备	冰箱	242310259	2025/6/1 1:35:00	4.1℃	正常	
21	7-4（2-1药）备	冰箱	242310259	2025/6/1 1:40:00	4.5℃	正常	
22	7-4（2-1药）备	冰箱	242310259	2025/6/1 1:45:00	4.2℃	正常	
23	7-4（2-1药）备	冰箱	242310259	2025/6/1 1:50:00	4.5℃	正常	
24	7-4（2-1药）备	冰箱	242310259	2025/6/1 1:55:00	4.3℃	正常	
25	7-4（2-1药）备	冰箱	242310259	2025/6/1 2:00:00	4.5℃	正常	
26	7-4（2-1药）备	冰箱	242310259	2025/6/1 2:05:00	4.3℃	正常	
27	7-4（2-1药）备	冰箱	242310259	2025/6/1 2:10:00	4.4℃	正常	
28	7-4（2-1药）备	冰箱	242310259	2025/6/1 2:15:00	4.4℃	正常	
29	7-4（2-1药）备	冰箱	242310259	2025/6/1 2:20:00	4.4℃	正常	
30	7-4（2-1药）备	冰箱	242310259	2025/6/1 2:25:00	4.5℃	正常	
31	7-4（2-1药）备	冰箱	242310259	2025/6/1 2:30:00	4.3℃	正常	
32	7-4（2-1药）备	冰箱	242310259	2025/6/1 2:35:00	4.5℃	正常	
33	7-4（2-1药）备	冰箱	242310259	2025/6/1 2:40:00	4.3℃	正常	
34	7-4（2-1药）备	冰箱	242310259	2025/6/1 2:45:00	4.6℃	正常	
35	7-4（2-1药）备	冰箱	242310259	2025/6/1 2:50:00	4.2℃	正常	
36	7-4（2-1药）备	冰箱	242310259	2025/6/1 2:55:00	4.6℃	正常	
37	7-4（2-1药）备	冰箱	242310259	2025/6/1 3:00:00	4.2℃	正常	
38	7-4（2-1药）备	冰箱	242310259	2025/6/1 3:05:00	4.7℃	正常	
39	7-4（2-1药）备	冰箱	242310259	2025/6/1 3:10:00	4.2℃	正常	
40	7-4（2-1药）备	冰箱	242310259	2025/6/1 3:15:00	4.6℃	正常	
41	7-4（2-1药）备	冰箱	242310259	2025/6/1 3:20:00	4.1℃	正常	
42	7-4（2-1药）备	冰箱	242310259	2025/6/1 3:25:00	4.7℃	正常	
43	7-4（2-1药）备	冰箱	242310259	2025/6/1 3:30:00	4.1℃	正常	
44	7-4（2-1药）备	冰箱	242310259	2025/6/1 3:35:00	4.7℃	正常	
45	7-4（2-1药）备	冰箱	242310259	2025/6/1 3:40:00	4.1℃	正常	
46	7-4（2-1药）备	冰箱	242310259	2025/6/1 3:45:00	4.7℃	正常	
47	7-4（2-1药）备	冰箱	242310259	2025/6/1 3:50:00	4.1℃	正常	
48	7-4（2-1药）备	冰箱	242310259	2025/6/1 3:55:00	4.7℃	正常	
49	7-4（2-1药）备	冰箱	242310259	2025/6/1 4:00:00	4.0℃	正常	
50	7-4（2-1药）备	冰箱	242310259	2025/6/1 4:05:00	4.6℃	正常	
51	7-4（2-1药）备	冰箱	242310259	2025/6/1 4:10:00	4.0℃	正常	
52	7-4（2-1药）备	冰箱	242310259	2025/6/1 4:15:00	4.6℃	正常	

[illegible]

[illegible]

[illegible]

[illegible]

309	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 1:40:00	4.4℃	正常	
310	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 1:45:00	4.5℃	正常	
311	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 1:50:00	4.3℃	正常	
312	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 1:55:00	4.5℃	正常	
313	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 2:00:00	4.3℃	正常	
314	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 2:05:00	4.6℃	正常	
315	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 2:10:00	4.3℃	正常	
316	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 2:15:00	4.6℃	正常	
317	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 2:20:00	4.3℃	正常	
318	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 2:25:00	4.6℃	正常	
319	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 2:30:00	4.2℃	正常	
320	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 2:35:00	4.7℃	正常	
321	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 2:40:00	4.1℃	正常	
322	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 2:45:00	4.7℃	正常	
323	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 2:50:00	4.2℃	正常	
324	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 2:55:00	4.7℃	正常	
325	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 3:00:00	4.1℃	正常	
326	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 3:05:00	4.7℃	正常	
327	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 3:10:00	4.1℃	正常	
328	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 3:15:00	4.7℃	正常	
329	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 3:20:00	4.1℃	正常	
330	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 3:25:00	4.6℃	正常	
331	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 3:30:00	4.1℃	正常	
332	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 3:35:00	4.7℃	正常	
333	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 3:40:00	4.1℃	正常	
334	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 3:45:00	4.7℃	正常	
335	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 3:50:00	4.1℃	正常	
336	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 3:55:00	4.6℃	正常	
337	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 4:00:00	4.0℃	正常	
338	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 4:05:00	4.6℃	正常	
339	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 4:10:00	4.1℃	正常	
340	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 4:15:00	4.5℃	正常	
341	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 4:20:00	4.1℃	正常	
342	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 4:25:00	4.5℃	正常	
343	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 4:30:00	4.1℃	正常	
344	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 4:35:00	4.5℃	正常	
345	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 4:40:00	4.2℃	正常	
346	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 4:45:00	4.5℃	正常	
347	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 4:50:00	4.2℃	正常	
348	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 4:55:00	4.5℃	正常	
349	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 5:00:00	4.3℃	正常	
350	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 5:05:00	4.5℃	正常	
351	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 5:10:00	4.3℃	正常	
352	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 5:15:00	4.4℃	正常	
353	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 5:20:00	4.4℃	正常	
354	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 5:25:00	4.5℃	正常	
355	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 5:30:00	4.3℃	正常	
356	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 5:35:00	4.4℃	正常	
357	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 5:40:00	4.3℃	正常	
358	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 5:45:00	4.4℃	正常	
359	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 5:50:00	4.4℃	正常	
360	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 5:55:00	4.4℃	正常	
361	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 6:00:00	4.4℃	正常	
362	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 6:05:00	4.3℃	正常	
363	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 6:10:00	4.6℃	正常	
364	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 6:15:00	4.3℃	正常	
365	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 6:20:00	4.5℃	正常	
366	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 6:25:00	4.7℃	正常	
367	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 6:30:00	4.2℃	正常	
368	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 6:35:00	4.6℃	正常	
369	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 6:40:00	4.2℃	正常	
370	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 6:45:00	4.5℃	正常	
371	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 6:50:00	4.2℃	正常	
372	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 6:55:00	4.5℃	正常	

373	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 7:00:00	4.3℃	正常	
374	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 7:05:00	4.5℃	正常	
375	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 7:10:00	4.3℃	正常	
376	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 7:15:00	4.4℃	正常	
377	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 7:20:00	4.4℃	正常	
378	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 7:25:00	4.4℃	正常	
379	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 7:30:00	4.5℃	正常	
380	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 7:35:00	4.4℃	正常	
381	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 7:40:00	4.5℃	正常	
382	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 7:45:00	4.3℃	正常	
383	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 7:50:00	4.6℃	正常	
384	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 7:55:00	4.3℃	正常	
385	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 8:00:00	4.6℃	正常	
386	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 8:05:00	4.3℃	正常	
387	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 8:10:00	4.6℃	正常	
388	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 8:15:00	4.2℃	正常	
389	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 8:20:00	4.6℃	正常	
390	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 8:25:00	4.2℃	正常	
391	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 8:30:00	4.7℃	正常	
392	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 8:35:00	4.2℃	正常	
393	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 8:40:00	4.7℃	正常	
394	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 8:45:00	4.1℃	正常	
395	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 8:50:00	4.7℃	正常	
396	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 8:55:00	4.1℃	正常	
397	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 9:00:00	4.7℃	正常	
398	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 9:05:00	4.1℃	正常	
399	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 9:10:00	4.6℃	正常	
400	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 9:15:00	4.0℃	正常	
401	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 9:20:00	4.6℃	正常	
402	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 9:25:00	4.1℃	正常	
403	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 9:30:00	4.6℃	正常	
404	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 9:35:00	4.1℃	正常	
405	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 9:40:00	4.6℃	正常	
406	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 9:45:00	4.1℃	正常	
407	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 9:50:00	4.5℃	正常	
408	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 9:55:00	4.1℃	正常	
409	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 10:00:00	4.5℃	正常	
410	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 10:05:00	4.3℃	正常	
411	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 10:10:00	4.5℃	正常	
412	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 10:15:00	4.4℃	正常	
413	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 10:20:00	4.4℃	正常	
414	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 10:25:00	4.4℃	正常	
415	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 10:30:00	4.4℃	正常	
416	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 10:35:00	4.5℃	正常	
417	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 10:40:00	4.4℃	正常	
418	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 10:45:00	4.5℃	正常	
419	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 10:50:00	4.3℃	正常	
420	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 10:55:00	4.5℃	正常	
421	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 11:00:00	4.3℃	正常	
422	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 11:05:00	4.6℃	正常	
423	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 11:10:00	4.3℃	正常	
424	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 11:15:00	4.6℃	正常	
425	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 11:20:00	4.2℃	正常	
426	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 11:25:00	4.7℃	正常	
427	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 11:30:00	4.1℃	正常	
428	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 11:35:00	4.7℃	正常	
429	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 11:40:00	4.2℃	正常	
430	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 11:45:00	4.7℃	正常	
431	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 11:50:00	4.1℃	正常	
432	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 11:55:00	4.6℃	正常	
433	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 12:00:00	4.1℃	正常	
434	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 12:05:00	4.6℃	正常	
435	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 12:10:00	4.0℃	正常	
436	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 12:15:00	4.6℃	正常	

[illegible]

[illegible]

565	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 23:00:00	4.6℃	正常	
566	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 23:05:00	4.1℃	正常	
567	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 23:10:00	4.6℃	正常	
568	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 23:15:00	4.0℃	正常	
569	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 23:20:00	4.6℃	正常	
570	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 23:25:00	4.0℃	正常	
571	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 23:30:00	4.6℃	正常	
572	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 23:35:00	4.0℃	正常	
573	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 23:40:00	4.6℃	正常	
574	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 23:45:00	4.0℃	正常	
575	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 23:50:00	4.6℃	正常	
576	7-4 (2-1药) 备	冰箱	242310259	2025/6/2 23:55:00	4.0℃	正常	
577	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 0:00:00	4.6℃	正常	
578	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 0:05:00	4.1℃	正常	
579	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 0:10:00	4.6℃	正常	
580	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 0:15:00	4.1℃	正常	
581	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 0:20:00	4.5℃	正常	
582	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 0:25:00	4.1℃	正常	
583	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 0:30:00	4.5℃	正常	
584	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 0:35:00	4.2℃	正常	
585	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 0:40:00	4.5℃	正常	
586	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 0:45:00	4.2℃	正常	
587	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 0:50:00	4.5℃	正常	
588	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 0:55:00	4.3℃	正常	
589	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 1:00:00	4.4℃	正常	
590	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 1:05:00	4.4℃	正常	
591	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 1:10:00	4.4℃	正常	
592	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 1:15:00	4.3℃	正常	
593	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 1:20:00	4.4℃	正常	
594	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 1:25:00	4.4℃	正常	
595	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 1:30:00	4.3℃	正常	
596	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 1:35:00	4.5℃	正常	
597	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 1:40:00	4.3℃	正常	
598	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 1:45:00	4.4℃	正常	
599	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 1:50:00	4.3℃	正常	
600	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 1:55:00	4.6℃	正常	
601	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 2:00:00	4.3℃	正常	
602	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 2:05:00	4.6℃	正常	
603	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 2:10:00	4.2℃	正常	
604	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 2:15:00	4.6℃	正常	
605	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 2:20:00	4.2℃	正常	
606	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 2:25:00	4.6℃	正常	
607	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 2:30:00	4.2℃	正常	
608	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 2:35:00	4.6℃	正常	
609	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 2:40:00	4.1℃	正常	
610	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 2:45:00	4.7℃	正常	
611	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 2:50:00	4.1℃	正常	
612	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 2:55:00	4.7℃	正常	
613	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 3:00:00	4.1℃	正常	
614	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 3:05:00	4.6℃	正常	
615	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 3:10:00	4.1℃	正常	
616	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 3:15:00	4.6℃	正常	
617	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 3:20:00	4.1℃	正常	
618	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 3:25:00	4.6℃	正常	
619	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 3:30:00	4.1℃	正常	
620	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 3:35:00	4.6℃	正常	
621	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 3:40:00	4.1℃	正常	
622	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 3:45:00	4.8℃	正常	
623	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 3:50:00	4.1℃	正常	
624	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 3:55:00	4.7℃	正常	
625	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 4:00:00	4.1℃	正常	
626	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 4:05:00	4.6℃	正常	
627	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 4:10:00	4.1℃	正常	
628	7-4 (2-1药) 备	冰箱	242310259	2025/6/3 4:15:00	4.7℃	正常	

[illegible]

[illegible]

[illegible]

[illegible]

885	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 1:40:00	4.1℃	正常	
886	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 1:45:00	4.7℃	正常	
887	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 1:50:00	4.1℃	正常	
888	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 1:55:00	4.7℃	正常	
889	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 2:00:00	4.1℃	正常	
890	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 2:05:00	4.7℃	正常	
891	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 2:10:00	4.1℃	正常	
892	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 2:15:00	4.6℃	正常	
893	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 2:20:00	4.1℃	正常	
894	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 2:25:00	4.6℃	正常	
895	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 2:30:00	4.1℃	正常	
896	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 2:35:00	4.6℃	正常	
897	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 2:40:00	4.1℃	正常	
898	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 2:45:00	4.6℃	正常	
899	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 2:50:00	4.1℃	正常	
900	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 2:55:00	4.6℃	正常	
901	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 3:00:00	4.2℃	正常	
902	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 3:05:00	4.5℃	正常	
903	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 3:10:00	4.2℃	正常	
904	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 3:15:00	4.5℃	正常	
905	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 3:20:00	4.3℃	正常	
906	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 3:25:00	4.5℃	正常	
907	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 3:30:00	4.3℃	正常	
908	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 3:35:00	4.4℃	正常	
909	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 3:40:00	4.5℃	正常	
910	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 3:45:00	4.4℃	正常	
911	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 3:50:00	4.5℃	正常	
912	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 3:55:00	4.3℃	正常	
913	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 4:00:00	4.6℃	正常	
914	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 4:05:00	4.3℃	正常	
915	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 4:10:00	4.6℃	正常	
916	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 4:15:00	4.2℃	正常	
917	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 4:20:00	4.7℃	正常	
918	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 4:25:00	4.2℃	正常	
919	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 4:30:00	4.7℃	正常	
920	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 4:35:00	4.2℃	正常	
921	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 4:40:00	4.6℃	正常	
922	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 4:45:00	4.1℃	正常	
923	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 4:50:00	4.6℃	正常	
924	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 4:55:00	4.1℃	正常	
925	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 5:00:00	4.7℃	正常	
926	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 5:05:00	4.1℃	正常	
927	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 5:10:00	4.7℃	正常	
928	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 5:15:00	4.1℃	正常	
929	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 5:20:00	4.6℃	正常	
930	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 5:25:00	4.1℃	正常	
931	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 5:30:00	4.6℃	正常	
932	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 5:35:00	4.1℃	正常	
933	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 5:40:00	4.6℃	正常	
934	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 5:45:00	4.1℃	正常	
935	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 5:50:00	4.6℃	正常	
936	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 5:55:00	4.1℃	正常	
937	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 6:00:00	4.5℃	正常	
938	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 6:05:00	4.2℃	正常	
939	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 6:10:00	4.5℃	正常	
940	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 6:15:00	4.2℃	正常	
941	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 6:20:00	4.5℃	正常	
942	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 6:25:00	4.2℃	正常	
943	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 6:30:00	4.5℃	正常	
944	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 6:35:00	4.3℃	正常	
945	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 6:40:00	4.5℃	正常	
946	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 6:45:00	4.4℃	正常	
947	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 6:50:00	4.4℃	正常	
948	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 6:55:00	4.4℃	正常	

949	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 7:00:00	4.4℃	正常	
950	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 7:05:00	4.4℃	正常	
951	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 7:10:00	4.4℃	正常	
952	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 7:15:00	4.5℃	正常	
953	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 7:20:00	4.3℃	正常	
954	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 7:25:00	4.6℃	正常	
955	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 7:30:00	4.3℃	正常	
956	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 7:35:00	4.6℃	正常	
957	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 7:40:00	4.2℃	正常	
958	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 7:45:00	4.7℃	正常	
959	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 7:50:00	4.2℃	正常	
960	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 7:55:00	4.7℃	正常	
961	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 8:00:00	4.2℃	正常	
962	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 8:05:00	4.7℃	正常	
963	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 8:10:00	4.1℃	正常	
964	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 8:15:00	4.7℃	正常	
965	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 8:20:00	4.1℃	正常	
966	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 8:25:00	4.7℃	正常	
967	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 8:30:00	4.1℃	正常	
968	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 8:35:00	4.6℃	正常	
969	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 8:40:00	4.1℃	正常	
970	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 8:45:00	4.6℃	正常	
971	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 8:50:00	4.1℃	正常	
972	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 8:55:00	4.6℃	正常	
973	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 9:00:00	4.1℃	正常	
974	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 9:05:00	4.6℃	正常	
975	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 9:10:00	4.1℃	正常	
976	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 9:15:00	4.5℃	正常	
977	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 9:20:00	4.2℃	正常	
978	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 9:25:00	4.5℃	正常	
979	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 9:30:00	4.2℃	正常	
980	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 9:35:00	4.5℃	正常	
981	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 9:40:00	4.3℃	正常	
982	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 9:45:00	4.5℃	正常	
983	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 9:50:00	4.3℃	正常	
984	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 9:55:00	4.5℃	正常	
985	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 10:00:00	4.4℃	正常	
986	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 10:05:00	4.4℃	正常	
987	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 10:10:00	4.4℃	正常	
988	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 10:15:00	4.4℃	正常	
989	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 10:20:00	4.5℃	正常	
990	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 10:25:00	4.3℃	正常	
991	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 10:30:00	4.6℃	正常	
992	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 10:35:00	4.3℃	正常	
993	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 10:40:00	4.6℃	正常	
994	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 10:45:00	4.2℃	正常	
995	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 10:50:00	4.6℃	正常	
996	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 10:55:00	4.2℃	正常	
997	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 11:00:00	4.7℃	正常	
998	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 11:05:00	4.1℃	正常	
999	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 11:10:00	4.7℃	正常	
1000	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 11:15:00	4.1℃	正常	
1001	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 11:20:00	4.6℃	正常	
1002	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 11:25:00	4.1℃	正常	
1003	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 11:30:00	4.6℃	正常	
1004	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 11:35:00	4.0℃	正常	
1005	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 11:40:00	4.9℃	正常	
1006	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 11:45:00	4.4℃	正常	
1007	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 11:50:00	4.6℃	正常	
1008	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 11:55:00	4.2℃	正常	
1009	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 12:00:00	4.7℃	正常	
1010	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 12:05:00	4.2℃	正常	
1011	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 12:10:00	4.7℃	正常	
1012	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 12:15:00	4.2℃	正常	

[illegible]

1077	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 17:40:00	4.5℃	正常	
1078	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 17:45:00	4.3℃	正常	
1079	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 17:50:00	4.6℃	正常	
1080	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 17:55:00	4.3℃	正常	
1081	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 18:00:00	4.6℃	正常	
1082	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 18:05:00	4.2℃	正常	
1083	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 18:10:00	4.6℃	正常	
1084	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 18:15:00	4.3℃	正常	
1085	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 18:20:00	4.7℃	正常	
1086	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 18:25:00	4.2℃	正常	
1087	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 18:30:00	4.7℃	正常	
1088	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 18:35:00	4.1℃	正常	
1089	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 18:40:00	4.7℃	正常	
1090	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 18:45:00	4.1℃	正常	
1091	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 18:50:00	4.7℃	正常	
1092	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 18:55:00	4.1℃	正常	
1093	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 19:00:00	4.7℃	正常	
1094	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 19:05:00	4.1℃	正常	
1095	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 19:10:00	4.7℃	正常	
1096	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 19:15:00	4.1℃	正常	
1097	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 19:20:00	4.6℃	正常	
1098	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 19:25:00	4.1℃	正常	
1099	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 19:30:00	4.6℃	正常	
1100	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 19:35:00	4.1℃	正常	
1101	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 19:40:00	4.6℃	正常	
1102	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 19:45:00	4.1℃	正常	
1103	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 19:50:00	4.6℃	正常	
1104	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 19:55:00	4.1℃	正常	
1105	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 20:00:00	4.6℃	正常	
1106	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 20:05:00	4.2℃	正常	
1107	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 20:10:00	4.5℃	正常	
1108	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 20:15:00	4.3℃	正常	
1109	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 20:20:00	4.5℃	正常	
1110	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 20:25:00	4.3℃	正常	
1111	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 20:30:00	4.5℃	正常	
1112	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 20:35:00	4.4℃	正常	
1113	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 20:40:00	4.4℃	正常	
1114	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 20:45:00	4.4℃	正常	
1115	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 20:50:00	4.4℃	正常	
1116	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 20:55:00	4.5℃	正常	
1117	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 21:00:00	4.4℃	正常	
1118	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 21:05:00	4.5℃	正常	
1119	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 21:10:00	4.3℃	正常	
1120	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 21:15:00	4.5℃	正常	
1121	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 21:20:00	4.3℃	正常	
1122	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 21:25:00	4.7℃	正常	
1123	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 21:30:00	4.2℃	正常	
1124	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 21:35:00	4.7℃	正常	
1125	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 21:40:00	4.2℃	正常	
1126	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 21:45:00	4.7℃	正常	
1127	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 21:50:00	4.1℃	正常	
1128	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 21:55:00	4.7℃	正常	
1129	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 22:00:00	4.1℃	正常	
1130	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 22:05:00	4.7℃	正常	
1131	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 22:10:00	4.1℃	正常	
1132	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 22:15:00	4.9℃	正常	
1133	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 22:20:00	4.5℃	正常	
1134	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 22:25:00	4.6℃	正常	
1135	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 22:30:00	4.3℃	正常	
1136	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 22:35:00	4.6℃	正常	
1137	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 22:40:00	4.3℃	正常	
1138	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 22:45:00	4.6℃	正常	
1139	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 22:50:00	4.3℃	正常	
1140	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 22:55:00	4.6℃	正常	

1141	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 23:00:00	4.3℃	正常	
1142	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 23:05:00	4.6℃	正常	
1143	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 23:10:00	4.2℃	正常	
1144	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 23:15:00	4.6℃	正常	
1145	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 23:20:00	4.2℃	正常	
1146	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 23:25:00	4.7℃	正常	
1147	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 23:30:00	4.2℃	正常	
1148	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 23:35:00	4.7℃	正常	
1149	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 23:40:00	4.2℃	正常	
1150	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 23:45:00	4.7℃	正常	
1151	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 23:50:00	4.2℃	正常	
1152	7-4 (2-1药) 备	冰箱	242310259	2025/6/4 23:55:00	4.7℃	正常	
1153	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 0:00:00	4.2℃	正常	
1154	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 0:05:00	4.7℃	正常	
1155	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 0:10:00	4.1℃	正常	
1156	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 0:15:00	4.7℃	正常	
1157	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 0:20:00	4.1℃	正常	
1158	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 0:25:00	4.7℃	正常	
1159	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 0:30:00	4.1℃	正常	
1160	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 0:35:00	4.7℃	正常	
1161	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 0:40:00	4.1℃	正常	
1162	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 0:45:00	4.6℃	正常	
1163	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 0:50:00	4.0℃	正常	
1164	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 0:55:00	4.6℃	正常	
1165	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 1:00:00	4.1℃	正常	
1166	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 1:05:00	4.6℃	正常	
1167	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 1:10:00	4.1℃	正常	
1168	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 1:15:00	4.6℃	正常	
1169	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 1:20:00	4.1℃	正常	
1170	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 1:25:00	4.6℃	正常	
1171	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 1:30:00	4.2℃	正常	
1172	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 1:35:00	4.6℃	正常	
1173	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 1:40:00	4.1℃	正常	
1174	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 1:45:00	4.5℃	正常	
1175	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 1:50:00	4.3℃	正常	
1176	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 1:55:00	4.5℃	正常	
1177	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 2:00:00	4.3℃	正常	
1178	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 2:05:00	4.5℃	正常	
1179	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 2:10:00	4.3℃	正常	
1180	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 2:15:00	4.4℃	正常	
1181	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 2:20:00	4.4℃	正常	
1182	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 2:25:00	4.4℃	正常	
1183	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 2:30:00	4.4℃	正常	
1184	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 2:35:00	4.4℃	正常	
1185	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 2:40:00	4.5℃	正常	
1186	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 2:45:00	4.4℃	正常	
1187	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 2:50:00	4.5℃	正常	
1188	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 2:55:00	4.4℃	正常	
1189	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 3:00:00	4.6℃	正常	
1190	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 3:05:00	4.3℃	正常	
1191	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 3:10:00	4.6℃	正常	
1192	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 3:15:00	4.2℃	正常	
1193	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 3:20:00	4.6℃	正常	
1194	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 3:25:00	4.2℃	正常	
1195	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 3:30:00	4.7℃	正常	
1196	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 3:35:00	4.2℃	正常	
1197	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 3:40:00	4.7℃	正常	
1198	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 3:45:00	4.1℃	正常	
1199	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 3:50:00	4.7℃	正常	
1200	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 3:55:00	4.1℃	正常	
1201	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 4:00:00	4.6℃	正常	
1202	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 4:05:00	4.1℃	正常	
1203	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 4:10:00	4.6℃	正常	
1204	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 4:15:00	4.0℃	正常	

1205	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 4:20:00	4.6℃	正常	
1206	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 4:25:00	4.1℃	正常	
1207	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 4:30:00	4.6℃	正常	
1208	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 4:35:00	4.2℃	正常	
1209	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 4:40:00	4.6℃	正常	
1210	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 4:45:00	4.2℃	正常	
1211	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 4:50:00	4.5℃	正常	
1212	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 4:55:00	4.3℃	正常	
1213	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 5:00:00	4.4℃	正常	
1214	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 5:05:00	4.4℃	正常	
1215	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 5:10:00	4.4℃	正常	
1216	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 5:15:00	4.5℃	正常	
1217	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 5:20:00	4.3℃	正常	
1218	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 5:25:00	4.6℃	正常	
1219	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 5:30:00	4.3℃	正常	
1220	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 5:35:00	4.6℃	正常	
1221	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 5:40:00	4.2℃	正常	
1222	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 5:45:00	4.7℃	正常	
1223	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 5:50:00	4.2℃	正常	
1224	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 5:55:00	4.6℃	正常	
1225	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 6:00:00	4.2℃	正常	
1226	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 6:05:00	4.6℃	正常	
1227	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 6:10:00	4.1℃	正常	
1228	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 6:15:00	4.7℃	正常	
1229	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 6:20:00	4.1℃	正常	
1230	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 6:25:00	4.7℃	正常	
1231	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 6:30:00	4.1℃	正常	
1232	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 6:35:00	4.6℃	正常	
1233	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 6:40:00	4.1℃	正常	
1234	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 6:45:00	4.6℃	正常	
1235	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 6:50:00	4.1℃	正常	
1236	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 6:55:00	4.6℃	正常	
1237	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 7:00:00	4.1℃	正常	
1238	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 7:05:00	4.5℃	正常	
1239	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 7:10:00	4.2℃	正常	
1240	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 7:15:00	4.5℃	正常	
1241	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 7:20:00	4.2℃	正常	
1242	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 7:25:00	4.5℃	正常	
1243	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 7:30:00	4.3℃	正常	
1244	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 7:35:00	4.4℃	正常	
1245	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 7:40:00	4.4℃	正常	
1246	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 7:45:00	4.4℃	正常	
1247	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 7:50:00	4.4℃	正常	
1248	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 7:55:00	4.4℃	正常	
1249	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 8:00:00	4.5℃	正常	
1250	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 8:05:00	4.3℃	正常	

1269	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 9:40:00	4.3℃	正常	
1270	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 9:45:00	4.5℃	正常	
1271	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 9:50:00	4.3℃	正常	
1272	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 9:55:00	4.4℃	正常	
1273	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 10:00:00	4.3℃	正常	
1274	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 10:05:00	4.5℃	正常	
1275	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 10:10:00	4.3℃	正常	
1276	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 10:15:00	4.5℃	正常	
1277	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 10:20:00	4.3℃	正常	
1278	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 10:25:00	4.5℃	正常	
1279	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 10:30:00	4.2℃	正常	
1280	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 10:35:00	4.5℃	正常	
1281	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 10:40:00	4.2℃	正常	
1282	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 10:45:00	4.5℃	正常	
1283	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 10:50:00	4.1℃	正常	
1284	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 10:55:00	4.5℃	正常	
1285	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 11:00:00	4.2℃	正常	
1286	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 11:05:00	4.5℃	正常	
1287	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 11:10:00	4.2℃	正常	
1288	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 11:15:00	4.5℃	正常	
1289	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 11:20:00	4.2℃	正常	
1290	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 11:25:00	4.5℃	正常	
1291	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 11:30:00	4.2℃	正常	
1292	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 11:35:00	4.5℃	正常	
1293	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 11:40:00	4.1℃	正常	
1294	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 11:45:00	4.5℃	正常	
1295	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 11:50:00	4.2℃	正常	
1296	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 11:55:00	4.5℃	正常	
1297	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 12:00:00	4.2℃	正常	
1298	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 12:05:00	4.5℃	正常	
1299	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 12:10:00	4.1℃	正常	
1300	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 12:15:00	4.6℃	正常	
1301	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 12:20:00	4.1℃	正常	
1302	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 12:25:00	4.6℃	正常	
1303	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 12:30:00	4.1℃	正常	
1304	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 12:35:00	4.6℃	正常	
1305	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 12:40:00	4.0℃	正常	
1306	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 12:45:00	4.6℃	正常	
1307	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 12:50:00	4.0℃	正常	
1308	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 12:55:00	4.6℃	正常	
1309	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 13:00:00	4.0℃	正常	
1310	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 13:05:00	4.6℃	正常	
1311	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 13:10:00	4.0℃	正常	
1312	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 13:15:00	4.6℃	正常	
1313	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 13:20:00	4.1℃	正常	
1314	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 13:25:00	4.7℃	正常	
1315	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 13:30:00	4.1℃	正常	
1316	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 13:35:00	4.7℃	正常	
1317	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 13:40:00	4.1℃	正常	
1318	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 13:45:00	4.7℃	正常	
1319	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 13:50:00	4.1℃	正常	
1320	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 13:55:00	4.6℃	正常	
1321	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 14:00:00	4.1℃	正常	
1322	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 14:05:00	4.6℃	正常	
1323	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 14:10:00	4.0℃	正常	
1324	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 14:15:00	4.6℃	正常	
1325	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 14:20:00	4.1℃	正常	
1326	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 14:25:00	4.6℃	正常	
1327	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 14:30:00	4.1℃	正常	
1328	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 14:35:00	4.7℃	正常	
1329	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 14:40:00	4.1℃	正常	
1330	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 14:45:00	4.6℃	正常	
1331	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 14:50:00	4.1℃	正常	
1332	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 14:55:00	4.6℃	正常	

[illegible]

1397	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 20:20:00	4.3℃	正常	
1398	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 20:25:00	4.6℃	正常	
1399	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 20:30:00	4.2℃	正常	
1400	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 20:35:00	4.6℃	正常	
1401	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 20:40:00	4.2℃	正常	
1402	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 20:45:00	4.5℃	正常	
1403	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 20:50:00	4.2℃	正常	
1404	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 20:55:00	4.5℃	正常	
1405	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 21:00:00	4.3℃	正常	
1406	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 21:05:00	4.5℃	正常	
1407	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 21:10:00	4.3℃	正常	
1408	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 21:15:00	4.5℃	正常	
1409	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 21:20:00	4.3℃	正常	
1410	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 21:25:00	4.6℃	正常	
1411	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 21:30:00	4.3℃	正常	
1412	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 21:35:00	4.5℃	正常	
1413	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 21:40:00	4.3℃	正常	
1414	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 21:45:00	4.5℃	正常	
1415	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 21:50:00	4.2℃	正常	
1416	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 21:55:00	4.5℃	正常	
1417	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 22:00:00	4.2℃	正常	
1418	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 22:05:00	4.6℃	正常	
1419	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 22:10:00	4.2℃	正常	
1420	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 22:15:00	4.5℃	正常	
1421	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 22:20:00	4.2℃	正常	
1422	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 22:25:00	4.6℃	正常	
1423	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 22:30:00	4.2℃	正常	
1424	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 22:35:00	4.5℃	正常	
1425	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 22:40:00	4.2℃	正常	
1426	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 22:45:00	4.5℃	正常	
1427	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 22:50:00	4.2℃	正常	
1428	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 22:55:00	4.6℃	正常	
1429	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 23:00:00	4.3℃	正常	
1430	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 23:05:00	4.5℃	正常	
1431	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 23:10:00	4.3℃	正常	
1432	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 23:15:00	4.5℃	正常	
1433	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 23:20:00	4.3℃	正常	
1434	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 23:25:00	4.5℃	正常	
1435	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 23:30:00	4.3℃	正常	
1436	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 23:35:00	4.4℃	正常	
1437	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 23:40:00	4.3℃	正常	
1438	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 23:45:00	4.4℃	正常	
1439	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 23:50:00	4.4℃	正常	
1440	7-4 (2-1药) 备	冰箱	242310259	2025/6/5 23:55:00	4.4℃	正常	
1441	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 0:00:00	4.4℃	正常	
1442	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 0:05:00	4.3℃	正常	
1443	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 0:10:00	4.4℃	正常	
1444	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 0:15:00	4.3℃	正常	
1445	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 0:20:00	4.4℃	正常	
1446	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 0:25:00	4.3℃	正常	
1447	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 0:30:00	4.4℃	正常	
1448	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 0:35:00	4.3℃	正常	
1449	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 0:40:00	4.4℃	正常	
1450	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 0:45:00	4.2℃	正常	
1451	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 0:50:00	4.4℃	正常	
1452	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 0:55:00	4.2℃	正常	
1453	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 1:00:00	4.4℃	正常	
1454	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 1:05:00	4.2℃	正常	
1455	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 1:10:00	4.5℃	正常	
1456	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 1:15:00	4.1℃	正常	
1457	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 1:20:00	4.5℃	正常	
1458	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 1:25:00	4.1℃	正常	
1459	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 1:30:00	4.5℃	正常	
1460	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 1:35:00	4.1℃	正常	

1461	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 1:40:00	4.4℃	正常	
1462	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 1:45:00	4.2℃	正常	
1463	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 1:50:00	4.5℃	正常	
1464	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 1:55:00	4.3℃	正常	
1465	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 2:00:00	4.4℃	正常	
1466	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 2:05:00	4.3℃	正常	
1467	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 2:10:00	4.4℃	正常	
1468	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 2:15:00	4.3℃	正常	
1469	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 2:20:00	4.4℃	正常	
1470	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 2:25:00	4.4℃	正常	
1471	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 2:30:00	4.4℃	正常	
1472	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 2:35:00	4.3℃	正常	
1473	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 2:40:00	4.4℃	正常	
1474	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 2:45:00	4.3℃	正常	
1475	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 2:50:00	4.3℃	正常	
1476	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 2:55:00	4.4℃	正常	
1477	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 3:00:00	4.4℃	正常	
1478	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 3:05:00	4.3℃	正常	
1479	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 3:10:00	4.4℃	正常	
1480	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 3:15:00	4.3℃	正常	
1481	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 3:20:00	4.4℃	正常	
1482	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 3:25:00	4.3℃	正常	
1483	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 3:30:00	4.4℃	正常	
1484	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 3:35:00	4.2℃	正常	
1485	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 3:40:00	4.4℃	正常	
1486	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 3:45:00	4.3℃	正常	
1487	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 3:50:00	4.4℃	正常	
1488	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 3:55:00	4.3℃	正常	
1489	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 4:00:00	4.4℃	正常	
1490	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 4:05:00	4.2℃	正常	
1491	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 4:10:00	4.4℃	正常	
1492	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 4:15:00	4.2℃	正常	
1493	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 4:20:00	4.4℃	正常	
1494	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 4:25:00	4.2℃	正常	
1495	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 4:30:00	4.5℃	正常	
1496	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 4:35:00	4.1℃	正常	
1497	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 4:40:00	4.5℃	正常	
1498	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 4:45:00	4.1℃	正常	
1499	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 4:50:00	4.5℃	正常	
1500	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 4:55:00	4.1℃	正常	
1501	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 5:00:00	4.5℃	正常	
1502	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 5:05:00	4.1℃	正常	
1503	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 5:10:00	4.5℃	正常	
1504	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 5:15:00	4.1℃	正常	
1505	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 5:20:00	4.8℃	正常	
1506	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 5:25:00	4.2℃	正常	

[illegible]

1589	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 12:20:00	4.4℃	正常	
1590	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 12:25:00	4.3℃	正常	
1591	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 12:30:00	4.4℃	正常	
1592	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 12:35:00	4.4℃	正常	
1593	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 12:40:00	4.4℃	正常	
1594	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 12:45:00	4.3℃	正常	
1595	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 12:50:00	4.3℃	正常	
1596	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 12:55:00	4.4℃	正常	
1597	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 13:00:00	4.3℃	正常	
1598	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 13:05:00	4.4℃	正常	
1599	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 13:10:00	4.3℃	正常	
1600	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 13:15:00	4.4℃	正常	
1601	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 13:20:00	4.3℃	正常	
1602	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 13:25:00	4.4℃	正常	
1603	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 13:30:00	4.3℃	正常	
1604	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 13:35:00	4.5℃	正常	
1605	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 13:40:00	4.3℃	正常	
1606	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 13:45:00	4.5℃	正常	
1607	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 13:50:00	4.3℃	正常	
1608	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 13:55:00	4.4℃	正常	
1609	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 14:00:00	4.2℃	正常	
1610	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 14:05:00	4.5℃	正常	
1611	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 14:10:00	4.3℃	正常	
1612	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 14:15:00	4.4℃	正常	
1613	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 14:20:00	4.3℃	正常	
1614	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 14:25:00	4.4℃	正常	
1615	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 14:30:00	4.4℃	正常	
1616	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 14:35:00	4.4℃	正常	
1617	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 14:40:00	4.3℃	正常	
1618	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 14:45:00	4.4℃	正常	
1619	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 14:50:00	4.3℃	正常	
1620	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 14:55:00	4.4℃	正常	
1621	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 15:00:00	4.4℃	正常	
1622	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 15:05:00	4.3℃	正常	
1623	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 15:10:00	4.4℃	正常	
1624	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 15:15:00	4.3℃	正常	
1625	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 15:20:00	4.4℃	正常	
1626	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 15:25:00	4.3℃	正常	
1627	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 15:30:00	4.4℃	正常	
1628	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 15:35:00	4.2℃	正常	
1629	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 15:40:00	4.8℃	正常	
1630	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 15:45:00	4.2℃	正常	
1631	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 15:50:00	4.7℃	正常	
1632	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 15:55:00	4.1℃	正常	
1633	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 16:00:00	4.6℃	正常	
1634	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 16:05:00	4.1℃	正常	
1635	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 16:10:00	4.6℃	正常	
1636	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 16:15:00	4.1℃	正常	
1637	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 16:20:00	4.6℃	正常	
1638	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 16:25:00	4.1℃	正常	
1639	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 16:30:00	4.6℃	正常	
1640	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 16:35:00	4.2℃	正常	
1641	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 16:40:00	4.6℃	正常	
1642	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 16:45:00	4.3℃	正常	
1643	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 16:50:00	4.5℃	正常	
1644	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 16:55:00	4.3℃	正常	
1645	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 17:00:00	4.5℃	正常	
1646	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 17:05:00	4.4℃	正常	
1647	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 17:10:00	4.4℃	正常	
1648	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 17:15:00	4.4℃	正常	
1649	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 17:20:00	4.4℃	正常	
1650	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 17:25:00	4.5℃	正常	
1651	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 17:30:00	4.3℃	正常	
1652	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 17:35:00	4.5℃	正常	

1653	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 17:40:00	4.2℃	正常	
1654	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 17:45:00	4.5℃	正常	
1655	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 17:50:00	4.1℃	正常	
1656	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 17:55:00	4.5℃	正常	
1657	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 18:00:00	4.1℃	正常	
1658	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 18:05:00	4.5℃	正常	
1659	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 18:10:00	4.0℃	正常	
1660	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 18:15:00	4.6℃	正常	
1661	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 18:20:00	4.0℃	正常	
1662	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 18:25:00	4.6℃	正常	
1663	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 18:30:00	4.0℃	正常	
1664	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 18:35:00	4.6℃	正常	
1665	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 18:40:00	4.0℃	正常	
1666	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 18:45:00	4.6℃	正常	
1667	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 18:50:00	4.1℃	正常	
1668	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 18:55:00	4.7℃	正常	
1669	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 19:00:00	4.1℃	正常	
1670	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 19:05:00	4.7℃	正常	
1671	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 19:10:00	4.2℃	正常	
1672	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 19:15:00	4.7℃	正常	
1673	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 19:20:00	4.3℃	正常	
1674	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 19:25:00	4.6℃	正常	
1675	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 19:30:00	4.3℃	正常	
1676	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 19:35:00	4.5℃	正常	
1677	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 19:40:00	4.4℃	正常	
1678	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 19:45:00	4.3℃	正常	
1679	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 19:50:00	4.5℃	正常	
1680	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 19:55:00	4.2℃	正常	
1681	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 20:00:00	4.5℃	正常	
1682	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 20:05:00	4.1℃	正常	
1683	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 20:10:00	4.6℃	正常	
1684	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 20:15:00	4.1℃	正常	
1685	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 20:20:00	4.6℃	正常	
1686	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 20:25:00	4.1℃	正常	
1687	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 20:30:00	4.6℃	正常	
1688	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 20:35:00	4.0℃	正常	
1689	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 20:40:00	4.6℃	正常	
1690	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 20:45:00	4.0℃	正常	
1691	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 20:50:00	4.6℃	正常	
1692	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 20:55:00	4.1℃	正常	
1693	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 21:00:00	4.6℃	正常	
1694	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 21:05:00	4.1℃	正常	
1695	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 21:10:00	4.7℃	正常	
1696	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 21:15:00	4.2℃	正常	
1697	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 21:20:00	4.6℃	正常	
1698	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 21:25:00	4.3℃	正常	
1699	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 21:30:00	4.5℃	正常	
1700	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 21:35:00	4.3℃	正常	
1701	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 21:40:00	4.5℃	正常	
1702	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 21:45:00	4.4℃	正常	
1703	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 21:50:00	4.3℃	正常	
1704	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 21:55:00	4.4℃	正常	
1705	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 22:00:00	4.3℃	正常	
1706	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 22:05:00	4.4℃	正常	
1707	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 22:10:00	4.2℃	正常	
1708	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 22:15:00	4.5℃	正常	
1709	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 22:20:00	4.2℃	正常	
1710	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 22:25:00	4.5℃	正常	
1711	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 22:30:00	4.2℃	正常	
1712	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 22:35:00	4.5℃	正常	
1713	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 22:40:00	4.1℃	正常	
1714	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 22:45:00	4.5℃	正常	
1715	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 22:50:00	4.1℃	正常	
1716	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 22:55:00	4.5℃	正常	

1717	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 23:00:00	4.1℃	正常	
1718	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 23:05:00	4.5℃	正常	
1719	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 23:10:00	4.1℃	正常	
1720	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 23:15:00	4.5℃	正常	
1721	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 23:20:00	4.1℃	正常	
1722	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 23:25:00	4.6℃	正常	
1723	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 23:30:00	4.0℃	正常	
1724	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 23:35:00	4.6℃	正常	
1725	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 23:40:00	4.0℃	正常	
1726	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 23:45:00	4.6℃	正常	
1727	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 23:50:00	4.0℃	正常	
1728	7-4 (2-1药) 备	冰箱	242310259	2025/6/6 23:55:00	4.6℃	正常	
1729	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 0:00:00	4.1℃	正常	
1730	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 0:05:00	4.7℃	正常	
1731	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 0:10:00	4.1℃	正常	
1732	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 0:15:00	4.6℃	正常	
1733	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 0:20:00	4.1℃	正常	
1734	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 0:25:00	4.6℃	正常	
1735	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 0:30:00	4.2℃	正常	
1736	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 0:35:00	4.6℃	正常	
1737	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 0:40:00	4.3℃	正常	
1738	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 0:45:00	4.6℃	正常	
1739	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 0:50:00	4.3℃	正常	
1740	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 0:55:00	4.5℃	正常	
1741	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 1:00:00	4.3℃	正常	
1742	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 1:05:00	4.5℃	正常	
1743	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 1:10:00	4.3℃	正常	
1744	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 1:15:00	4.5℃	正常	
1745	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 1:20:00	4.4℃	正常	
1746	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 1:25:00	4.5℃	正常	
1747	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 1:30:00	4.4℃	正常	
1748	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 1:35:00	4.4℃	正常	
1749	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 1:40:00	4.9℃	正常	
1750	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 1:45:00	4.2℃	正常	
1751	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 1:50:00	4.7℃	正常	
1752	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 1:55:00	4.1℃	正常	
1753	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 2:00:00	4.7℃	正常	
1754	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 2:05:00	4.1℃	正常	
1755	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 2:10:00	4.6℃	正常	
1756	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 2:15:00	4.2℃	正常	
1757	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 2:20:00	4.6℃	正常	
1758	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 2:25:00	4.2℃	正常	
1759	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 2:30:00	4.6℃	正常	
1760	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 2:35:00	4.2℃	正常	
1761	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 2:40:00	4.6℃	正常	
1762	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 2:45:00	4.2℃	正常	
1763	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 2:50:00	4.5℃	正常	
1764	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 2:55:00	4.3℃	正常	
1765	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 3:00:00	4.5℃	正常	
1766	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 3:05:00	4.3℃	正常	
1767	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 3:10:00	4.5℃	正常	
1768	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 3:15:00	4.3℃	正常	
1769	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 3:20:00	4.5℃	正常	
1770	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 3:25:00	4.3℃	正常	
1771	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 3:30:00	4.5℃	正常	
1772	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 3:35:00	4.4℃	正常	
1773	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 3:40:00	4.4℃	正常	
1774	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 3:45:00	4.5℃	正常	
1775	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 3:50:00	4.2℃	正常	
1776	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 3:55:00	4.5℃	正常	
1777	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 4:00:00	4.2℃	正常	
1778	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 4:05:00	4.5℃	正常	
1779	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 4:10:00	4.1℃	正常	
1780	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 4:15:00	4.5℃	正常	

[illegible]

1845	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 9:40:00	4.6℃	正常	
1846	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 9:45:00	4.2℃	正常	
1847	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 9:50:00	4.6℃	正常	
1848	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 9:55:00	4.2℃	正常	
1849	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 10:00:00	4.6℃	正常	
1850	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 10:05:00	4.2℃	正常	
1851	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 10:10:00	4.6℃	正常	
1852	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 10:15:00	4.2℃	正常	
1853	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 10:20:00	4.6℃	正常	
1854	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 10:25:00	4.2℃	正常	
1855	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 10:30:00	4.6℃	正常	
1856	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 10:35:00	4.2℃	正常	
1857	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 10:40:00	4.6℃	正常	
1858	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 10:45:00	4.3℃	正常	
1859	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 10:50:00	4.6℃	正常	
1860	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 10:55:00	4.3℃	正常	
1861	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 11:00:00	4.5℃	正常	
1862	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 11:05:00	4.3℃	正常	
1863	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 11:10:00	4.5℃	正常	
1864	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 11:15:00	4.3℃	正常	
1865	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 11:20:00	4.5℃	正常	
1866	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 11:25:00	4.4℃	正常	
1867	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 11:30:00	4.4℃	正常	
1868	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 11:35:00	4.4℃	正常	
1869	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 11:40:00	4.2℃	正常	
1870	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 11:45:00	4.9℃	正常	
1871	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 11:50:00	4.2℃	正常	
1872	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 11:55:00	4.7℃	正常	
1873	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 12:00:00	4.2℃	正常	
1874	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 12:05:00	4.6℃	正常	
1875	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 12:10:00	4.2℃	正常	
1876	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 12:15:00	4.6℃	正常	
1877	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 12:20:00	4.2℃	正常	
1878	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 12:25:00	4.6℃	正常	
1879	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 12:30:00	4.3℃	正常	
1880	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 12:35:00	4.5℃	正常	
1881	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 12:40:00	4.4℃	正常	
1882	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 12:45:00	4.4℃	正常	
1883	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 12:50:00	4.4℃	正常	
1884	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 12:55:00	4.4℃	正常	
1885	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 13:00:00	4.5℃	正常	
1886	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 13:05:00	4.3℃	正常	
1887	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 13:10:00	4.5℃	正常	
1888	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 13:15:00	4.2℃	正常	
1889	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 13:20:00	4.5℃	正常	
1890	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 13:25:00	4.1℃	正常	
1891	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 13:30:00	4.6℃	正常	
1892	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 13:35:00	4.0℃	正常	
1893	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 13:40:00	4.6℃	正常	
1894	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 13:45:00	4.0℃	正常	
1895	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 13:50:00	4.6℃	正常	
1896	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 13:55:00	4.0℃	正常	
1897	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 14:00:00	4.6℃	正常	
1898	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 14:05:00	4.0℃	正常	
1899	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 14:10:00	4.6℃	正常	
1900	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 14:15:00	4.0℃	正常	
1901	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 14:20:00	4.6℃	正常	
1902	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 14:25:00	4.1℃	正常	
1903	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 14:30:00	4.7℃	正常	
1904	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 14:35:00	4.1℃	正常	
1905	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 14:40:00	4.6℃	正常	
1906	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 14:45:00	4.2℃	正常	
1907	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 14:50:00	4.6℃	正常	
1908	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 14:55:00	4.2℃	正常	

[illegible]

1973	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 20:20:00	4.5℃	正常	
1974	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 20:25:00	4.2℃	正常	
1975	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 20:30:00	4.5℃	正常	
1976	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 20:35:00	4.2℃	正常	
1977	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 20:40:00	4.5℃	正常	
1978	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 20:45:00	4.1℃	正常	
1979	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 20:50:00	4.5℃	正常	
1980	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 20:55:00	4.1℃	正常	
1981	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 21:00:00	4.5℃	正常	
1982	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 21:05:00	4.1℃	正常	
1983	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 21:10:00	4.5℃	正常	
1984	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 21:15:00	4.0℃	正常	
1985	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 21:20:00	4.6℃	正常	
1986	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 21:25:00	4.0℃	正常	
1987	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 21:30:00	4.6℃	正常	
1988	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 21:35:00	4.0℃	正常	
1989	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 21:40:00	4.6℃	正常	
1990	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 21:45:00	4.0℃	正常	
1991	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 21:50:00	5.0℃	正常	
1992	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 21:55:00	4.6℃	正常	
1993	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 22:00:00	4.3℃	正常	
1994	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 22:05:00	4.5℃	正常	
1995	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 22:10:00	4.2℃	正常	
1996	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 22:15:00	4.5℃	正常	
1997	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 22:20:00	4.2℃	正常	
1998	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 22:25:00	4.4℃	正常	
1999	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 22:30:00	4.2℃	正常	
2000	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 22:35:00	4.4℃	正常	
2001	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 22:40:00	4.2℃	正常	
2002	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 22:45:00	4.5℃	正常	
2003	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 22:50:00	4.2℃	正常	
2004	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 22:55:00	4.5℃	正常	
2005	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 23:00:00	4.1℃	正常	
2006	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 23:05:00	4.5℃	正常	
2007	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 23:10:00	4.0℃	正常	
2008	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 23:15:00	4.6℃	正常	
2009	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 23:20:00	4.0℃	正常	
2010	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 23:25:00	4.6℃	正常	
2011	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 23:30:00	4.0℃	正常	
2012	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 23:35:00	4.6℃	正常	
2013	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 23:40:00	4.0℃	正常	
2014	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 23:45:00	4.6℃	正常	
2015	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 23:50:00	4.1℃	正常	
2016	7-4 (2-1药) 备	冰箱	242310259	2025/6/7 23:55:00	4.6℃	正常	
2017	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 0:00:00	4.1℃	正常	
2018	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 0:05:00	4.6℃	正常	
2019	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 0:10:00	4.1℃	正常	
2020	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 0:15:00	4.6℃	正常	
2021	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 0:20:00	4.1℃	正常	
2022	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 0:25:00	4.6℃	正常	
2023	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 0:30:00	4.1℃	正常	
2024	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 0:35:00	4.6℃	正常	
2025	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 0:40:00	4.1℃	正常	
2026	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 0:45:00	4.6℃	正常	
2027	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 0:50:00	4.2℃	正常	
2028	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 0:55:00	4.6℃	正常	
2029	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 1:00:00	4.2℃	正常	
2030	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 1:05:00	4.6℃	正常	
2031	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 1:10:00	4.2℃	正常	
2032	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 1:15:00	4.6℃	正常	
2033	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 1:20:00	4.2℃	正常	
2034	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 1:25:00	4.5℃	正常	
2035	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 1:30:00	4.3℃	正常	
2036	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 1:35:00	4.5℃	正常	

[illegible]

2101	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 7:00:00	4.2℃	正常	
2102	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 7:05:00	4.5℃	正常	
2103	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 7:10:00	4.1℃	正常	
2104	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 7:15:00	4.5℃	正常	
2105	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 7:20:00	4.0℃	正常	
2106	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 7:25:00	4.5℃	正常	
2107	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 7:30:00	4.0℃	正常	
2108	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 7:35:00	4.5℃	正常	
2109	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 7:40:00	4.0℃	正常	
2110	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 7:45:00	4.5℃	正常	
2111	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 7:50:00	4.0℃	正常	
2112	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 7:55:00	4.5℃	正常	
2113	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 8:00:00	4.0℃	正常	
2114	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 8:05:00	4.9℃	正常	
2115	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 8:10:00	4.4℃	正常	
2116	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 8:15:00	4.6℃	正常	
2117	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 8:20:00	4.3℃	正常	
2118	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 8:25:00	4.5℃	正常	
2119	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 8:30:00	4.3℃	正常	
2120	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 8:35:00	4.5℃	正常	
2121	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 8:40:00	4.3℃	正常	
2122	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 8:45:00	4.5℃	正常	
2123	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 8:50:00	4.3℃	正常	
2124	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 8:55:00	4.5℃	正常	
2125	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 9:00:00	4.3℃	正常	
2126	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 9:05:00	4.5℃	正常	
2127	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 9:10:00	4.3℃	正常	
2128	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 9:15:00	4.4℃	正常	
2129	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 9:20:00	4.4℃	正常	
2130	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 9:25:00	4.4℃	正常	
2131	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 9:30:00	4.4℃	正常	
2132	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 9:35:00	4.4℃	正常	
2133	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 9:40:00	4.4℃	正常	
2134	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 9:45:00	4.3℃	正常	
2135	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 9:50:00	4.4℃	正常	
2136	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 9:55:00	4.3℃	正常	
2137	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 10:00:00	4.4℃	正常	
2138	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 10:05:00	4.3℃	正常	
2139	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 10:10:00	4.4℃	正常	
2140	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 10:15:00	4.3℃	正常	
2141	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 10:20:00	4.4℃	正常	
2142	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 10:25:00	4.3℃	正常	
2143	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 10:30:00	4.4℃	正常	
2144	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 10:35:00	4.3℃	正常	
2145	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 10:40:00	4.4℃	正常	
2146	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 10:45:00	4.3℃	正常	
2147	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 10:50:00	4.4℃	正常	
2148	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 10:55:00	4.3℃	正常	
2149	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 11:00:00	4.4℃	正常	
2150	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 11:05:00	4.3℃	正常	
2151	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 11:10:00	4.4℃	正常	
2152	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 11:15:00	4.3℃	正常	
2153	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 11:20:00	4.4℃	正常	
2154	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 11:25:00	4.4℃	正常	
2155	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 11:30:00	4.4℃	正常	
2156	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 11:35:00	4.3℃	正常	
2157	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 11:40:00	4.3℃	正常	
2158	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 11:45:00	4.4℃	正常	
2159	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 11:50:00	4.4℃	正常	
2160	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 11:55:00	4.4℃	正常	
2161	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 12:00:00	4.4℃	正常	
2162	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 12:05:00	4.3℃	正常	
2163	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 12:10:00	4.4℃	正常	
2164	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 12:15:00	4.3℃	正常	

[illegible]

2229	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 17:40:00	4.3℃	正常	
2230	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 17:45:00	4.4℃	正常	
2231	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 17:50:00	4.2℃	正常	
2232	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 17:55:00	4.4℃	正常	
2233	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 18:00:00	4.2℃	正常	
2234	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 18:05:00	4.4℃	正常	
2235	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 18:10:00	4.3℃	正常	
2236	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 18:15:00	4.4℃	正常	
2237	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 18:20:00	4.3℃	正常	
2238	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 18:25:00	4.9℃	正常	
2239	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 18:30:00	4.2℃	正常	
2240	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 18:35:00	4.7℃	正常	
2241	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 18:40:00	4.1℃	正常	
2242	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 18:45:00	4.6℃	正常	
2243	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 18:50:00	4.1℃	正常	
2244	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 18:55:00	4.6℃	正常	
2245	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 19:00:00	4.1℃	正常	
2246	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 19:05:00	4.6℃	正常	
2247	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 19:10:00	4.2℃	正常	
2248	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 19:15:00	4.6℃	正常	
2249	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 19:20:00	4.2℃	正常	
2250	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 19:25:00	4.6℃	正常	
2251	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 19:30:00	4.2℃	正常	
2252	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 19:35:00	4.5℃	正常	
2253	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 19:40:00	4.2℃	正常	
2254	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 19:45:00	4.6℃	正常	
2255	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 19:50:00	4.2℃	正常	
2256	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 19:55:00	4.5℃	正常	
2257	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 20:00:00	4.2℃	正常	
2258	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 20:05:00	4.5℃	正常	
2259	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 20:10:00	4.3℃	正常	
2260	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 20:15:00	4.4℃	正常	
2261	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 20:20:00	4.3℃	正常	
2262	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 20:25:00	4.5℃	正常	
2263	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 20:30:00	4.3℃	正常	
2264	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 20:35:00	4.4℃	正常	
2265	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 20:40:00	4.3℃	正常	
2266	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 20:45:00	4.5℃	正常	
2267	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 20:50:00	4.3℃	正常	
2268	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 20:55:00	4.5℃	正常	
2269	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 21:00:00	4.3℃	正常	
2270	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 21:05:00	4.5℃	正常	
2271	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 21:10:00	4.3℃	正常	
2272	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 21:15:00	4.5℃	正常	
2273	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 21:20:00	4.3℃	正常	
2274	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 21:25:00	4.5℃	正常	
2275	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 21:30:00	4.3℃	正常	
2276	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 21:35:00	4.5℃	正常	
2277	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 21:40:00	4.3℃	正常	
2278	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 21:45:00	4.5℃	正常	
2279	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 21:50:00	4.3℃	正常	
2280	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 21:55:00	4.5℃	正常	
2281	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 22:00:00	4.3℃	正常	
2282	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 22:05:00	4.4℃	正常	
2283	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 22:10:00	4.4℃	正常	
2284	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 22:15:00	4.4℃	正常	
2285	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 22:20:00	4.4℃	正常	
2286	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 22:25:00	4.3℃	正常	
2287	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 22:30:00	4.4℃	正常	
2288	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 22:35:00	4.3℃	正常	
2289	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 22:40:00	4.4℃	正常	
2290	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 22:45:00	4.3℃	正常	
2291	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 22:50:00	4.4℃	正常	
2292	7-4 (2-1药) 备	冰箱	242310259	2025/6/8 22:55:00	4.3℃	正常	

[illegible]

[illegible]

2421	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 9:40:00	4.2℃	正常	
2422	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 9:45:00	4.5℃	正常	
2423	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 9:50:00	4.2℃	正常	
2424	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 9:55:00	4.6℃	正常	
2425	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 10:00:00	4.2℃	正常	
2426	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 10:05:00	4.6℃	正常	
2427	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 10:10:00	4.2℃	正常	
2428	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 10:15:00	4.5℃	正常	
2429	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 10:20:00	4.2℃	正常	
2430	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 10:25:00	4.6℃	正常	
2431	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 10:30:00	4.2℃	正常	
2432	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 10:35:00	4.5℃	正常	
2433	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 10:40:00	4.2℃	正常	
2434	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 10:45:00	4.6℃	正常	
2435	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 10:50:00	4.2℃	正常	
2436	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 10:55:00	4.6℃	正常	
2437	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 11:00:00	4.2℃	正常	
2438	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 11:05:00	4.6℃	正常	
2439	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 11:10:00	4.2℃	正常	
2440	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 11:15:00	4.6℃	正常	
2441	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 11:20:00	4.1℃	正常	
2442	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 11:25:00	4.6℃	正常	
2443	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 11:30:00	4.1℃	正常	
2444	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 11:35:00	4.6℃	正常	
2445	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 11:40:00	4.1℃	正常	
2446	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 11:45:00	4.6℃	正常	
2447	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 11:50:00	4.1℃	正常	
2448	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 11:55:00	4.6℃	正常	
2449	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 12:00:00	4.2℃	正常	
2450	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 12:05:00	4.6℃	正常	
2451	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 12:10:00	4.1℃	正常	
2452	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 12:15:00	4.6℃	正常	
2453	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 12:20:00	4.1℃	正常	
2454	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 12:25:00	4.6℃	正常	
2455	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 12:30:00	4.2℃	正常	
2456	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 12:35:00	4.6℃	正常	
2457	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 12:40:00	4.2℃	正常	
2458	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 12:45:00	4.6℃	正常	
2459	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 12:50:00	4.2℃	正常	
2460	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 12:55:00	4.6℃	正常	
2461	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 13:00:00	4.2℃	正常	
2462	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 13:05:00	4.6℃	正常	
2463	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 13:10:00	4.1℃	正常	
2464	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 13:15:00	4.6℃	正常	
2465	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 13:20:00	4.2℃	正常	
2466	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 13:25:00	4.5℃	正常	
2467	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 13:30:00	4.3℃	正常	
2468	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 13:35:00	4.5℃	正常	
2469	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 13:40:00	4.3℃	正常	
2470	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 13:45:00	4.5℃	正常	
2471	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 13:50:00	4.3℃	正常	
2472	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 13:55:00	4.4℃	正常	
2473	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 14:00:00	4.4℃	正常	
2474	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 14:05:00	4.4℃	正常	
2475	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 14:10:00	4.4℃	正常	
2476	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 14:15:00	4.2℃	正常	
2477	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 14:20:00	4.5℃	正常	
2478	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 14:25:00	4.2℃	正常	
2479	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 14:30:00	4.5℃	正常	
2480	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 14:35:00	4.1℃	正常	
2481	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 14:40:00	4.5℃	正常	
2482	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 14:45:00	4.1℃	正常	
2483	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 14:50:00	4.5℃	正常	
2484	7-4 (2-1药) 备	冰箱	242310259	2025/6/9 14:55:00	4.0℃	正常	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

2869	7-4 (2-1药) 备	冰箱	242310259	2025/6/10 23:00:00	4.1℃	正常	
2870	7-4 (2-1药) 备	冰箱	242310259	2025/6/10 23:05:00	4.5℃	正常	
2871	7-4 (2-1药) 备	冰箱	242310259	2025/6/10 23:10:00	4.1℃	正常	
2872	7-4 (2-1药) 备	冰箱	242310259	2025/6/10 23:15:00	4.6℃	正常	
2873	7-4 (2-1药) 备	冰箱	242310259	2025/6/10 23:20:00	4.1℃	正常	
2874	7-4 (2-1药) 备	冰箱	242310259	2025/6/10 23:25:00	4.6℃	正常	
2875	7-4 (2-1药) 备	冰箱	242310259	2025/6/10 23:30:00	4.2℃	正常	
2876	7-4 (2-1药) 备	冰箱	242310259	2025/6/10 23:35:00	4.6℃	正常	
2877	7-4 (2-1药) 备	冰箱	242310259	2025/6/10 23:40:00	4.2℃	正常	
2878	7-4 (2-1药) 备	冰箱	242310259	2025/6/10 23:45:00	4.6℃	正常	
2879	7-4 (2-1药) 备	冰箱	242310259	2025/6/10 23:50:00	4.1℃	正常	
2880	7-4 (2-1药) 备	冰箱	242310259	2025/6/10 23:55:00	4.6℃	正常	
2881	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 0:00:00	4.1℃	正常	
2882	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 0:05:00	4.5℃	正常	
2883	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 0:10:00	4.1℃	正常	
2884	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 0:15:00	4.6℃	正常	
2885	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 0:20:00	4.1℃	正常	
2886	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 0:25:00	4.6℃	正常	
2887	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 0:30:00	4.2℃	正常	
2888	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 0:35:00	4.5℃	正常	
2889	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 0:40:00	4.2℃	正常	
2890	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 0:45:00	4.6℃	正常	
2891	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 0:50:00	4.2℃	正常	
2892	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 0:55:00	4.6℃	正常	
2893	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 1:00:00	4.2℃	正常	
2894	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 1:05:00	4.6℃	正常	
2895	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 1:10:00	4.2℃	正常	
2896	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 1:15:00	4.5℃	正常	
2897	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 1:20:00	4.2℃	正常	
2898	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 1:25:00	4.5℃	正常	
2899	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 1:30:00	4.2℃	正常	
2900	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 1:35:00	4.5℃	正常	
2901	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 1:40:00	4.3℃	正常	
2902	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 1:45:00	4.5℃	正常	
2903	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 1:50:00	4.3℃	正常	
2904	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 1:55:00	4.5℃	正常	
2905	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 2:00:00	4.3℃	正常	
2906	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 2:05:00	4.4℃	正常	
2907	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 2:10:00	4.3℃	正常	
2908	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 2:15:00	4.4℃	正常	
2909	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 2:20:00	4.3℃	正常	
2910	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 2:25:00	4.4℃	正常	
2911	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 2:30:00	4.3℃	正常	
2912	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 2:35:00	4.4℃	正常	
2913	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 2:40:00	4.3℃	正常	
2914	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 2:45:00	4.3℃	正常	
2915	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 2:50:00	4.3℃	正常	
2916	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 2:55:00	4.3℃	正常	
2917	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 3:00:00	4.4℃	正常	
2918	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 3:05:00	4.4℃	正常	
2919	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 3:10:00	4.4℃	正常	
2920	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 3:15:00	4.3℃	正常	
2921	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 3:20:00	4.3℃	正常	
2922	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 3:25:00	4.4℃	正常	
2923	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 3:30:00	4.4℃	正常	
2924	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 3:35:00	4.3℃	正常	
2925	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 3:40:00	4.4℃	正常	
2926	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 3:45:00	4.3℃	正常	
2927	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 3:50:00	4.4℃	正常	
2928	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 3:55:00	4.3℃	正常	
2929	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 4:00:00	4.4℃	正常	
2930	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 4:05:00	4.3℃	正常	
2931	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 4:10:00	4.4℃	正常	
2932	7-4 (2-1药) 备	冰箱	242310259	2025/6/11 4:15:00	4.4℃	正常	

[illegible]

[illegible]

[illegible]

[illegible]

3189	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 1:40:00	4.2℃	正常	
3190	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 1:45:00	4.4℃	正常	
3191	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 1:50:00	4.2℃	正常	
3192	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 1:55:00	4.4℃	正常	
3193	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 2:00:00	4.3℃	正常	
3194	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 2:05:00	4.4℃	正常	
3195	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 2:10:00	4.3℃	正常	
3196	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 2:15:00	4.4℃	正常	
3197	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 2:20:00	4.3℃	正常	
3198	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 2:25:00	4.4℃	正常	
3199	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 2:30:00	4.2℃	正常	
3200	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 2:35:00	4.3℃	正常	
3201	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 2:40:00	4.3℃	正常	
3202	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 2:45:00	4.3℃	正常	
3203	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 2:50:00	4.4℃	正常	
3204	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 2:55:00	4.3℃	正常	
3205	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 3:00:00	4.3℃	正常	
3206	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 3:05:00	4.3℃	正常	
3207	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 3:10:00	4.4℃	正常	
3208	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 3:15:00	4.2℃	正常	
3209	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 3:20:00	4.5℃	正常	
3210	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 3:25:00	4.2℃	正常	
3211	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 3:30:00	4.5℃	正常	
3212	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 3:35:00	4.1℃	正常	
3213	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 3:40:00	4.6℃	正常	
3214	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 3:45:00	4.1℃	正常	
3215	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 3:50:00	4.6℃	正常	
3216	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 3:55:00	4.1℃	正常	
3217	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 4:00:00	4.6℃	正常	
3218	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 4:05:00	4.0℃	正常	
3219	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 4:10:00	4.6℃	正常	
3220	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 4:15:00	4.1℃	正常	
3221	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 4:20:00	4.6℃	正常	
3222	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 4:25:00	4.0℃	正常	
3223	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 4:30:00	4.6℃	正常	
3224	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 4:35:00	4.0℃	正常	
3225	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 4:40:00	4.6℃	正常	
3226	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 4:45:00	4.0℃	正常	
3227	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 4:50:00	4.5℃	正常	
3228	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 4:55:00	4.0℃	正常	
3229	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 5:00:00	4.5℃	正常	
3230	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 5:05:00	4.0℃	正常	
3231	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 5:10:00	4.6℃	正常	
3232	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 5:15:00	4.0℃	正常	
3233	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 5:20:00	4.9℃	正常	
3234	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 5:25:00	4.3℃	正常	
3235	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 5:30:00	4.6℃	正常	
3236	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 5:35:00	4.1℃	正常	
3237	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 5:40:00	4.6℃	正常	
3238	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 5:45:00	4.1℃	正常	
3239	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 5:50:00	4.6℃	正常	
3240	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 5:55:00	4.1℃	正常	
3241	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 6:00:00	4.6℃	正常	
3242	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 6:05:00	4.1℃	正常	
3243	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 6:10:00	4.6℃	正常	
3244	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 6:15:00	4.0℃	正常	
3245	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 6:20:00	4.6℃	正常	
3246	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 6:25:00	4.0℃	正常	
3247	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 6:30:00	4.6℃	正常	
3248	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 6:35:00	4.1℃	正常	
3249	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 6:40:00	4.6℃	正常	
3250	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 6:45:00	4.0℃	正常	
3251	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 6:50:00	4.6℃	正常	
3252	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 6:55:00	4.1℃	正常	

3253	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 7:00:00	4.6℃	正常	
3254	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 7:05:00	4.1℃	正常	
3255	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 7:10:00	4.6℃	正常	
3256	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 7:15:00	4.0℃	正常	
3257	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 7:20:00	4.6℃	正常	
3258	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 7:25:00	4.1℃	正常	
3259	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 7:30:00	4.6℃	正常	
3260	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 7:35:00	4.0℃	正常	
3261	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 7:40:00	4.6℃	正常	
3262	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 7:45:00	4.1℃	正常	
3263	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 7:50:00	4.6℃	正常	
3264	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 7:55:00	4.1℃	正常	
3265	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 8:00:00	4.6℃	正常	
3266	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 8:05:00	4.1℃	正常	
3267	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 8:10:00	4.6℃	正常	
3268	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 8:15:00	4.0℃	正常	
3269	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 8:20:00	4.6℃	正常	
3270	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 8:25:00	4.0℃	正常	
3271	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 8:30:00	4.6℃	正常	
3272	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 8:35:00	4.0℃	正常	
3273	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 8:40:00	4.6℃	正常	
3274	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 8:45:00	4.0℃	正常	
3275	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 8:50:00	4.6℃	正常	
3276	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 8:55:00	4.0℃	正常	
3277	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 9:00:00	4.6℃	正常	
3278	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 9:05:00	4.1℃	正常	
3279	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 9:10:00	4.5℃	正常	
3280	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 9:15:00	4.0℃	正常	
3281	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 9:20:00	4.5℃	正常	
3282	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 9:25:00	4.1℃	正常	
3283	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 9:30:00	4.5℃	正常	
3284	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 9:35:00	4.1℃	正常	
3285	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 9:40:00	4.5℃	正常	
3286	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 9:45:00	4.2℃	正常	
3287	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 9:50:00	4.4℃	正常	
3288	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 9:55:00	4.3℃	正常	
3289	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 10:00:00	4.4℃	正常	
3290	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 10:05:00	4.3℃	正常	
3291	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 10:10:00	4.4℃	正常	
3292	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 10:15:00	4.4℃	正常	
3293	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 10:20:00	4.3℃	正常	
3294	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 10:25:00	4.4℃	正常	
3295	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 10:30:00	4.3℃	正常	
3296	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 10:35:00	4.4℃	正常	
3297	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 10:40:00	4.3℃	正常	
3298	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 10:45:00	4.4℃	正常	
3299	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 10:50:00	4.3℃	正常	
3300	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 10:55:00	4.4℃	正常	
3301	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 11:00:00	4.2℃	正常	
3302	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 11:05:00	4.5℃	正常	
3303	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 11:10:00	4.2℃	正常	
3304	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 11:15:00	4.5℃	正常	
3305	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 11:20:00	4.2℃	正常	
3306	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 11:25:00	4.5℃	正常	
3307	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 11:30:00	4.2℃	正常	
3308	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 11:35:00	4.6℃	正常	
3309	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 11:40:00	4.2℃	正常	
3310	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 11:45:00	4.6℃	正常	
3311	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 11:50:00	4.2℃	正常	
3312	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 11:55:00	4.6℃	正常	
3313	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 12:00:00	4.2℃	正常	
3314	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 12:05:00	4.5℃	正常	
3315	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 12:10:00	4.2℃	正常	
3316	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 12:15:00	4.5℃	正常	

[illegible]

[illegible]

3445	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 23:00:00	4.5℃	正常	
3446	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 23:05:00	4.1℃	正常	
3447	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 23:10:00	4.5℃	正常	
3448	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 23:15:00	4.2℃	正常	
3449	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 23:20:00	4.4℃	正常	
3450	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 23:25:00	4.2℃	正常	
3451	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 23:30:00	4.4℃	正常	
3452	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 23:35:00	4.3℃	正常	
3453	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 23:40:00	4.4℃	正常	
3454	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 23:45:00	4.2℃	正常	
3455	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 23:50:00	4.4℃	正常	
3456	7-4 (2-1药) 备	冰箱	242310259	2025/6/12 23:55:00	4.2℃	正常	
3457	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 0:00:00	4.4℃	正常	
3458	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 0:05:00	4.2℃	正常	
3459	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 0:10:00	4.4℃	正常	
3460	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 0:15:00	4.3℃	正常	
3461	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 0:20:00	4.4℃	正常	
3462	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 0:25:00	4.4℃	正常	
3463	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 0:30:00	4.3℃	正常	
3464	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 0:35:00	4.4℃	正常	
3465	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 0:40:00	4.3℃	正常	
3466	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 0:45:00	4.4℃	正常	
3467	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 0:50:00	4.3℃	正常	
3468	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 0:55:00	4.4℃	正常	
3469	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 1:00:00	4.3℃	正常	
3470	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 1:05:00	4.4℃	正常	
3471	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 1:10:00	4.4℃	正常	
3472	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 1:15:00	4.4℃	正常	
3473	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 1:20:00	4.4℃	正常	
3474	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 1:25:00	4.3℃	正常	
3475	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 1:30:00	4.3℃	正常	
3476	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 1:35:00	4.4℃	正常	
3477	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 1:40:00	4.4℃	正常	
3478	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 1:45:00	4.3℃	正常	
3479	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 1:50:00	4.4℃	正常	
3480	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 1:55:00	4.2℃	正常	
3481	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 2:00:00	4.4℃	正常	
3482	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 2:05:00	4.2℃	正常	
3483	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 2:10:00	4.9℃	正常	
3484	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 2:15:00	4.2℃	正常	
3485	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 2:20:00	4.6℃	正常	
3486	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 2:25:00	4.1℃	正常	
3487	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 2:30:00	4.6℃	正常	
3488	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 2:35:00	4.0℃	正常	
3489	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 2:40:00	4.6℃	正常	
3490	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 2:45:00	4.0℃	正常	
3491	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 2:50:00	4.6℃	正常	
3492	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 2:55:00	4.0℃	正常	
3493	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 3:00:00	4.6℃	正常	
3494	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 3:05:00	4.0℃	正常	
3495	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 3:10:00	4.6℃	正常	
3496	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 3:15:00	4.0℃	正常	
3497	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 3:20:00	4.6℃	正常	
3498	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 3:25:00	4.0℃	正常	
3499	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 3:30:00	4.6℃	正常	
3500	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 3:35:00	4.0℃	正常	
3501	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 3:40:00	4.6℃	正常	
3502	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 3:45:00	4.0℃	正常	
3503	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 3:50:00	4.6℃	正常	
3504	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 3:55:00	4.0℃	正常	
3505	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 4:00:00	4.6℃	正常	
3506	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 4:05:00	4.0℃	正常	
3507	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 4:10:00	4.6℃	正常	
3508	7-4 (2-1药) 备	冰箱	242310259	2025/6/13 4:15:00	4.0℃	正常	

[illegible]

[illegible]

[illegible]

[illegible]

3765	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 1:40:00	4.6℃	正常	
3766	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 1:45:00	4.0℃	正常	
3767	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 1:50:00	4.6℃	正常	
3768	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 1:55:00	4.1℃	正常	
3769	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 2:00:00	4.6℃	正常	
3770	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 2:05:00	4.1℃	正常	
3771	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 2:10:00	4.6℃	正常	
3772	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 2:15:00	4.1℃	正常	
3773	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 2:20:00	4.6℃	正常	
3774	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 2:25:00	4.1℃	正常	
3775	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 2:30:00	4.6℃	正常	
3776	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 2:35:00	4.1℃	正常	
3777	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 2:40:00	4.6℃	正常	
3778	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 2:45:00	4.2℃	正常	
3779	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 2:50:00	4.5℃	正常	
3780	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 2:55:00	4.1℃	正常	
3781	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 3:00:00	4.6℃	正常	
3782	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 3:05:00	4.2℃	正常	
3783	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 3:10:00	4.6℃	正常	
3784	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 3:15:00	4.2℃	正常	
3785	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 3:20:00	4.5℃	正常	
3786	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 3:25:00	4.2℃	正常	
3787	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 3:30:00	4.6℃	正常	
3788	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 3:35:00	4.1℃	正常	
3789	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 3:40:00	4.6℃	正常	
3790	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 3:45:00	4.2℃	正常	
3791	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 3:50:00	4.5℃	正常	
3792	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 3:55:00	4.2℃	正常	
3793	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 4:00:00	4.6℃	正常	
3794	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 4:05:00	4.2℃	正常	
3795	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 4:10:00	4.6℃	正常	
3796	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 4:15:00	4.2℃	正常	
3797	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 4:20:00	4.6℃	正常	
3798	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 4:25:00	4.2℃	正常	
3799	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 4:30:00	4.6℃	正常	
3800	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 4:35:00	4.1℃	正常	
3801	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 4:40:00	4.6℃	正常	
3802	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 4:45:00	4.2℃	正常	
3803	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 4:50:00	4.5℃	正常	
3804	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 4:55:00	4.2℃	正常	
3805	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 5:00:00	4.6℃	正常	
3806	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 5:05:00	4.2℃	正常	
3807	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 5:10:00	4.5℃	正常	
3808	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 5:15:00	4.2℃	正常	
3809	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 5:20:00	4.6℃	正常	
3810	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 5:25:00	4.2℃	正常	
3811	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 5:30:00	4.5℃	正常	
3812	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 5:35:00	4.2℃	正常	
3813	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 5:40:00	4.6℃	正常	
3814	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 5:45:00	4.2℃	正常	
3815	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 5:50:00	4.5℃	正常	
3816	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 5:55:00	4.2℃	正常	
3817	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 6:00:00	4.6℃	正常	
3818	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 6:05:00	4.2℃	正常	
3819	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 6:10:00	4.5℃	正常	
3820	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 6:15:00	4.2℃	正常	
3821	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 6:20:00	4.5℃	正常	
3822	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 6:25:00	4.2℃	正常	
3823	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 6:30:00	4.5℃	正常	
3824	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 6:35:00	4.2℃	正常	
3825	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 6:40:00	4.5℃	正常	
3826	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 6:45:00	4.2℃	正常	
3827	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 6:50:00	4.5℃	正常	
3828	7-4 (2-1药)	备	冰箱	242310259	2025/6/14 6:55:00	4.2℃	正常	

3829	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 7:00:00	4.5℃	正常	
3830	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 7:05:00	4.2℃	正常	
3831	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 7:10:00	4.5℃	正常	
3832	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 7:15:00	4.3℃	正常	
3833	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 7:20:00	4.5℃	正常	
3834	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 7:25:00	4.3℃	正常	
3835	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 7:30:00	4.4℃	正常	
3836	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 7:35:00	4.4℃	正常	
3837	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 7:40:00	4.4℃	正常	
3838	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 7:45:00	4.4℃	正常	
3839	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 7:50:00	4.3℃	正常	
3840	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 7:55:00	4.4℃	正常	
3841	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 8:00:00	4.3℃	正常	
3842	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 8:05:00	4.4℃	正常	
3843	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 8:10:00	4.3℃	正常	
3844	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 8:15:00	4.4℃	正常	
3845	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 8:20:00	4.3℃	正常	
3846	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 8:25:00	4.5℃	正常	
3847	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 8:30:00	4.2℃	正常	
3848	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 8:35:00	4.4℃	正常	
3849	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 8:40:00	4.2℃	正常	
3850	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 8:45:00	4.5℃	正常	
3851	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 8:50:00	4.1℃	正常	
3852	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 8:55:00	4.5℃	正常	
3853	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 9:00:00	4.1℃	正常	
3854	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 9:05:00	4.5℃	正常	
3855	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 9:10:00	4.1℃	正常	
3856	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 9:15:00	4.9℃	正常	
3857	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 9:20:00	4.3℃	正常	
3858	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 9:25:00	4.7℃	正常	
3859	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 9:30:00	4.2℃	正常	
3860	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 9:35:00	4.6℃	正常	
3861	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 9:40:00	4.2℃	正常	
3862	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 9:45:00	4.6℃	正常	
3863	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 9:50:00	4.3℃	正常	
3864	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 9:55:00	4.5℃	正常	
3865	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 10:00:00	4.3℃	正常	
3866	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 10:05:00	4.5℃	正常	
3867	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 10:10:00	4.3℃	正常	
3868	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 10:15:00	4.5℃	正常	
3869	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 10:20:00	4.3℃	正常	
3870	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 10:25:00	4.5℃	正常	
3871	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 10:30:00	4.3℃	正常	
3872	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 10:35:00	4.5℃	正常	
3873	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 10:40:00	4.2℃	正常	
3874	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 10:45:00	4.5℃	正常	
3875	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 10:50:00	4.3℃	正常	
3876	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 10:55:00	4.5℃	正常	
3877	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 11:00:00	4.3℃	正常	
3878	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 11:05:00	4.5℃	正常	
3879	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 11:10:00	4.3℃	正常	
3880	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 11:15:00	4.5℃	正常	
3881	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 11:20:00	4.3℃	正常	
3882	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 11:25:00	4.5℃	正常	
3883	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 11:30:00	4.3℃	正常	
3884	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 11:35:00	4.5℃	正常	
3885	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 11:40:00	4.3℃	正常	
3886	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 11:45:00	4.5℃	正常	
3887	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 11:50:00	4.3℃	正常	
3888	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 11:55:00	4.4℃	正常	
3889	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 12:00:00	4.3℃	正常	
3890	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 12:05:00	4.4℃	正常	
3891	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 12:10:00	4.4℃	正常	
3892	7-4 (2-1药) 备	冰箱	242310259	2025/6/14 12:15:00	4.4℃	正常	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

4405	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 7:00:00	4.2℃	正常	
4406	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 7:05:00	4.5℃	正常	
4407	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 7:10:00	4.1℃	正常	
4408	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 7:15:00	4.5℃	正常	
4409	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 7:20:00	4.0℃	正常	
4410	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 7:25:00	4.5℃	正常	
4411	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 7:30:00	4.0℃	正常	
4412	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 7:35:00	4.6℃	正常	
4413	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 7:40:00	4.0℃	正常	
4414	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 7:45:00	4.6℃	正常	
4415	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 7:50:00	4.0℃	正常	
4416	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 7:55:00	4.5℃	正常	
4417	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 8:00:00	4.0℃	正常	
4418	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 8:05:00	4.6℃	正常	
4419	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 8:10:00	4.0℃	正常	
4420	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 8:15:00	4.6℃	正常	
4421	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 8:20:00	4.0℃	正常	
4422	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 8:25:00	4.6℃	正常	
4423	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 8:30:00	4.0℃	正常	
4424	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 8:35:00	4.6℃	正常	
4425	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 8:40:00	4.0℃	正常	
4426	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 8:45:00	4.6℃	正常	
4427	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 8:50:00	4.0℃	正常	
4428	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 8:55:00	4.6℃	正常	
4429	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 9:00:00	4.0℃	正常	
4430	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 9:05:00	4.6℃	正常	
4431	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 9:10:00	4.0℃	正常	
4432	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 9:15:00	4.6℃	正常	
4433	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 9:20:00	4.0℃	正常	
4434	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 9:25:00	4.6℃	正常	
4435	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 9:30:00	4.0℃	正常	
4436	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 9:35:00	4.6℃	正常	
4437	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 9:40:00	4.0℃	正常	
4438	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 9:45:00	4.6℃	正常	
4439	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 9:50:00	4.0℃	正常	
4440	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 9:55:00	4.6℃	正常	
4441	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 10:00:00	4.0℃	正常	
4442	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 10:05:00	4.6℃	正常	
4443	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 10:10:00	4.0℃	正常	
4444	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 10:15:00	4.6℃	正常	
4445	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 10:20:00	4.0℃	正常	
4446	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 10:25:00	4.6℃	正常	
4447	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 10:30:00	4.0℃	正常	
4448	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 10:35:00	4.6℃	正常	
4449	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 10:40:00	4.0℃	正常	
4450	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 10:45:00	4.6℃	正常	
4451	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 10:50:00	4.0℃	正常	
4452	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 10:55:00	4.6℃	正常	
4453	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 11:00:00	4.0℃	正常	
4454	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 11:05:00	4.6℃	正常	
4455	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 11:10:00	4.0℃	正常	
4456	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 11:15:00	4.6℃	正常	
4457	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 11:20:00	4.0℃	正常	
4458	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 11:25:00	4.6℃	正常	
4459	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 11:30:00	4.0℃	正常	
4460	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 11:35:00	4.6℃	正常	
4461	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 11:40:00	4.0℃	正常	
4462	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 11:45:00	4.6℃	正常	
4463	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 11:50:00	4.0℃	正常	
4464	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 11:55:00	4.6℃	正常	
4465	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 12:00:00	4.0℃	正常	
4466	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 12:05:00	4.6℃	正常	
4467	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 12:10:00	4.0℃	正常	
4468	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 12:15:00	4.9℃	正常	

[illegible]

[illegible]

4597	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 23:00:00	4.1℃	正常	
4598	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 23:05:00	4.6℃	正常	
4599	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 23:10:00	4.2℃	正常	
4600	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 23:15:00	4.6℃	正常	
4601	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 23:20:00	4.2℃	正常	
4602	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 23:25:00	4.5℃	正常	
4603	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 23:30:00	4.2℃	正常	
4604	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 23:35:00	4.5℃	正常	
4605	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 23:40:00	4.2℃	正常	
4606	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 23:45:00	4.6℃	正常	
4607	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 23:50:00	4.3℃	正常	
4608	7-4 (2-1药) 备	冰箱	242310259	2025/6/16 23:55:00	4.6℃	正常	
4609	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 0:00:00	4.3℃	正常	
4610	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 0:05:00	4.5℃	正常	
4611	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 0:10:00	4.3℃	正常	
4612	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 0:15:00	4.5℃	正常	
4613	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 0:20:00	4.3℃	正常	
4614	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 0:25:00	4.5℃	正常	
4615	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 0:30:00	4.3℃	正常	
4616	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 0:35:00	4.4℃	正常	
4617	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 0:40:00	4.4℃	正常	
4618	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 0:45:00	4.3℃	正常	
4619	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 0:50:00	4.4℃	正常	
4620	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 0:55:00	4.3℃	正常	
4621	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 1:00:00	4.4℃	正常	
4622	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 1:05:00	4.1℃	正常	
4623	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 1:10:00	4.5℃	正常	
4624	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 1:15:00	4.1℃	正常	
4625	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 1:20:00	4.5℃	正常	
4626	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 1:25:00	4.0℃	正常	
4627	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 1:30:00	4.5℃	正常	
4628	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 1:35:00	4.0℃	正常	
4629	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 1:40:00	4.5℃	正常	
4630	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 1:45:00	4.0℃	正常	
4631	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 1:50:00	4.5℃	正常	
4632	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 1:55:00	4.0℃	正常	
4633	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 2:00:00	4.6℃	正常	
4634	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 2:05:00	4.0℃	正常	
4635	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 2:10:00	4.6℃	正常	
4636	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 2:15:00	4.0℃	正常	
4637	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 2:20:00	4.6℃	正常	
4638	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 2:25:00	4.0℃	正常	
4639	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 2:30:00	4.6℃	正常	
4640	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 2:35:00	4.0℃	正常	
4641	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 2:40:00	4.6℃	正常	
4642	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 2:45:00	4.0℃	正常	
4643	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 2:50:00	4.6℃	正常	
4644	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 2:55:00	4.0℃	正常	
4645	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 3:00:00	4.6℃	正常	
4646	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 3:05:00	4.0℃	正常	
4647	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 3:10:00	4.6℃	正常	
4648	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 3:15:00	4.0℃	正常	
4649	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 3:20:00	4.6℃	正常	
4650	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 3:25:00	4.0℃	正常	
4651	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 3:30:00	4.6℃	正常	
4652	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 3:35:00	4.0℃	正常	
4653	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 3:40:00	4.5℃	正常	
4654	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 3:45:00	4.0℃	正常	
4655	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 3:50:00	4.6℃	正常	
4656	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 3:55:00	4.0℃	正常	
4657	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 4:00:00	4.5℃	正常	
4658	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 4:05:00	4.0℃	正常	
4659	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 4:10:00	4.5℃	正常	
4660	7-4 (2-1药) 备	冰箱	242310259	2025/6/17 4:15:00	4.0℃	正常	

[illegible]

[illegible]

[illegible]

[illegible]

4917	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 1:40:00	4.6℃	正常	
4918	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 1:45:00	4.1℃	正常	
4919	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 1:50:00	4.6℃	正常	
4920	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 1:55:00	4.1℃	正常	
4921	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 2:00:00	4.6℃	正常	
4922	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 2:05:00	4.2℃	正常	
4923	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 2:10:00	4.6℃	正常	
4924	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 2:15:00	4.2℃	正常	
4925	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 2:20:00	4.6℃	正常	
4926	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 2:25:00	4.2℃	正常	
4927	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 2:30:00	4.5℃	正常	
4928	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 2:35:00	4.3℃	正常	
4929	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 2:40:00	4.5℃	正常	
4930	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 2:45:00	4.2℃	正常	
4931	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 2:50:00	4.5℃	正常	
4932	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 2:55:00	4.3℃	正常	
4933	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 3:00:00	4.5℃	正常	
4934	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 3:05:00	4.3℃	正常	
4935	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 3:10:00	4.5℃	正常	
4936	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 3:15:00	4.3℃	正常	
4937	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 3:20:00	4.4℃	正常	
4938	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 3:25:00	4.4℃	正常	
4939	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 3:30:00	4.3℃	正常	
4940	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 3:35:00	4.4℃	正常	
4941	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 3:40:00	4.3℃	正常	
4942	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 3:45:00	4.4℃	正常	
4943	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 3:50:00	4.2℃	正常	
4944	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 3:55:00	4.5℃	正常	
4945	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 4:00:00	4.2℃	正常	
4946	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 4:05:00	4.5℃	正常	
4947	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 4:10:00	4.1℃	正常	
4948	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 4:15:00	4.5℃	正常	
4949	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 4:20:00	4.1℃	正常	
4950	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 4:25:00	4.5℃	正常	
4951	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 4:30:00	4.1℃	正常	
4952	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 4:35:00	4.5℃	正常	
4953	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 4:40:00	4.0℃	正常	
4954	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 4:45:00	4.9℃	正常	
4955	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 4:50:00	4.4℃	正常	
4956	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 4:55:00	4.6℃	正常	
4957	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 5:00:00	4.3℃	正常	
4958	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 5:05:00	4.6℃	正常	
4959	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 5:10:00	4.4℃	正常	
4960	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 5:15:00	4.5℃	正常	
4961	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 5:20:00	4.4℃	正常	
4962	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 5:25:00	4.4℃	正常	
4963	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 5:30:00	4.4℃	正常	
4964	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 5:35:00	4.4℃	正常	
4965	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 5:40:00	4.4℃	正常	
4966	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 5:45:00	4.3℃	正常	
4967	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 5:50:00	4.4℃	正常	
4968	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 5:55:00	4.3℃	正常	
4969	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 6:00:00	4.4℃	正常	
4970	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 6:05:00	4.2℃	正常	
4971	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 6:10:00	4.4℃	正常	
4972	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 6:15:00	4.2℃	正常	
4973	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 6:20:00	4.4℃	正常	
4974	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 6:25:00	4.2℃	正常	
4975	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 6:30:00	4.4℃	正常	
4976	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 6:35:00	4.2℃	正常	
4977	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 6:40:00	4.4℃	正常	
4978	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 6:45:00	4.3℃	正常	
4979	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 6:50:00	4.5℃	正常	
4980	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 6:55:00	4.1℃	正常	

[illegible]

[illegible]

5109	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 17:40:00	4.6℃	正常	
5110	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 17:45:00	4.1℃	正常	
5111	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 17:50:00	4.6℃	正常	
5112	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 17:55:00	4.0℃	正常	
5113	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 18:00:00	4.6℃	正常	
5114	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 18:05:00	4.1℃	正常	
5115	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 18:10:00	4.6℃	正常	
5116	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 18:15:00	4.1℃	正常	
5117	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 18:20:00	4.7℃	正常	
5118	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 18:25:00	4.1℃	正常	
5119	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 18:30:00	4.7℃	正常	
5120	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 18:35:00	4.2℃	正常	
5121	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 18:40:00	4.6℃	正常	
5122	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 18:45:00	4.2℃	正常	
5123	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 18:50:00	4.6℃	正常	
5124	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 18:55:00	4.3℃	正常	
5125	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 19:00:00	4.5℃	正常	
5126	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 19:05:00	4.4℃	正常	
5127	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 19:10:00	4.4℃	正常	
5128	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 19:15:00	4.4℃	正常	
5129	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 19:20:00	4.4℃	正常	
5130	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 19:25:00	4.5℃	正常	
5131	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 19:30:00	4.3℃	正常	
5132	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 19:35:00	4.5℃	正常	
5133	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 19:40:00	4.2℃	正常	
5134	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 19:45:00	4.6℃	正常	
5135	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 19:50:00	4.1℃	正常	
5136	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 19:55:00	4.6℃	正常	
5137	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 20:00:00	4.0℃	正常	
5138	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 20:05:00	4.6℃	正常	
5139	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 20:10:00	4.0℃	正常	
5140	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 20:15:00	4.6℃	正常	
5141	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 20:20:00	4.1℃	正常	
5142	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 20:25:00	4.7℃	正常	
5143	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 20:30:00	4.1℃	正常	
5144	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 20:35:00	4.7℃	正常	
5145	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 20:40:00	4.2℃	正常	
5146	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 20:45:00	4.6℃	正常	
5147	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 20:50:00	4.2℃	正常	
5148	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 20:55:00	4.7℃	正常	
5149	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 21:00:00	4.3℃	正常	
5150	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 21:05:00	4.6℃	正常	
5151	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 21:10:00	4.3℃	正常	
5152	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 21:15:00	4.6℃	正常	
5153	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 21:20:00	4.4℃	正常	

5173	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 23:00:00	4.6℃	正常	
5174	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 23:05:00	4.1℃	正常	
5175	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 23:10:00	4.7℃	正常	
5176	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 23:15:00	4.2℃	正常	
5177	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 23:20:00	4.7℃	正常	
5178	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 23:25:00	4.2℃	正常	
5179	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 23:30:00	4.6℃	正常	
5180	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 23:35:00	4.3℃	正常	
5181	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 23:40:00	4.6℃	正常	
5182	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 23:45:00	4.4℃	正常	
5183	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 23:50:00	4.5℃	正常	
5184	7-4 (2-1药) 备	冰箱	242310259	2025/6/18 23:55:00	4.4℃	正常	
5185	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 0:00:00	4.4℃	正常	
5186	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 0:05:00	4.5℃	正常	
5187	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 0:10:00	4.3℃	正常	
5188	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 0:15:00	4.5℃	正常	
5189	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 0:20:00	4.2℃	正常	
5190	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 0:25:00	4.6℃	正常	
5191	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 0:30:00	4.1℃	正常	
5192	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 0:35:00	4.6℃	正常	
5193	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 0:40:00	4.1℃	正常	
5194	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 0:45:00	5.1℃	正常	
5195	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 0:50:00	4.6℃	正常	
5196	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 0:55:00	4.5℃	正常	
5197	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 1:00:00	4.5℃	正常	
5198	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 1:05:00	4.2℃	正常	
5199	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 1:10:00	4.5℃	正常	
5200	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 1:15:00	4.2℃	正常	
5201	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 1:20:00	4.6℃	正常	
5202	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 1:25:00	4.1℃	正常	
5203	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 1:30:00	4.6℃	正常	
5204	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 1:35:00	4.1℃	正常	
5205	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 1:40:00	4.6℃	正常	
5206	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 1:45:00	4.0℃	正常	
5207	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 1:50:00	4.6℃	正常	
5208	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 1:55:00	4.1℃	正常	
5209	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 2:00:00	4.7℃	正常	
5210	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 2:05:00	4.1℃	正常	
5211	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 2:10:00	4.7℃	正常	
5212	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 2:15:00	4.1℃	正常	
5213	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 2:20:00	4.7℃	正常	
5214	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 2:25:00	4.2℃	正常	
5215	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 2:30:00	4.6℃	正常	
5216	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 2:35:00	4.3℃	正常	
5217	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 2:40:00	4.6℃	正常	
5218	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 2:45:00	4.3℃	正常	
5219	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 2:50:00	4.5℃	正常	
5220	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 2:55:00	4.4℃	正常	
5221	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 3:00:00	4.4℃	正常	
5222	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 3:05:00	4.4℃	正常	
5223	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 3:10:00	4.3℃	正常	
5224	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 3:15:00	4.5℃	正常	
5225	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 3:20:00	4.3℃	正常	
5226	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 3:25:00	4.5℃	正常	
5227	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 3:30:00	4.2℃	正常	
5228	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 3:35:00	4.6℃	正常	
5229	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 3:40:00	4.1℃	正常	
5230	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 3:45:00	4.6℃	正常	
5231	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 3:50:00	4.1℃	正常	
5232	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 3:55:00	4.6℃	正常	
5233	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 4:00:00	4.1℃	正常	
5234	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 4:05:00	4.6℃	正常	
5235	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 4:10:00	4.1℃	正常	
5236	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 4:15:00	4.6℃	正常	

5237	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 4:20:00	4.1℃	正常	
5238	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 4:25:00	4.7℃	正常	
5239	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 4:30:00	4.1℃	正常	
5240	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 4:35:00	4.7℃	正常	
5241	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 4:40:00	4.2℃	正常	
5242	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 4:45:00	4.7℃	正常	
5243	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 4:50:00	4.3℃	正常	
5244	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 4:55:00	4.6℃	正常	
5245	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 5:00:00	4.3℃	正常	
5246	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 5:05:00	4.5℃	正常	
5247	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 5:10:00	4.4℃	正常	
5248	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 5:15:00	4.4℃	正常	
5249	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 5:20:00	4.4℃	正常	
5250	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 5:25:00	4.4℃	正常	
5251	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 5:30:00	4.5℃	正常	
5252	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 5:35:00	4.2℃	正常	
5253	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 5:40:00	4.5℃	正常	
5254	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 5:45:00	4.2℃	正常	
5255	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 5:50:00	4.5℃	正常	
5256	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 5:55:00	4.1℃	正常	
5257	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 6:00:00	4.6℃	正常	
5258	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 6:05:00	4.1℃	正常	
5259	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 6:10:00	4.6℃	正常	
5260	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 6:15:00	4.1℃	正常	
5261	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 6:20:00	4.6℃	正常	
5262	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 6:25:00	4.1℃	正常	
5263	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 6:30:00	4.7℃	正常	
5264	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 6:35:00	4.1℃	正常	
5265	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 6:40:00	4.6℃	正常	
5266	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 6:45:00	4.1℃	正常	
5267	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 6:50:00	4.7℃	正常	
5268	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 6:55:00	4.1℃	正常	
5269	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 7:00:00	4.7℃	正常	
5270	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 7:05:00	4.2℃	正常	
5271	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 7:10:00	4.7℃	正常	
5272	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 7:15:00	4.2℃	正常	
5273	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 7:20:00	4.7℃	正常	
5274	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 7:25:00	4.2℃	正常	
5275	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 7:30:00	4.6℃	正常	
5276	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 7:35:00	4.3℃	正常	
5277	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 7:40:00	4.6℃	正常	
5278	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 7:45:00	4.3℃	正常	
5279	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 7:50:00	4.6℃	正常	
5280	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 7:55:00	4.3℃	正常	
5281	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 8:00:00	4.5℃	正常	
5282	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 8:05:00	4.4℃	正常	
5283	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 8:10:00	4.5℃	正常	
5284	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 8:15:00	4.4℃	正常	
5285	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 8:20:00	4.4℃	正常	
5286	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 8:25:00	4.4℃	正常	
5287	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 8:30:00	4.4℃	正常	
5288	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 8:35:00	4.5℃	正常	
5289	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 8:40:00	4.2℃	正常	
5290	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 8:45:00	4.5℃	正常	
5291	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 8:50:00	4.2℃	正常	
5292	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 8:55:00	4.5℃	正常	
5293	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 9:00:00	4.2℃	正常	
5294	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 9:05:00	4.5℃	正常	
5295	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 9:10:00	4.1℃	正常	
5296	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 9:15:00	4.6℃	正常	
5297	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 9:20:00	4.1℃	正常	
5298	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 9:25:00	4.6℃	正常	
5299	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 9:30:00	4.0℃	正常	
5300	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 9:35:00	4.6℃	正常	

5301	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 9:40:00	4.1℃	正常	
5302	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 9:45:00	4.6℃	正常	
5303	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 9:50:00	4.1℃	正常	
5304	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 9:55:00	4.7℃	正常	
5305	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 10:00:00	4.1℃	正常	
5306	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 10:05:00	4.6℃	正常	
5307	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 10:10:00	4.2℃	正常	
5308	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 10:15:00	4.6℃	正常	
5309	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 10:20:00	4.2℃	正常	
5310	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 10:25:00	4.6℃	正常	
5311	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 10:30:00	4.3℃	正常	
5312	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 10:35:00	4.5℃	正常	
5313	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 10:40:00	4.8℃	正常	
5314	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 10:45:00	4.1℃	正常	
5315	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 10:50:00	4.7℃	正常	
5316	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 10:55:00	4.1℃	正常	
5317	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 11:00:00	4.6℃	正常	
5318	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 11:05:00	4.1℃	正常	
5319	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 11:10:00	4.6℃	正常	
5320	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 11:15:00	4.1℃	正常	
5321	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 11:20:00	4.7℃	正常	
5322	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 11:25:00	4.2℃	正常	
5323	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 11:30:00	4.6℃	正常	
5324	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 11:35:00	4.2℃	正常	
5325	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 11:40:00	4.6℃	正常	
5326	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 11:45:00	4.3℃	正常	
5327	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 11:50:00	4.5℃	正常	
5328	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 11:55:00	4.4℃	正常	
5329	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 12:00:00	4.4℃	正常	
5330	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 12:05:00	4.5℃	正常	
5331	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 12:10:00	4.2℃	正常	
5332	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 12:15:00	4.5℃	正常	
5333	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 12:20:00	4.1℃	正常	
5334	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 12:25:00	4.5℃	正常	
5335	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 12:30:00	4.1℃	正常	
5336	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 12:35:00	4.5℃	正常	
5337	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 12:40:00	4.0℃	正常	
5338	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 12:45:00	4.6℃	正常	
5339	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 12:50:00	4.0℃	正常	
5340	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 12:55:00	4.6℃	正常	
5341	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 13:00:00	4.0℃	正常	
5342	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 13:05:00	4.6℃	正常	
5343	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 13:10:00	4.0℃	正常	
5344	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 13:15:00	4.6℃	正常	
5345	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 13:20:00	4.1℃	正常	
5346	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 13:25:00	4.6℃	正常	
5347	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 13:30:00	4.1℃	正常	
5348	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 13:35:00	4.6℃	正常	
5349	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 13:40:00	4.2℃	正常	
5350	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 13:45:00	4.6℃	正常	
5351	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 13:50:00	4.3℃	正常	
5352	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 13:55:00	4.5℃	正常	
5353	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 14:00:00	4.3℃	正常	
5354	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 14:05:00	4.5℃	正常	
5355	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 14:10:00	4.4℃	正常	
5356	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 14:15:00	4.4℃	正常	
5357	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 14:20:00	4.4℃	正常	
5358	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 14:25:00	4.2℃	正常	
5359	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 14:30:00	4.5℃	正常	
5360	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 14:35:00	4.2℃	正常	
5361	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 14:40:00	4.5℃	正常	
5362	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 14:45:00	4.1℃	正常	
5363	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 14:50:00	4.5℃	正常	
5364	7-4 (2-1药) 备	冰箱	242310259	2025/6/19 14:55:00	4.0℃	正常	

[illegible]

[illegible]

5493	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 1:40:00	4.3℃	正常	
5494	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 1:45:00	4.6℃	正常	
5495	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 1:50:00	4.3℃	正常	
5496	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 1:55:00	4.5℃	正常	
5497	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 2:00:00	4.4℃	正常	
5498	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 2:05:00	4.5℃	正常	
5499	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 2:10:00	4.4℃	正常	
5500	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 2:15:00	4.4℃	正常	
5501	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 2:20:00	4.4℃	正常	
5502	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 2:25:00	4.3℃	正常	
5503	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 2:30:00	4.5℃	正常	
5504	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 2:35:00	4.3℃	正常	
5505	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 2:40:00	4.5℃	正常	
5506	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 2:45:00	4.2℃	正常	
5507	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 2:50:00	4.5℃	正常	
5508	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 2:55:00	4.1℃	正常	
5509	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 3:00:00	4.6℃	正常	
5510	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 3:05:00	4.1℃	正常	
5511	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 3:10:00	4.6℃	正常	
5512	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 3:15:00	4.0℃	正常	
5513	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 3:20:00	4.6℃	正常	
5514	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 3:25:00	4.1℃	正常	
5515	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 3:30:00	4.7℃	正常	
5516	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 3:35:00	4.1℃	正常	
5517	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 3:40:00	4.7℃	正常	
5518	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 3:45:00	4.1℃	正常	
5519	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 3:50:00	4.7℃	正常	
5520	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 3:55:00	4.2℃	正常	
5521	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 4:00:00	4.6℃	正常	
5522	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 4:05:00	4.3℃	正常	
5523	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 4:10:00	4.5℃	正常	
5524	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 4:15:00	4.4℃	正常	
5525	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 4:20:00	4.5℃	正常	
5526	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 4:25:00	4.5℃	正常	
5527	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 4:30:00	4.3℃	正常	
5528	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 4:35:00	4.5℃	正常	
5529	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 4:40:00	4.2℃	正常	
5530	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 4:45:00	4.5℃	正常	
5531	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 4:50:00	4.2℃	正常	
5532	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 4:55:00	4.6℃	正常	
5533	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 5:00:00	4.1℃	正常	
5534	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 5:05:00	4.6℃	正常	
5535	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 5:10:00	4.1℃	正常	
5536	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 5:15:00	4.6℃	正常	
5537	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 5:20:00	4.1℃	正常	
5538	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 5:25:00	4.6℃	正常	
5539	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 5:30:00	4.1℃	正常	
5540	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 5:35:00	4.7℃	正常	
5541	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 5:40:00	4.1℃	正常	
5542	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 5:45:00	4.7℃	正常	
5543	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 5:50:00	4.2℃	正常	
5544	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 5:55:00	4.7℃	正常	
5545	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 6:00:00	4.2℃	正常	
5546	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 6:05:00	4.6℃	正常	
5547	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 6:10:00	4.3℃	正常	
5548	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 6:15:00	4.6℃	正常	
5549	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 6:20:00	4.4℃	正常	
5550	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 6:25:00	4.5℃	正常	
5551	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 6:30:00	4.9℃	正常	
5552	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 6:35:00	4.2℃	正常	
5553	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 6:40:00	4.7℃	正常	
5554	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 6:45:00	4.1℃	正常	
5555	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 6:50:00	4.7℃	正常	
5556	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 6:55:00	4.1℃	正常	

5557	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 7:00:00	4.7℃	正常	
5558	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 7:05:00	4.1℃	正常	
5559	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 7:10:00	4.7℃	正常	
5560	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 7:15:00	4.2℃	正常	
5561	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 7:20:00	4.7℃	正常	
5562	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 7:25:00	4.2℃	正常	
5563	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 7:30:00	4.6℃	正常	
5564	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 7:35:00	4.3℃	正常	
5565	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 7:40:00	4.6℃	正常	
5566	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 7:45:00	4.3℃	正常	
5567	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 7:50:00	4.6℃	正常	
5568	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 7:55:00	4.4℃	正常	
5569	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 8:00:00	4.5℃	正常	
5570	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 8:05:00	4.4℃	正常	
5571	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 8:10:00	4.5℃	正常	
5572	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 8:15:00	4.5℃	正常	
5573	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 8:20:00	4.3℃	正常	
5574	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 8:25:00	4.5℃	正常	
5575	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 8:30:00	4.2℃	正常	
5576	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 8:35:00	4.5℃	正常	
5577	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 8:40:00	4.2℃	正常	
5578	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 8:45:00	4.6℃	正常	
5579	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 8:50:00	4.1℃	正常	
5580	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 8:55:00	4.6℃	正常	
5581	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 9:00:00	4.1℃	正常	
5582	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 9:05:00	4.6℃	正常	
5583	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 9:10:00	4.1℃	正常	
5584	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 9:15:00	4.6℃	正常	
5585	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 9:20:00	4.1℃	正常	
5586	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 9:25:00	4.6℃	正常	
5587	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 9:30:00	4.1℃	正常	
5588	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 9:35:00	4.6℃	正常	
5589	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 9:40:00	4.1℃	正常	
5590	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 9:45:00	4.7℃	正常	
5591	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 9:50:00	4.2℃	正常	
5592	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 9:55:00	4.7℃	正常	
5593	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 10:00:00	4.2℃	正常	
5594	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 10:05:00	4.6℃	正常	
5595	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 10:10:00	4.3℃	正常	
5596	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 10:15:00	4.5℃	正常	
5597	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 10:20:00	4.3℃	正常	
5598	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 10:25:00	4.5℃	正常	
5599	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 10:30:00	4.3℃	正常	
5600	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 10:35:00	4.5℃	正常	
5601	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 10:40:00	4.4℃	正常	
5602	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 10:45:00	4.4℃	正常	
5603	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 10:50:00	4.4℃	正常	
5604	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 10:55:00	4.3℃	正常	
5605	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 11:00:00	4.5℃	正常	
5606	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 11:05:00	4.2℃	正常	
5607	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 11:10:00	4.5℃	正常	
5608	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 11:15:00	4.1℃	正常	
5609	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 11:20:00	4.6℃	正常	
5610	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 11:25:00	4.1℃	正常	
5611	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 11:30:00	4.6℃	正常	
5612	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 11:35:00	4.1℃	正常	
5613	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 11:40:00	4.6℃	正常	
5614	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 11:45:00	4.1℃	正常	
5615	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 11:50:00	4.6℃	正常	
5616	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 11:55:00	4.1℃	正常	
5617	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 12:00:00	4.7℃	正常	
5618	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 12:05:00	4.1℃	正常	
5619	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 12:10:00	4.7℃	正常	
5620	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 12:15:00	4.2℃	正常	

[illegible]

5685	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 17:40:00	4.5℃	正常	
5686	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 17:45:00	4.1℃	正常	
5687	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 17:50:00	4.6℃	正常	
5688	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 17:55:00	4.1℃	正常	
5689	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 18:00:00	4.6℃	正常	
5690	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 18:05:00	4.0℃	正常	
5691	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 18:10:00	4.6℃	正常	
5692	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 18:15:00	4.0℃	正常	
5693	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 18:20:00	4.7℃	正常	
5694	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 18:25:00	4.1℃	正常	
5695	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 18:30:00	4.7℃	正常	
5696	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 18:35:00	4.2℃	正常	
5697	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 18:40:00	4.6℃	正常	
5698	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 18:45:00	4.2℃	正常	
5699	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 18:50:00	4.6℃	正常	
5700	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 18:55:00	4.3℃	正常	
5701	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 19:00:00	4.6℃	正常	
5702	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 19:05:00	4.3℃	正常	
5703	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 19:10:00	4.5℃	正常	
5704	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 19:15:00	4.4℃	正常	
5705	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 19:20:00	4.4℃	正常	
5706	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 19:25:00	4.4℃	正常	
5707	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 19:30:00	4.3℃	正常	
5708	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 19:35:00	4.5℃	正常	
5709	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 19:40:00	4.2℃	正常	
5710	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 19:45:00	4.5℃	正常	
5711	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 19:50:00	4.1℃	正常	
5712	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 19:55:00	4.6℃	正常	
5713	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 20:00:00	4.0℃	正常	
5714	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 20:05:00	4.6℃	正常	
5715	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 20:10:00	4.0℃	正常	
5716	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 20:15:00	4.6℃	正常	
5717	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 20:20:00	4.1℃	正常	
5718	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 20:25:00	4.6℃	正常	
5719	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 20:30:00	4.1℃	正常	
5720	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 20:35:00	4.6℃	正常	
5721	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 20:40:00	4.2℃	正常	
5722	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 20:45:00	4.6℃	正常	
5723	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 20:50:00	4.3℃	正常	
5724	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 20:55:00	4.5℃	正常	
5725	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 21:00:00	4.4℃	正常	
5726	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 21:05:00	4.4℃	正常	
5727	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 21:10:00	4.4℃	正常	
5728	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 21:15:00	4.4℃	正常	
5729	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 21:20:00	4.5℃	正常	
5730	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 21:25:00	4.2℃	正常	
5731	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 21:30:00	4.5℃	正常	
5732	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 21:35:00	4.2℃	正常	
5733	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 21:40:00	4.5℃	正常	
5734	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 21:45:00	4.0℃	正常	
5735	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 21:50:00	4.6℃	正常	
5736	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 21:55:00	4.0℃	正常	
5737	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 22:00:00	4.6℃	正常	
5738	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 22:05:00	4.0℃	正常	
5739	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 22:10:00	4.6℃	正常	
5740	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 22:15:00	4.1℃	正常	
5741	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 22:20:00	4.6℃	正常	
5742	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 22:25:00	4.2℃	正常	
5743	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 22:30:00	4.6℃	正常	
5744	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 22:35:00	4.2℃	正常	
5745	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 22:40:00	4.6℃	正常	
5746	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 22:45:00	4.3℃	正常	
5747	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 22:50:00	4.5℃	正常	
5748	7-4 (2-1药)	备	冰箱	242310259	2025/6/20 22:55:00	4.3℃	正常	

5749	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 23:00:00	4.5℃	正常	
5750	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 23:05:00	4.4℃	正常	
5751	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 23:10:00	4.5℃	正常	
5752	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 23:15:00	4.5℃	正常	
5753	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 23:20:00	4.2℃	正常	
5754	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 23:25:00	4.5℃	正常	
5755	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 23:30:00	4.1℃	正常	
5756	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 23:35:00	4.5℃	正常	
5757	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 23:40:00	4.0℃	正常	
5758	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 23:45:00	4.6℃	正常	
5759	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 23:50:00	4.0℃	正常	
5760	7-4 (2-1药) 备	冰箱	242310259	2025/6/20 23:55:00	4.6℃	正常	
5761	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 0:00:00	4.0℃	正常	
5762	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 0:05:00	4.6℃	正常	
5763	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 0:10:00	4.1℃	正常	
5764	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 0:15:00	4.6℃	正常	
5765	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 0:20:00	4.1℃	正常	
5766	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 0:25:00	4.6℃	正常	
5767	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 0:30:00	4.2℃	正常	
5768	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 0:35:00	4.6℃	正常	
5769	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 0:40:00	4.2℃	正常	
5770	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 0:45:00	4.6℃	正常	
5771	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 0:50:00	4.3℃	正常	
5772	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 0:55:00	4.4℃	正常	
5773	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 1:00:00	4.4℃	正常	
5774	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 1:05:00	4.4℃	正常	
5775	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 1:10:00	4.5℃	正常	
5776	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 1:15:00	4.2℃	正常	
5777	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 1:20:00	4.5℃	正常	
5778	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 1:25:00	4.1℃	正常	
5779	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 1:30:00	4.5℃	正常	
5780	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 1:35:00	4.0℃	正常	
5781	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 1:40:00	4.6℃	正常	
5782	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 1:45:00	4.0℃	正常	
5783	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 1:50:00	4.6℃	正常	
5784	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 1:55:00	4.0℃	正常	
5785	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 2:00:00	4.6℃	正常	
5786	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 2:05:00	4.0℃	正常	
5787	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 2:10:00	4.6℃	正常	
5788	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 2:15:00	4.0℃	正常	
5789	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 2:20:00	5.0℃	正常	
5790	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 2:25:00	4.6℃	正常	
5791	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 2:30:00	4.4℃	正常	
5792	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 2:35:00	4.5℃	正常	
5793	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 2:40:00	4.2℃	正常	
5794	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 2:45:00	4.5℃	正常	
5795	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 2:50:00	4.1℃	正常	
5796	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 2:55:00	4.5℃	正常	
5797	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 3:00:00	4.0℃	正常	
5798	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 3:05:00	4.6℃	正常	
5799	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 3:10:00	4.0℃	正常	
5800	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 3:15:00	4.6℃	正常	
5801	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 3:20:00	4.0℃	正常	
5802	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 3:25:00	4.6℃	正常	
5803	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 3:30:00	4.0℃	正常	
5804	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 3:35:00	4.6℃	正常	
5805	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 3:40:00	4.1℃	正常	
5806	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 3:45:00	4.6℃	正常	
5807	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 3:50:00	4.1℃	正常	
5808	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 3:55:00	4.6℃	正常	
5809	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 4:00:00	4.1℃	正常	
5810	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 4:05:00	4.6℃	正常	
5811	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 4:10:00	4.2℃	正常	
5812	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 4:15:00	4.6℃	正常	

5813	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 4:20:00	4.2℃	正常	
5814	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 4:25:00	4.5℃	正常	
5815	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 4:30:00	4.2℃	正常	
5816	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 4:35:00	4.5℃	正常	
5817	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 4:40:00	4.3℃	正常	
5818	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 4:45:00	4.4℃	正常	
5819	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 4:50:00	4.3℃	正常	
5820	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 4:55:00	4.4℃	正常	
5821	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 5:00:00	4.4℃	正常	
5822	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 5:05:00	4.3℃	正常	
5823	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 5:10:00	4.5℃	正常	
5824	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 5:15:00	4.2℃	正常	
5825	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 5:20:00	4.5℃	正常	
5826	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 5:25:00	4.1℃	正常	
5827	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 5:30:00	4.5℃	正常	
5828	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 5:35:00	4.0℃	正常	
5829	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 5:40:00	4.5℃	正常	
5830	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 5:45:00	4.0℃	正常	
5831	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 5:50:00	4.6℃	正常	
5832	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 5:55:00	4.0℃	正常	
5833	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 6:00:00	4.6℃	正常	
5834	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 6:05:00	4.0℃	正常	
5835	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 6:10:00	4.6℃	正常	
5836	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 6:15:00	4.0℃	正常	
5837	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 6:20:00	4.6℃	正常	
5838	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 6:25:00	4.1℃	正常	
5839	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 6:30:00	4.6℃	正常	
5840	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 6:35:00	4.0℃	正常	
5841	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 6:40:00	4.6℃	正常	
5842	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 6:45:00	4.1℃	正常	
5843	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 6:50:00	4.6℃	正常	
5844	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 6:55:00	4.1℃	正常	
5845	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 7:00:00	4.6℃	正常	
5846	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 7:05:00	4.1℃	正常	
5847	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 7:10:00	4.6℃	正常	
5848	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 7:15:00	4.2℃	正常	
5849	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 7:20:00	4.6℃	正常	
5850	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 7:25:00	4.3℃	正常	
5851	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 7:30:00	4.5℃	正常	
5852	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 7:35:00	4.3℃	正常	
5853	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 7:40:00	4.4℃	正常	
5854	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 7:45:00	4.4℃	正常	
5855	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 7:50:00	4.4℃	正常	
5856	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 7:55:00	4.4℃	正常	
5857	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 8:00:00	4.4℃	正常	
5858	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 8:05:00	4.4℃	正常	
5859	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 8:10:00	4.3℃	正常	
5860	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 8:15:00	4.4℃	正常	
5861	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 8:20:00	4.2℃	正常	
5862	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 8:25:00	4.5℃	正常	
5863	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 8:30:00	4.2℃	正常	
5864	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 8:35:00	4.5℃	正常	
5865	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 8:40:00	4.2℃	正常	
5866	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 8:45:00	4.5℃	正常	
5867	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 8:50:00	4.1℃	正常	
5868	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 8:55:00	4.5℃	正常	
5869	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 9:00:00	4.1℃	正常	
5870	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 9:05:00	4.6℃	正常	
5871	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 9:10:00	4.0℃	正常	
5872	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 9:15:00	4.6℃	正常	
5873	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 9:20:00	4.0℃	正常	
5874	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 9:25:00	4.6℃	正常	
5875	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 9:30:00	4.0℃	正常	
5876	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 9:35:00	4.6℃	正常	

5877	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 9:40:00	4.0℃	正常	
5878	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 9:45:00	4.6℃	正常	
5879	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 9:50:00	4.0℃	正常	
5880	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 9:55:00	4.6℃	正常	
5881	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 10:00:00	4.1℃	正常	
5882	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 10:05:00	4.6℃	正常	
5883	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 10:10:00	4.1℃	正常	
5884	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 10:15:00	4.6℃	正常	
5885	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 10:20:00	4.1℃	正常	
5886	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 10:25:00	4.6℃	正常	
5887	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 10:30:00	4.2℃	正常	
5888	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 10:35:00	4.6℃	正常	
5889	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 10:40:00	4.2℃	正常	
5890	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 10:45:00	4.6℃	正常	
5891	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 10:50:00	4.3℃	正常	
5892	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 10:55:00	4.5℃	正常	
5893	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 11:00:00	4.3℃	正常	
5894	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 11:05:00	4.5℃	正常	
5895	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 11:10:00	4.4℃	正常	
5896	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 11:15:00	4.4℃	正常	
5897	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 11:20:00	4.4℃	正常	
5898	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 11:25:00	4.3℃	正常	
5899	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 11:30:00	4.5℃	正常	
5900	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 11:35:00	4.1℃	正常	
5901	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 11:40:00	4.5℃	正常	
5902	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 11:45:00	4.0℃	正常	
5903	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 11:50:00	4.6℃	正常	
5904	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 11:55:00	4.0℃	正常	
5905	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 12:00:00	4.6℃	正常	
5906	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 12:05:00	4.0℃	正常	
5907	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 12:10:00	4.6℃	正常	
5908	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 12:15:00	4.0℃	正常	
5909	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 12:20:00	5.0℃	正常	
5910	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 12:25:00	4.6℃	正常	
5911	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 12:30:00	4.4℃	正常	
5912	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 12:35:00	4.5℃	正常	
5913	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 12:40:00	4.3℃	正常	
5914	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 12:45:00	4.5℃	正常	
5915	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 12:50:00	4.2℃	正常	
5916	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 12:55:00	4.5℃	正常	
5917	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 13:00:00	4.1℃	正常	
5918	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 13:05:00	4.5℃	正常	
5919	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 13:10:00	4.1℃	正常	
5920	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 13:15:00	4.6℃	正常	
5921	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 13:20:00	4.0℃	正常	
5922	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 13:25:00	4.6℃	正常	
5923	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 13:30:00	4.0℃	正常	
5924	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 13:35:00	4.6℃	正常	
5925	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 13:40:00	4.1℃	正常	
5926	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 13:45:00	4.6℃	正常	
5927	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 13:50:00	4.1℃	正常	
5928	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 13:55:00	4.7℃	正常	
5929	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 14:00:00	4.1℃	正常	
5930	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 14:05:00	4.6℃	正常	
5931	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 14:10:00	4.1℃	正常	
5932	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 14:15:00	4.6℃	正常	
5933	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 14:20:00	4.2℃	正常	
5934	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 14:25:00	4.6℃	正常	
5935	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 14:30:00	4.2℃	正常	
5936	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 14:35:00	4.5℃	正常	
5937	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 14:40:00	4.3℃	正常	
5938	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 14:45:00	4.5℃	正常	
5939	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 14:50:00	4.4℃	正常	
5940	7-4 (2-1药) 备	冰箱	242310259	2025/6/21 14:55:00	4.4℃	正常	

[illegible]

[illegible]

6069	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 1:40:00	4.5℃	正常	
6070	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 1:45:00	4.4℃	正常	
6071	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 1:50:00	4.4℃	正常	
6072	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 1:55:00	4.4℃	正常	
6073	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 2:00:00	4.3℃	正常	
6074	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 2:05:00	4.5℃	正常	
6075	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 2:10:00	4.3℃	正常	
6076	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 2:15:00	4.5℃	正常	
6077	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 2:20:00	4.2℃	正常	
6078	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 2:25:00	4.5℃	正常	
6079	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 2:30:00	4.1℃	正常	
6080	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 2:35:00	4.5℃	正常	
6081	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 2:40:00	4.1℃	正常	
6082	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 2:45:00	4.5℃	正常	
6083	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 2:50:00	4.1℃	正常	
6084	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 2:55:00	4.5℃	正常	
6085	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 3:00:00	4.0℃	正常	
6086	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 3:05:00	4.6℃	正常	
6087	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 3:10:00	4.0℃	正常	
6088	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 3:15:00	4.6℃	正常	
6089	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 3:20:00	4.0℃	正常	
6090	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 3:25:00	4.6℃	正常	
6091	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 3:30:00	4.0℃	正常	
6092	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 3:35:00	4.6℃	正常	
6093	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 3:40:00	4.1℃	正常	
6094	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 3:45:00	4.6℃	正常	
6095	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 3:50:00	4.0℃	正常	
6096	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 3:55:00	4.6℃	正常	
6097	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 4:00:00	4.0℃	正常	
6098	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 4:05:00	4.6℃	正常	
6099	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 4:10:00	4.1℃	正常	
6100	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 4:15:00	4.6℃	正常	
6101	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 4:20:00	4.2℃	正常	
6102	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 4:25:00	4.6℃	正常	
6103	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 4:30:00	4.2℃	正常	
6104	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 4:35:00	4.5℃	正常	
6105	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 4:40:00	4.3℃	正常	
6106	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 4:45:00	4.5℃	正常	
6107	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 4:50:00	4.3℃	正常	
6108	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 4:55:00	4.5℃	正常	
6109	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 5:00:00	4.3℃	正常	
6110	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 5:05:00	4.4℃	正常	
6111	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 5:10:00	4.3℃	正常	
6112	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 5:15:00	4.4℃	正常	
6113	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 5:20:00	4.4℃	正常	
6114	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 5:25:00	4.4℃	正常	
6115	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 5:30:00	4.4℃	正常	
6116	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 5:35:00	4.3℃	正常	
6117	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 5:40:00	4.4℃	正常	
6118	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 5:45:00	4.3℃	正常	
6119	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 5:50:00	4.4℃	正常	
6120	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 5:55:00	4.2℃	正常	
6121	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 6:00:00	4.5℃	正常	
6122	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 6:05:00	4.1℃	正常	
6123	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 6:10:00	4.5℃	正常	
6124	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 6:15:00	4.1℃	正常	
6125	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 6:20:00	4.6℃	正常	
6126	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 6:25:00	4.0℃	正常	
6127	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 6:30:00	4.6℃	正常	
6128	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 6:35:00	4.0℃	正常	
6129	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 6:40:00	4.6℃	正常	
6130	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 6:45:00	4.0℃	正常	
6131	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 6:50:00	4.6℃	正常	
6132	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 6:55:00	4.0℃	正常	

6133	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 7:00:00	4.6℃	正常	
6134	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 7:05:00	4.0℃	正常	
6135	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 7:10:00	4.6℃	正常	
6136	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 7:15:00	4.1℃	正常	
6137	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 7:20:00	4.6℃	正常	
6138	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 7:25:00	4.1℃	正常	
6139	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 7:30:00	4.6℃	正常	
6140	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 7:35:00	4.1℃	正常	
6141	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 7:40:00	4.6℃	正常	
6142	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 7:45:00	4.1℃	正常	
6143	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 7:50:00	4.6℃	正常	
6144	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 7:55:00	4.1℃	正常	
6145	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 8:00:00	4.6℃	正常	
6146	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 8:05:00	4.1℃	正常	
6147	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 8:10:00	4.6℃	正常	
6148	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 8:15:00	4.2℃	正常	
6149	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 8:20:00	4.7℃	正常	
6150	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 8:25:00	4.7℃	正常	
6151	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 8:30:00	4.2℃	正常	
6152	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 8:35:00	4.6℃	正常	
6153	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 8:40:00	4.1℃	正常	
6154	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 8:45:00	4.5℃	正常	
6155	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 8:50:00	4.1℃	正常	
6156	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 8:55:00	4.5℃	正常	
6157	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 9:00:00	4.1℃	正常	
6158	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 9:05:00	4.5℃	正常	
6159	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 9:10:00	4.0℃	正常	
6160	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 9:15:00	4.6℃	正常	
6161	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 9:20:00	4.0℃	正常	
6162	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 9:25:00	4.6℃	正常	
6163	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 9:30:00	4.0℃	正常	
6164	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 9:35:00	4.6℃	正常	
6165	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 9:40:00	4.0℃	正常	
6166	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 9:45:00	4.6℃	正常	
6167	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 9:50:00	4.0℃	正常	
6168	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 9:55:00	4.6℃	正常	
6169	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 10:00:00	4.0℃	正常	
6170	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 10:05:00	4.6℃	正常	
6171	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 10:10:00	4.0℃	正常	
6172	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 10:15:00	4.6℃	正常	
6173	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 10:20:00	4.0℃	正常	
6174	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 10:25:00	4.6℃	正常	
6175	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 10:30:00	4.0℃	正常	
6176	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 10:35:00	4.6℃	正常	
6177	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 10:40:00	4.1℃	正常	
6178	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 10:45:00	4.6℃	正常	
6179	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 10:50:00	4.1℃	正常	
6180	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 10:55:00	4.6℃	正常	
6181	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 11:00:00	4.1℃	正常	
6182	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 11:05:00	4.6℃	正常	
6183	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 11:10:00	4.1℃	正常	
6184	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 11:15:00	4.6℃	正常	
6185	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 11:20:00	4.1℃	正常	
6186	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 11:25:00	4.6℃	正常	
6187	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 11:30:00	4.2℃	正常	
6188	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 11:35:00	4.6℃	正常	
6189	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 11:40:00	4.2℃	正常	
6190	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 11:45:00	4.6℃	正常	
6191	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 11:50:00	4.2℃	正常	
6192	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 11:55:00	4.5℃	正常	
6193	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 12:00:00	4.2℃	正常	
6194	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 12:05:00	4.6℃	正常	
6195	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 12:10:00	4.2℃	正常	
6196	7-4 (2-1药) 备	冰箱	242310259	2025/6/22 12:15:00	4.6℃	正常	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

6709	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 7:00:00	4.0℃	正常	
6710	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 7:05:00	4.6℃	正常	
6711	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 7:10:00	4.0℃	正常	
6712	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 7:15:00	4.6℃	正常	
6713	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 7:20:00	4.0℃	正常	
6714	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 7:25:00	4.6℃	正常	
6715	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 7:30:00	4.0℃	正常	
6716	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 7:35:00	4.6℃	正常	
6717	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 7:40:00	4.1℃	正常	
6718	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 7:45:00	4.6℃	正常	
6719	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 7:50:00	4.0℃	正常	
6720	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 7:55:00	4.6℃	正常	
6721	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 8:00:00	4.0℃	正常	
6722	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 8:05:00	4.6℃	正常	
6723	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 8:10:00	4.0℃	正常	
6724	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 8:15:00	4.6℃	正常	
6725	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 8:20:00	4.0℃	正常	
6726	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 8:25:00	4.6℃	正常	
6727	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 8:30:00	4.0℃	正常	
6728	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 8:35:00	4.6℃	正常	
6729	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 8:40:00	4.0℃	正常	
6730	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 8:45:00	4.6℃	正常	
6731	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 8:50:00	4.0℃	正常	
6732	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 8:55:00	4.6℃	正常	
6733	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 9:00:00	4.0℃	正常	
6734	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 9:05:00	4.6℃	正常	
6735	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 9:10:00	4.0℃	正常	
6736	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 9:15:00	4.5℃	正常	
6737	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 9:20:00	4.0℃	正常	
6738	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 9:25:00	4.6℃	正常	
6739	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 9:30:00	4.0℃	正常	
6740	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 9:35:00	4.5℃	正常	
6741	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 9:40:00	4.0℃	正常	
6742	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 9:45:00	4.5℃	正常	
6743	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 9:50:00	4.1℃	正常	
6744	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 9:55:00	4.5℃	正常	
6745	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 10:00:00	4.0℃	正常	
6746	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 10:05:00	4.5℃	正常	
6747	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 10:10:00	4.0℃	正常	
6748	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 10:15:00	4.5℃	正常	
6749	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 10:20:00	4.0℃	正常	
6750	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 10:25:00	4.5℃	正常	
6751	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 10:30:00	4.0℃	正常	
6752	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 10:35:00	4.5℃	正常	
6753	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 10:40:00	4.0℃	正常	
6754	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 10:45:00	4.5℃	正常	
6755	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 10:50:00	4.0℃	正常	
6756	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 10:55:00	4.5℃	正常	
6757	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 11:00:00	4.0℃	正常	
6758	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 11:05:00	4.5℃	正常	
6759	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 11:10:00	4.1℃	正常	
6760	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 11:15:00	4.5℃	正常	
6761	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 11:20:00	4.0℃	正常	
6762	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 11:25:00	4.9℃	正常	
6763	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 11:30:00	4.3℃	正常	
6764	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 11:35:00	4.7℃	正常	
6765	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 11:40:00	4.2℃	正常	
6766	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 11:45:00	4.6℃	正常	
6767	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 11:50:00	4.1℃	正常	
6768	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 11:55:00	4.6℃	正常	
6769	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 12:00:00	4.1℃	正常	
6770	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 12:05:00	4.6℃	正常	
6771	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 12:10:00	4.1℃	正常	
6772	7-4 (2-1药) 备	冰箱	242310259	2025/6/24 12:15:00	4.6℃	正常	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

7221	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 1:40:00	4.6℃	正常	
7222	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 1:45:00	4.1℃	正常	
7223	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 1:50:00	4.6℃	正常	
7224	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 1:55:00	4.1℃	正常	
7225	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 2:00:00	4.6℃	正常	
7226	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 2:05:00	4.1℃	正常	
7227	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 2:10:00	4.7℃	正常	
7228	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 2:15:00	4.1℃	正常	
7229	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 2:20:00	4.6℃	正常	
7230	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 2:25:00	4.2℃	正常	
7231	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 2:30:00	4.6℃	正常	
7232	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 2:35:00	4.2℃	正常	
7233	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 2:40:00	4.6℃	正常	
7234	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 2:45:00	4.3℃	正常	
7235	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 2:50:00	4.5℃	正常	
7236	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 2:55:00	4.4℃	正常	
7237	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 3:00:00	4.3℃	正常	
7238	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 3:05:00	4.4℃	正常	
7239	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 3:10:00	4.3℃	正常	
7240	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 3:15:00	4.5℃	正常	
7241	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 3:20:00	4.1℃	正常	
7242	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 3:25:00	4.5℃	正常	
7243	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 3:30:00	4.1℃	正常	
7244	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 3:35:00	4.6℃	正常	
7245	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 3:40:00	4.0℃	正常	
7246	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 3:45:00	4.6℃	正常	
7247	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 3:50:00	4.0℃	正常	
7248	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 3:55:00	4.6℃	正常	
7249	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 4:00:00	4.1℃	正常	
7250	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 4:05:00	4.6℃	正常	
7251	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 4:10:00	4.1℃	正常	
7252	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 4:15:00	4.8℃	正常	
7253	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 4:20:00	4.7℃	正常	
7254	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 4:25:00	4.2℃	正常	
7255	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 4:30:00	4.6℃	正常	
7256	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 4:35:00	4.1℃	正常	
7257	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 4:40:00	4.6℃	正常	
7258	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 4:45:00	4.0℃	正常	
7259	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 4:50:00	4.6℃	正常	
7260	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 4:55:00	4.0℃	正常	
7261	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 5:00:00	4.6℃	正常	
7262	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 5:05:00	4.0℃	正常	
7263	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 5:10:00	4.6℃	正常	
7264	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 5:15:00	4.0℃	正常	
7265	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 5:20:00	4.6℃	正常	
7266	7-4 (2-1药) 备	冰箱	242310259				

7285	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 7:00:00	4.4℃	正常	
7286	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 7:05:00	4.4℃	正常	
7287	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 7:10:00	4.4℃	正常	
7288	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 7:15:00	4.4℃	正常	
7289	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 7:20:00	4.3℃	正常	
7290	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 7:25:00	4.4℃	正常	
7291	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 7:30:00	4.3℃	正常	
7292	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 7:35:00	4.4℃	正常	
7293	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 7:40:00	4.2℃	正常	
7294	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 7:45:00	4.5℃	正常	
7295	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 7:50:00	4.2℃	正常	
7296	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 7:55:00	4.5℃	正常	
7297	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 8:00:00	4.2℃	正常	
7298	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 8:05:00	4.5℃	正常	
7299	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 8:10:00	4.1℃	正常	
7300	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 8:15:00	4.5℃	正常	
7301	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 8:20:00	4.1℃	正常	
7302	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 8:25:00	4.5℃	正常	
7303	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 8:30:00	4.1℃	正常	
7304	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 8:35:00	4.5℃	正常	
7305	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 8:40:00	4.1℃	正常	
7306	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 8:45:00	4.5℃	正常	
7307	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 8:50:00	4.1℃	正常	
7308	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 8:55:00	4.5℃	正常	
7309	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 9:00:00	4.1℃	正常	
7310	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 9:05:00	4.5℃	正常	
7311	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 9:10:00	4.0℃	正常	
7312	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 9:15:00	4.5℃	正常	
7313	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 9:20:00	4.0℃	正常	
7314	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 9:25:00	4.6℃	正常	
7315	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 9:30:00	4.1℃	正常	
7316	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 9:35:00	4.6℃	正常	
7317	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 9:40:00	4.0℃	正常	
7318	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 9:45:00	4.5℃	正常	
7319	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 9:50:00	4.0℃	正常	
7320	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 9:55:00	4.6℃	正常	
7321	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 10:00:00	4.0℃	正常	
7322	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 10:05:00	4.6℃	正常	
7323	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 10:10:00	4.0℃	正常	
7324	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 10:15:00	4.6℃	正常	
7325	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 10:20:00	4.1℃	正常	
7326	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 10:25:00	4.6℃	正常	
7327	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 10:30:00	4.1℃	正常	
7328	7-4 (2-1药)	备	冰箱	242310259	2025/6/26 10:35:00	4.6℃	正常	

7349	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 12:20:00	4.4℃	正常	
7350	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 12:25:00	4.3℃	正常	
7351	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 12:30:00	4.4℃	正常	
7352	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 12:35:00	4.2℃	正常	
7353	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 12:40:00	4.4℃	正常	
7354	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 12:45:00	4.1℃	正常	
7355	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 12:50:00	4.5℃	正常	
7356	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 12:55:00	4.1℃	正常	
7357	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 13:00:00	4.5℃	正常	
7358	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 13:05:00	4.1℃	正常	
7359	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 13:10:00	4.5℃	正常	
7360	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 13:15:00	4.1℃	正常	
7361	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 13:20:00	4.6℃	正常	
7362	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 13:25:00	4.0℃	正常	
7363	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 13:30:00	4.6℃	正常	
7364	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 13:35:00	4.0℃	正常	
7365	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 13:40:00	4.6℃	正常	
7366	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 13:45:00	4.1℃	正常	
7367	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 13:50:00	4.7℃	正常	
7368	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 13:55:00	4.2℃	正常	
7369	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 14:00:00	4.6℃	正常	
7370	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 14:05:00	4.2℃	正常	
7371	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 14:10:00	4.6℃	正常	
7372	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 14:15:00	4.3℃	正常	
7373	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 14:20:00	4.5℃	正常	
7374	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 14:25:00	4.9℃	正常	
7375	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 14:30:00	4.1℃	正常	
7376	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 14:35:00	4.7℃	正常	
7377	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 14:40:00	4.1℃	正常	
7378	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 14:45:00	4.6℃	正常	
7379	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 14:50:00	4.1℃	正常	
7380	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 14:55:00	4.7℃	正常	
7381	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 15:00:00	4.2℃	正常	
7382	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 15:05:00	4.6℃	正常	
7383	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 15:10:00	4.2℃	正常	
7384	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 15:15:00	4.6℃	正常	
7385	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 15:20:00	4.3℃	正常	
7386	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 15:25:00	4.5℃	正常	
7387	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 15:30:00	4.4℃	正常	
7388	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 15:35:00	4.3℃	正常	
7389	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 15:40:00	4.5℃	正常	
7390	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 15:45:00	4.2℃	正常	
7391	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 15:50:00	4.5℃	正常	
7392	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 15:55:00	4.1℃	正常	
7393	7-4 (2-1药) 备	冰箱	242310259	2025/6/26 16:00:00	4.5℃	正常	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

7797	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 1:40:00	4.5℃	正常	
7798	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 1:45:00	4.2℃	正常	
7799	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 1:50:00	4.5℃	正常	
7800	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 1:55:00	4.1℃	正常	
7801	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 2:00:00	4.5℃	正常	
7802	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 2:05:00	4.1℃	正常	
7803	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 2:10:00	4.5℃	正常	
7804	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 2:15:00	4.1℃	正常	
7805	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 2:20:00	4.5℃	正常	
7806	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 2:25:00	4.1℃	正常	
7807	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 2:30:00	4.6℃	正常	
7808	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 2:35:00	4.0℃	正常	
7809	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 2:40:00	4.5℃	正常	
7810	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 2:45:00	4.0℃	正常	
7811	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 2:50:00	4.6℃	正常	
7812	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 2:55:00	4.0℃	正常	
7813	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 3:00:00	4.6℃	正常	
7814	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 3:05:00	4.0℃	正常	
7815	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 3:10:00	4.6℃	正常	
7816	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 3:15:00	4.0℃	正常	
7817	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 3:20:00	4.6℃	正常	
7818	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 3:25:00	4.1℃	正常	
7819	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 3:30:00	4.6℃	正常	
7820	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 3:35:00	4.1℃	正常	
7821	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 3:40:00	4.6℃	正常	
7822	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 3:45:00	4.1℃	正常	
7823	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 3:50:00	4.6℃	正常	
7824	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 3:55:00	4.2℃	正常	
7825	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 4:00:00	4.5℃	正常	
7826	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 4:05:00	4.2℃	正常	
7827	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 4:10:00	4.5℃	正常	
7828	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 4:15:00	4.3℃	正常	
7829	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 4:20:00	4.5℃	正常	
7830	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 4:25:00	4.3℃	正常	
7831	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 4:30:00	4.4℃	正常	
7832	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 4:35:00	4.3℃	正常	
7833	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 4:40:00	4.4℃	正常	
7834	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 4:45:00	4.3℃	正常	
7835	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 4:50:00	4.4℃	正常	
7836	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 4:55:00	4.4℃	正常	
7837	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 5:00:00	4.3℃	正常	
7838	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 5:05:00	4.4℃	正常	
7839	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 5:10:00	4.3℃	正常	
7840	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 5:15:00	4.4℃	正常	
7841	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 5:20:00	4.2℃	正常	
7842	7-4 (2-1药) 备	冰箱	242310259				

7861	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 7:00:00	4.5℃	正常	
7862	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 7:05:00	4.5℃	正常	
7863	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 7:10:00	4.4℃	正常	
7864	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 7:15:00	4.4℃	正常	
7865	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 7:20:00	4.4℃	正常	
7866	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 7:25:00	4.2℃	正常	
7867	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 7:30:00	4.5℃	正常	
7868	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 7:35:00	4.1℃	正常	
7869	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 7:40:00	4.5℃	正常	
7870	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 7:45:00	4.1℃	正常	
7871	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 7:50:00	4.6℃	正常	
7872	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 7:55:00	4.0℃	正常	
7873	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 8:00:00	4.6℃	正常	
7874	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 8:05:00	4.0℃	正常	
7875	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 8:10:00	4.6℃	正常	
7876	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 8:15:00	4.0℃	正常	
7877	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 8:20:00	4.6℃	正常	
7878	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 8:25:00	4.1℃	正常	
7879	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 8:30:00	4.6℃	正常	
7880	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 8:35:00	4.1℃	正常	
7881	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 8:40:00	4.6℃	正常	
7882	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 8:45:00	4.1℃	正常	
7883	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 8:50:00	4.6℃	正常	
7884	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 8:55:00	4.1℃	正常	
7885	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 9:00:00	4.6℃	正常	
7886	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 9:05:00	4.1℃	正常	
7887	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 9:10:00	4.6℃	正常	
7888	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 9:15:00	4.1℃	正常	
7889	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 9:20:00	4.6℃	正常	
7890	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 9:25:00	4.2℃	正常	
7891	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 9:30:00	4.6℃	正常	
7892	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 9:35:00	4.2℃	正常	
7893	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 9:40:00	4.5℃	正常	
7894	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 9:45:00	4.3℃	正常	
7895	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 9:50:00	4.5℃	正常	
7896	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 9:55:00	4.3℃	正常	
7897	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 10:00:00	4.4℃	正常	
7898	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 10:05:00	4.3℃	正常	
7899	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 10:10:00	4.3℃	正常	
7900	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 10:15:00	4.4℃	正常	
7901	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 10:20:00	4.3℃	正常	
7902	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 10:25:00	4.4℃	正常	
7903	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 10:30:00	4.2℃	正常	
7904	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 10:35:00	4.4℃	正常	
7905	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 10:40:00	4.2℃	正常	
7906	7-4 (2-1药) 备	冰箱					

[illegible]

[illegible]

8053	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 23:00:00	4.0℃	正常	
8054	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 23:05:00	4.6℃	正常	
8055	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 23:10:00	4.1℃	正常	
8056	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 23:15:00	4.6℃	正常	
8057	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 23:20:00	4.1℃	正常	
8058	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 23:25:00	4.6℃	正常	
8059	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 23:30:00	4.1℃	正常	
8060	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 23:35:00	4.6℃	正常	
8061	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 23:40:00	4.2℃	正常	
8062	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 23:45:00	4.6℃	正常	
8063	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 23:50:00	4.2℃	正常	
8064	7-4 (2-1药) 备	冰箱	242310259	2025/6/28 23:55:00	4.6℃	正常	
8065	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 0:00:00	4.1℃	正常	
8066	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 0:05:00	4.6℃	正常	
8067	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 0:10:00	4.2℃	正常	
8068	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 0:15:00	4.6℃	正常	
8069	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 0:20:00	4.2℃	正常	
8070	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 0:25:00	4.5℃	正常	
8071	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 0:30:00	4.2℃	正常	
8072	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 0:35:00	4.5℃	正常	
8073	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 0:40:00	4.3℃	正常	
8074	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 0:45:00	4.5℃	正常	
8075	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 0:50:00	4.3℃	正常	
8076	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 0:55:00	4.5℃	正常	
8077	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 1:00:00	4.3℃	正常	
8078	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 1:05:00	4.4℃	正常	
8079	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 1:10:00	4.3℃	正常	
8080	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 1:15:00	4.4℃	正常	
8081	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 1:20:00	4.4℃	正常	
8082	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 1:25:00	4.3℃	正常	
8083	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 1:30:00	4.4℃	正常	
8084	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 1:35:00	4.2℃	正常	
8085	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 1:40:00	4.5℃	正常	
8086	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 1:45:00	4.1℃	正常	
8087	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 1:50:00	4.5℃	正常	
8088	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 1:55:00	4.1℃	正常	
8089	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 2:00:00	4.5℃	正常	
8090	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 2:05:00	4.0℃	正常	
8091	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 2:10:00	4.5℃	正常	
8092	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 2:15:00	4.0℃	正常	
8093	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 2:20:00	4.6℃	正常	
8094	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 2:25:00	4.0℃	正常	
8095	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 2:30:00	4.6℃	正常	
8096	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 2:35:00	4.0℃	正常	
8097	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 2:40:00	4.6℃	正常	
8098	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 2:45:00	4.0℃	正常	
8099	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 2:50:00	4.6℃	正常	
8100	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 2:55:00	4.0℃	正常	
8101	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 3:00:00	4.9℃	正常	
8102	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 3:05:00	4.6℃	正常	
8103	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 3:10:00	4.3℃	正常	
8104	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 3:15:00	4.5℃	正常	
8105	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 3:20:00	4.2℃	正常	
8106	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 3:25:00	4.5℃	正常	
8107	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 3:30:00	4.2℃	正常	
8108	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 3:35:00	4.5℃	正常	
8109	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 3:40:00	4.1℃	正常	
8110	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 3:45:00	4.5℃	正常	
8111	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 3:50:00	4.1℃	正常	
8112	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 3:55:00	4.5℃	正常	
8113	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 4:00:00	4.1℃	正常	
8114	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 4:05:00	4.5℃	正常	
8115	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 4:10:00	4.1℃	正常	
8116	7-4 (2-1药) 备	冰箱	242310259	2025/6/29 4:15:00	4.5℃	正常	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

8437	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 7:00:00	4.3℃	正常	
8438	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 7:05:00	4.4℃	正常	
8439	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 7:10:00	4.3℃	正常	
8440	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 7:15:00	4.5℃	正常	
8441	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 7:20:00	4.2℃	正常	
8442	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 7:25:00	4.5℃	正常	
8443	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 7:30:00	4.2℃	正常	
8444	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 7:35:00	4.5℃	正常	
8445	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 7:40:00	4.1℃	正常	
8446	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 7:45:00	4.5℃	正常	
8447	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 7:50:00	4.1℃	正常	
8448	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 7:55:00	4.5℃	正常	
8449	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 8:00:00	4.1℃	正常	
8450	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 8:05:00	4.5℃	正常	
8451	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 8:10:00	4.1℃	正常	
8452	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 8:15:00	4.5℃	正常	
8453	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 8:20:00	4.1℃	正常	
8454	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 8:25:00	4.6℃	正常	
8455	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 8:30:00	4.0℃	正常	
8456	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 8:35:00	4.6℃	正常	
8457	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 8:40:00	4.0℃	正常	
8458	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 8:45:00	4.6℃	正常	
8459	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 8:50:00	4.0℃	正常	
8460	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 8:55:00	4.6℃	正常	
8461	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 9:00:00	4.0℃	正常	
8462	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 9:05:00	4.5℃	正常	
8463	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 9:10:00	4.0℃	正常	
8464	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 9:15:00	4.6℃	正常	
8465	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 9:20:00	4.0℃	正常	
8466	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 9:25:00	5.0℃	正常	
8467	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 9:30:00	4.6℃	正常	
8468	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 9:35:00	4.3℃	正常	
8469	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 9:40:00	4.5℃	正常	
8470	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 9:45:00	4.3℃	正常	
8471	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 9:50:00	4.5℃	正常	
8472	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 9:55:00	4.2℃	正常	
8473	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 10:00:00	4.5℃	正常	
8474	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 10:05:00	4.2℃	正常	
8475	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 10:10:00	4.5℃	正常	
8476	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 10:15:00	4.1℃	正常	
8477	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 10:20:00	4.5℃	正常	
8478	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 10:25:00	4.1℃	正常	
8479	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 10:30:00	4.5℃	正常	
8480	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 10:35:00	4.0℃	正常	
8481	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 10:40:00	4.6℃	正常	
8482	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 10:45:00	4.0℃	正常	
8483	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 10:50:00	4.6℃	正常	
8484	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 10:55:00	4.0℃	正常	
8485	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 11:00:00	4.6℃	正常	
8486	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 11:05:00	4.0℃	正常	
8487	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 11:10:00	4.6℃	正常	
8488	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 11:15:00	4.1℃	正常	
8489	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 11:20:00	4.6℃	正常	
8490	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 11:25:00	4.1℃	正常	
8491	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 11:30:00	4.7℃	正常	
8492	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 11:35:00	4.1℃	正常	
8493	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 11:40:00	4.6℃	正常	
8494	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 11:45:00	4.1℃	正常	
8495	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 11:50:00	4.6℃	正常	
8496	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 11:55:00	4.2℃	正常	
8497	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 12:00:00	4.6℃	正常	
8498	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 12:05:00	4.2℃	正常	
8499	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 12:10:00	4.6℃	正常	
8500	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 12:15:00	4.2℃	正常	

[illegible]

8565	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 17:40:00	4.3℃	正常	
8566	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 17:45:00	4.4℃	正常	
8567	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 17:50:00	4.2℃	正常	
8568	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 17:55:00	4.5℃	正常	
8569	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 18:00:00	4.1℃	正常	
8570	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 18:05:00	4.5℃	正常	
8571	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 18:10:00	4.0℃	正常	
8572	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 18:15:00	4.5℃	正常	
8573	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 18:20:00	4.0℃	正常	
8574	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 18:25:00	4.6℃	正常	
8575	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 18:30:00	4.0℃	正常	
8576	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 18:35:00	4.6℃	正常	
8577	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 18:40:00	4.0℃	正常	
8578	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 18:45:00	4.6℃	正常	
8579	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 18:50:00	4.1℃	正常	
8580	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 18:55:00	4.6℃	正常	
8581	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 19:00:00	4.0℃	正常	
8582	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 19:05:00	4.6℃	正常	
8583	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 19:10:00	4.1℃	正常	
8584	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 19:15:00	4.6℃	正常	
8585	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 19:20:00	4.1℃	正常	
8586	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 19:25:00	4.8℃	正常	
8587	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 19:30:00	4.8℃	正常	
8588	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 19:35:00	4.1℃	正常	
8589	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 19:40:00	4.6℃	正常	
8590	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 19:45:00	4.1℃	正常	
8591	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 19:50:00	4.6℃	正常	
8592	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 19:55:00	4.0℃	正常	
8593	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 20:00:00	4.6℃	正常	
8594	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 20:05:00	4.0℃	正常	
8595	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 20:10:00	4.6℃	正常	
8596	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 20:15:00	4.0℃	正常	
8597	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 20:20:00	4.6℃	正常	
8598	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 20:25:00	4.1℃	正常	
8599	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 20:30:00	4.6℃	正常	
8600	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 20:35:00	4.2℃	正常	
8601	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 20:40:00	4.6℃	正常	
8602	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 20:45:00	4.1℃	正常	
8603	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 20:50:00	4.6℃	正常	
8604	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 20:55:00	4.2℃	正常	
8605	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 21:00:00	4.6℃	正常	
8606	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 21:05:00	4.3℃	正常	
8607	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 21:10:00	4.5℃	正常	
8608	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 21:15:00	4.4℃	正常	
8609	7-4 (2-1药) 备	冰箱	242310259	2025/6/30 21:20:00	4.4℃	正常	

8629	7-4（2-1药）备	冰箱	242310259	2025/6/30 23:00:00	4.1℃	正常	
8630	7-4（2-1药）备	冰箱	242310259	2025/6/30 23:05:00	4.6℃	正常	
8631	7-4（2-1药）备	冰箱	242310259	2025/6/30 23:10:00	4.1℃	正常	
8632	7-4（2-1药）备	冰箱	242310259	2025/6/30 23:15:00	4.6℃	正常	
8633	7-4（2-1药）备	冰箱	242310259	2025/6/30 23:20:00	4.1℃	正常	
8634	7-4（2-1药）备	冰箱	242310259	2025/6/30 23:25:00	4.6℃	正常	
8635	7-4（2-1药）备	冰箱	242310259	2025/6/30 23:30:00	4.1℃	正常	
8636	7-4（2-1药）备	冰箱	242310259	2025/6/30 23:35:00	4.6℃	正常	
8637	7-4（2-1药）备	冰箱	242310259	2025/6/30 23:40:00	4.2℃	正常	
8638	7-4（2-1药）备	冰箱	242310259	2025/6/30 23:45:00	4.6℃	正常	
8639	7-4（2-1药）备	冰箱	242310259	2025/6/30 23:50:00	4.2℃	正常	
8640	7-4（2-1药）备	冰箱	242310259	2025/6/30 23:55:00	4.5℃	正常	