

树兰（杭州）医院有限公司温湿度记录数据

2025-06-01 00:00---2025-06-30 23:59

设备_通道
232311012_温度2

最大值
5.8℃

最小值
3.8℃

平均值
4.79℃

序号	仪器名称	类别	SN	记录时间	通道1	设备状态	超标原因
1	7-14（2-4药）备	冰箱	232311012	2025/6/1 0:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2	7-14（2-4药）备	冰箱	232311012	2025/6/1 0:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3	7-14（2-4药）备	冰箱	232311012	2025/6/1 0:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4	7-14（2-4药）备	冰箱	232311012	2025/6/1 0:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5	7-14（2-4药）备	冰箱	232311012	2025/6/1 0:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6	7-14（2-4药）备	冰箱	232311012	2025/6/1 0:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7	7-14（2-4药）备	冰箱	232311012	2025/6/1 0:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8	7-14（2-4药）备	冰箱	232311012	2025/6/1 0:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
9	7-14（2-4药）备	冰箱	232311012	2025/6/1 0:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
10	7-14（2-4药）备	冰箱	232311012	2025/6/1 0:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
11	7-14（2-4药）备	冰箱	232311012	2025/6/1 0:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
12	7-14（2-4药）备	冰箱	232311012	2025/6/1 0:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
13	7-14（2-4药）备	冰箱	232311012	2025/6/1 1:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
14	7-14（2-4药）备	冰箱	232311012	2025/6/1 1:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
15	7-14（2-4药）备	冰箱	232311012	2025/6/1 1:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
16	7-14（2-4药）备	冰箱	232311012	2025/6/1 1:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
17	7-14（2-4药）备	冰箱	232311012	2025/6/1 1:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
18	7-14（2-4药）备	冰箱	232311012	2025/6/1 1:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
19	7-14（2-4药）备	冰箱	232311012	2025/6/1 1:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
20	7-14（2-4药）备	冰箱	232311012	2025/6/1 1:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
21	7-14（2-4药）备	冰箱	232311012	2025/6/1 1:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

22	7-14（2-4药）备	冰箱	232311012	2025/6/1 1:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
23	7-14（2-4药）备	冰箱	232311012	2025/6/1 1:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
24	7-14（2-4药）备	冰箱	232311012	2025/6/1 1:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
25	7-14（2-4药）备	冰箱	232311012	2025/6/1 2:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
26	7-14（2-4药）备	冰箱	232311012	2025/6/1 2:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
27	7-14（2-4药）备	冰箱	232311012	2025/6/1 2:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
28	7-14（2-4药）备	冰箱	232311012	2025/6/1 2:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
29	7-14（2-4药）备	冰箱	232311012	2025/6/1 2:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
30	7-14（2-4药）备	冰箱	232311012	2025/6/1 2:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
31	7-14（2-4药）备	冰箱	232311012	2025/6/1 2:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
32	7-14（2-4药）备	冰箱	232311012	2025/6/1 2:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
33	7-14（2-4药）备	冰箱	232311012	2025/6/1 2:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
34	7-14（2-4药）备	冰箱	232311012	2025/6/1 2:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
35	7-14（2-4药）备	冰箱	232311012	2025/6/1 2:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
36	7-14（2-4药）备	冰箱	232311012	2025/6/1 2:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
37	7-14（2-4药）备	冰箱	232311012	2025/6/1 3:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
38	7-14（2-4药）备	冰箱	232311012	2025/6/1 3:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
39	7-14（2-4药）备	冰箱	232311012	2025/6/1 3:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
40	7-14（2-4药）备	冰箱	232311012	2025/6/1 3:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
41	7-14（2-4药）备	冰箱	232311012	2025/6/1 3:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
42	7-14（2-4药）备	冰箱	232311012	2025/6/1 3:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
43	7-14（2-4药）备	冰箱	232311012	2025/6/1 3:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
44	7-14（2-4药）备	冰箱	232311012	2025/6/1 3:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
45	7-14（2-4药）备	冰箱	232311012	2025/6/1 3:40:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
46	7-14（2-4药）备	冰箱	232311012	2025/6/1 3:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
47	7-14（2-4药）备	冰箱	232311012	2025/6/1 3:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,

48	7-14（2-4药）备	冰箱	232311012	2025/6/1 3:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
49	7-14（2-4药）备	冰箱	232311012	2025/6/1 4:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
50	7-14（2-4药）备	冰箱	232311012	2025/6/1 4:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
51	7-14（2-4药）备	冰箱	232311012	2025/6/1 4:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
52	7-14（2-4药）备	冰箱	232311012	2025/6/1 4:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
53	7-14（2-4药）备	冰箱	232311012	2025/6/1 4:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
54	7-14（2-4药）备	冰箱	232311012	2025/6/1 4:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
55	7-14（2-4药）备	冰箱	232311012	2025/6/1 4:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
56	7-14（2-4药）备	冰箱	232311012	2025/6/1 4:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
57	7-14（2-4药）备	冰箱	232311012	2025/6/1 4:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
58	7-14（2-4药）备	冰箱	232311012	2025/6/1 4:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
59	7-14（2-4药）备	冰箱	232311012	2025/6/1 4:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
60	7-14（2-4药）备	冰箱	232311012	2025/6/1 4:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
61	7-14（2-4药）备	冰箱	232311012	2025/6/1 5:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
62	7-14（2-4药）备	冰箱	232311012	2025/6/1 5:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
63	7-14（2-4药）备	冰箱	232311012	2025/6/1 5:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
64	7-14（2-4药）备	冰箱	232311012	2025/6/1 5:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
65	7-14（2-4药）备	冰箱	232311012	2025/6/1 5:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
66	7-14（2-4药）备	冰箱	232311012	2025/6/1 5:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
67	7-14（2-4药）备	冰箱	232311012	2025/6/1 5:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
68	7-14（2-4药）备	冰箱	232311012	2025/6/1 5:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
69	7-14（2-4药）备	冰箱	232311012	2025/6/1 5:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
70	7-14（2-4药）备	冰箱	232311012	2025/6/1 5:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
71	7-14（2-4药）备	冰箱	232311012	2025/6/1 5:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
72	7-14（2-4药）备	冰箱	232311012	2025/6/1 5:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
73	7-14（2-4药）备	冰箱	232311012	2025/6/1 6:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

74	7-14（2-4药）备	冰箱	232311012	2025/6/1 6:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
75	7-14（2-4药）备	冰箱	232311012	2025/6/1 6:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
76	7-14（2-4药）备	冰箱	232311012	2025/6/1 6:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
77	7-14（2-4药）备	冰箱	232311012	2025/6/1 6:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
78	7-14（2-4药）备	冰箱	232311012	2025/6/1 6:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
79	7-14（2-4药）备	冰箱	232311012	2025/6/1 6:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
80	7-14（2-4药）备	冰箱	232311012	2025/6/1 6:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
81	7-14（2-4药）备	冰箱	232311012	2025/6/1 6:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
82	7-14（2-4药）备	冰箱	232311012	2025/6/1 6:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
83	7-14（2-4药）备	冰箱	232311012	2025/6/1 6:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
84	7-14（2-4药）备	冰箱	232311012	2025/6/1 6:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
85	7-14（2-4药）备	冰箱	232311012	2025/6/1 7:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
86	7-14（2-4药）备	冰箱	232311012	2025/6/1 7:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
87	7-14（2-4药）备	冰箱	232311012	2025/6/1 7:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
88	7-14（2-4药）备	冰箱	232311012	2025/6/1 7:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
89	7-14（2-4药）备	冰箱	232311012	2025/6/1 7:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
90	7-14（2-4药）备	冰箱	232311012	2025/6/1 7:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
91	7-14（2-4药）备	冰箱	232311012	2025/6/1 7:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
92	7-14（2-4药）备	冰箱	232311012	2025/6/1 7:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
93	7-14（2-4药）备	冰箱	232311012	2025/6/1 7:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
94	7-14（2-4药）备	冰箱	232311012	2025/6/1 7:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
95	7-14（2-4药）备	冰箱	232311012	2025/6/1 7:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
96	7-14（2-4药）备	冰箱	232311012	2025/6/1 7:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
97	7-14（2-4药）备	冰箱	232311012	2025/6/1 8:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
98	7-14（2-4药）备	冰箱	232311012	2025/6/1 8:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
99	7-14（2-4药）备	冰箱	232311012	2025/6/1 8:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

100	7-14（2-4药）备	冰箱	232311012	2025/6/1 8:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
101	7-14（2-4药）备	冰箱	232311012	2025/6/1 8:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
102	7-14（2-4药）备	冰箱	232311012	2025/6/1 8:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
103	7-14（2-4药）备	冰箱	232311012	2025/6/1 8:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
104	7-14（2-4药）备	冰箱	232311012	2025/6/1 8:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
105	7-14（2-4药）备	冰箱	232311012	2025/6/1 8:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
106	7-14（2-4药）备	冰箱	232311012	2025/6/1 8:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
107	7-14（2-4药）备	冰箱	232311012	2025/6/1 8:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
108	7-14（2-4药）备	冰箱	232311012	2025/6/1 8:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
109	7-14（2-4药）备	冰箱	232311012	2025/6/1 9:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
110	7-14（2-4药）备	冰箱	232311012	2025/6/1 9:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
111	7-14（2-4药）备	冰箱	232311012	2025/6/1 9:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
112	7-14（2-4药）备	冰箱	232311012	2025/6/1 9:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
113	7-14（2-4药）备	冰箱	232311012	2025/6/1 9:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
114	7-14（2-4药）备	冰箱	232311012	2025/6/1 9:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
115	7-14（2-4药）备	冰箱	232311012	2025/6/1 9:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
116	7-14（2-4药）备	冰箱	232311012	2025/6/1 9:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
117	7-14（2-4药）备	冰箱	232311012	2025/6/1 9:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
118	7-14（2-4药）备	冰箱	232311012	2025/6/1 9:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
119	7-14（2-4药）备	冰箱	232311012	2025/6/1 9:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
120	7-14（2-4药）备	冰箱	232311012	2025/6/1 9:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
121	7-14（2-4药）备	冰箱	232311012	2025/6/1 10:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
122	7-14（2-4药）备	冰箱	232311012	2025/6/1 10:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
123	7-14（2-4药）备	冰箱	232311012	2025/6/1 10:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
124	7-14（2-4药）备	冰箱	232311012	2025/6/1 10:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
125	7-14（2-4药）备	冰箱	232311012	2025/6/1 10:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

126	7-14（2-4药）备	冰箱	232311012	2025/6/1 10:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
127	7-14（2-4药）备	冰箱	232311012	2025/6/1 10:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
128	7-14（2-4药）备	冰箱	232311012	2025/6/1 10:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
129	7-14（2-4药）备	冰箱	232311012	2025/6/1 10:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
130	7-14（2-4药）备	冰箱	232311012	2025/6/1 10:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
131	7-14（2-4药）备	冰箱	232311012	2025/6/1 10:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
132	7-14（2-4药）备	冰箱	232311012	2025/6/1 10:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
133	7-14（2-4药）备	冰箱	232311012	2025/6/1 11:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
134	7-14（2-4药）备	冰箱	232311012	2025/6/1 11:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
135	7-14（2-4药）备	冰箱	232311012	2025/6/1 11:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
136	7-14（2-4药）备	冰箱	232311012	2025/6/1 11:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
137	7-14（2-4药）备	冰箱	232311012	2025/6/1 11:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
138	7-14（2-4药）备	冰箱	232311012	2025/6/1 11:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
139	7-14（2-4药）备	冰箱	232311012	2025/6/1 11:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
140	7-14（2-4药）备	冰箱	232311012	2025/6/1 11:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
141	7-14（2-4药）备	冰箱	232311012	2025/6/1 11:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
142	7-14（2-4药）备	冰箱	232311012	2025/6/1 11:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
143	7-14（2-4药）备	冰箱	232311012	2025/6/1 11:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
144	7-14（2-4药）备	冰箱	232311012	2025/6/1 11:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
145	7-14（2-4药）备	冰箱	232311012	2025/6/1 12:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
146	7-14（2-4药）备	冰箱	232311012	2025/6/1 12:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
147	7-14（2-4药）备	冰箱	232311012	2025/6/1 12:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
148	7-14（2-4药）备	冰箱	232311012	2025/6/1 12:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
149	7-14（2-4药）备	冰箱	232311012	2025/6/1 12:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
150	7-14（2-4药）备	冰箱	232311012	2025/6/1 12:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
151	7-14（2-4药）备	冰箱	232311012	2025/6/1 12:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

152	7-14（2-4药）备	冰箱	232311012	2025/6/1 12:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
153	7-14（2-4药）备	冰箱	232311012	2025/6/1 12:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
154	7-14（2-4药）备	冰箱	232311012	2025/6/1 12:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
155	7-14（2-4药）备	冰箱	232311012	2025/6/1 12:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
156	7-14（2-4药）备	冰箱	232311012	2025/6/1 12:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
157	7-14（2-4药）备	冰箱	232311012	2025/6/1 13:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
158	7-14（2-4药）备	冰箱	232311012	2025/6/1 13:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
159	7-14（2-4药）备	冰箱	232311012	2025/6/1 13:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
160	7-14（2-4药）备	冰箱	232311012	2025/6/1 13:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
161	7-14（2-4药）备	冰箱	232311012	2025/6/1 13:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
162	7-14（2-4药）备	冰箱	232311012	2025/6/1 13:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
163	7-14（2-4药）备	冰箱	232311012	2025/6/1 13:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
164	7-14（2-4药）备	冰箱	232311012	2025/6/1 13:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
165	7-14（2-4药）备	冰箱	232311012	2025/6/1 13:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
166	7-14（2-4药）备	冰箱	232311012	2025/6/1 13:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
167	7-14（2-4药）备	冰箱	232311012	2025/6/1 13:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
168	7-14（2-4药）备	冰箱	232311012	2025/6/1 13:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
169	7-14（2-4药）备	冰箱	232311012	2025/6/1 14:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
170	7-14（2-4药）备	冰箱	232311012	2025/6/1 14:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
171	7-14（2-4药）备	冰箱	232311012	2025/6/1 14:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
172	7-14（2-4药）备	冰箱	232311012	2025/6/1 14:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
173	7-14（2-4药）备	冰箱	232311012	2025/6/1 14:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
174	7-14（2-4药）备	冰箱	232311012	2025/6/1 14:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
175	7-14（2-4药）备	冰箱	232311012	2025/6/1 14:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
176	7-14（2-4药）备	冰箱	232311012	2025/6/1 14:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
177	7-14（2-4药）备	冰箱	232311012	2025/6/1 14:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

178	7-14（2-4药）备	冰箱	232311012	2025/6/1 14:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
179	7-14（2-4药）备	冰箱	232311012	2025/6/1 14:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
180	7-14（2-4药）备	冰箱	232311012	2025/6/1 14:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
181	7-14（2-4药）备	冰箱	232311012	2025/6/1 15:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
182	7-14（2-4药）备	冰箱	232311012	2025/6/1 15:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
183	7-14（2-4药）备	冰箱	232311012	2025/6/1 15:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
184	7-14（2-4药）备	冰箱	232311012	2025/6/1 15:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
185	7-14（2-4药）备	冰箱	232311012	2025/6/1 15:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
186	7-14（2-4药）备	冰箱	232311012	2025/6/1 15:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
187	7-14（2-4药）备	冰箱	232311012	2025/6/1 15:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
188	7-14（2-4药）备	冰箱	232311012	2025/6/1 15:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
189	7-14（2-4药）备	冰箱	232311012	2025/6/1 15:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
190	7-14（2-4药）备	冰箱	232311012	2025/6/1 15:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
191	7-14（2-4药）备	冰箱	232311012	2025/6/1 15:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
192	7-14（2-4药）备	冰箱	232311012	2025/6/1 15:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
193	7-14（2-4药）备	冰箱	232311012	2025/6/1 16:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
194	7-14（2-4药）备	冰箱	232311012	2025/6/1 16:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
195	7-14（2-4药）备	冰箱	232311012	2025/6/1 16:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
196	7-14（2-4药）备	冰箱	232311012	2025/6/1 16:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
197	7-14（2-4药）备	冰箱	232311012	2025/6/1 16:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
198	7-14（2-4药）备	冰箱	232311012	2025/6/1 16:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
199	7-14（2-4药）备	冰箱	232311012	2025/6/1 16:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
200	7-14（2-4药）备	冰箱	232311012	2025/6/1 16:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
201	7-14（2-4药）备	冰箱	232311012	2025/6/1 16:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
202	7-14（2-4药）备	冰箱	232311012	2025/6/1 16:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
203	7-14（2-4药）备	冰箱	232311012	2025/6/1 16:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

204	7-14（2-4药）备	冰箱	232311012	2025/6/1 16:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
205	7-14（2-4药）备	冰箱	232311012	2025/6/1 17:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
206	7-14（2-4药）备	冰箱	232311012	2025/6/1 17:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
207	7-14（2-4药）备	冰箱	232311012	2025/6/1 17:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
208	7-14（2-4药）备	冰箱	232311012	2025/6/1 17:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
209	7-14（2-4药）备	冰箱	232311012	2025/6/1 17:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
210	7-14（2-4药）备	冰箱	232311012	2025/6/1 17:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
211	7-14（2-4药）备	冰箱	232311012	2025/6/1 17:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
212	7-14（2-4药）备	冰箱	232311012	2025/6/1 17:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
213	7-14（2-4药）备	冰箱	232311012	2025/6/1 17:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
214	7-14（2-4药）备	冰箱	232311012	2025/6/1 17:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
215	7-14（2-4药）备	冰箱	232311012	2025/6/1 17:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
216	7-14（2-4药）备	冰箱	232311012	2025/6/1 17:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
217	7-14（2-4药）备	冰箱	232311012	2025/6/1 18:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
218	7-14（2-4药）备	冰箱	232311012	2025/6/1 18:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
219	7-14（2-4药）备	冰箱	232311012	2025/6/1 18:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
220	7-14（2-4药）备	冰箱	232311012	2025/6/1 18:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
221	7-14（2-4药）备	冰箱	232311012	2025/6/1 18:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
222	7-14（2-4药）备	冰箱	232311012	2025/6/1 18:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
223	7-14（2-4药）备	冰箱	232311012	2025/6/1 18:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
224	7-14（2-4药）备	冰箱	232311012	2025/6/1 18:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
225	7-14（2-4药）备	冰箱	232311012	2025/6/1 18:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
226	7-14（2-4药）备	冰箱	232311012	2025/6/1 18:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
227	7-14（2-4药）备	冰箱	232311012	2025/6/1 18:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
228	7-14（2-4药）备	冰箱	232311012	2025/6/1 18:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
229	7-14（2-4药）备	冰箱	232311012	2025/6/1 19:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

230	7-14（2-4药）备	冰箱	232311012	2025/6/1 19:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
231	7-14（2-4药）备	冰箱	232311012	2025/6/1 19:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
232	7-14（2-4药）备	冰箱	232311012	2025/6/1 19:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
233	7-14（2-4药）备	冰箱	232311012	2025/6/1 19:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
234	7-14（2-4药）备	冰箱	232311012	2025/6/1 19:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
235	7-14（2-4药）备	冰箱	232311012	2025/6/1 19:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
236	7-14（2-4药）备	冰箱	232311012	2025/6/1 19:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
237	7-14（2-4药）备	冰箱	232311012	2025/6/1 19:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
238	7-14（2-4药）备	冰箱	232311012	2025/6/1 19:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
239	7-14（2-4药）备	冰箱	232311012	2025/6/1 19:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
240	7-14（2-4药）备	冰箱	232311012	2025/6/1 19:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
241	7-14（2-4药）备	冰箱	232311012	2025/6/1 20:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
242	7-14（2-4药）备	冰箱	232311012	2025/6/1 20:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
243	7-14（2-4药）备	冰箱	232311012	2025/6/1 20:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
244	7-14（2-4药）备	冰箱	232311012	2025/6/1 20:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
245	7-14（2-4药）备	冰箱	232311012	2025/6/1 20:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
246	7-14（2-4药）备	冰箱	232311012	2025/6/1 20:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
247	7-14（2-4药）备	冰箱	232311012	2025/6/1 20:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
248	7-14（2-4药）备	冰箱	232311012	2025/6/1 20:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
249	7-14（2-4药）备	冰箱	232311012	2025/6/1 20:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
250	7-14（2-4药）备	冰箱	232311012	2025/6/1 20:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
251	7-14（2-4药）备	冰箱	232311012	2025/6/1 20:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
252	7-14（2-4药）备	冰箱	232311012	2025/6/1 20:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
253	7-14（2-4药）备	冰箱	232311012	2025/6/1 21:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
254	7-14（2-4药）备	冰箱	232311012	2025/6/1 21:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
255	7-14（2-4药）备	冰箱	232311012	2025/6/1 21:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

256	7-14（2-4药）备	冰箱	232311012	2025/6/1 21:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
257	7-14（2-4药）备	冰箱	232311012	2025/6/1 21:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
258	7-14（2-4药）备	冰箱	232311012	2025/6/1 21:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
259	7-14（2-4药）备	冰箱	232311012	2025/6/1 21:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
260	7-14（2-4药）备	冰箱	232311012	2025/6/1 21:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
261	7-14（2-4药）备	冰箱	232311012	2025/6/1 21:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
262	7-14（2-4药）备	冰箱	232311012	2025/6/1 21:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
263	7-14（2-4药）备	冰箱	232311012	2025/6/1 21:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
264	7-14（2-4药）备	冰箱	232311012	2025/6/1 21:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
265	7-14（2-4药）备	冰箱	232311012	2025/6/1 22:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
266	7-14（2-4药）备	冰箱	232311012	2025/6/1 22:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
267	7-14（2-4药）备	冰箱	232311012	2025/6/1 22:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
268	7-14（2-4药）备	冰箱	232311012	2025/6/1 22:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
269	7-14（2-4药）备	冰箱	232311012	2025/6/1 22:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
270	7-14（2-4药）备	冰箱	232311012	2025/6/1 22:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
271	7-14（2-4药）备	冰箱	232311012	2025/6/1 22:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
272	7-14（2-4药）备	冰箱	232311012	2025/6/1 22:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
273	7-14（2-4药）备	冰箱	232311012	2025/6/1 22:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
274	7-14（2-4药）备	冰箱	232311012	2025/6/1 22:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
275	7-14（2-4药）备	冰箱	232311012	2025/6/1 22:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
276	7-14（2-4药）备	冰箱	232311012	2025/6/1 22:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
277	7-14（2-4药）备	冰箱	232311012	2025/6/1 23:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
278	7-14（2-4药）备	冰箱	232311012	2025/6/1 23:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
279	7-14（2-4药）备	冰箱	232311012	2025/6/1 23:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
280	7-14（2-4药）备	冰箱	232311012	2025/6/1 23:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
281	7-14（2-4药）备	冰箱	232311012	2025/6/1 23:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

282	7-14（2-4药）备	冰箱	232311012	2025/6/1 23:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
283	7-14（2-4药）备	冰箱	232311012	2025/6/1 23:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
284	7-14（2-4药）备	冰箱	232311012	2025/6/1 23:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
285	7-14（2-4药）备	冰箱	232311012	2025/6/1 23:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
286	7-14（2-4药）备	冰箱	232311012	2025/6/1 23:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
287	7-14（2-4药）备	冰箱	232311012	2025/6/1 23:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
288	7-14（2-4药）备	冰箱	232311012	2025/6/1 23:55:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
289	7-14（2-4药）备	冰箱	232311012	2025/6/2 0:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
290	7-14（2-4药）备	冰箱	232311012	2025/6/2 0:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
291	7-14（2-4药）备	冰箱	232311012	2025/6/2 0:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
292	7-14（2-4药）备	冰箱	232311012	2025/6/2 0:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
293	7-14（2-4药）备	冰箱	232311012	2025/6/2 0:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
294	7-14（2-4药）备	冰箱	232311012	2025/6/2 0:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
295	7-14（2-4药）备	冰箱	232311012	2025/6/2 0:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
296	7-14（2-4药）备	冰箱	232311012	2025/6/2 0:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
297	7-14（2-4药）备	冰箱	232311012	2025/6/2 0:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
298	7-14（2-4药）备	冰箱	232311012	2025/6/2 0:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
299	7-14（2-4药）备	冰箱	232311012	2025/6/2 0:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
300	7-14（2-4药）备	冰箱	232311012	2025/6/2 0:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
301	7-14（2-4药）备	冰箱	232311012	2025/6/2 1:00:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
302	7-14（2-4药）备	冰箱	232311012	2025/6/2 1:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
303	7-14（2-4药）备	冰箱	232311012	2025/6/2 1:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
304	7-14（2-4药）备	冰箱	232311012	2025/6/2 1:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
305	7-14（2-4药）备	冰箱	232311012	2025/6/2 1:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
306	7-14（2-4药）备	冰箱	232311012	2025/6/2 1:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
307	7-14（2-4药）备	冰箱	232311012	2025/6/2 1:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

308	7-14（2-4药）备	冰箱	232311012	2025/6/2 1:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
309	7-14（2-4药）备	冰箱	232311012	2025/6/2 1:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
310	7-14（2-4药）备	冰箱	232311012	2025/6/2 1:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
311	7-14（2-4药）备	冰箱	232311012	2025/6/2 1:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
312	7-14（2-4药）备	冰箱	232311012	2025/6/2 1:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
313	7-14（2-4药）备	冰箱	232311012	2025/6/2 2:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
314	7-14（2-4药）备	冰箱	232311012	2025/6/2 2:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
315	7-14（2-4药）备	冰箱	232311012	2025/6/2 2:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
316	7-14（2-4药）备	冰箱	232311012	2025/6/2 2:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
317	7-14（2-4药）备	冰箱	232311012	2025/6/2 2:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
318	7-14（2-4药）备	冰箱	232311012	2025/6/2 2:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
319	7-14（2-4药）备	冰箱	232311012	2025/6/2 2:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
320	7-14（2-4药）备	冰箱	232311012	2025/6/2 2:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
321	7-14（2-4药）备	冰箱	232311012	2025/6/2 2:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
322	7-14（2-4药）备	冰箱	232311012	2025/6/2 2:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
323	7-14（2-4药）备	冰箱	232311012	2025/6/2 2:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
324	7-14（2-4药）备	冰箱	232311012	2025/6/2 2:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
325	7-14（2-4药）备	冰箱	232311012	2025/6/2 3:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
326	7-14（2-4药）备	冰箱	232311012	2025/6/2 3:05:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
327	7-14（2-4药）备	冰箱	232311012	2025/6/2 3:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
328	7-14（2-4药）备	冰箱	232311012	2025/6/2 3:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
329	7-14（2-4药）备	冰箱	232311012	2025/6/2 3:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
330	7-14（2-4药）备	冰箱	232311012	2025/6/2 3:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
331	7-14（2-4药）备	冰箱	232311012	2025/6/2 3:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
332	7-14（2-4药）备	冰箱	232311012	2025/6/2 3:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
333	7-14（2-4药）备	冰箱	232311012	2025/6/2 3:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

334	7-14（2-4药）备	冰箱	232311012	2025/6/2 3:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
335	7-14（2-4药）备	冰箱	232311012	2025/6/2 3:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
336	7-14（2-4药）备	冰箱	232311012	2025/6/2 3:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
337	7-14（2-4药）备	冰箱	232311012	2025/6/2 4:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
338	7-14（2-4药）备	冰箱	232311012	2025/6/2 4:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
339	7-14（2-4药）备	冰箱	232311012	2025/6/2 4:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
340	7-14（2-4药）备	冰箱	232311012	2025/6/2 4:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
341	7-14（2-4药）备	冰箱	232311012	2025/6/2 4:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
342	7-14（2-4药）备	冰箱	232311012	2025/6/2 4:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
343	7-14（2-4药）备	冰箱	232311012	2025/6/2 4:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
344	7-14（2-4药）备	冰箱	232311012	2025/6/2 4:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
345	7-14（2-4药）备	冰箱	232311012	2025/6/2 4:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
346	7-14（2-4药）备	冰箱	232311012	2025/6/2 4:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
347	7-14（2-4药）备	冰箱	232311012	2025/6/2 4:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
348	7-14（2-4药）备	冰箱	232311012	2025/6/2 4:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
349	7-14（2-4药）备	冰箱	232311012	2025/6/2 5:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
350	7-14（2-4药）备	冰箱	232311012	2025/6/2 5:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
351	7-14（2-4药）备	冰箱	232311012	2025/6/2 5:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
352	7-14（2-4药）备	冰箱	232311012	2025/6/2 5:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
353	7-14（2-4药）备	冰箱	232311012	2025/6/2 5:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
354	7-14（2-4药）备	冰箱	232311012	2025/6/2 5:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
355	7-14（2-4药）备	冰箱	232311012	2025/6/2 5:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
356	7-14（2-4药）备	冰箱	232311012	2025/6/2 5:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
357	7-14（2-4药）备	冰箱	232311012	2025/6/2 5:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
358	7-14（2-4药）备	冰箱	232311012	2025/6/2 5:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
359	7-14（2-4药）备	冰箱	232311012	2025/6/2 5:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,

360	7-14（2-4药）备	冰箱	232311012	2025/6/2 5:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
361	7-14（2-4药）备	冰箱	232311012	2025/6/2 6:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
362	7-14（2-4药）备	冰箱	232311012	2025/6/2 6:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
363	7-14（2-4药）备	冰箱	232311012	2025/6/2 6:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
364	7-14（2-4药）备	冰箱	232311012	2025/6/2 6:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
365	7-14（2-4药）备	冰箱	232311012	2025/6/2 6:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
366	7-14（2-4药）备	冰箱	232311012	2025/6/2 6:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
367	7-14（2-4药）备	冰箱	232311012	2025/6/2 6:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
368	7-14（2-4药）备	冰箱	232311012	2025/6/2 6:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
369	7-14（2-4药）备	冰箱	232311012	2025/6/2 6:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
370	7-14（2-4药）备	冰箱	232311012	2025/6/2 6:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
371	7-14（2-4药）备	冰箱	232311012	2025/6/2 6:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
372	7-14（2-4药）备	冰箱	232311012	2025/6/2 6:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
373	7-14（2-4药）备	冰箱	232311012	2025/6/2 7:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
374	7-14（2-4药）备	冰箱	232311012	2025/6/2 7:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
375	7-14（2-4药）备	冰箱	232311012	2025/6/2 7:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
376	7-14（2-4药）备	冰箱	232311012	2025/6/2 7:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
377	7-14（2-4药）备	冰箱	232311012	2025/6/2 7:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
378	7-14（2-4药）备	冰箱	232311012	2025/6/2 7:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
379	7-14（2-4药）备	冰箱	232311012	2025/6/2 7:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
380	7-14（2-4药）备	冰箱	232311012	2025/6/2 7:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
381	7-14（2-4药）备	冰箱	232311012	2025/6/2 7:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
382	7-14（2-4药）备	冰箱	232311012	2025/6/2 7:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
383	7-14（2-4药）备	冰箱	232311012	2025/6/2 7:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
384	7-14（2-4药）备	冰箱	232311012	2025/6/2 7:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
385	7-14（2-4药）备	冰箱	232311012	2025/6/2 8:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,

386	7-14（2-4药）备	冰箱	232311012	2025/6/2 8:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
387	7-14（2-4药）备	冰箱	232311012	2025/6/2 8:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
388	7-14（2-4药）备	冰箱	232311012	2025/6/2 8:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
389	7-14（2-4药）备	冰箱	232311012	2025/6/2 8:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
390	7-14（2-4药）备	冰箱	232311012	2025/6/2 8:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
391	7-14（2-4药）备	冰箱	232311012	2025/6/2 8:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
392	7-14（2-4药）备	冰箱	232311012	2025/6/2 8:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
393	7-14（2-4药）备	冰箱	232311012	2025/6/2 8:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
394	7-14（2-4药）备	冰箱	232311012	2025/6/2 8:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
395	7-14（2-4药）备	冰箱	232311012	2025/6/2 8:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
396	7-14（2-4药）备	冰箱	232311012	2025/6/2 8:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
397	7-14（2-4药）备	冰箱	232311012	2025/6/2 9:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
398	7-14（2-4药）备	冰箱	232311012	2025/6/2 9:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
399	7-14（2-4药）备	冰箱	232311012	2025/6/2 9:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
400	7-14（2-4药）备	冰箱	232311012	2025/6/2 9:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
401	7-14（2-4药）备	冰箱	232311012	2025/6/2 9:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
402	7-14（2-4药）备	冰箱	232311012	2025/6/2 9:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
403	7-14（2-4药）备	冰箱	232311012	2025/6/2 9:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
404	7-14（2-4药）备	冰箱	232311012	2025/6/2 9:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
405	7-14（2-4药）备	冰箱	232311012	2025/6/2 9:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
406	7-14（2-4药）备	冰箱	232311012	2025/6/2 9:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
407	7-14（2-4药）备	冰箱	232311012	2025/6/2 9:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
408	7-14（2-4药）备	冰箱	232311012	2025/6/2 9:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
409	7-14（2-4药）备	冰箱	232311012	2025/6/2 10:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
410	7-14（2-4药）备	冰箱	232311012	2025/6/2 10:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
411	7-14（2-4药）备	冰箱	232311012	2025/6/2 10:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

412	7-14（2-4药）备	冰箱	232311012	2025/6/2 10:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
413	7-14（2-4药）备	冰箱	232311012	2025/6/2 10:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
414	7-14（2-4药）备	冰箱	232311012	2025/6/2 10:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
415	7-14（2-4药）备	冰箱	232311012	2025/6/2 10:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
416	7-14（2-4药）备	冰箱	232311012	2025/6/2 10:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
417	7-14（2-4药）备	冰箱	232311012	2025/6/2 10:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
418	7-14（2-4药）备	冰箱	232311012	2025/6/2 10:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
419	7-14（2-4药）备	冰箱	232311012	2025/6/2 10:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
420	7-14（2-4药）备	冰箱	232311012	2025/6/2 10:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
421	7-14（2-4药）备	冰箱	232311012	2025/6/2 11:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
422	7-14（2-4药）备	冰箱	232311012	2025/6/2 11:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
423	7-14（2-4药）备	冰箱	232311012	2025/6/2 11:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
424	7-14（2-4药）备	冰箱	232311012	2025/6/2 11:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
425	7-14（2-4药）备	冰箱	232311012	2025/6/2 11:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
426	7-14（2-4药）备	冰箱	232311012	2025/6/2 11:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
427	7-14（2-4药）备	冰箱	232311012	2025/6/2 11:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
428	7-14（2-4药）备	冰箱	232311012	2025/6/2 11:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
429	7-14（2-4药）备	冰箱	232311012	2025/6/2 11:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
430	7-14（2-4药）备	冰箱	232311012	2025/6/2 11:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
431	7-14（2-4药）备	冰箱	232311012	2025/6/2 11:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
432	7-14（2-4药）备	冰箱	232311012	2025/6/2 11:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
433	7-14（2-4药）备	冰箱	232311012	2025/6/2 12:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
434	7-14（2-4药）备	冰箱	232311012	2025/6/2 12:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
435	7-14（2-4药）备	冰箱	232311012	2025/6/2 12:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
436	7-14（2-4药）备	冰箱	232311012	2025/6/2 12:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
437	7-14（2-4药）备	冰箱	232311012	2025/6/2 12:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

438	7-14（2-4药）备	冰箱	232311012	2025/6/2 12:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
439	7-14（2-4药）备	冰箱	232311012	2025/6/2 12:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
440	7-14（2-4药）备	冰箱	232311012	2025/6/2 12:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
441	7-14（2-4药）备	冰箱	232311012	2025/6/2 12:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
442	7-14（2-4药）备	冰箱	232311012	2025/6/2 12:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
443	7-14（2-4药）备	冰箱	232311012	2025/6/2 12:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
444	7-14（2-4药）备	冰箱	232311012	2025/6/2 12:55:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
445	7-14（2-4药）备	冰箱	232311012	2025/6/2 13:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
446	7-14（2-4药）备	冰箱	232311012	2025/6/2 13:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
447	7-14（2-4药）备	冰箱	232311012	2025/6/2 13:10:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
448	7-14（2-4药）备	冰箱	232311012	2025/6/2 13:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
449	7-14（2-4药）备	冰箱	232311012	2025/6/2 13:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
450	7-14（2-4药）备	冰箱	232311012	2025/6/2 13:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
451	7-14（2-4药）备	冰箱	232311012	2025/6/2 13:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
452	7-14（2-4药）备	冰箱	232311012	2025/6/2 13:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
453	7-14（2-4药）备	冰箱	232311012	2025/6/2 13:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
454	7-14（2-4药）备	冰箱	232311012	2025/6/2 13:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
455	7-14（2-4药）备	冰箱	232311012	2025/6/2 13:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
456	7-14（2-4药）备	冰箱	232311012	2025/6/2 13:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
457	7-14（2-4药）备	冰箱	232311012	2025/6/2 14:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
458	7-14（2-4药）备	冰箱	232311012	2025/6/2 14:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
459	7-14（2-4药）备	冰箱	232311012	2025/6/2 14:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
460	7-14（2-4药）备	冰箱	232311012	2025/6/2 14:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
461	7-14（2-4药）备	冰箱	232311012	2025/6/2 14:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
462	7-14（2-4药）备	冰箱	232311012	2025/6/2 14:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
463	7-14（2-4药）备	冰箱	232311012	2025/6/2 14:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

464	7-14（2-4药）备	冰箱	232311012	2025/6/2 14:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
465	7-14（2-4药）备	冰箱	232311012	2025/6/2 14:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
466	7-14（2-4药）备	冰箱	232311012	2025/6/2 14:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
467	7-14（2-4药）备	冰箱	232311012	2025/6/2 14:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
468	7-14（2-4药）备	冰箱	232311012	2025/6/2 14:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
469	7-14（2-4药）备	冰箱	232311012	2025/6/2 15:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
470	7-14（2-4药）备	冰箱	232311012	2025/6/2 15:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
471	7-14（2-4药）备	冰箱	232311012	2025/6/2 15:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
472	7-14（2-4药）备	冰箱	232311012	2025/6/2 15:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
473	7-14（2-4药）备	冰箱	232311012	2025/6/2 15:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
474	7-14（2-4药）备	冰箱	232311012	2025/6/2 15:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
475	7-14（2-4药）备	冰箱	232311012	2025/6/2 15:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
476	7-14（2-4药）备	冰箱	232311012	2025/6/2 15:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
477	7-14（2-4药）备	冰箱	232311012	2025/6/2 15:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
478	7-14（2-4药）备	冰箱	232311012	2025/6/2 15:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
479	7-14（2-4药）备	冰箱	232311012	2025/6/2 15:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
480	7-14（2-4药）备	冰箱	232311012	2025/6/2 15:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
481	7-14（2-4药）备	冰箱	232311012	2025/6/2 16:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
482	7-14（2-4药）备	冰箱	232311012	2025/6/2 16:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
483	7-14（2-4药）备	冰箱	232311012	2025/6/2 16:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
484	7-14（2-4药）备	冰箱	232311012	2025/6/2 16:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
485	7-14（2-4药）备	冰箱	232311012	2025/6/2 16:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
486	7-14（2-4药）备	冰箱	232311012	2025/6/2 16:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
487	7-14（2-4药）备	冰箱	232311012	2025/6/2 16:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
488	7-14（2-4药）备	冰箱	232311012	2025/6/2 16:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
489	7-14（2-4药）备	冰箱	232311012	2025/6/2 16:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,

490	7-14（2-4药）备	冰箱	232311012	2025/6/2 16:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
491	7-14（2-4药）备	冰箱	232311012	2025/6/2 16:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
492	7-14（2-4药）备	冰箱	232311012	2025/6/2 16:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
493	7-14（2-4药）备	冰箱	232311012	2025/6/2 17:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
494	7-14（2-4药）备	冰箱	232311012	2025/6/2 17:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
495	7-14（2-4药）备	冰箱	232311012	2025/6/2 17:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
496	7-14（2-4药）备	冰箱	232311012	2025/6/2 17:15:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
497	7-14（2-4药）备	冰箱	232311012	2025/6/2 17:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
498	7-14（2-4药）备	冰箱	232311012	2025/6/2 17:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
499	7-14（2-4药）备	冰箱	232311012	2025/6/2 17:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
500	7-14（2-4药）备	冰箱	232311012	2025/6/2 17:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
501	7-14（2-4药）备	冰箱	232311012	2025/6/2 17:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
502	7-14（2-4药）备	冰箱	232311012	2025/6/2 17:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
503	7-14（2-4药）备	冰箱	232311012	2025/6/2 17:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
504	7-14（2-4药）备	冰箱	232311012	2025/6/2 17:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
505	7-14（2-4药）备	冰箱	232311012	2025/6/2 18:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
506	7-14（2-4药）备	冰箱	232311012	2025/6/2 18:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
507	7-14（2-4药）备	冰箱	232311012	2025/6/2 18:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
508	7-14（2-4药）备	冰箱	232311012	2025/6/2 18:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
509	7-14（2-4药）备	冰箱	232311012	2025/6/2 18:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
510	7-14（2-4药）备	冰箱	232311012	2025/6/2 18:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
511	7-14（2-4药）备	冰箱	232311012	2025/6/2 18:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
512	7-14（2-4药）备	冰箱	232311012	2025/6/2 18:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
513	7-14（2-4药）备	冰箱	232311012	2025/6/2 18:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
514	7-14（2-4药）备	冰箱	232311012	2025/6/2 18:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
515	7-14（2-4药）备	冰箱	232311012	2025/6/2 18:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,

516	7-14（2-4药）备	冰箱	232311012	2025/6/2 18:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
517	7-14（2-4药）备	冰箱	232311012	2025/6/2 19:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
518	7-14（2-4药）备	冰箱	232311012	2025/6/2 19:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
519	7-14（2-4药）备	冰箱	232311012	2025/6/2 19:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
520	7-14（2-4药）备	冰箱	232311012	2025/6/2 19:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
521	7-14（2-4药）备	冰箱	232311012	2025/6/2 19:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
522	7-14（2-4药）备	冰箱	232311012	2025/6/2 19:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
523	7-14（2-4药）备	冰箱	232311012	2025/6/2 19:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
524	7-14（2-4药）备	冰箱	232311012	2025/6/2 19:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
525	7-14（2-4药）备	冰箱	232311012	2025/6/2 19:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
526	7-14（2-4药）备	冰箱	232311012	2025/6/2 19:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
527	7-14（2-4药）备	冰箱	232311012	2025/6/2 19:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
528	7-14（2-4药）备	冰箱	232311012	2025/6/2 19:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
529	7-14（2-4药）备	冰箱	232311012	2025/6/2 20:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
530	7-14（2-4药）备	冰箱	232311012	2025/6/2 20:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
531	7-14（2-4药）备	冰箱	232311012	2025/6/2 20:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
532	7-14（2-4药）备	冰箱	232311012	2025/6/2 20:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
533	7-14（2-4药）备	冰箱	232311012	2025/6/2 20:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
534	7-14（2-4药）备	冰箱	232311012	2025/6/2 20:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
535	7-14（2-4药）备	冰箱	232311012	2025/6/2 20:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
536	7-14（2-4药）备	冰箱	232311012	2025/6/2 20:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
537	7-14（2-4药）备	冰箱	232311012	2025/6/2 20:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
538	7-14（2-4药）备	冰箱	232311012	2025/6/2 20:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
539	7-14（2-4药）备	冰箱	232311012	2025/6/2 20:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
540	7-14（2-4药）备	冰箱	232311012	2025/6/2 20:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
541	7-14（2-4药）备	冰箱	232311012	2025/6/2 21:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,

542	7-14（2-4药）备	冰箱	232311012	2025/6/2 21:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
543	7-14（2-4药）备	冰箱	232311012	2025/6/2 21:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
544	7-14（2-4药）备	冰箱	232311012	2025/6/2 21:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
545	7-14（2-4药）备	冰箱	232311012	2025/6/2 21:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
546	7-14（2-4药）备	冰箱	232311012	2025/6/2 21:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
547	7-14（2-4药）备	冰箱	232311012	2025/6/2 21:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
548	7-14（2-4药）备	冰箱	232311012	2025/6/2 21:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
549	7-14（2-4药）备	冰箱	232311012	2025/6/2 21:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
550	7-14（2-4药）备	冰箱	232311012	2025/6/2 21:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
551	7-14（2-4药）备	冰箱	232311012	2025/6/2 21:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
552	7-14（2-4药）备	冰箱	232311012	2025/6/2 21:55:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
553	7-14（2-4药）备	冰箱	232311012	2025/6/2 22:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
554	7-14（2-4药）备	冰箱	232311012	2025/6/2 22:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
555	7-14（2-4药）备	冰箱	232311012	2025/6/2 22:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
556	7-14（2-4药）备	冰箱	232311012	2025/6/2 22:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
557	7-14（2-4药）备	冰箱	232311012	2025/6/2 22:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
558	7-14（2-4药）备	冰箱	232311012	2025/6/2 22:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
559	7-14（2-4药）备	冰箱	232311012	2025/6/2 22:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
560	7-14（2-4药）备	冰箱	232311012	2025/6/2 22:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
561	7-14（2-4药）备	冰箱	232311012	2025/6/2 22:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
562	7-14（2-4药）备	冰箱	232311012	2025/6/2 22:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
563	7-14（2-4药）备	冰箱	232311012	2025/6/2 22:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
564	7-14（2-4药）备	冰箱	232311012	2025/6/2 22:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
565	7-14（2-4药）备	冰箱	232311012	2025/6/2 23:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
566	7-14（2-4药）备	冰箱	232311012	2025/6/2 23:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
567	7-14（2-4药）备	冰箱	232311012	2025/6/2 23:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

568	7-14（2-4药）备	冰箱	232311012	2025/6/2 23:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
569	7-14（2-4药）备	冰箱	232311012	2025/6/2 23:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
570	7-14（2-4药）备	冰箱	232311012	2025/6/2 23:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
571	7-14（2-4药）备	冰箱	232311012	2025/6/2 23:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
572	7-14（2-4药）备	冰箱	232311012	2025/6/2 23:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
573	7-14（2-4药）备	冰箱	232311012	2025/6/2 23:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
574	7-14（2-4药）备	冰箱	232311012	2025/6/2 23:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
575	7-14（2-4药）备	冰箱	232311012	2025/6/2 23:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
576	7-14（2-4药）备	冰箱	232311012	2025/6/2 23:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
577	7-14（2-4药）备	冰箱	232311012	2025/6/3 0:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
578	7-14（2-4药）备	冰箱	232311012	2025/6/3 0:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
579	7-14（2-4药）备	冰箱	232311012	2025/6/3 0:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
580	7-14（2-4药）备	冰箱	232311012	2025/6/3 0:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
581	7-14（2-4药）备	冰箱	232311012	2025/6/3 0:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
582	7-14（2-4药）备	冰箱	232311012	2025/6/3 0:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
583	7-14（2-4药）备	冰箱	232311012	2025/6/3 0:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
584	7-14（2-4药）备	冰箱	232311012	2025/6/3 0:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
585	7-14（2-4药）备	冰箱	232311012	2025/6/3 0:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
586	7-14（2-4药）备	冰箱	232311012	2025/6/3 0:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
587	7-14（2-4药）备	冰箱	232311012	2025/6/3 0:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
588	7-14（2-4药）备	冰箱	232311012	2025/6/3 0:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
589	7-14（2-4药）备	冰箱	232311012	2025/6/3 1:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
590	7-14（2-4药）备	冰箱	232311012	2025/6/3 1:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
591	7-14（2-4药）备	冰箱	232311012	2025/6/3 1:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
592	7-14（2-4药）备	冰箱	232311012	2025/6/3 1:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
593	7-14（2-4药）备	冰箱	232311012	2025/6/3 1:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

594	7-14（2-4药）备	冰箱	232311012	2025/6/3 1:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
595	7-14（2-4药）备	冰箱	232311012	2025/6/3 1:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
596	7-14（2-4药）备	冰箱	232311012	2025/6/3 1:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
597	7-14（2-4药）备	冰箱	232311012	2025/6/3 1:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
598	7-14（2-4药）备	冰箱	232311012	2025/6/3 1:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
599	7-14（2-4药）备	冰箱	232311012	2025/6/3 1:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
600	7-14（2-4药）备	冰箱	232311012	2025/6/3 1:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
601	7-14（2-4药）备	冰箱	232311012	2025/6/3 2:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
602	7-14（2-4药）备	冰箱	232311012	2025/6/3 2:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
603	7-14（2-4药）备	冰箱	232311012	2025/6/3 2:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
604	7-14（2-4药）备	冰箱	232311012	2025/6/3 2:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
605	7-14（2-4药）备	冰箱	232311012	2025/6/3 2:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
606	7-14（2-4药）备	冰箱	232311012	2025/6/3 2:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
607	7-14（2-4药）备	冰箱	232311012	2025/6/3 2:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
608	7-14（2-4药）备	冰箱	232311012	2025/6/3 2:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
609	7-14（2-4药）备	冰箱	232311012	2025/6/3 2:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
610	7-14（2-4药）备	冰箱	232311012	2025/6/3 2:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
611	7-14（2-4药）备	冰箱	232311012	2025/6/3 2:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
612	7-14（2-4药）备	冰箱	232311012	2025/6/3 2:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
613	7-14（2-4药）备	冰箱	232311012	2025/6/3 3:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
614	7-14（2-4药）备	冰箱	232311012	2025/6/3 3:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
615	7-14（2-4药）备	冰箱	232311012	2025/6/3 3:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
616	7-14（2-4药）备	冰箱	232311012	2025/6/3 3:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
617	7-14（2-4药）备	冰箱	232311012	2025/6/3 3:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
618	7-14（2-4药）备	冰箱	232311012	2025/6/3 3:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
619	7-14（2-4药）备	冰箱	232311012	2025/6/3 3:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

620	7-14（2-4药）备	冰箱	232311012	2025/6/3 3:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
621	7-14（2-4药）备	冰箱	232311012	2025/6/3 3:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
622	7-14（2-4药）备	冰箱	232311012	2025/6/3 3:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
623	7-14（2-4药）备	冰箱	232311012	2025/6/3 3:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
624	7-14（2-4药）备	冰箱	232311012	2025/6/3 3:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
625	7-14（2-4药）备	冰箱	232311012	2025/6/3 4:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
626	7-14（2-4药）备	冰箱	232311012	2025/6/3 4:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
627	7-14（2-4药）备	冰箱	232311012	2025/6/3 4:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
628	7-14（2-4药）备	冰箱	232311012	2025/6/3 4:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
629	7-14（2-4药）备	冰箱	232311012	2025/6/3 4:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
630	7-14（2-4药）备	冰箱	232311012	2025/6/3 4:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
631	7-14（2-4药）备	冰箱	232311012	2025/6/3 4:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
632	7-14（2-4药）备	冰箱	232311012	2025/6/3 4:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
633	7-14（2-4药）备	冰箱	232311012	2025/6/3 4:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
634	7-14（2-4药）备	冰箱	232311012	2025/6/3 4:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
635	7-14（2-4药）备	冰箱	232311012	2025/6/3 4:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
636	7-14（2-4药）备	冰箱	232311012	2025/6/3 4:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
637	7-14（2-4药）备	冰箱	232311012	2025/6/3 5:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
638	7-14（2-4药）备	冰箱	232311012	2025/6/3 5:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
639	7-14（2-4药）备	冰箱	232311012	2025/6/3 5:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
640	7-14（2-4药）备	冰箱	232311012	2025/6/3 5:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
641	7-14（2-4药）备	冰箱	232311012	2025/6/3 5:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
642	7-14（2-4药）备	冰箱	232311012	2025/6/3 5:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
643	7-14（2-4药）备	冰箱	232311012	2025/6/3 5:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
644	7-14（2-4药）备	冰箱	232311012	2025/6/3 5:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
645	7-14（2-4药）备	冰箱	232311012	2025/6/3 5:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

646	7-14（2-4药）备	冰箱	232311012	2025/6/3 5:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
647	7-14（2-4药）备	冰箱	232311012	2025/6/3 5:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
648	7-14（2-4药）备	冰箱	232311012	2025/6/3 5:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
649	7-14（2-4药）备	冰箱	232311012	2025/6/3 6:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
650	7-14（2-4药）备	冰箱	232311012	2025/6/3 6:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
651	7-14（2-4药）备	冰箱	232311012	2025/6/3 6:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
652	7-14（2-4药）备	冰箱	232311012	2025/6/3 6:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
653	7-14（2-4药）备	冰箱	232311012	2025/6/3 6:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
654	7-14（2-4药）备	冰箱	232311012	2025/6/3 6:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
655	7-14（2-4药）备	冰箱	232311012	2025/6/3 6:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
656	7-14（2-4药）备	冰箱	232311012	2025/6/3 6:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
657	7-14（2-4药）备	冰箱	232311012	2025/6/3 6:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
658	7-14（2-4药）备	冰箱	232311012	2025/6/3 6:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
659	7-14（2-4药）备	冰箱	232311012	2025/6/3 6:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
660	7-14（2-4药）备	冰箱	232311012	2025/6/3 6:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
661	7-14（2-4药）备	冰箱	232311012	2025/6/3 7:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
662	7-14（2-4药）备	冰箱	232311012	2025/6/3 7:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
663	7-14（2-4药）备	冰箱	232311012	2025/6/3 7:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
664	7-14（2-4药）备	冰箱	232311012	2025/6/3 7:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
665	7-14（2-4药）备	冰箱	232311012	2025/6/3 7:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
666	7-14（2-4药）备	冰箱	232311012	2025/6/3 7:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
667	7-14（2-4药）备	冰箱	232311012	2025/6/3 7:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
668	7-14（2-4药）备	冰箱	232311012	2025/6/3 7:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
669	7-14（2-4药）备	冰箱	232311012	2025/6/3 7:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
670	7-14（2-4药）备	冰箱	232311012	2025/6/3 7:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
671	7-14（2-4药）备	冰箱	232311012	2025/6/3 7:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

672	7-14（2-4药）备	冰箱	232311012	2025/6/3 7:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
673	7-14（2-4药）备	冰箱	232311012	2025/6/3 8:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
674	7-14（2-4药）备	冰箱	232311012	2025/6/3 8:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
675	7-14（2-4药）备	冰箱	232311012	2025/6/3 8:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
676	7-14（2-4药）备	冰箱	232311012	2025/6/3 8:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
677	7-14（2-4药）备	冰箱	232311012	2025/6/3 8:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
678	7-14（2-4药）备	冰箱	232311012	2025/6/3 8:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
679	7-14（2-4药）备	冰箱	232311012	2025/6/3 8:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
680	7-14（2-4药）备	冰箱	232311012	2025/6/3 8:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
681	7-14（2-4药）备	冰箱	232311012	2025/6/3 8:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
682	7-14（2-4药）备	冰箱	232311012	2025/6/3 8:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
683	7-14（2-4药）备	冰箱	232311012	2025/6/3 8:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
684	7-14（2-4药）备	冰箱	232311012	2025/6/3 8:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
685	7-14（2-4药）备	冰箱	232311012	2025/6/3 9:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
686	7-14（2-4药）备	冰箱	232311012	2025/6/3 9:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
687	7-14（2-4药）备	冰箱	232311012	2025/6/3 9:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
688	7-14（2-4药）备	冰箱	232311012	2025/6/3 9:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
689	7-14（2-4药）备	冰箱	232311012	2025/6/3 9:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
690	7-14（2-4药）备	冰箱	232311012	2025/6/3 9:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
691	7-14（2-4药）备	冰箱	232311012	2025/6/3 9:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
692	7-14（2-4药）备	冰箱	232311012	2025/6/3 9:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
693	7-14（2-4药）备	冰箱	232311012	2025/6/3 9:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
694	7-14（2-4药）备	冰箱	232311012	2025/6/3 9:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
695	7-14（2-4药）备	冰箱	232311012	2025/6/3 9:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
696	7-14（2-4药）备	冰箱	232311012	2025/6/3 9:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
697	7-14（2-4药）备	冰箱	232311012	2025/6/3 10:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

698	7-14（2-4药）备	冰箱	232311012	2025/6/3 10:05:00	5.7℃	正常	2023/12/26 18:11:37:未储存药品,
699	7-14（2-4药）备	冰箱	232311012	2025/6/3 10:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
700	7-14（2-4药）备	冰箱	232311012	2025/6/3 10:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
701	7-14（2-4药）备	冰箱	232311012	2025/6/3 10:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
702	7-14（2-4药）备	冰箱	232311012	2025/6/3 10:25:00	3.8℃	正常	2023/12/26 18:11:37:未储存药品,
703	7-14（2-4药）备	冰箱	232311012	2025/6/3 10:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
704	7-14（2-4药）备	冰箱	232311012	2025/6/3 10:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
705	7-14（2-4药）备	冰箱	232311012	2025/6/3 10:40:00	4.0℃	正常	2023/12/26 18:11:37:未储存药品,
706	7-14（2-4药）备	冰箱	232311012	2025/6/3 10:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
707	7-14（2-4药）备	冰箱	232311012	2025/6/3 10:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
708	7-14（2-4药）备	冰箱	232311012	2025/6/3 10:55:00	4.0℃	正常	2023/12/26 18:11:37:未储存药品,
709	7-14（2-4药）备	冰箱	232311012	2025/6/3 11:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
710	7-14（2-4药）备	冰箱	232311012	2025/6/3 11:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
711	7-14（2-4药）备	冰箱	232311012	2025/6/3 11:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
712	7-14（2-4药）备	冰箱	232311012	2025/6/3 11:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
713	7-14（2-4药）备	冰箱	232311012	2025/6/3 11:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
714	7-14（2-4药）备	冰箱	232311012	2025/6/3 11:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
715	7-14（2-4药）备	冰箱	232311012	2025/6/3 11:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
716	7-14（2-4药）备	冰箱	232311012	2025/6/3 11:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
717	7-14（2-4药）备	冰箱	232311012	2025/6/3 11:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
718	7-14（2-4药）备	冰箱	232311012	2025/6/3 11:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
719	7-14（2-4药）备	冰箱	232311012	2025/6/3 11:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
720	7-14（2-4药）备	冰箱	232311012	2025/6/3 11:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
721	7-14（2-4药）备	冰箱	232311012	2025/6/3 12:00:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
722	7-14（2-4药）备	冰箱	232311012	2025/6/3 12:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
723	7-14（2-4药）备	冰箱	232311012	2025/6/3 12:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

724	7-14（2-4药）备	冰箱	232311012	2025/6/3 12:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
725	7-14（2-4药）备	冰箱	232311012	2025/6/3 12:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
726	7-14（2-4药）备	冰箱	232311012	2025/6/3 12:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
727	7-14（2-4药）备	冰箱	232311012	2025/6/3 12:30:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
728	7-14（2-4药）备	冰箱	232311012	2025/6/3 12:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
729	7-14（2-4药）备	冰箱	232311012	2025/6/3 12:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
730	7-14（2-4药）备	冰箱	232311012	2025/6/3 12:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
731	7-14（2-4药）备	冰箱	232311012	2025/6/3 12:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
732	7-14（2-4药）备	冰箱	232311012	2025/6/3 12:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
733	7-14（2-4药）备	冰箱	232311012	2025/6/3 13:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
734	7-14（2-4药）备	冰箱	232311012	2025/6/3 13:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
735	7-14（2-4药）备	冰箱	232311012	2025/6/3 13:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
736	7-14（2-4药）备	冰箱	232311012	2025/6/3 13:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
737	7-14（2-4药）备	冰箱	232311012	2025/6/3 13:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
738	7-14（2-4药）备	冰箱	232311012	2025/6/3 13:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
739	7-14（2-4药）备	冰箱	232311012	2025/6/3 13:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
740	7-14（2-4药）备	冰箱	232311012	2025/6/3 13:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
741	7-14（2-4药）备	冰箱	232311012	2025/6/3 13:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
742	7-14（2-4药）备	冰箱	232311012	2025/6/3 13:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
743	7-14（2-4药）备	冰箱	232311012	2025/6/3 13:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
744	7-14（2-4药）备	冰箱	232311012	2025/6/3 13:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
745	7-14（2-4药）备	冰箱	232311012	2025/6/3 14:00:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
746	7-14（2-4药）备	冰箱	232311012	2025/6/3 14:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
747	7-14（2-4药）备	冰箱	232311012	2025/6/3 14:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
748	7-14（2-4药）备	冰箱	232311012	2025/6/3 14:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
749	7-14（2-4药）备	冰箱	232311012	2025/6/3 14:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,

750	7-14（2-4药）备	冰箱	232311012	2025/6/3 14:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
751	7-14（2-4药）备	冰箱	232311012	2025/6/3 14:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
752	7-14（2-4药）备	冰箱	232311012	2025/6/3 14:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
753	7-14（2-4药）备	冰箱	232311012	2025/6/3 14:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
754	7-14（2-4药）备	冰箱	232311012	2025/6/3 14:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
755	7-14（2-4药）备	冰箱	232311012	2025/6/3 14:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
756	7-14（2-4药）备	冰箱	232311012	2025/6/3 14:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
757	7-14（2-4药）备	冰箱	232311012	2025/6/3 15:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
758	7-14（2-4药）备	冰箱	232311012	2025/6/3 15:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
759	7-14（2-4药）备	冰箱	232311012	2025/6/3 15:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
760	7-14（2-4药）备	冰箱	232311012	2025/6/3 15:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
761	7-14（2-4药）备	冰箱	232311012	2025/6/3 15:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
762	7-14（2-4药）备	冰箱	232311012	2025/6/3 15:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
763	7-14（2-4药）备	冰箱	232311012	2025/6/3 15:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
764	7-14（2-4药）备	冰箱	232311012	2025/6/3 15:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
765	7-14（2-4药）备	冰箱	232311012	2025/6/3 15:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
766	7-14（2-4药）备	冰箱	232311012	2025/6/3 15:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
767	7-14（2-4药）备	冰箱	232311012	2025/6/3 15:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
768	7-14（2-4药）备	冰箱	232311012	2025/6/3 15:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
769	7-14（2-4药）备	冰箱	232311012	2025/6/3 16:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
770	7-14（2-4药）备	冰箱	232311012	2025/6/3 16:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
771	7-14（2-4药）备	冰箱	232311012	2025/6/3 16:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
772	7-14（2-4药）备	冰箱	232311012	2025/6/3 16:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
773	7-14（2-4药）备	冰箱	232311012	2025/6/3 16:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
774	7-14（2-4药）备	冰箱	232311012	2025/6/3 16:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
775	7-14（2-4药）备	冰箱	232311012	2025/6/3 16:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

776	7-14（2-4药）备	冰箱	232311012	2025/6/3 16:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
777	7-14（2-4药）备	冰箱	232311012	2025/6/3 16:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
778	7-14（2-4药）备	冰箱	232311012	2025/6/3 16:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
779	7-14（2-4药）备	冰箱	232311012	2025/6/3 16:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
780	7-14（2-4药）备	冰箱	232311012	2025/6/3 16:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
781	7-14（2-4药）备	冰箱	232311012	2025/6/3 17:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
782	7-14（2-4药）备	冰箱	232311012	2025/6/3 17:05:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
783	7-14（2-4药）备	冰箱	232311012	2025/6/3 17:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
784	7-14（2-4药）备	冰箱	232311012	2025/6/3 17:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
785	7-14（2-4药）备	冰箱	232311012	2025/6/3 17:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
786	7-14（2-4药）备	冰箱	232311012	2025/6/3 17:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
787	7-14（2-4药）备	冰箱	232311012	2025/6/3 17:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
788	7-14（2-4药）备	冰箱	232311012	2025/6/3 17:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
789	7-14（2-4药）备	冰箱	232311012	2025/6/3 17:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
790	7-14（2-4药）备	冰箱	232311012	2025/6/3 17:45:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
791	7-14（2-4药）备	冰箱	232311012	2025/6/3 17:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
792	7-14（2-4药）备	冰箱	232311012	2025/6/3 17:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
793	7-14（2-4药）备	冰箱	232311012	2025/6/3 18:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
794	7-14（2-4药）备	冰箱	232311012	2025/6/3 18:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
795	7-14（2-4药）备	冰箱	232311012	2025/6/3 18:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
796	7-14（2-4药）备	冰箱	232311012	2025/6/3 18:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
797	7-14（2-4药）备	冰箱	232311012	2025/6/3 18:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
798	7-14（2-4药）备	冰箱	232311012	2025/6/3 18:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
799	7-14（2-4药）备	冰箱	232311012	2025/6/3 18:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
800	7-14（2-4药）备	冰箱	232311012	2025/6/3 18:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
801	7-14（2-4药）备	冰箱	232311012	2025/6/3 18:40:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,

802	7-14（2-4药）备	冰箱	232311012	2025/6/3 18:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
803	7-14（2-4药）备	冰箱	232311012	2025/6/3 18:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
804	7-14（2-4药）备	冰箱	232311012	2025/6/3 18:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
805	7-14（2-4药）备	冰箱	232311012	2025/6/3 19:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
806	7-14（2-4药）备	冰箱	232311012	2025/6/3 19:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
807	7-14（2-4药）备	冰箱	232311012	2025/6/3 19:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
808	7-14（2-4药）备	冰箱	232311012	2025/6/3 19:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
809	7-14（2-4药）备	冰箱	232311012	2025/6/3 19:20:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
810	7-14（2-4药）备	冰箱	232311012	2025/6/3 19:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
811	7-14（2-4药）备	冰箱	232311012	2025/6/3 19:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
812	7-14（2-4药）备	冰箱	232311012	2025/6/3 19:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
813	7-14（2-4药）备	冰箱	232311012	2025/6/3 19:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
814	7-14（2-4药）备	冰箱	232311012	2025/6/3 19:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
815	7-14（2-4药）备	冰箱	232311012	2025/6/3 19:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
816	7-14（2-4药）备	冰箱	232311012	2025/6/3 19:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
817	7-14（2-4药）备	冰箱	232311012	2025/6/3 20:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
818	7-14（2-4药）备	冰箱	232311012	2025/6/3 20:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
819	7-14（2-4药）备	冰箱	232311012	2025/6/3 20:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
820	7-14（2-4药）备	冰箱	232311012	2025/6/3 20:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
821	7-14（2-4药）备	冰箱	232311012	2025/6/3 20:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
822	7-14（2-4药）备	冰箱	232311012	2025/6/3 20:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
823	7-14（2-4药）备	冰箱	232311012	2025/6/3 20:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
824	7-14（2-4药）备	冰箱	232311012	2025/6/3 20:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
825	7-14（2-4药）备	冰箱	232311012	2025/6/3 20:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
826	7-14（2-4药）备	冰箱	232311012	2025/6/3 20:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
827	7-14（2-4药）备	冰箱	232311012	2025/6/3 20:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

828	7-14（2-4药）备	冰箱	232311012	2025/6/3 20:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
829	7-14（2-4药）备	冰箱	232311012	2025/6/3 21:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
830	7-14（2-4药）备	冰箱	232311012	2025/6/3 21:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
831	7-14（2-4药）备	冰箱	232311012	2025/6/3 21:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
832	7-14（2-4药）备	冰箱	232311012	2025/6/3 21:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
833	7-14（2-4药）备	冰箱	232311012	2025/6/3 21:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
834	7-14（2-4药）备	冰箱	232311012	2025/6/3 21:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
835	7-14（2-4药）备	冰箱	232311012	2025/6/3 21:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
836	7-14（2-4药）备	冰箱	232311012	2025/6/3 21:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
837	7-14（2-4药）备	冰箱	232311012	2025/6/3 21:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
838	7-14（2-4药）备	冰箱	232311012	2025/6/3 21:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
839	7-14（2-4药）备	冰箱	232311012	2025/6/3 21:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
840	7-14（2-4药）备	冰箱	232311012	2025/6/3 21:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
841	7-14（2-4药）备	冰箱	232311012	2025/6/3 22:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
842	7-14（2-4药）备	冰箱	232311012	2025/6/3 22:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
843	7-14（2-4药）备	冰箱	232311012	2025/6/3 22:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
844	7-14（2-4药）备	冰箱	232311012	2025/6/3 22:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
845	7-14（2-4药）备	冰箱	232311012	2025/6/3 22:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
846	7-14（2-4药）备	冰箱	232311012	2025/6/3 22:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
847	7-14（2-4药）备	冰箱	232311012	2025/6/3 22:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
848	7-14（2-4药）备	冰箱	232311012	2025/6/3 22:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
849	7-14（2-4药）备	冰箱	232311012	2025/6/3 22:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
850	7-14（2-4药）备	冰箱	232311012	2025/6/3 22:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
851	7-14（2-4药）备	冰箱	232311012	2025/6/3 22:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
852	7-14（2-4药）备	冰箱	232311012	2025/6/3 22:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
853	7-14（2-4药）备	冰箱	232311012	2025/6/3 23:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

854	7-14（2-4药）备	冰箱	232311012	2025/6/3 23:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
855	7-14（2-4药）备	冰箱	232311012	2025/6/3 23:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
856	7-14（2-4药）备	冰箱	232311012	2025/6/3 23:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
857	7-14（2-4药）备	冰箱	232311012	2025/6/3 23:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
858	7-14（2-4药）备	冰箱	232311012	2025/6/3 23:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
859	7-14（2-4药）备	冰箱	232311012	2025/6/3 23:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
860	7-14（2-4药）备	冰箱	232311012	2025/6/3 23:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
861	7-14（2-4药）备	冰箱	232311012	2025/6/3 23:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
862	7-14（2-4药）备	冰箱	232311012	2025/6/3 23:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
863	7-14（2-4药）备	冰箱	232311012	2025/6/3 23:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
864	7-14（2-4药）备	冰箱	232311012	2025/6/3 23:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
865	7-14（2-4药）备	冰箱	232311012	2025/6/4 0:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
866	7-14（2-4药）备	冰箱	232311012	2025/6/4 0:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
867	7-14（2-4药）备	冰箱	232311012	2025/6/4 0:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
868	7-14（2-4药）备	冰箱	232311012	2025/6/4 0:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
869	7-14（2-4药）备	冰箱	232311012	2025/6/4 0:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
870	7-14（2-4药）备	冰箱	232311012	2025/6/4 0:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
871	7-14（2-4药）备	冰箱	232311012	2025/6/4 0:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
872	7-14（2-4药）备	冰箱	232311012	2025/6/4 0:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
873	7-14（2-4药）备	冰箱	232311012	2025/6/4 0:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
874	7-14（2-4药）备	冰箱	232311012	2025/6/4 0:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
875	7-14（2-4药）备	冰箱	232311012	2025/6/4 0:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
876	7-14（2-4药）备	冰箱	232311012	2025/6/4 0:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
877	7-14（2-4药）备	冰箱	232311012	2025/6/4 1:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
878	7-14（2-4药）备	冰箱	232311012	2025/6/4 1:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
879	7-14（2-4药）备	冰箱	232311012	2025/6/4 1:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

880	7-14（2-4药）备	冰箱	232311012	2025/6/4 1:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
881	7-14（2-4药）备	冰箱	232311012	2025/6/4 1:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
882	7-14（2-4药）备	冰箱	232311012	2025/6/4 1:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
883	7-14（2-4药）备	冰箱	232311012	2025/6/4 1:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
884	7-14（2-4药）备	冰箱	232311012	2025/6/4 1:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
885	7-14（2-4药）备	冰箱	232311012	2025/6/4 1:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
886	7-14（2-4药）备	冰箱	232311012	2025/6/4 1:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
887	7-14（2-4药）备	冰箱	232311012	2025/6/4 1:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
888	7-14（2-4药）备	冰箱	232311012	2025/6/4 1:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
889	7-14（2-4药）备	冰箱	232311012	2025/6/4 2:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
890	7-14（2-4药）备	冰箱	232311012	2025/6/4 2:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
891	7-14（2-4药）备	冰箱	232311012	2025/6/4 2:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
892	7-14（2-4药）备	冰箱	232311012	2025/6/4 2:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
893	7-14（2-4药）备	冰箱	232311012	2025/6/4 2:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
894	7-14（2-4药）备	冰箱	232311012	2025/6/4 2:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
895	7-14（2-4药）备	冰箱	232311012	2025/6/4 2:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
896	7-14（2-4药）备	冰箱	232311012	2025/6/4 2:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
897	7-14（2-4药）备	冰箱	232311012	2025/6/4 2:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
898	7-14（2-4药）备	冰箱	232311012	2025/6/4 2:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
899	7-14（2-4药）备	冰箱	232311012	2025/6/4 2:50:00	4.0℃	正常	2023/12/26 18:11:37:未储存药品,
900	7-14（2-4药）备	冰箱	232311012	2025/6/4 2:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
901	7-14（2-4药）备	冰箱	232311012	2025/6/4 3:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
902	7-14（2-4药）备	冰箱	232311012	2025/6/4 3:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
903	7-14（2-4药）备	冰箱	232311012	2025/6/4 3:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
904	7-14（2-4药）备	冰箱	232311012	2025/6/4 3:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
905	7-14（2-4药）备	冰箱	232311012	2025/6/4 3:20:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,

906	7-14（2-4药）备	冰箱	232311012	2025/6/4 3:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
907	7-14（2-4药）备	冰箱	232311012	2025/6/4 3:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
908	7-14（2-4药）备	冰箱	232311012	2025/6/4 3:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
909	7-14（2-4药）备	冰箱	232311012	2025/6/4 3:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
910	7-14（2-4药）备	冰箱	232311012	2025/6/4 3:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
911	7-14（2-4药）备	冰箱	232311012	2025/6/4 3:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
912	7-14（2-4药）备	冰箱	232311012	2025/6/4 3:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
913	7-14（2-4药）备	冰箱	232311012	2025/6/4 4:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
914	7-14（2-4药）备	冰箱	232311012	2025/6/4 4:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
915	7-14（2-4药）备	冰箱	232311012	2025/6/4 4:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
916	7-14（2-4药）备	冰箱	232311012	2025/6/4 4:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
917	7-14（2-4药）备	冰箱	232311012	2025/6/4 4:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
918	7-14（2-4药）备	冰箱	232311012	2025/6/4 4:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
919	7-14（2-4药）备	冰箱	232311012	2025/6/4 4:30:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
920	7-14（2-4药）备	冰箱	232311012	2025/6/4 4:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
921	7-14（2-4药）备	冰箱	232311012	2025/6/4 4:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
922	7-14（2-4药）备	冰箱	232311012	2025/6/4 4:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
923	7-14（2-4药）备	冰箱	232311012	2025/6/4 4:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
924	7-14（2-4药）备	冰箱	232311012	2025/6/4 4:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
925	7-14（2-4药）备	冰箱	232311012	2025/6/4 5:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
926	7-14（2-4药）备	冰箱	232311012	2025/6/4 5:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
927	7-14（2-4药）备	冰箱	232311012	2025/6/4 5:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
928	7-14（2-4药）备	冰箱	232311012	2025/6/4 5:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
929	7-14（2-4药）备	冰箱	232311012	2025/6/4 5:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
930	7-14（2-4药）备	冰箱	232311012	2025/6/4 5:25:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
931	7-14（2-4药）备	冰箱	232311012	2025/6/4 5:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

932	7-14（2-4药）备	冰箱	232311012	2025/6/4 5:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
933	7-14（2-4药）备	冰箱	232311012	2025/6/4 5:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
934	7-14（2-4药）备	冰箱	232311012	2025/6/4 5:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
935	7-14（2-4药）备	冰箱	232311012	2025/6/4 5:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
936	7-14（2-4药）备	冰箱	232311012	2025/6/4 5:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
937	7-14（2-4药）备	冰箱	232311012	2025/6/4 6:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
938	7-14（2-4药）备	冰箱	232311012	2025/6/4 6:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
939	7-14（2-4药）备	冰箱	232311012	2025/6/4 6:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
940	7-14（2-4药）备	冰箱	232311012	2025/6/4 6:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
941	7-14（2-4药）备	冰箱	232311012	2025/6/4 6:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
942	7-14（2-4药）备	冰箱	232311012	2025/6/4 6:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
943	7-14（2-4药）备	冰箱	232311012	2025/6/4 6:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
944	7-14（2-4药）备	冰箱	232311012	2025/6/4 6:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
945	7-14（2-4药）备	冰箱	232311012	2025/6/4 6:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
946	7-14（2-4药）备	冰箱	232311012	2025/6/4 6:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
947	7-14（2-4药）备	冰箱	232311012	2025/6/4 6:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
948	7-14（2-4药）备	冰箱	232311012	2025/6/4 6:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
949	7-14（2-4药）备	冰箱	232311012	2025/6/4 7:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
950	7-14（2-4药）备	冰箱	232311012	2025/6/4 7:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
951	7-14（2-4药）备	冰箱	232311012	2025/6/4 7:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
952	7-14（2-4药）备	冰箱	232311012	2025/6/4 7:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
953	7-14（2-4药）备	冰箱	232311012	2025/6/4 7:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
954	7-14（2-4药）备	冰箱	232311012	2025/6/4 7:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
955	7-14（2-4药）备	冰箱	232311012	2025/6/4 7:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
956	7-14（2-4药）备	冰箱	232311012	2025/6/4 7:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
957	7-14（2-4药）备	冰箱	232311012	2025/6/4 7:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

958	7-14（2-4药）备	冰箱	232311012	2025/6/4 7:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
959	7-14（2-4药）备	冰箱	232311012	2025/6/4 7:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
960	7-14（2-4药）备	冰箱	232311012	2025/6/4 7:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
961	7-14（2-4药）备	冰箱	232311012	2025/6/4 8:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
962	7-14（2-4药）备	冰箱	232311012	2025/6/4 8:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
963	7-14（2-4药）备	冰箱	232311012	2025/6/4 8:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
964	7-14（2-4药）备	冰箱	232311012	2025/6/4 8:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
965	7-14（2-4药）备	冰箱	232311012	2025/6/4 8:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
966	7-14（2-4药）备	冰箱	232311012	2025/6/4 8:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
967	7-14（2-4药）备	冰箱	232311012	2025/6/4 8:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
968	7-14（2-4药）备	冰箱	232311012	2025/6/4 8:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
969	7-14（2-4药）备	冰箱	232311012	2025/6/4 8:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
970	7-14（2-4药）备	冰箱	232311012	2025/6/4 8:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
971	7-14（2-4药）备	冰箱	232311012	2025/6/4 8:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
972	7-14（2-4药）备	冰箱	232311012	2025/6/4 8:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
973	7-14（2-4药）备	冰箱	232311012	2025/6/4 9:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
974	7-14（2-4药）备	冰箱	232311012	2025/6/4 9:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
975	7-14（2-4药）备	冰箱	232311012	2025/6/4 9:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
976	7-14（2-4药）备	冰箱	232311012	2025/6/4 9:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
977	7-14（2-4药）备	冰箱	232311012	2025/6/4 9:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
978	7-14（2-4药）备	冰箱	232311012	2025/6/4 9:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
979	7-14（2-4药）备	冰箱	232311012	2025/6/4 9:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
980	7-14（2-4药）备	冰箱	232311012	2025/6/4 9:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
981	7-14（2-4药）备	冰箱	232311012	2025/6/4 9:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
982	7-14（2-4药）备	冰箱	232311012	2025/6/4 9:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
983	7-14（2-4药）备	冰箱	232311012	2025/6/4 9:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,

984	7-14（2-4药）备	冰箱	232311012	2025/6/4 9:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
985	7-14（2-4药）备	冰箱	232311012	2025/6/4 10:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
986	7-14（2-4药）备	冰箱	232311012	2025/6/4 10:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
987	7-14（2-4药）备	冰箱	232311012	2025/6/4 10:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
988	7-14（2-4药）备	冰箱	232311012	2025/6/4 10:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
989	7-14（2-4药）备	冰箱	232311012	2025/6/4 10:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
990	7-14（2-4药）备	冰箱	232311012	2025/6/4 10:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
991	7-14（2-4药）备	冰箱	232311012	2025/6/4 10:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
992	7-14（2-4药）备	冰箱	232311012	2025/6/4 10:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
993	7-14（2-4药）备	冰箱	232311012	2025/6/4 10:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
994	7-14（2-4药）备	冰箱	232311012	2025/6/4 10:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
995	7-14（2-4药）备	冰箱	232311012	2025/6/4 10:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
996	7-14（2-4药）备	冰箱	232311012	2025/6/4 10:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
997	7-14（2-4药）备	冰箱	232311012	2025/6/4 11:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
998	7-14（2-4药）备	冰箱	232311012	2025/6/4 11:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
999	7-14（2-4药）备	冰箱	232311012	2025/6/4 11:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1000	7-14（2-4药）备	冰箱	232311012	2025/6/4 11:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1001	7-14（2-4药）备	冰箱	232311012	2025/6/4 11:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1002	7-14（2-4药）备	冰箱	232311012	2025/6/4 11:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1003	7-14（2-4药）备	冰箱	232311012	2025/6/4 11:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1004	7-14（2-4药）备	冰箱	232311012	2025/6/4 11:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1005	7-14（2-4药）备	冰箱	232311012	2025/6/4 11:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1006	7-14（2-4药）备	冰箱	232311012	2025/6/4 11:45:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
1007	7-14（2-4药）备	冰箱	232311012	2025/6/4 11:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1008	7-14（2-4药）备	冰箱	232311012	2025/6/4 11:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1009	7-14（2-4药）备	冰箱	232311012	2025/6/4 12:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,

1010	7-14（2-4药）备	冰箱	232311012	2025/6/4 12:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1011	7-14（2-4药）备	冰箱	232311012	2025/6/4 12:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1012	7-14（2-4药）备	冰箱	232311012	2025/6/4 12:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1013	7-14（2-4药）备	冰箱	232311012	2025/6/4 12:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1014	7-14（2-4药）备	冰箱	232311012	2025/6/4 12:25:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
1015	7-14（2-4药）备	冰箱	232311012	2025/6/4 12:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1016	7-14（2-4药）备	冰箱	232311012	2025/6/4 12:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1017	7-14（2-4药）备	冰箱	232311012	2025/6/4 12:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1018	7-14（2-4药）备	冰箱	232311012	2025/6/4 12:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1019	7-14（2-4药）备	冰箱	232311012	2025/6/4 12:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1020	7-14（2-4药）备	冰箱	232311012	2025/6/4 12:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1021	7-14（2-4药）备	冰箱	232311012	2025/6/4 13:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1022	7-14（2-4药）备	冰箱	232311012	2025/6/4 13:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1023	7-14（2-4药）备	冰箱	232311012	2025/6/4 13:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1024	7-14（2-4药）备	冰箱	232311012	2025/6/4 13:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1025	7-14（2-4药）备	冰箱	232311012	2025/6/4 13:20:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
1026	7-14（2-4药）备	冰箱	232311012	2025/6/4 13:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1027	7-14（2-4药）备	冰箱	232311012	2025/6/4 13:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1028	7-14（2-4药）备	冰箱	232311012	2025/6/4 13:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1029	7-14（2-4药）备	冰箱	232311012	2025/6/4 13:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1030	7-14（2-4药）备	冰箱	232311012	2025/6/4 13:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1031	7-14（2-4药）备	冰箱	232311012	2025/6/4 13:50:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
1032	7-14（2-4药）备	冰箱	232311012	2025/6/4 13:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1033	7-14（2-4药）备	冰箱	232311012	2025/6/4 14:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1034	7-14（2-4药）备	冰箱	232311012	2025/6/4 14:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1035	7-14（2-4药）备	冰箱	232311012	2025/6/4 14:10:00	3.8℃	正常	2023/12/26 18:11:37:未储存药品,

1036	7-14（2-4药）备	冰箱	232311012	2025/6/4 14:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1037	7-14（2-4药）备	冰箱	232311012	2025/6/4 14:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1038	7-14（2-4药）备	冰箱	232311012	2025/6/4 14:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1039	7-14（2-4药）备	冰箱	232311012	2025/6/4 14:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1040	7-14（2-4药）备	冰箱	232311012	2025/6/4 14:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1041	7-14（2-4药）备	冰箱	232311012	2025/6/4 14:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1042	7-14（2-4药）备	冰箱	232311012	2025/6/4 14:45:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
1043	7-14（2-4药）备	冰箱	232311012	2025/6/4 14:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1044	7-14（2-4药）备	冰箱	232311012	2025/6/4 14:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1045	7-14（2-4药）备	冰箱	232311012	2025/6/4 15:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1046	7-14（2-4药）备	冰箱	232311012	2025/6/4 15:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1047	7-14（2-4药）备	冰箱	232311012	2025/6/4 15:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1048	7-14（2-4药）备	冰箱	232311012	2025/6/4 15:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1049	7-14（2-4药）备	冰箱	232311012	2025/6/4 15:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1050	7-14（2-4药）备	冰箱	232311012	2025/6/4 15:25:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
1051	7-14（2-4药）备	冰箱	232311012	2025/6/4 15:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1052	7-14（2-4药）备	冰箱	232311012	2025/6/4 15:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1053	7-14（2-4药）备	冰箱	232311012	2025/6/4 15:40:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
1054	7-14（2-4药）备	冰箱	232311012	2025/6/4 15:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1055	7-14（2-4药）备	冰箱	232311012	2025/6/4 15:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1056	7-14（2-4药）备	冰箱	232311012	2025/6/4 15:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1057	7-14（2-4药）备	冰箱	232311012	2025/6/4 16:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1058	7-14（2-4药）备	冰箱	232311012	2025/6/4 16:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1059	7-14（2-4药）备	冰箱	232311012	2025/6/4 16:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1060	7-14（2-4药）备	冰箱	232311012	2025/6/4 16:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1061	7-14（2-4药）备	冰箱	232311012	2025/6/4 16:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

1062	7-14（2-4药）备	冰箱	232311012	2025/6/4 16:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1063	7-14（2-4药）备	冰箱	232311012	2025/6/4 16:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1064	7-14（2-4药）备	冰箱	232311012	2025/6/4 16:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1065	7-14（2-4药）备	冰箱	232311012	2025/6/4 16:40:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
1066	7-14（2-4药）备	冰箱	232311012	2025/6/4 16:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1067	7-14（2-4药）备	冰箱	232311012	2025/6/4 16:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1068	7-14（2-4药）备	冰箱	232311012	2025/6/4 16:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1069	7-14（2-4药）备	冰箱	232311012	2025/6/4 17:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1070	7-14（2-4药）备	冰箱	232311012	2025/6/4 17:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1071	7-14（2-4药）备	冰箱	232311012	2025/6/4 17:10:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
1072	7-14（2-4药）备	冰箱	232311012	2025/6/4 17:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1073	7-14（2-4药）备	冰箱	232311012	2025/6/4 17:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1074	7-14（2-4药）备	冰箱	232311012	2025/6/4 17:25:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
1075	7-14（2-4药）备	冰箱	232311012	2025/6/4 17:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1076	7-14（2-4药）备	冰箱	232311012	2025/6/4 17:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1077	7-14（2-4药）备	冰箱	232311012	2025/6/4 17:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1078	7-14（2-4药）备	冰箱	232311012	2025/6/4 17:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1079	7-14（2-4药）备	冰箱	232311012	2025/6/4 17:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1080	7-14（2-4药）备	冰箱	232311012	2025/6/4 17:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1081	7-14（2-4药）备	冰箱	232311012	2025/6/4 18:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1082	7-14（2-4药）备	冰箱	232311012	2025/6/4 18:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1083	7-14（2-4药）备	冰箱	232311012	2025/6/4 18:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1084	7-14（2-4药）备	冰箱	232311012	2025/6/4 18:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1085	7-14（2-4药）备	冰箱	232311012	2025/6/4 18:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1086	7-14（2-4药）备	冰箱	232311012	2025/6/4 18:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1087	7-14（2-4药）备	冰箱	232311012	2025/6/4 18:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

1088	7-14（2-4药）备	冰箱	232311012	2025/6/4 18:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1089	7-14（2-4药）备	冰箱	232311012	2025/6/4 18:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1090	7-14（2-4药）备	冰箱	232311012	2025/6/4 18:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1091	7-14（2-4药）备	冰箱	232311012	2025/6/4 18:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1092	7-14（2-4药）备	冰箱	232311012	2025/6/4 18:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1093	7-14（2-4药）备	冰箱	232311012	2025/6/4 19:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1094	7-14（2-4药）备	冰箱	232311012	2025/6/4 19:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1095	7-14（2-4药）备	冰箱	232311012	2025/6/4 19:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1096	7-14（2-4药）备	冰箱	232311012	2025/6/4 19:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1097	7-14（2-4药）备	冰箱	232311012	2025/6/4 19:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1098	7-14（2-4药）备	冰箱	232311012	2025/6/4 19:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1099	7-14（2-4药）备	冰箱	232311012	2025/6/4 19:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1100	7-14（2-4药）备	冰箱	232311012	2025/6/4 19:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1101	7-14（2-4药）备	冰箱	232311012	2025/6/4 19:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1102	7-14（2-4药）备	冰箱	232311012	2025/6/4 19:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1103	7-14（2-4药）备	冰箱	232311012	2025/6/4 19:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1104	7-14（2-4药）备	冰箱	232311012	2025/6/4 19:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1105	7-14（2-4药）备	冰箱	232311012	2025/6/4 20:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1106	7-14（2-4药）备	冰箱	232311012	2025/6/4 20:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1107	7-14（2-4药）备	冰箱	232311012	2025/6/4 20:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1108	7-14（2-4药）备	冰箱	232311012	2025/6/4 20:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1109	7-14（2-4药）备	冰箱	232311012	2025/6/4 20:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1110	7-14（2-4药）备	冰箱	232311012	2025/6/4 20:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1111	7-14（2-4药）备	冰箱	232311012	2025/6/4 20:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1112	7-14（2-4药）备	冰箱	232311012	2025/6/4 20:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1113	7-14（2-4药）备	冰箱	232311012	2025/6/4 20:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

1114	7-14（2-4药）备	冰箱	232311012	2025/6/4 20:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1115	7-14（2-4药）备	冰箱	232311012	2025/6/4 20:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1116	7-14（2-4药）备	冰箱	232311012	2025/6/4 20:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1117	7-14（2-4药）备	冰箱	232311012	2025/6/4 21:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1118	7-14（2-4药）备	冰箱	232311012	2025/6/4 21:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1119	7-14（2-4药）备	冰箱	232311012	2025/6/4 21:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1120	7-14（2-4药）备	冰箱	232311012	2025/6/4 21:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1121	7-14（2-4药）备	冰箱	232311012	2025/6/4 21:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1122	7-14（2-4药）备	冰箱	232311012	2025/6/4 21:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1123	7-14（2-4药）备	冰箱	232311012	2025/6/4 21:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1124	7-14（2-4药）备	冰箱	232311012	2025/6/4 21:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1125	7-14（2-4药）备	冰箱	232311012	2025/6/4 21:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1126	7-14（2-4药）备	冰箱	232311012	2025/6/4 21:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1127	7-14（2-4药）备	冰箱	232311012	2025/6/4 21:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1128	7-14（2-4药）备	冰箱	232311012	2025/6/4 21:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1129	7-14（2-4药）备	冰箱	232311012	2025/6/4 22:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1130	7-14（2-4药）备	冰箱	232311012	2025/6/4 22:05:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
1131	7-14（2-4药）备	冰箱	232311012	2025/6/4 22:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1132	7-14（2-4药）备	冰箱	232311012	2025/6/4 22:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1133	7-14（2-4药）备	冰箱	232311012	2025/6/4 22:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1134	7-14（2-4药）备	冰箱	232311012	2025/6/4 22:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1135	7-14（2-4药）备	冰箱	232311012	2025/6/4 22:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1136	7-14（2-4药）备	冰箱	232311012	2025/6/4 22:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1137	7-14（2-4药）备	冰箱	232311012	2025/6/4 22:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1138	7-14（2-4药）备	冰箱	232311012	2025/6/4 22:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1139	7-14（2-4药）备	冰箱	232311012	2025/6/4 22:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

1140	7-14（2-4药）备	冰箱	232311012	2025/6/4 22:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1141	7-14（2-4药）备	冰箱	232311012	2025/6/4 23:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1142	7-14（2-4药）备	冰箱	232311012	2025/6/4 23:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1143	7-14（2-4药）备	冰箱	232311012	2025/6/4 23:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1144	7-14（2-4药）备	冰箱	232311012	2025/6/4 23:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1145	7-14（2-4药）备	冰箱	232311012	2025/6/4 23:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1146	7-14（2-4药）备	冰箱	232311012	2025/6/4 23:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1147	7-14（2-4药）备	冰箱	232311012	2025/6/4 23:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1148	7-14（2-4药）备	冰箱	232311012	2025/6/4 23:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1149	7-14（2-4药）备	冰箱	232311012	2025/6/4 23:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1150	7-14（2-4药）备	冰箱	232311012	2025/6/4 23:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1151	7-14（2-4药）备	冰箱	232311012	2025/6/4 23:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1152	7-14（2-4药）备	冰箱	232311012	2025/6/4 23:55:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
1153	7-14（2-4药）备	冰箱	232311012	2025/6/5 0:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1154	7-14（2-4药）备	冰箱	232311012	2025/6/5 0:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1155	7-14（2-4药）备	冰箱	232311012	2025/6/5 0:10:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
1156	7-14（2-4药）备	冰箱	232311012	2025/6/5 0:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1157	7-14（2-4药）备	冰箱	232311012	2025/6/5 0:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1158	7-14（2-4药）备	冰箱	232311012	2025/6/5 0:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1159	7-14（2-4药）备	冰箱	232311012	2025/6/5 0:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1160	7-14（2-4药）备	冰箱	232311012	2025/6/5 0:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1161	7-14（2-4药）备	冰箱	232311012	2025/6/5 0:40:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
1162	7-14（2-4药）备	冰箱	232311012	2025/6/5 0:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1163	7-14（2-4药）备	冰箱	232311012	2025/6/5 0:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1164	7-14（2-4药）备	冰箱	232311012	2025/6/5 0:55:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
1165	7-14（2-4药）备	冰箱	232311012	2025/6/5 1:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

1166	7-14（2-4药）备	冰箱	232311012	2025/6/5 1:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1167	7-14（2-4药）备	冰箱	232311012	2025/6/5 1:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1168	7-14（2-4药）备	冰箱	232311012	2025/6/5 1:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1169	7-14（2-4药）备	冰箱	232311012	2025/6/5 1:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1170	7-14（2-4药）备	冰箱	232311012	2025/6/5 1:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1171	7-14（2-4药）备	冰箱	232311012	2025/6/5 1:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1172	7-14（2-4药）备	冰箱	232311012	2025/6/5 1:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1173	7-14（2-4药）备	冰箱	232311012	2025/6/5 1:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1174	7-14（2-4药）备	冰箱	232311012	2025/6/5 1:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1175	7-14（2-4药）备	冰箱	232311012	2025/6/5 1:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1176	7-14（2-4药）备	冰箱	232311012	2025/6/5 1:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1177	7-14（2-4药）备	冰箱	232311012	2025/6/5 2:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1178	7-14（2-4药）备	冰箱	232311012	2025/6/5 2:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1179	7-14（2-4药）备	冰箱	232311012	2025/6/5 2:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1180	7-14（2-4药）备	冰箱	232311012	2025/6/5 2:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1181	7-14（2-4药）备	冰箱	232311012	2025/6/5 2:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1182	7-14（2-4药）备	冰箱	232311012	2025/6/5 2:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1183	7-14（2-4药）备	冰箱	232311012	2025/6/5 2:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1184	7-14（2-4药）备	冰箱	232311012	2025/6/5 2:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1185	7-14（2-4药）备	冰箱	232311012	2025/6/5 2:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1186	7-14（2-4药）备	冰箱	232311012	2025/6/5 2:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1187	7-14（2-4药）备	冰箱	232311012	2025/6/5 2:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1188	7-14（2-4药）备	冰箱	232311012	2025/6/5 2:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1189	7-14（2-4药）备	冰箱	232311012	2025/6/5 3:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1190	7-14（2-4药）备	冰箱	232311012	2025/6/5 3:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1191	7-14（2-4药）备	冰箱	232311012	2025/6/5 3:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,

1192	7-14（2-4药）备	冰箱	232311012	2025/6/5 3:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1193	7-14（2-4药）备	冰箱	232311012	2025/6/5 3:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1194	7-14（2-4药）备	冰箱	232311012	2025/6/5 3:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1195	7-14（2-4药）备	冰箱	232311012	2025/6/5 3:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1196	7-14（2-4药）备	冰箱	232311012	2025/6/5 3:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1197	7-14（2-4药）备	冰箱	232311012	2025/6/5 3:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1198	7-14（2-4药）备	冰箱	232311012	2025/6/5 3:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1199	7-14（2-4药）备	冰箱	232311012	2025/6/5 3:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1200	7-14（2-4药）备	冰箱	232311012	2025/6/5 3:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1201	7-14（2-4药）备	冰箱	232311012	2025/6/5 4:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1202	7-14（2-4药）备	冰箱	232311012	2025/6/5 4:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1203	7-14（2-4药）备	冰箱	232311012	2025/6/5 4:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1204	7-14（2-4药）备	冰箱	232311012	2025/6/5 4:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1205	7-14（2-4药）备	冰箱	232311012	2025/6/5 4:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1206	7-14（2-4药）备	冰箱	232311012	2025/6/5 4:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1207	7-14（2-4药）备	冰箱	232311012	2025/6/5 4:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1208	7-14（2-4药）备	冰箱	232311012	2025/6/5 4:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1209	7-14（2-4药）备	冰箱	232311012	2025/6/5 4:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1210	7-14（2-4药）备	冰箱	232311012	2025/6/5 4:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1211	7-14（2-4药）备	冰箱	232311012	2025/6/5 4:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1212	7-14（2-4药）备	冰箱	232311012	2025/6/5 4:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1213	7-14（2-4药）备	冰箱	232311012	2025/6/5 5:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1214	7-14（2-4药）备	冰箱	232311012	2025/6/5 5:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1215	7-14（2-4药）备	冰箱	232311012	2025/6/5 5:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1216	7-14（2-4药）备	冰箱	232311012	2025/6/5 5:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1217	7-14（2-4药）备	冰箱	232311012	2025/6/5 5:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

1218	7-14（2-4药）备	冰箱	232311012	2025/6/5 5:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1219	7-14（2-4药）备	冰箱	232311012	2025/6/5 5:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1220	7-14（2-4药）备	冰箱	232311012	2025/6/5 5:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1221	7-14（2-4药）备	冰箱	232311012	2025/6/5 5:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1222	7-14（2-4药）备	冰箱	232311012	2025/6/5 5:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1223	7-14（2-4药）备	冰箱	232311012	2025/6/5 5:50:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
1224	7-14（2-4药）备	冰箱	232311012	2025/6/5 5:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1225	7-14（2-4药）备	冰箱	232311012	2025/6/5 6:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1226	7-14（2-4药）备	冰箱	232311012	2025/6/5 6:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1227	7-14（2-4药）备	冰箱	232311012	2025/6/5 6:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1228	7-14（2-4药）备	冰箱	232311012	2025/6/5 6:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1229	7-14（2-4药）备	冰箱	232311012	2025/6/5 6:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1230	7-14（2-4药）备	冰箱	232311012	2025/6/5 6:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1231	7-14（2-4药）备	冰箱	232311012	2025/6/5 6:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1232	7-14（2-4药）备	冰箱	232311012	2025/6/5 6:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1233	7-14（2-4药）备	冰箱	232311012	2025/6/5 6:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1234	7-14（2-4药）备	冰箱	232311012	2025/6/5 6:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1235	7-14（2-4药）备	冰箱	232311012	2025/6/5 6:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1236	7-14（2-4药）备	冰箱	232311012	2025/6/5 6:55:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
1237	7-14（2-4药）备	冰箱	232311012	2025/6/5 7:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1238	7-14（2-4药）备	冰箱	232311012	2025/6/5 7:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1239	7-14（2-4药）备	冰箱	232311012	2025/6/5 7:10:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
1240	7-14（2-4药）备	冰箱	232311012	2025/6/5 7:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1241	7-14（2-4药）备	冰箱	232311012	2025/6/5 7:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1242	7-14（2-4药）备	冰箱	232311012	2025/6/5 7:25:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
1243	7-14（2-4药）备	冰箱	232311012	2025/6/5 7:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

1244	7-14（2-4药）备	冰箱	232311012	2025/6/5 7:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1245	7-14（2-4药）备	冰箱	232311012	2025/6/5 7:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1246	7-14（2-4药）备	冰箱	232311012	2025/6/5 7:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1247	7-14（2-4药）备	冰箱	232311012	2025/6/5 7:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1248	7-14（2-4药）备	冰箱	232311012	2025/6/5 7:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1249	7-14（2-4药）备	冰箱	232311012	2025/6/5 8:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1250	7-14（2-4药）备	冰箱	232311012	2025/6/5 8:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1251	7-14（2-4药）备	冰箱	232311012	2025/6/5 8:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1252	7-14（2-4药）备	冰箱	232311012	2025/6/5 8:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1253	7-14（2-4药）备	冰箱	232311012	2025/6/5 8:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1254	7-14（2-4药）备	冰箱	232311012	2025/6/5 8:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1255	7-14（2-4药）备	冰箱	232311012	2025/6/5 8:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1256	7-14（2-4药）备	冰箱	232311012	2025/6/5 8:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1257	7-14（2-4药）备	冰箱	232311012	2025/6/5 8:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1258	7-14（2-4药）备	冰箱	232311012	2025/6/5 8:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1259	7-14（2-4药）备	冰箱	232311012	2025/6/5 8:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1260	7-14（2-4药）备	冰箱	232311012	2025/6/5 8:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1261	7-14（2-4药）备	冰箱	232311012	2025/6/5 9:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1262	7-14（2-4药）备	冰箱	232311012	2025/6/5 9:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1263	7-14（2-4药）备	冰箱	232311012	2025/6/5 9:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1264	7-14（2-4药）备	冰箱	232311012	2025/6/5 9:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1265	7-14（2-4药）备	冰箱	232311012	2025/6/5 9:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1266	7-14（2-4药）备	冰箱	232311012	2025/6/5 9:25:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
1267	7-14（2-4药）备	冰箱	232311012	2025/6/5 9:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1268	7-14（2-4药）备	冰箱	232311012	2025/6/5 9:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1269	7-14（2-4药）备	冰箱	232311012	2025/6/5 9:40:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,

1270	7-14（2-4药）备	冰箱	232311012	2025/6/5 9:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1271	7-14（2-4药）备	冰箱	232311012	2025/6/5 9:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1272	7-14（2-4药）备	冰箱	232311012	2025/6/5 9:55:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
1273	7-14（2-4药）备	冰箱	232311012	2025/6/5 10:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1274	7-14（2-4药）备	冰箱	232311012	2025/6/5 10:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1275	7-14（2-4药）备	冰箱	232311012	2025/6/5 10:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1276	7-14（2-4药）备	冰箱	232311012	2025/6/5 10:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1277	7-14（2-4药）备	冰箱	232311012	2025/6/5 10:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1278	7-14（2-4药）备	冰箱	232311012	2025/6/5 10:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1279	7-14（2-4药）备	冰箱	232311012	2025/6/5 10:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1280	7-14（2-4药）备	冰箱	232311012	2025/6/5 10:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1281	7-14（2-4药）备	冰箱	232311012	2025/6/5 10:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1282	7-14（2-4药）备	冰箱	232311012	2025/6/5 10:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1283	7-14（2-4药）备	冰箱	232311012	2025/6/5 10:50:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
1284	7-14（2-4药）备	冰箱	232311012	2025/6/5 10:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1285	7-14（2-4药）备	冰箱	232311012	2025/6/5 11:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1286	7-14（2-4药）备	冰箱	232311012	2025/6/5 11:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1287	7-14（2-4药）备	冰箱	232311012	2025/6/5 11:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1288	7-14（2-4药）备	冰箱	232311012	2025/6/5 11:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1289	7-14（2-4药）备	冰箱	232311012	2025/6/5 11:20:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
1290	7-14（2-4药）备	冰箱	232311012	2025/6/5 11:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1291	7-14（2-4药）备	冰箱	232311012	2025/6/5 11:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1292	7-14（2-4药）备	冰箱	232311012	2025/6/5 11:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1293	7-14（2-4药）备	冰箱	232311012	2025/6/5 11:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1294	7-14（2-4药）备	冰箱	232311012	2025/6/5 11:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1295	7-14（2-4药）备	冰箱	232311012	2025/6/5 11:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,

1296	7-14（2-4药）备	冰箱	232311012	2025/6/5 11:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1297	7-14（2-4药）备	冰箱	232311012	2025/6/5 12:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1298	7-14（2-4药）备	冰箱	232311012	2025/6/5 12:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1299	7-14（2-4药）备	冰箱	232311012	2025/6/5 12:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1300	7-14（2-4药）备	冰箱	232311012	2025/6/5 12:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1301	7-14（2-4药）备	冰箱	232311012	2025/6/5 12:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1302	7-14（2-4药）备	冰箱	232311012	2025/6/5 12:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1303	7-14（2-4药）备	冰箱	232311012	2025/6/5 12:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1304	7-14（2-4药）备	冰箱	232311012	2025/6/5 12:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1305	7-14（2-4药）备	冰箱	232311012	2025/6/5 12:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1306	7-14（2-4药）备	冰箱	232311012	2025/6/5 12:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1307	7-14（2-4药）备	冰箱	232311012	2025/6/5 12:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1308	7-14（2-4药）备	冰箱	232311012	2025/6/5 12:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1309	7-14（2-4药）备	冰箱	232311012	2025/6/5 13:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1310	7-14（2-4药）备	冰箱	232311012	2025/6/5 13:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1311	7-14（2-4药）备	冰箱	232311012	2025/6/5 13:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1312	7-14（2-4药）备	冰箱	232311012	2025/6/5 13:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1313	7-14（2-4药）备	冰箱	232311012	2025/6/5 13:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1314	7-14（2-4药）备	冰箱	232311012	2025/6/5 13:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1315	7-14（2-4药）备	冰箱	232311012	2025/6/5 13:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1316	7-14（2-4药）备	冰箱	232311012	2025/6/5 13:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1317	7-14（2-4药）备	冰箱	232311012	2025/6/5 13:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1318	7-14（2-4药）备	冰箱	232311012	2025/6/5 13:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1319	7-14（2-4药）备	冰箱	232311012	2025/6/5 13:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1320	7-14（2-4药）备	冰箱	232311012	2025/6/5 13:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1321	7-14（2-4药）备	冰箱	232311012	2025/6/5 14:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,

1322	7-14（2-4药）备	冰箱	232311012	2025/6/5 14:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1323	7-14（2-4药）备	冰箱	232311012	2025/6/5 14:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1324	7-14（2-4药）备	冰箱	232311012	2025/6/5 14:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1325	7-14（2-4药）备	冰箱	232311012	2025/6/5 14:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1326	7-14（2-4药）备	冰箱	232311012	2025/6/5 14:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1327	7-14（2-4药）备	冰箱	232311012	2025/6/5 14:30:00	4.0℃	正常	2023/12/26 18:11:37:未储存药品,
1328	7-14（2-4药）备	冰箱	232311012	2025/6/5 14:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1329	7-14（2-4药）备	冰箱	232311012	2025/6/5 14:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1330	7-14（2-4药）备	冰箱	232311012	2025/6/5 14:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1331	7-14（2-4药）备	冰箱	232311012	2025/6/5 14:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1332	7-14（2-4药）备	冰箱	232311012	2025/6/5 14:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1333	7-14（2-4药）备	冰箱	232311012	2025/6/5 15:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1334	7-14（2-4药）备	冰箱	232311012	2025/6/5 15:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1335	7-14（2-4药）备	冰箱	232311012	2025/6/5 15:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1336	7-14（2-4药）备	冰箱	232311012	2025/6/5 15:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1337	7-14（2-4药）备	冰箱	232311012	2025/6/5 15:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1338	7-14（2-4药）备	冰箱	232311012	2025/6/5 15:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1339	7-14（2-4药）备	冰箱	232311012	2025/6/5 15:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1340	7-14（2-4药）备	冰箱	232311012	2025/6/5 15:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1341	7-14（2-4药）备	冰箱	232311012	2025/6/5 15:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1342	7-14（2-4药）备	冰箱	232311012	2025/6/5 15:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1343	7-14（2-4药）备	冰箱	232311012	2025/6/5 15:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1344	7-14（2-4药）备	冰箱	232311012	2025/6/5 15:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1345	7-14（2-4药）备	冰箱	232311012	2025/6/5 16:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1346	7-14（2-4药）备	冰箱	232311012	2025/6/5 16:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1347	7-14（2-4药）备	冰箱	232311012	2025/6/5 16:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

1348	7-14（2-4药）备	冰箱	232311012	2025/6/5 16:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1349	7-14（2-4药）备	冰箱	232311012	2025/6/5 16:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1350	7-14（2-4药）备	冰箱	232311012	2025/6/5 16:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1351	7-14（2-4药）备	冰箱	232311012	2025/6/5 16:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1352	7-14（2-4药）备	冰箱	232311012	2025/6/5 16:35:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
1353	7-14（2-4药）备	冰箱	232311012	2025/6/5 16:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1354	7-14（2-4药）备	冰箱	232311012	2025/6/5 16:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1355	7-14（2-4药）备	冰箱	232311012	2025/6/5 16:50:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
1356	7-14（2-4药）备	冰箱	232311012	2025/6/5 16:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1357	7-14（2-4药）备	冰箱	232311012	2025/6/5 17:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1358	7-14（2-4药）备	冰箱	232311012	2025/6/5 17:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1359	7-14（2-4药）备	冰箱	232311012	2025/6/5 17:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1360	7-14（2-4药）备	冰箱	232311012	2025/6/5 17:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1361	7-14（2-4药）备	冰箱	232311012	2025/6/5 17:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1362	7-14（2-4药）备	冰箱	232311012	2025/6/5 17:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1363	7-14（2-4药）备	冰箱	232311012	2025/6/5 17:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1364	7-14（2-4药）备	冰箱	232311012	2025/6/5 17:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1365	7-14（2-4药）备	冰箱	232311012	2025/6/5 17:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1366	7-14（2-4药）备	冰箱	232311012	2025/6/5 17:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1367	7-14（2-4药）备	冰箱	232311012	2025/6/5 17:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1368	7-14（2-4药）备	冰箱	232311012	2025/6/5 17:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1369	7-14（2-4药）备	冰箱	232311012	2025/6/5 18:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1370	7-14（2-4药）备	冰箱	232311012	2025/6/5 18:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1371	7-14（2-4药）备	冰箱	232311012	2025/6/5 18:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1372	7-14（2-4药）备	冰箱	232311012	2025/6/5 18:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1373	7-14（2-4药）备	冰箱	232311012	2025/6/5 18:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

1374	7-14（2-4药）备	冰箱	232311012	2025/6/5 18:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1375	7-14（2-4药）备	冰箱	232311012	2025/6/5 18:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1376	7-14（2-4药）备	冰箱	232311012	2025/6/5 18:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1377	7-14（2-4药）备	冰箱	232311012	2025/6/5 18:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1378	7-14（2-4药）备	冰箱	232311012	2025/6/5 18:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1379	7-14（2-4药）备	冰箱	232311012	2025/6/5 18:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1380	7-14（2-4药）备	冰箱	232311012	2025/6/5 18:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1381	7-14（2-4药）备	冰箱	232311012	2025/6/5 19:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1382	7-14（2-4药）备	冰箱	232311012	2025/6/5 19:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1383	7-14（2-4药）备	冰箱	232311012	2025/6/5 19:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1384	7-14（2-4药）备	冰箱	232311012	2025/6/5 19:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1385	7-14（2-4药）备	冰箱	232311012	2025/6/5 19:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1386	7-14（2-4药）备	冰箱	232311012	2025/6/5 19:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1387	7-14（2-4药）备	冰箱	232311012	2025/6/5 19:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1388	7-14（2-4药）备	冰箱	232311012	2025/6/5 19:35:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
1389	7-14（2-4药）备	冰箱	232311012	2025/6/5 19:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1390	7-14（2-4药）备	冰箱	232311012	2025/6/5 19:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1391	7-14（2-4药）备	冰箱	232311012	2025/6/5 19:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1392	7-14（2-4药）备	冰箱	232311012	2025/6/5 19:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1393	7-14（2-4药）备	冰箱	232311012	2025/6/5 20:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1394	7-14（2-4药）备	冰箱	232311012	2025/6/5 20:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1395	7-14（2-4药）备	冰箱	232311012	2025/6/5 20:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1396	7-14（2-4药）备	冰箱	232311012	2025/6/5 20:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1397	7-14（2-4药）备	冰箱	232311012	2025/6/5 20:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1398	7-14（2-4药）备	冰箱	232311012	2025/6/5 20:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1399	7-14（2-4药）备	冰箱	232311012	2025/6/5 20:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,

1400	7-14（2-4药）备	冰箱	232311012	2025/6/5 20:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1401	7-14（2-4药）备	冰箱	232311012	2025/6/5 20:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1402	7-14（2-4药）备	冰箱	232311012	2025/6/5 20:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1403	7-14（2-4药）备	冰箱	232311012	2025/6/5 20:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1404	7-14（2-4药）备	冰箱	232311012	2025/6/5 20:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1405	7-14（2-4药）备	冰箱	232311012	2025/6/5 21:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1406	7-14（2-4药）备	冰箱	232311012	2025/6/5 21:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1407	7-14（2-4药）备	冰箱	232311012	2025/6/5 21:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1408	7-14（2-4药）备	冰箱	232311012	2025/6/5 21:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1409	7-14（2-4药）备	冰箱	232311012	2025/6/5 21:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1410	7-14（2-4药）备	冰箱	232311012	2025/6/5 21:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1411	7-14（2-4药）备	冰箱	232311012	2025/6/5 21:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1412	7-14（2-4药）备	冰箱	232311012	2025/6/5 21:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1413	7-14（2-4药）备	冰箱	232311012	2025/6/5 21:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1414	7-14（2-4药）备	冰箱	232311012	2025/6/5 21:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1415	7-14（2-4药）备	冰箱	232311012	2025/6/5 21:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1416	7-14（2-4药）备	冰箱	232311012	2025/6/5 21:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1417	7-14（2-4药）备	冰箱	232311012	2025/6/5 22:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1418	7-14（2-4药）备	冰箱	232311012	2025/6/5 22:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1419	7-14（2-4药）备	冰箱	232311012	2025/6/5 22:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1420	7-14（2-4药）备	冰箱	232311012	2025/6/5 22:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1421	7-14（2-4药）备	冰箱	232311012	2025/6/5 22:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1422	7-14（2-4药）备	冰箱	232311012	2025/6/5 22:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1423	7-14（2-4药）备	冰箱	232311012	2025/6/5 22:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1424	7-14（2-4药）备	冰箱	232311012	2025/6/5 22:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1425	7-14（2-4药）备	冰箱	232311012	2025/6/5 22:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

1426	7-14（2-4药）备	冰箱	232311012	2025/6/5 22:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1427	7-14（2-4药）备	冰箱	232311012	2025/6/5 22:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1428	7-14（2-4药）备	冰箱	232311012	2025/6/5 22:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1429	7-14（2-4药）备	冰箱	232311012	2025/6/5 23:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1430	7-14（2-4药）备	冰箱	232311012	2025/6/5 23:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1431	7-14（2-4药）备	冰箱	232311012	2025/6/5 23:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1432	7-14（2-4药）备	冰箱	232311012	2025/6/5 23:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1433	7-14（2-4药）备	冰箱	232311012	2025/6/5 23:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1434	7-14（2-4药）备	冰箱	232311012	2025/6/5 23:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1435	7-14（2-4药）备	冰箱	232311012	2025/6/5 23:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1436	7-14（2-4药）备	冰箱	232311012	2025/6/5 23:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1437	7-14（2-4药）备	冰箱	232311012	2025/6/5 23:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1438	7-14（2-4药）备	冰箱	232311012	2025/6/5 23:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1439	7-14（2-4药）备	冰箱	232311012	2025/6/5 23:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1440	7-14（2-4药）备	冰箱	232311012	2025/6/5 23:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1441	7-14（2-4药）备	冰箱	232311012	2025/6/6 0:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1442	7-14（2-4药）备	冰箱	232311012	2025/6/6 0:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1443	7-14（2-4药）备	冰箱	232311012	2025/6/6 0:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1444	7-14（2-4药）备	冰箱	232311012	2025/6/6 0:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1445	7-14（2-4药）备	冰箱	232311012	2025/6/6 0:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1446	7-14（2-4药）备	冰箱	232311012	2025/6/6 0:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1447	7-14（2-4药）备	冰箱	232311012	2025/6/6 0:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1448	7-14（2-4药）备	冰箱	232311012	2025/6/6 0:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1449	7-14（2-4药）备	冰箱	232311012	2025/6/6 0:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1450	7-14（2-4药）备	冰箱	232311012	2025/6/6 0:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1451	7-14（2-4药）备	冰箱	232311012	2025/6/6 0:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

1452	7-14（2-4药）备	冰箱	232311012	2025/6/6 0:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1453	7-14（2-4药）备	冰箱	232311012	2025/6/6 1:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1454	7-14（2-4药）备	冰箱	232311012	2025/6/6 1:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1455	7-14（2-4药）备	冰箱	232311012	2025/6/6 1:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1456	7-14（2-4药）备	冰箱	232311012	2025/6/6 1:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1457	7-14（2-4药）备	冰箱	232311012	2025/6/6 1:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1458	7-14（2-4药）备	冰箱	232311012	2025/6/6 1:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1459	7-14（2-4药）备	冰箱	232311012	2025/6/6 1:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1460	7-14（2-4药）备	冰箱	232311012	2025/6/6 1:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1461	7-14（2-4药）备	冰箱	232311012	2025/6/6 1:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1462	7-14（2-4药）备	冰箱	232311012	2025/6/6 1:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1463	7-14（2-4药）备	冰箱	232311012	2025/6/6 1:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1464	7-14（2-4药）备	冰箱	232311012	2025/6/6 1:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1465	7-14（2-4药）备	冰箱	232311012	2025/6/6 2:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1466	7-14（2-4药）备	冰箱	232311012	2025/6/6 2:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1467	7-14（2-4药）备	冰箱	232311012	2025/6/6 2:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1468	7-14（2-4药）备	冰箱	232311012	2025/6/6 2:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1469	7-14（2-4药）备	冰箱	232311012	2025/6/6 2:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1470	7-14（2-4药）备	冰箱	232311012	2025/6/6 2:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1471	7-14（2-4药）备	冰箱	232311012	2025/6/6 2:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1472	7-14（2-4药）备	冰箱	232311012	2025/6/6 2:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1473	7-14（2-4药）备	冰箱	232311012	2025/6/6 2:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1474	7-14（2-4药）备	冰箱	232311012	2025/6/6 2:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1475	7-14（2-4药）备	冰箱	232311012	2025/6/6 2:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1476	7-14（2-4药）备	冰箱	232311012	2025/6/6 2:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1477	7-14（2-4药）备	冰箱	232311012	2025/6/6 3:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

1478	7-14（2-4药）备	冰箱	232311012	2025/6/6 3:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1479	7-14（2-4药）备	冰箱	232311012	2025/6/6 3:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1480	7-14（2-4药）备	冰箱	232311012	2025/6/6 3:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1481	7-14（2-4药）备	冰箱	232311012	2025/6/6 3:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1482	7-14（2-4药）备	冰箱	232311012	2025/6/6 3:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1483	7-14（2-4药）备	冰箱	232311012	2025/6/6 3:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1484	7-14（2-4药）备	冰箱	232311012	2025/6/6 3:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1485	7-14（2-4药）备	冰箱	232311012	2025/6/6 3:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1486	7-14（2-4药）备	冰箱	232311012	2025/6/6 3:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1487	7-14（2-4药）备	冰箱	232311012	2025/6/6 3:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1488	7-14（2-4药）备	冰箱	232311012	2025/6/6 3:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1489	7-14（2-4药）备	冰箱	232311012	2025/6/6 4:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1490	7-14（2-4药）备	冰箱	232311012	2025/6/6 4:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1491	7-14（2-4药）备	冰箱	232311012	2025/6/6 4:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1492	7-14（2-4药）备	冰箱	232311012	2025/6/6 4:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1493	7-14（2-4药）备	冰箱	232311012	2025/6/6 4:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1494	7-14（2-4药）备	冰箱	232311012	2025/6/6 4:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1495	7-14（2-4药）备	冰箱	232311012	2025/6/6 4:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1496	7-14（2-4药）备	冰箱	232311012	2025/6/6 4:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1497	7-14（2-4药）备	冰箱	232311012	2025/6/6 4:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1498	7-14（2-4药）备	冰箱	232311012	2025/6/6 4:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1499	7-14（2-4药）备	冰箱	232311012	2025/6/6 4:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1500	7-14（2-4药）备	冰箱	232311012	2025/6/6 4:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1501	7-14（2-4药）备	冰箱	232311012	2025/6/6 5:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1502	7-14（2-4药）备	冰箱	232311012	2025/6/6 5:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1503	7-14（2-4药）备	冰箱	232311012	2025/6/6 5:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

1504	7-14（2-4药）备	冰箱	232311012	2025/6/6 5:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1505	7-14（2-4药）备	冰箱	232311012	2025/6/6 5:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1506	7-14（2-4药）备	冰箱	232311012	2025/6/6 5:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1507	7-14（2-4药）备	冰箱	232311012	2025/6/6 5:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1508	7-14（2-4药）备	冰箱	232311012	2025/6/6 5:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1509	7-14（2-4药）备	冰箱	232311012	2025/6/6 5:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1510	7-14（2-4药）备	冰箱	232311012	2025/6/6 5:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1511	7-14（2-4药）备	冰箱	232311012	2025/6/6 5:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1512	7-14（2-4药）备	冰箱	232311012	2025/6/6 5:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1513	7-14（2-4药）备	冰箱	232311012	2025/6/6 6:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1514	7-14（2-4药）备	冰箱	232311012	2025/6/6 6:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1515	7-14（2-4药）备	冰箱	232311012	2025/6/6 6:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1516	7-14（2-4药）备	冰箱	232311012	2025/6/6 6:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1517	7-14（2-4药）备	冰箱	232311012	2025/6/6 6:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1518	7-14（2-4药）备	冰箱	232311012	2025/6/6 6:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1519	7-14（2-4药）备	冰箱	232311012	2025/6/6 6:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1520	7-14（2-4药）备	冰箱	232311012	2025/6/6 6:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1521	7-14（2-4药）备	冰箱	232311012	2025/6/6 6:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1522	7-14（2-4药）备	冰箱	232311012	2025/6/6 6:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1523	7-14（2-4药）备	冰箱	232311012	2025/6/6 6:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1524	7-14（2-4药）备	冰箱	232311012	2025/6/6 6:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1525	7-14（2-4药）备	冰箱	232311012	2025/6/6 7:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1526	7-14（2-4药）备	冰箱	232311012	2025/6/6 7:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1527	7-14（2-4药）备	冰箱	232311012	2025/6/6 7:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1528	7-14（2-4药）备	冰箱	232311012	2025/6/6 7:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1529	7-14（2-4药）备	冰箱	232311012	2025/6/6 7:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,

1530	7-14（2-4药）备	冰箱	232311012	2025/6/6 7:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1531	7-14（2-4药）备	冰箱	232311012	2025/6/6 7:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1532	7-14（2-4药）备	冰箱	232311012	2025/6/6 7:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1533	7-14（2-4药）备	冰箱	232311012	2025/6/6 7:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1534	7-14（2-4药）备	冰箱	232311012	2025/6/6 7:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1535	7-14（2-4药）备	冰箱	232311012	2025/6/6 7:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1536	7-14（2-4药）备	冰箱	232311012	2025/6/6 7:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1537	7-14（2-4药）备	冰箱	232311012	2025/6/6 8:00:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
1538	7-14（2-4药）备	冰箱	232311012	2025/6/6 8:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1539	7-14（2-4药）备	冰箱	232311012	2025/6/6 8:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1540	7-14（2-4药）备	冰箱	232311012	2025/6/6 8:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1541	7-14（2-4药）备	冰箱	232311012	2025/6/6 8:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1542	7-14（2-4药）备	冰箱	232311012	2025/6/6 8:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1543	7-14（2-4药）备	冰箱	232311012	2025/6/6 8:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1544	7-14（2-4药）备	冰箱	232311012	2025/6/6 8:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1545	7-14（2-4药）备	冰箱	232311012	2025/6/6 8:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1546	7-14（2-4药）备	冰箱	232311012	2025/6/6 8:45:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
1547	7-14（2-4药）备	冰箱	232311012	2025/6/6 8:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1548	7-14（2-4药）备	冰箱	232311012	2025/6/6 8:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1549	7-14（2-4药）备	冰箱	232311012	2025/6/6 9:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1550	7-14（2-4药）备	冰箱	232311012	2025/6/6 9:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1551	7-14（2-4药）备	冰箱	232311012	2025/6/6 9:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1552	7-14（2-4药）备	冰箱	232311012	2025/6/6 9:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1553	7-14（2-4药）备	冰箱	232311012	2025/6/6 9:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1554	7-14（2-4药）备	冰箱	232311012	2025/6/6 9:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1555	7-14（2-4药）备	冰箱	232311012	2025/6/6 9:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

1556	7-14（2-4药）备	冰箱	232311012	2025/6/6 9:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1557	7-14（2-4药）备	冰箱	232311012	2025/6/6 9:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1558	7-14（2-4药）备	冰箱	232311012	2025/6/6 9:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1559	7-14（2-4药）备	冰箱	232311012	2025/6/6 9:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1560	7-14（2-4药）备	冰箱	232311012	2025/6/6 9:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1561	7-14（2-4药）备	冰箱	232311012	2025/6/6 10:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1562	7-14（2-4药）备	冰箱	232311012	2025/6/6 10:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1563	7-14（2-4药）备	冰箱	232311012	2025/6/6 10:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1564	7-14（2-4药）备	冰箱	232311012	2025/6/6 10:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1565	7-14（2-4药）备	冰箱	232311012	2025/6/6 10:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1566	7-14（2-4药）备	冰箱	232311012	2025/6/6 10:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1567	7-14（2-4药）备	冰箱	232311012	2025/6/6 10:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1568	7-14（2-4药）备	冰箱	232311012	2025/6/6 10:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1569	7-14（2-4药）备	冰箱	232311012	2025/6/6 10:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1570	7-14（2-4药）备	冰箱	232311012	2025/6/6 10:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1571	7-14（2-4药）备	冰箱	232311012	2025/6/6 10:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1572	7-14（2-4药）备	冰箱	232311012	2025/6/6 10:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1573	7-14（2-4药）备	冰箱	232311012	2025/6/6 11:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1574	7-14（2-4药）备	冰箱	232311012	2025/6/6 11:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1575	7-14（2-4药）备	冰箱	232311012	2025/6/6 11:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1576	7-14（2-4药）备	冰箱	232311012	2025/6/6 11:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1577	7-14（2-4药）备	冰箱	232311012	2025/6/6 11:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1578	7-14（2-4药）备	冰箱	232311012	2025/6/6 11:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1579	7-14（2-4药）备	冰箱	232311012	2025/6/6 11:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1580	7-14（2-4药）备	冰箱	232311012	2025/6/6 11:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1581	7-14（2-4药）备	冰箱	232311012	2025/6/6 11:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,

1582	7-14（2-4药）备	冰箱	232311012	2025/6/6 11:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1583	7-14（2-4药）备	冰箱	232311012	2025/6/6 11:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1584	7-14（2-4药）备	冰箱	232311012	2025/6/6 11:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1585	7-14（2-4药）备	冰箱	232311012	2025/6/6 12:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1586	7-14（2-4药）备	冰箱	232311012	2025/6/6 12:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1587	7-14（2-4药）备	冰箱	232311012	2025/6/6 12:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1588	7-14（2-4药）备	冰箱	232311012	2025/6/6 12:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1589	7-14（2-4药）备	冰箱	232311012	2025/6/6 12:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1590	7-14（2-4药）备	冰箱	232311012	2025/6/6 12:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1591	7-14（2-4药）备	冰箱	232311012	2025/6/6 12:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1592	7-14（2-4药）备	冰箱	232311012	2025/6/6 12:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1593	7-14（2-4药）备	冰箱	232311012	2025/6/6 12:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1594	7-14（2-4药）备	冰箱	232311012	2025/6/6 12:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1595	7-14（2-4药）备	冰箱	232311012	2025/6/6 12:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1596	7-14（2-4药）备	冰箱	232311012	2025/6/6 12:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1597	7-14（2-4药）备	冰箱	232311012	2025/6/6 13:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1598	7-14（2-4药）备	冰箱	232311012	2025/6/6 13:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1599	7-14（2-4药）备	冰箱	232311012	2025/6/6 13:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1600	7-14（2-4药）备	冰箱	232311012	2025/6/6 13:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1601	7-14（2-4药）备	冰箱	232311012	2025/6/6 13:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1602	7-14（2-4药）备	冰箱	232311012	2025/6/6 13:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1603	7-14（2-4药）备	冰箱	232311012	2025/6/6 13:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1604	7-14（2-4药）备	冰箱	232311012	2025/6/6 13:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1605	7-14（2-4药）备	冰箱	232311012	2025/6/6 13:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1606	7-14（2-4药）备	冰箱	232311012	2025/6/6 13:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1607	7-14（2-4药）备	冰箱	232311012	2025/6/6 13:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

1608	7-14（2-4药）备	冰箱	232311012	2025/6/6 13:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1609	7-14（2-4药）备	冰箱	232311012	2025/6/6 14:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1610	7-14（2-4药）备	冰箱	232311012	2025/6/6 14:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1611	7-14（2-4药）备	冰箱	232311012	2025/6/6 14:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1612	7-14（2-4药）备	冰箱	232311012	2025/6/6 14:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1613	7-14（2-4药）备	冰箱	232311012	2025/6/6 14:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1614	7-14（2-4药）备	冰箱	232311012	2025/6/6 14:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1615	7-14（2-4药）备	冰箱	232311012	2025/6/6 14:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1616	7-14（2-4药）备	冰箱	232311012	2025/6/6 14:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1617	7-14（2-4药）备	冰箱	232311012	2025/6/6 14:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1618	7-14（2-4药）备	冰箱	232311012	2025/6/6 14:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1619	7-14（2-4药）备	冰箱	232311012	2025/6/6 14:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1620	7-14（2-4药）备	冰箱	232311012	2025/6/6 14:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1621	7-14（2-4药）备	冰箱	232311012	2025/6/6 15:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1622	7-14（2-4药）备	冰箱	232311012	2025/6/6 15:05:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
1623	7-14（2-4药）备	冰箱	232311012	2025/6/6 15:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1624	7-14（2-4药）备	冰箱	232311012	2025/6/6 15:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1625	7-14（2-4药）备	冰箱	232311012	2025/6/6 15:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1626	7-14（2-4药）备	冰箱	232311012	2025/6/6 15:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1627	7-14（2-4药）备	冰箱	232311012	2025/6/6 15:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1628	7-14（2-4药）备	冰箱	232311012	2025/6/6 15:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1629	7-14（2-4药）备	冰箱	232311012	2025/6/6 15:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1630	7-14（2-4药）备	冰箱	232311012	2025/6/6 15:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1631	7-14（2-4药）备	冰箱	232311012	2025/6/6 15:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1632	7-14（2-4药）备	冰箱	232311012	2025/6/6 15:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1633	7-14（2-4药）备	冰箱	232311012	2025/6/6 16:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

1634	7-14（2-4药）备	冰箱	232311012	2025/6/6 16:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1635	7-14（2-4药）备	冰箱	232311012	2025/6/6 16:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1636	7-14（2-4药）备	冰箱	232311012	2025/6/6 16:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1637	7-14（2-4药）备	冰箱	232311012	2025/6/6 16:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1638	7-14（2-4药）备	冰箱	232311012	2025/6/6 16:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1639	7-14（2-4药）备	冰箱	232311012	2025/6/6 16:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1640	7-14（2-4药）备	冰箱	232311012	2025/6/6 16:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1641	7-14（2-4药）备	冰箱	232311012	2025/6/6 16:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1642	7-14（2-4药）备	冰箱	232311012	2025/6/6 16:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1643	7-14（2-4药）备	冰箱	232311012	2025/6/6 16:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1644	7-14（2-4药）备	冰箱	232311012	2025/6/6 16:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1645	7-14（2-4药）备	冰箱	232311012	2025/6/6 17:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1646	7-14（2-4药）备	冰箱	232311012	2025/6/6 17:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1647	7-14（2-4药）备	冰箱	232311012	2025/6/6 17:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1648	7-14（2-4药）备	冰箱	232311012	2025/6/6 17:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1649	7-14（2-4药）备	冰箱	232311012	2025/6/6 17:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1650	7-14（2-4药）备	冰箱	232311012	2025/6/6 17:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1651	7-14（2-4药）备	冰箱	232311012	2025/6/6 17:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1652	7-14（2-4药）备	冰箱	232311012	2025/6/6 17:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1653	7-14（2-4药）备	冰箱	232311012	2025/6/6 17:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1654	7-14（2-4药）备	冰箱	232311012	2025/6/6 17:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1655	7-14（2-4药）备	冰箱	232311012	2025/6/6 17:50:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
1656	7-14（2-4药）备	冰箱	232311012	2025/6/6 17:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1657	7-14（2-4药）备	冰箱	232311012	2025/6/6 18:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1658	7-14（2-4药）备	冰箱	232311012	2025/6/6 18:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1659	7-14（2-4药）备	冰箱	232311012	2025/6/6 18:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,

1660	7-14（2-4药）备	冰箱	232311012	2025/6/6 18:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1661	7-14（2-4药）备	冰箱	232311012	2025/6/6 18:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1662	7-14（2-4药）备	冰箱	232311012	2025/6/6 18:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1663	7-14（2-4药）备	冰箱	232311012	2025/6/6 18:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1664	7-14（2-4药）备	冰箱	232311012	2025/6/6 18:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1665	7-14（2-4药）备	冰箱	232311012	2025/6/6 18:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1666	7-14（2-4药）备	冰箱	232311012	2025/6/6 18:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1667	7-14（2-4药）备	冰箱	232311012	2025/6/6 18:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1668	7-14（2-4药）备	冰箱	232311012	2025/6/6 18:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1669	7-14（2-4药）备	冰箱	232311012	2025/6/6 19:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1670	7-14（2-4药）备	冰箱	232311012	2025/6/6 19:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1671	7-14（2-4药）备	冰箱	232311012	2025/6/6 19:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1672	7-14（2-4药）备	冰箱	232311012	2025/6/6 19:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1673	7-14（2-4药）备	冰箱	232311012	2025/6/6 19:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1674	7-14（2-4药）备	冰箱	232311012	2025/6/6 19:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1675	7-14（2-4药）备	冰箱	232311012	2025/6/6 19:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1676	7-14（2-4药）备	冰箱	232311012	2025/6/6 19:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1677	7-14（2-4药）备	冰箱	232311012	2025/6/6 19:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1678	7-14（2-4药）备	冰箱	232311012	2025/6/6 19:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1679	7-14（2-4药）备	冰箱	232311012	2025/6/6 19:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1680	7-14（2-4药）备	冰箱	232311012	2025/6/6 19:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1681	7-14（2-4药）备	冰箱	232311012	2025/6/6 20:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1682	7-14（2-4药）备	冰箱	232311012	2025/6/6 20:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1683	7-14（2-4药）备	冰箱	232311012	2025/6/6 20:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1684	7-14（2-4药）备	冰箱	232311012	2025/6/6 20:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1685	7-14（2-4药）备	冰箱	232311012	2025/6/6 20:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

1686	7-14（2-4药）备	冰箱	232311012	2025/6/6 20:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1687	7-14（2-4药）备	冰箱	232311012	2025/6/6 20:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1688	7-14（2-4药）备	冰箱	232311012	2025/6/6 20:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1689	7-14（2-4药）备	冰箱	232311012	2025/6/6 20:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1690	7-14（2-4药）备	冰箱	232311012	2025/6/6 20:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1691	7-14（2-4药）备	冰箱	232311012	2025/6/6 20:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1692	7-14（2-4药）备	冰箱	232311012	2025/6/6 20:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1693	7-14（2-4药）备	冰箱	232311012	2025/6/6 21:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1694	7-14（2-4药）备	冰箱	232311012	2025/6/6 21:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1695	7-14（2-4药）备	冰箱	232311012	2025/6/6 21:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1696	7-14（2-4药）备	冰箱	232311012	2025/6/6 21:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1697	7-14（2-4药）备	冰箱	232311012	2025/6/6 21:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1698	7-14（2-4药）备	冰箱	232311012	2025/6/6 21:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1699	7-14（2-4药）备	冰箱	232311012	2025/6/6 21:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1700	7-14（2-4药）备	冰箱	232311012	2025/6/6 21:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1701	7-14（2-4药）备	冰箱	232311012	2025/6/6 21:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1702	7-14（2-4药）备	冰箱	232311012	2025/6/6 21:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1703	7-14（2-4药）备	冰箱	232311012	2025/6/6 21:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1704	7-14（2-4药）备	冰箱	232311012	2025/6/6 21:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1705	7-14（2-4药）备	冰箱	232311012	2025/6/6 22:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1706	7-14（2-4药）备	冰箱	232311012	2025/6/6 22:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1707	7-14（2-4药）备	冰箱	232311012	2025/6/6 22:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1708	7-14（2-4药）备	冰箱	232311012	2025/6/6 22:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1709	7-14（2-4药）备	冰箱	232311012	2025/6/6 22:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1710	7-14（2-4药）备	冰箱	232311012	2025/6/6 22:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1711	7-14（2-4药）备	冰箱	232311012	2025/6/6 22:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

1712	7-14（2-4药）备	冰箱	232311012	2025/6/6 22:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1713	7-14（2-4药）备	冰箱	232311012	2025/6/6 22:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1714	7-14（2-4药）备	冰箱	232311012	2025/6/6 22:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1715	7-14（2-4药）备	冰箱	232311012	2025/6/6 22:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1716	7-14（2-4药）备	冰箱	232311012	2025/6/6 22:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1717	7-14（2-4药）备	冰箱	232311012	2025/6/6 23:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1718	7-14（2-4药）备	冰箱	232311012	2025/6/6 23:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1719	7-14（2-4药）备	冰箱	232311012	2025/6/6 23:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1720	7-14（2-4药）备	冰箱	232311012	2025/6/6 23:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1721	7-14（2-4药）备	冰箱	232311012	2025/6/6 23:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1722	7-14（2-4药）备	冰箱	232311012	2025/6/6 23:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1723	7-14（2-4药）备	冰箱	232311012	2025/6/6 23:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1724	7-14（2-4药）备	冰箱	232311012	2025/6/6 23:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1725	7-14（2-4药）备	冰箱	232311012	2025/6/6 23:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1726	7-14（2-4药）备	冰箱	232311012	2025/6/6 23:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1727	7-14（2-4药）备	冰箱	232311012	2025/6/6 23:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1728	7-14（2-4药）备	冰箱	232311012	2025/6/6 23:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1729	7-14（2-4药）备	冰箱	232311012	2025/6/7 0:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1730	7-14（2-4药）备	冰箱	232311012	2025/6/7 0:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1731	7-14（2-4药）备	冰箱	232311012	2025/6/7 0:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1732	7-14（2-4药）备	冰箱	232311012	2025/6/7 0:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1733	7-14（2-4药）备	冰箱	232311012	2025/6/7 0:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1734	7-14（2-4药）备	冰箱	232311012	2025/6/7 0:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1735	7-14（2-4药）备	冰箱	232311012	2025/6/7 0:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1736	7-14（2-4药）备	冰箱	232311012	2025/6/7 0:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1737	7-14（2-4药）备	冰箱	232311012	2025/6/7 0:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

1738	7-14（2-4药）备	冰箱	232311012	2025/6/7 0:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1739	7-14（2-4药）备	冰箱	232311012	2025/6/7 0:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1740	7-14（2-4药）备	冰箱	232311012	2025/6/7 0:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1741	7-14（2-4药）备	冰箱	232311012	2025/6/7 1:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1742	7-14（2-4药）备	冰箱	232311012	2025/6/7 1:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1743	7-14（2-4药）备	冰箱	232311012	2025/6/7 1:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1744	7-14（2-4药）备	冰箱	232311012	2025/6/7 1:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1745	7-14（2-4药）备	冰箱	232311012	2025/6/7 1:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1746	7-14（2-4药）备	冰箱	232311012	2025/6/7 1:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1747	7-14（2-4药）备	冰箱	232311012	2025/6/7 1:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1748	7-14（2-4药）备	冰箱	232311012	2025/6/7 1:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1749	7-14（2-4药）备	冰箱	232311012	2025/6/7 1:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1750	7-14（2-4药）备	冰箱	232311012	2025/6/7 1:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1751	7-14（2-4药）备	冰箱	232311012	2025/6/7 1:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1752	7-14（2-4药）备	冰箱	232311012	2025/6/7 1:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1753	7-14（2-4药）备	冰箱	232311012	2025/6/7 2:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1754	7-14（2-4药）备	冰箱	232311012	2025/6/7 2:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1755	7-14（2-4药）备	冰箱	232311012	2025/6/7 2:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1756	7-14（2-4药）备	冰箱	232311012	2025/6/7 2:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1757	7-14（2-4药）备	冰箱	232311012	2025/6/7 2:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1758	7-14（2-4药）备	冰箱	232311012	2025/6/7 2:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1759	7-14（2-4药）备	冰箱	232311012	2025/6/7 2:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1760	7-14（2-4药）备	冰箱	232311012	2025/6/7 2:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1761	7-14（2-4药）备	冰箱	232311012	2025/6/7 2:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1762	7-14（2-4药）备	冰箱	232311012	2025/6/7 2:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1763	7-14（2-4药）备	冰箱	232311012	2025/6/7 2:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

1764	7-14（2-4药）备	冰箱	232311012	2025/6/7 2:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1765	7-14（2-4药）备	冰箱	232311012	2025/6/7 3:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1766	7-14（2-4药）备	冰箱	232311012	2025/6/7 3:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1767	7-14（2-4药）备	冰箱	232311012	2025/6/7 3:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1768	7-14（2-4药）备	冰箱	232311012	2025/6/7 3:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1769	7-14（2-4药）备	冰箱	232311012	2025/6/7 3:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1770	7-14（2-4药）备	冰箱	232311012	2025/6/7 3:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1771	7-14（2-4药）备	冰箱	232311012	2025/6/7 3:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1772	7-14（2-4药）备	冰箱	232311012	2025/6/7 3:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1773	7-14（2-4药）备	冰箱	232311012	2025/6/7 3:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1774	7-14（2-4药）备	冰箱	232311012	2025/6/7 3:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1775	7-14（2-4药）备	冰箱	232311012	2025/6/7 3:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1776	7-14（2-4药）备	冰箱	232311012	2025/6/7 3:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1777	7-14（2-4药）备	冰箱	232311012	2025/6/7 4:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1778	7-14（2-4药）备	冰箱	232311012	2025/6/7 4:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1779	7-14（2-4药）备	冰箱	232311012	2025/6/7 4:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1780	7-14（2-4药）备	冰箱	232311012	2025/6/7 4:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1781	7-14（2-4药）备	冰箱	232311012	2025/6/7 4:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1782	7-14（2-4药）备	冰箱	232311012	2025/6/7 4:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1783	7-14（2-4药）备	冰箱	232311012	2025/6/7 4:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1784	7-14（2-4药）备	冰箱	232311012	2025/6/7 4:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1785	7-14（2-4药）备	冰箱	232311012	2025/6/7 4:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1786	7-14（2-4药）备	冰箱	232311012	2025/6/7 4:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1787	7-14（2-4药）备	冰箱	232311012	2025/6/7 4:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1788	7-14（2-4药）备	冰箱	232311012	2025/6/7 4:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1789	7-14（2-4药）备	冰箱	232311012	2025/6/7 5:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

1790	7-14（2-4药）备	冰箱	232311012	2025/6/7 5:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1791	7-14（2-4药）备	冰箱	232311012	2025/6/7 5:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1792	7-14（2-4药）备	冰箱	232311012	2025/6/7 5:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1793	7-14（2-4药）备	冰箱	232311012	2025/6/7 5:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1794	7-14（2-4药）备	冰箱	232311012	2025/6/7 5:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1795	7-14（2-4药）备	冰箱	232311012	2025/6/7 5:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1796	7-14（2-4药）备	冰箱	232311012	2025/6/7 5:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1797	7-14（2-4药）备	冰箱	232311012	2025/6/7 5:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1798	7-14（2-4药）备	冰箱	232311012	2025/6/7 5:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1799	7-14（2-4药）备	冰箱	232311012	2025/6/7 5:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1800	7-14（2-4药）备	冰箱	232311012	2025/6/7 5:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1801	7-14（2-4药）备	冰箱	232311012	2025/6/7 6:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1802	7-14（2-4药）备	冰箱	232311012	2025/6/7 6:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1803	7-14（2-4药）备	冰箱	232311012	2025/6/7 6:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1804	7-14（2-4药）备	冰箱	232311012	2025/6/7 6:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1805	7-14（2-4药）备	冰箱	232311012	2025/6/7 6:20:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
1806	7-14（2-4药）备	冰箱	232311012	2025/6/7 6:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1807	7-14（2-4药）备	冰箱	232311012	2025/6/7 6:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1808	7-14（2-4药）备	冰箱	232311012	2025/6/7 6:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1809	7-14（2-4药）备	冰箱	232311012	2025/6/7 6:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1810	7-14（2-4药）备	冰箱	232311012	2025/6/7 6:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1811	7-14（2-4药）备	冰箱	232311012	2025/6/7 6:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1812	7-14（2-4药）备	冰箱	232311012	2025/6/7 6:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1813	7-14（2-4药）备	冰箱	232311012	2025/6/7 7:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1814	7-14（2-4药）备	冰箱	232311012	2025/6/7 7:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1815	7-14（2-4药）备	冰箱	232311012	2025/6/7 7:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,

1816	7-14（2-4药）备	冰箱	232311012	2025/6/7 7:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1817	7-14（2-4药）备	冰箱	232311012	2025/6/7 7:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1818	7-14（2-4药）备	冰箱	232311012	2025/6/7 7:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1819	7-14（2-4药）备	冰箱	232311012	2025/6/7 7:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1820	7-14（2-4药）备	冰箱	232311012	2025/6/7 7:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1821	7-14（2-4药）备	冰箱	232311012	2025/6/7 7:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1822	7-14（2-4药）备	冰箱	232311012	2025/6/7 7:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1823	7-14（2-4药）备	冰箱	232311012	2025/6/7 7:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1824	7-14（2-4药）备	冰箱	232311012	2025/6/7 7:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1825	7-14（2-4药）备	冰箱	232311012	2025/6/7 8:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1826	7-14（2-4药）备	冰箱	232311012	2025/6/7 8:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1827	7-14（2-4药）备	冰箱	232311012	2025/6/7 8:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1828	7-14（2-4药）备	冰箱	232311012	2025/6/7 8:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1829	7-14（2-4药）备	冰箱	232311012	2025/6/7 8:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1830	7-14（2-4药）备	冰箱	232311012	2025/6/7 8:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1831	7-14（2-4药）备	冰箱	232311012	2025/6/7 8:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1832	7-14（2-4药）备	冰箱	232311012	2025/6/7 8:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1833	7-14（2-4药）备	冰箱	232311012	2025/6/7 8:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1834	7-14（2-4药）备	冰箱	232311012	2025/6/7 8:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1835	7-14（2-4药）备	冰箱	232311012	2025/6/7 8:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1836	7-14（2-4药）备	冰箱	232311012	2025/6/7 8:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1837	7-14（2-4药）备	冰箱	232311012	2025/6/7 9:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1838	7-14（2-4药）备	冰箱	232311012	2025/6/7 9:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1839	7-14（2-4药）备	冰箱	232311012	2025/6/7 9:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1840	7-14（2-4药）备	冰箱	232311012	2025/6/7 9:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1841	7-14（2-4药）备	冰箱	232311012	2025/6/7 9:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,

1842	7-14（2-4药）备	冰箱	232311012	2025/6/7 9:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1843	7-14（2-4药）备	冰箱	232311012	2025/6/7 9:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1844	7-14（2-4药）备	冰箱	232311012	2025/6/7 9:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1845	7-14（2-4药）备	冰箱	232311012	2025/6/7 9:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1846	7-14（2-4药）备	冰箱	232311012	2025/6/7 9:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1847	7-14（2-4药）备	冰箱	232311012	2025/6/7 9:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1848	7-14（2-4药）备	冰箱	232311012	2025/6/7 9:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1849	7-14（2-4药）备	冰箱	232311012	2025/6/7 10:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1850	7-14（2-4药）备	冰箱	232311012	2025/6/7 10:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1851	7-14（2-4药）备	冰箱	232311012	2025/6/7 10:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1852	7-14（2-4药）备	冰箱	232311012	2025/6/7 10:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1853	7-14（2-4药）备	冰箱	232311012	2025/6/7 10:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1854	7-14（2-4药）备	冰箱	232311012	2025/6/7 10:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1855	7-14（2-4药）备	冰箱	232311012	2025/6/7 10:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1856	7-14（2-4药）备	冰箱	232311012	2025/6/7 10:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1857	7-14（2-4药）备	冰箱	232311012	2025/6/7 10:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1858	7-14（2-4药）备	冰箱	232311012	2025/6/7 10:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1859	7-14（2-4药）备	冰箱	232311012	2025/6/7 10:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1860	7-14（2-4药）备	冰箱	232311012	2025/6/7 10:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1861	7-14（2-4药）备	冰箱	232311012	2025/6/7 11:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1862	7-14（2-4药）备	冰箱	232311012	2025/6/7 11:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1863	7-14（2-4药）备	冰箱	232311012	2025/6/7 11:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1864	7-14（2-4药）备	冰箱	232311012	2025/6/7 11:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1865	7-14（2-4药）备	冰箱	232311012	2025/6/7 11:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1866	7-14（2-4药）备	冰箱	232311012	2025/6/7 11:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1867	7-14（2-4药）备	冰箱	232311012	2025/6/7 11:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

1868	7-14（2-4药）备	冰箱	232311012	2025/6/7 11:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1869	7-14（2-4药）备	冰箱	232311012	2025/6/7 11:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1870	7-14（2-4药）备	冰箱	232311012	2025/6/7 11:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1871	7-14（2-4药）备	冰箱	232311012	2025/6/7 11:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1872	7-14（2-4药）备	冰箱	232311012	2025/6/7 11:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1873	7-14（2-4药）备	冰箱	232311012	2025/6/7 12:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1874	7-14（2-4药）备	冰箱	232311012	2025/6/7 12:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1875	7-14（2-4药）备	冰箱	232311012	2025/6/7 12:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1876	7-14（2-4药）备	冰箱	232311012	2025/6/7 12:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1877	7-14（2-4药）备	冰箱	232311012	2025/6/7 12:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1878	7-14（2-4药）备	冰箱	232311012	2025/6/7 12:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1879	7-14（2-4药）备	冰箱	232311012	2025/6/7 12:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1880	7-14（2-4药）备	冰箱	232311012	2025/6/7 12:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1881	7-14（2-4药）备	冰箱	232311012	2025/6/7 12:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1882	7-14（2-4药）备	冰箱	232311012	2025/6/7 12:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1883	7-14（2-4药）备	冰箱	232311012	2025/6/7 12:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1884	7-14（2-4药）备	冰箱	232311012	2025/6/7 12:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1885	7-14（2-4药）备	冰箱	232311012	2025/6/7 13:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1886	7-14（2-4药）备	冰箱	232311012	2025/6/7 13:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1887	7-14（2-4药）备	冰箱	232311012	2025/6/7 13:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1888	7-14（2-4药）备	冰箱	232311012	2025/6/7 13:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1889	7-14（2-4药）备	冰箱	232311012	2025/6/7 13:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1890	7-14（2-4药）备	冰箱	232311012	2025/6/7 13:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1891	7-14（2-4药）备	冰箱	232311012	2025/6/7 13:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1892	7-14（2-4药）备	冰箱	232311012	2025/6/7 13:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1893	7-14（2-4药）备	冰箱	232311012	2025/6/7 13:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

1894	7-14（2-4药）备	冰箱	232311012	2025/6/7 13:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1895	7-14（2-4药）备	冰箱	232311012	2025/6/7 13:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1896	7-14（2-4药）备	冰箱	232311012	2025/6/7 13:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1897	7-14（2-4药）备	冰箱	232311012	2025/6/7 14:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1898	7-14（2-4药）备	冰箱	232311012	2025/6/7 14:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1899	7-14（2-4药）备	冰箱	232311012	2025/6/7 14:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1900	7-14（2-4药）备	冰箱	232311012	2025/6/7 14:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1901	7-14（2-4药）备	冰箱	232311012	2025/6/7 14:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1902	7-14（2-4药）备	冰箱	232311012	2025/6/7 14:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1903	7-14（2-4药）备	冰箱	232311012	2025/6/7 14:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1904	7-14（2-4药）备	冰箱	232311012	2025/6/7 14:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1905	7-14（2-4药）备	冰箱	232311012	2025/6/7 14:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1906	7-14（2-4药）备	冰箱	232311012	2025/6/7 14:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1907	7-14（2-4药）备	冰箱	232311012	2025/6/7 14:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1908	7-14（2-4药）备	冰箱	232311012	2025/6/7 14:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1909	7-14（2-4药）备	冰箱	232311012	2025/6/7 15:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1910	7-14（2-4药）备	冰箱	232311012	2025/6/7 15:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1911	7-14（2-4药）备	冰箱	232311012	2025/6/7 15:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1912	7-14（2-4药）备	冰箱	232311012	2025/6/7 15:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1913	7-14（2-4药）备	冰箱	232311012	2025/6/7 15:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1914	7-14（2-4药）备	冰箱	232311012	2025/6/7 15:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1915	7-14（2-4药）备	冰箱	232311012	2025/6/7 15:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1916	7-14（2-4药）备	冰箱	232311012	2025/6/7 15:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1917	7-14（2-4药）备	冰箱	232311012	2025/6/7 15:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1918	7-14（2-4药）备	冰箱	232311012	2025/6/7 15:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1919	7-14（2-4药）备	冰箱	232311012	2025/6/7 15:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

1920	7-14（2-4药）备	冰箱	232311012	2025/6/7 15:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1921	7-14（2-4药）备	冰箱	232311012	2025/6/7 16:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1922	7-14（2-4药）备	冰箱	232311012	2025/6/7 16:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1923	7-14（2-4药）备	冰箱	232311012	2025/6/7 16:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1924	7-14（2-4药）备	冰箱	232311012	2025/6/7 16:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1925	7-14（2-4药）备	冰箱	232311012	2025/6/7 16:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1926	7-14（2-4药）备	冰箱	232311012	2025/6/7 16:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1927	7-14（2-4药）备	冰箱	232311012	2025/6/7 16:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1928	7-14（2-4药）备	冰箱	232311012	2025/6/7 16:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1929	7-14（2-4药）备	冰箱	232311012	2025/6/7 16:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1930	7-14（2-4药）备	冰箱	232311012	2025/6/7 16:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1931	7-14（2-4药）备	冰箱	232311012	2025/6/7 16:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1932	7-14（2-4药）备	冰箱	232311012	2025/6/7 16:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1933	7-14（2-4药）备	冰箱	232311012	2025/6/7 17:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1934	7-14（2-4药）备	冰箱	232311012	2025/6/7 17:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1935	7-14（2-4药）备	冰箱	232311012	2025/6/7 17:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1936	7-14（2-4药）备	冰箱	232311012	2025/6/7 17:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1937	7-14（2-4药）备	冰箱	232311012	2025/6/7 17:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1938	7-14（2-4药）备	冰箱	232311012	2025/6/7 17:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1939	7-14（2-4药）备	冰箱	232311012	2025/6/7 17:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
1940	7-14（2-4药）备	冰箱	232311012	2025/6/7 17:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1941	7-14（2-4药）备	冰箱	232311012	2025/6/7 17:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1942	7-14（2-4药）备	冰箱	232311012	2025/6/7 17:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1943	7-14（2-4药）备	冰箱	232311012	2025/6/7 17:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1944	7-14（2-4药）备	冰箱	232311012	2025/6/7 17:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1945	7-14（2-4药）备	冰箱	232311012	2025/6/7 18:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

1946	7-14（2-4药）备	冰箱	232311012	2025/6/7 18:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1947	7-14（2-4药）备	冰箱	232311012	2025/6/7 18:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1948	7-14（2-4药）备	冰箱	232311012	2025/6/7 18:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1949	7-14（2-4药）备	冰箱	232311012	2025/6/7 18:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1950	7-14（2-4药）备	冰箱	232311012	2025/6/7 18:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1951	7-14（2-4药）备	冰箱	232311012	2025/6/7 18:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1952	7-14（2-4药）备	冰箱	232311012	2025/6/7 18:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1953	7-14（2-4药）备	冰箱	232311012	2025/6/7 18:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1954	7-14（2-4药）备	冰箱	232311012	2025/6/7 18:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1955	7-14（2-4药）备	冰箱	232311012	2025/6/7 18:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1956	7-14（2-4药）备	冰箱	232311012	2025/6/7 18:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1957	7-14（2-4药）备	冰箱	232311012	2025/6/7 19:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1958	7-14（2-4药）备	冰箱	232311012	2025/6/7 19:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1959	7-14（2-4药）备	冰箱	232311012	2025/6/7 19:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1960	7-14（2-4药）备	冰箱	232311012	2025/6/7 19:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1961	7-14（2-4药）备	冰箱	232311012	2025/6/7 19:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1962	7-14（2-4药）备	冰箱	232311012	2025/6/7 19:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1963	7-14（2-4药）备	冰箱	232311012	2025/6/7 19:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1964	7-14（2-4药）备	冰箱	232311012	2025/6/7 19:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1965	7-14（2-4药）备	冰箱	232311012	2025/6/7 19:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
1966	7-14（2-4药）备	冰箱	232311012	2025/6/7 19:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1967	7-14（2-4药）备	冰箱	232311012	2025/6/7 19:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1968	7-14（2-4药）备	冰箱	232311012	2025/6/7 19:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1969	7-14（2-4药）备	冰箱	232311012	2025/6/7 20:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1970	7-14（2-4药）备	冰箱	232311012	2025/6/7 20:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1971	7-14（2-4药）备	冰箱	232311012	2025/6/7 20:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

1972	7-14（2-4药）备	冰箱	232311012	2025/6/7 20:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1973	7-14（2-4药）备	冰箱	232311012	2025/6/7 20:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1974	7-14（2-4药）备	冰箱	232311012	2025/6/7 20:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
1975	7-14（2-4药）备	冰箱	232311012	2025/6/7 20:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1976	7-14（2-4药）备	冰箱	232311012	2025/6/7 20:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1977	7-14（2-4药）备	冰箱	232311012	2025/6/7 20:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1978	7-14（2-4药）备	冰箱	232311012	2025/6/7 20:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1979	7-14（2-4药）备	冰箱	232311012	2025/6/7 20:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1980	7-14（2-4药）备	冰箱	232311012	2025/6/7 20:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1981	7-14（2-4药）备	冰箱	232311012	2025/6/7 21:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1982	7-14（2-4药）备	冰箱	232311012	2025/6/7 21:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
1983	7-14（2-4药）备	冰箱	232311012	2025/6/7 21:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
1984	7-14（2-4药）备	冰箱	232311012	2025/6/7 21:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1985	7-14（2-4药）备	冰箱	232311012	2025/6/7 21:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
1986	7-14（2-4药）备	冰箱	232311012	2025/6/7 21:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1987	7-14（2-4药）备	冰箱	232311012	2025/6/7 21:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1988	7-14（2-4药）备	冰箱	232311012	2025/6/7 21:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
1989	7-14（2-4药）备	冰箱	232311012	2025/6/7 21:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
1990	7-14（2-4药）备	冰箱	232311012	2025/6/7 21:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
1991	7-14（2-4药）备	冰箱	232311012	2025/6/7 21:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
1992	7-14（2-4药）备	冰箱	232311012	2025/6/7 21:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
1993	7-14（2-4药）备	冰箱	232311012	2025/6/7 22:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
1994	7-14（2-4药）备	冰箱	232311012	2025/6/7 22:05:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
1995	7-14（2-4药）备	冰箱	232311012	2025/6/7 22:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
1996	7-14（2-4药）备	冰箱	232311012	2025/6/7 22:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1997	7-14（2-4药）备	冰箱	232311012	2025/6/7 22:20:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,

1998	7-14（2-4药）备	冰箱	232311012	2025/6/7 22:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
1999	7-14（2-4药）备	冰箱	232311012	2025/6/7 22:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2000	7-14（2-4药）备	冰箱	232311012	2025/6/7 22:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2001	7-14（2-4药）备	冰箱	232311012	2025/6/7 22:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2002	7-14（2-4药）备	冰箱	232311012	2025/6/7 22:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2003	7-14（2-4药）备	冰箱	232311012	2025/6/7 22:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2004	7-14（2-4药）备	冰箱	232311012	2025/6/7 22:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2005	7-14（2-4药）备	冰箱	232311012	2025/6/7 23:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2006	7-14（2-4药）备	冰箱	232311012	2025/6/7 23:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2007	7-14（2-4药）备	冰箱	232311012	2025/6/7 23:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2008	7-14（2-4药）备	冰箱	232311012	2025/6/7 23:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2009	7-14（2-4药）备	冰箱	232311012	2025/6/7 23:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2010	7-14（2-4药）备	冰箱	232311012	2025/6/7 23:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2011	7-14（2-4药）备	冰箱	232311012	2025/6/7 23:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2012	7-14（2-4药）备	冰箱	232311012	2025/6/7 23:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2013	7-14（2-4药）备	冰箱	232311012	2025/6/7 23:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2014	7-14（2-4药）备	冰箱	232311012	2025/6/7 23:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2015	7-14（2-4药）备	冰箱	232311012	2025/6/7 23:50:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
2016	7-14（2-4药）备	冰箱	232311012	2025/6/7 23:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2017	7-14（2-4药）备	冰箱	232311012	2025/6/8 0:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2018	7-14（2-4药）备	冰箱	232311012	2025/6/8 0:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2019	7-14（2-4药）备	冰箱	232311012	2025/6/8 0:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2020	7-14（2-4药）备	冰箱	232311012	2025/6/8 0:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2021	7-14（2-4药）备	冰箱	232311012	2025/6/8 0:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2022	7-14（2-4药）备	冰箱	232311012	2025/6/8 0:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2023	7-14（2-4药）备	冰箱	232311012	2025/6/8 0:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

2024	7-14（2-4药）备	冰箱	232311012	2025/6/8 0:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2025	7-14（2-4药）备	冰箱	232311012	2025/6/8 0:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2026	7-14（2-4药）备	冰箱	232311012	2025/6/8 0:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2027	7-14（2-4药）备	冰箱	232311012	2025/6/8 0:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2028	7-14（2-4药）备	冰箱	232311012	2025/6/8 0:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2029	7-14（2-4药）备	冰箱	232311012	2025/6/8 1:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2030	7-14（2-4药）备	冰箱	232311012	2025/6/8 1:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2031	7-14（2-4药）备	冰箱	232311012	2025/6/8 1:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2032	7-14（2-4药）备	冰箱	232311012	2025/6/8 1:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2033	7-14（2-4药）备	冰箱	232311012	2025/6/8 1:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2034	7-14（2-4药）备	冰箱	232311012	2025/6/8 1:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2035	7-14（2-4药）备	冰箱	232311012	2025/6/8 1:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2036	7-14（2-4药）备	冰箱	232311012	2025/6/8 1:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2037	7-14（2-4药）备	冰箱	232311012	2025/6/8 1:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2038	7-14（2-4药）备	冰箱	232311012	2025/6/8 1:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2039	7-14（2-4药）备	冰箱	232311012	2025/6/8 1:50:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
2040	7-14（2-4药）备	冰箱	232311012	2025/6/8 1:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2041	7-14（2-4药）备	冰箱	232311012	2025/6/8 2:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2042	7-14（2-4药）备	冰箱	232311012	2025/6/8 2:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2043	7-14（2-4药）备	冰箱	232311012	2025/6/8 2:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2044	7-14（2-4药）备	冰箱	232311012	2025/6/8 2:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2045	7-14（2-4药）备	冰箱	232311012	2025/6/8 2:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2046	7-14（2-4药）备	冰箱	232311012	2025/6/8 2:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2047	7-14（2-4药）备	冰箱	232311012	2025/6/8 2:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2048	7-14（2-4药）备	冰箱	232311012	2025/6/8 2:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2049	7-14（2-4药）备	冰箱	232311012	2025/6/8 2:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,

2050	7-14（2-4药）备	冰箱	232311012	2025/6/8 2:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2051	7-14（2-4药）备	冰箱	232311012	2025/6/8 2:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2052	7-14（2-4药）备	冰箱	232311012	2025/6/8 2:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2053	7-14（2-4药）备	冰箱	232311012	2025/6/8 3:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2054	7-14（2-4药）备	冰箱	232311012	2025/6/8 3:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2055	7-14（2-4药）备	冰箱	232311012	2025/6/8 3:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2056	7-14（2-4药）备	冰箱	232311012	2025/6/8 3:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2057	7-14（2-4药）备	冰箱	232311012	2025/6/8 3:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2058	7-14（2-4药）备	冰箱	232311012	2025/6/8 3:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2059	7-14（2-4药）备	冰箱	232311012	2025/6/8 3:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2060	7-14（2-4药）备	冰箱	232311012	2025/6/8 3:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2061	7-14（2-4药）备	冰箱	232311012	2025/6/8 3:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2062	7-14（2-4药）备	冰箱	232311012	2025/6/8 3:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2063	7-14（2-4药）备	冰箱	232311012	2025/6/8 3:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2064	7-14（2-4药）备	冰箱	232311012	2025/6/8 3:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2065	7-14（2-4药）备	冰箱	232311012	2025/6/8 4:00:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
2066	7-14（2-4药）备	冰箱	232311012	2025/6/8 4:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2067	7-14（2-4药）备	冰箱	232311012	2025/6/8 4:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2068	7-14（2-4药）备	冰箱	232311012	2025/6/8 4:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2069	7-14（2-4药）备	冰箱	232311012	2025/6/8 4:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2070	7-14（2-4药）备	冰箱	232311012	2025/6/8 4:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2071	7-14（2-4药）备	冰箱	232311012	2025/6/8 4:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2072	7-14（2-4药）备	冰箱	232311012	2025/6/8 4:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2073	7-14（2-4药）备	冰箱	232311012	2025/6/8 4:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2074	7-14（2-4药）备	冰箱	232311012	2025/6/8 4:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2075	7-14（2-4药）备	冰箱	232311012	2025/6/8 4:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

2076	7-14（2-4药）备	冰箱	232311012	2025/6/8 4:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2077	7-14（2-4药）备	冰箱	232311012	2025/6/8 5:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2078	7-14（2-4药）备	冰箱	232311012	2025/6/8 5:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2079	7-14（2-4药）备	冰箱	232311012	2025/6/8 5:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2080	7-14（2-4药）备	冰箱	232311012	2025/6/8 5:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2081	7-14（2-4药）备	冰箱	232311012	2025/6/8 5:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2082	7-14（2-4药）备	冰箱	232311012	2025/6/8 5:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2083	7-14（2-4药）备	冰箱	232311012	2025/6/8 5:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2084	7-14（2-4药）备	冰箱	232311012	2025/6/8 5:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2085	7-14（2-4药）备	冰箱	232311012	2025/6/8 5:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2086	7-14（2-4药）备	冰箱	232311012	2025/6/8 5:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2087	7-14（2-4药）备	冰箱	232311012	2025/6/8 5:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2088	7-14（2-4药）备	冰箱	232311012	2025/6/8 5:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2089	7-14（2-4药）备	冰箱	232311012	2025/6/8 6:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2090	7-14（2-4药）备	冰箱	232311012	2025/6/8 6:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2091	7-14（2-4药）备	冰箱	232311012	2025/6/8 6:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2092	7-14（2-4药）备	冰箱	232311012	2025/6/8 6:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2093	7-14（2-4药）备	冰箱	232311012	2025/6/8 6:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2094	7-14（2-4药）备	冰箱	232311012	2025/6/8 6:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2095	7-14（2-4药）备	冰箱	232311012	2025/6/8 6:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2096	7-14（2-4药）备	冰箱	232311012	2025/6/8 6:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2097	7-14（2-4药）备	冰箱	232311012	2025/6/8 6:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2098	7-14（2-4药）备	冰箱	232311012	2025/6/8 6:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2099	7-14（2-4药）备	冰箱	232311012	2025/6/8 6:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2100	7-14（2-4药）备	冰箱	232311012	2025/6/8 6:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2101	7-14（2-4药）备	冰箱	232311012	2025/6/8 7:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

2102	7-14（2-4药）备	冰箱	232311012	2025/6/8 7:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2103	7-14（2-4药）备	冰箱	232311012	2025/6/8 7:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2104	7-14（2-4药）备	冰箱	232311012	2025/6/8 7:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2105	7-14（2-4药）备	冰箱	232311012	2025/6/8 7:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2106	7-14（2-4药）备	冰箱	232311012	2025/6/8 7:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2107	7-14（2-4药）备	冰箱	232311012	2025/6/8 7:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2108	7-14（2-4药）备	冰箱	232311012	2025/6/8 7:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2109	7-14（2-4药）备	冰箱	232311012	2025/6/8 7:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2110	7-14（2-4药）备	冰箱	232311012	2025/6/8 7:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2111	7-14（2-4药）备	冰箱	232311012	2025/6/8 7:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2112	7-14（2-4药）备	冰箱	232311012	2025/6/8 7:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2113	7-14（2-4药）备	冰箱	232311012	2025/6/8 8:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2114	7-14（2-4药）备	冰箱	232311012	2025/6/8 8:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2115	7-14（2-4药）备	冰箱	232311012	2025/6/8 8:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2116	7-14（2-4药）备	冰箱	232311012	2025/6/8 8:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2117	7-14（2-4药）备	冰箱	232311012	2025/6/8 8:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2118	7-14（2-4药）备	冰箱	232311012	2025/6/8 8:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2119	7-14（2-4药）备	冰箱	232311012	2025/6/8 8:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2120	7-14（2-4药）备	冰箱	232311012	2025/6/8 8:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2121	7-14（2-4药）备	冰箱	232311012	2025/6/8 8:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2122	7-14（2-4药）备	冰箱	232311012	2025/6/8 8:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2123	7-14（2-4药）备	冰箱	232311012	2025/6/8 8:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2124	7-14（2-4药）备	冰箱	232311012	2025/6/8 8:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2125	7-14（2-4药）备	冰箱	232311012	2025/6/8 9:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2126	7-14（2-4药）备	冰箱	232311012	2025/6/8 9:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2127	7-14（2-4药）备	冰箱	232311012	2025/6/8 9:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

2128	7-14（2-4药）备	冰箱	232311012	2025/6/8 9:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2129	7-14（2-4药）备	冰箱	232311012	2025/6/8 9:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2130	7-14（2-4药）备	冰箱	232311012	2025/6/8 9:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2131	7-14（2-4药）备	冰箱	232311012	2025/6/8 9:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2132	7-14（2-4药）备	冰箱	232311012	2025/6/8 9:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2133	7-14（2-4药）备	冰箱	232311012	2025/6/8 9:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2134	7-14（2-4药）备	冰箱	232311012	2025/6/8 9:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2135	7-14（2-4药）备	冰箱	232311012	2025/6/8 9:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2136	7-14（2-4药）备	冰箱	232311012	2025/6/8 9:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2137	7-14（2-4药）备	冰箱	232311012	2025/6/8 10:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2138	7-14（2-4药）备	冰箱	232311012	2025/6/8 10:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2139	7-14（2-4药）备	冰箱	232311012	2025/6/8 10:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2140	7-14（2-4药）备	冰箱	232311012	2025/6/8 10:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2141	7-14（2-4药）备	冰箱	232311012	2025/6/8 10:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2142	7-14（2-4药）备	冰箱	232311012	2025/6/8 10:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2143	7-14（2-4药）备	冰箱	232311012	2025/6/8 10:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2144	7-14（2-4药）备	冰箱	232311012	2025/6/8 10:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2145	7-14（2-4药）备	冰箱	232311012	2025/6/8 10:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2146	7-14（2-4药）备	冰箱	232311012	2025/6/8 10:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2147	7-14（2-4药）备	冰箱	232311012	2025/6/8 10:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2148	7-14（2-4药）备	冰箱	232311012	2025/6/8 10:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2149	7-14（2-4药）备	冰箱	232311012	2025/6/8 11:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2150	7-14（2-4药）备	冰箱	232311012	2025/6/8 11:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2151	7-14（2-4药）备	冰箱	232311012	2025/6/8 11:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2152	7-14（2-4药）备	冰箱	232311012	2025/6/8 11:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2153	7-14（2-4药）备	冰箱	232311012	2025/6/8 11:20:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,

2154	7-14（2-4药）备	冰箱	232311012	2025/6/8 11:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2155	7-14（2-4药）备	冰箱	232311012	2025/6/8 11:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2156	7-14（2-4药）备	冰箱	232311012	2025/6/8 11:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2157	7-14（2-4药）备	冰箱	232311012	2025/6/8 11:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2158	7-14（2-4药）备	冰箱	232311012	2025/6/8 11:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2159	7-14（2-4药）备	冰箱	232311012	2025/6/8 11:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2160	7-14（2-4药）备	冰箱	232311012	2025/6/8 11:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2161	7-14（2-4药）备	冰箱	232311012	2025/6/8 12:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2162	7-14（2-4药）备	冰箱	232311012	2025/6/8 12:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2163	7-14（2-4药）备	冰箱	232311012	2025/6/8 12:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2164	7-14（2-4药）备	冰箱	232311012	2025/6/8 12:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2165	7-14（2-4药）备	冰箱	232311012	2025/6/8 12:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2166	7-14（2-4药）备	冰箱	232311012	2025/6/8 12:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2167	7-14（2-4药）备	冰箱	232311012	2025/6/8 12:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2168	7-14（2-4药）备	冰箱	232311012	2025/6/8 12:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2169	7-14（2-4药）备	冰箱	232311012	2025/6/8 12:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2170	7-14（2-4药）备	冰箱	232311012	2025/6/8 12:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2171	7-14（2-4药）备	冰箱	232311012	2025/6/8 12:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2172	7-14（2-4药）备	冰箱	232311012	2025/6/8 12:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2173	7-14（2-4药）备	冰箱	232311012	2025/6/8 13:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2174	7-14（2-4药）备	冰箱	232311012	2025/6/8 13:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2175	7-14（2-4药）备	冰箱	232311012	2025/6/8 13:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2176	7-14（2-4药）备	冰箱	232311012	2025/6/8 13:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2177	7-14（2-4药）备	冰箱	232311012	2025/6/8 13:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2178	7-14（2-4药）备	冰箱	232311012	2025/6/8 13:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2179	7-14（2-4药）备	冰箱	232311012	2025/6/8 13:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

2180	7-14（2-4药）备	冰箱	232311012	2025/6/8 13:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2181	7-14（2-4药）备	冰箱	232311012	2025/6/8 13:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2182	7-14（2-4药）备	冰箱	232311012	2025/6/8 13:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2183	7-14（2-4药）备	冰箱	232311012	2025/6/8 13:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2184	7-14（2-4药）备	冰箱	232311012	2025/6/8 13:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2185	7-14（2-4药）备	冰箱	232311012	2025/6/8 14:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2186	7-14（2-4药）备	冰箱	232311012	2025/6/8 14:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2187	7-14（2-4药）备	冰箱	232311012	2025/6/8 14:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2188	7-14（2-4药）备	冰箱	232311012	2025/6/8 14:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2189	7-14（2-4药）备	冰箱	232311012	2025/6/8 14:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2190	7-14（2-4药）备	冰箱	232311012	2025/6/8 14:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2191	7-14（2-4药）备	冰箱	232311012	2025/6/8 14:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2192	7-14（2-4药）备	冰箱	232311012	2025/6/8 14:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2193	7-14（2-4药）备	冰箱	232311012	2025/6/8 14:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2194	7-14（2-4药）备	冰箱	232311012	2025/6/8 14:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2195	7-14（2-4药）备	冰箱	232311012	2025/6/8 14:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2196	7-14（2-4药）备	冰箱	232311012	2025/6/8 14:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2197	7-14（2-4药）备	冰箱	232311012	2025/6/8 15:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2198	7-14（2-4药）备	冰箱	232311012	2025/6/8 15:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2199	7-14（2-4药）备	冰箱	232311012	2025/6/8 15:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2200	7-14（2-4药）备	冰箱	232311012	2025/6/8 15:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2201	7-14（2-4药）备	冰箱	232311012	2025/6/8 15:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2202	7-14（2-4药）备	冰箱	232311012	2025/6/8 15:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2203	7-14（2-4药）备	冰箱	232311012	2025/6/8 15:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2204	7-14（2-4药）备	冰箱	232311012	2025/6/8 15:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2205	7-14（2-4药）备	冰箱	232311012	2025/6/8 15:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,

2206	7-14（2-4药）备	冰箱	232311012	2025/6/8 15:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2207	7-14（2-4药）备	冰箱	232311012	2025/6/8 15:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2208	7-14（2-4药）备	冰箱	232311012	2025/6/8 15:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2209	7-14（2-4药）备	冰箱	232311012	2025/6/8 16:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2210	7-14（2-4药）备	冰箱	232311012	2025/6/8 16:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2211	7-14（2-4药）备	冰箱	232311012	2025/6/8 16:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2212	7-14（2-4药）备	冰箱	232311012	2025/6/8 16:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2213	7-14（2-4药）备	冰箱	232311012	2025/6/8 16:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2214	7-14（2-4药）备	冰箱	232311012	2025/6/8 16:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2215	7-14（2-4药）备	冰箱	232311012	2025/6/8 16:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2216	7-14（2-4药）备	冰箱	232311012	2025/6/8 16:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2217	7-14（2-4药）备	冰箱	232311012	2025/6/8 16:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2218	7-14（2-4药）备	冰箱	232311012	2025/6/8 16:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2219	7-14（2-4药）备	冰箱	232311012	2025/6/8 16:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2220	7-14（2-4药）备	冰箱	232311012	2025/6/8 16:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2221	7-14（2-4药）备	冰箱	232311012	2025/6/8 17:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2222	7-14（2-4药）备	冰箱	232311012	2025/6/8 17:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2223	7-14（2-4药）备	冰箱	232311012	2025/6/8 17:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2224	7-14（2-4药）备	冰箱	232311012	2025/6/8 17:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2225	7-14（2-4药）备	冰箱	232311012	2025/6/8 17:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2226	7-14（2-4药）备	冰箱	232311012	2025/6/8 17:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2227	7-14（2-4药）备	冰箱	232311012	2025/6/8 17:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2228	7-14（2-4药）备	冰箱	232311012	2025/6/8 17:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2229	7-14（2-4药）备	冰箱	232311012	2025/6/8 17:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2230	7-14（2-4药）备	冰箱	232311012	2025/6/8 17:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2231	7-14（2-4药）备	冰箱	232311012	2025/6/8 17:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

2232	7-14（2-4药）备	冰箱	232311012	2025/6/8 17:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2233	7-14（2-4药）备	冰箱	232311012	2025/6/8 18:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2234	7-14（2-4药）备	冰箱	232311012	2025/6/8 18:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2235	7-14（2-4药）备	冰箱	232311012	2025/6/8 18:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2236	7-14（2-4药）备	冰箱	232311012	2025/6/8 18:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2237	7-14（2-4药）备	冰箱	232311012	2025/6/8 18:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2238	7-14（2-4药）备	冰箱	232311012	2025/6/8 18:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2239	7-14（2-4药）备	冰箱	232311012	2025/6/8 18:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2240	7-14（2-4药）备	冰箱	232311012	2025/6/8 18:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2241	7-14（2-4药）备	冰箱	232311012	2025/6/8 18:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2242	7-14（2-4药）备	冰箱	232311012	2025/6/8 18:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2243	7-14（2-4药）备	冰箱	232311012	2025/6/8 18:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2244	7-14（2-4药）备	冰箱	232311012	2025/6/8 18:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2245	7-14（2-4药）备	冰箱	232311012	2025/6/8 19:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2246	7-14（2-4药）备	冰箱	232311012	2025/6/8 19:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2247	7-14（2-4药）备	冰箱	232311012	2025/6/8 19:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2248	7-14（2-4药）备	冰箱	232311012	2025/6/8 19:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2249	7-14（2-4药）备	冰箱	232311012	2025/6/8 19:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2250	7-14（2-4药）备	冰箱	232311012	2025/6/8 19:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2251	7-14（2-4药）备	冰箱	232311012	2025/6/8 19:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2252	7-14（2-4药）备	冰箱	232311012	2025/6/8 19:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2253	7-14（2-4药）备	冰箱	232311012	2025/6/8 19:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2254	7-14（2-4药）备	冰箱	232311012	2025/6/8 19:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2255	7-14（2-4药）备	冰箱	232311012	2025/6/8 19:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2256	7-14（2-4药）备	冰箱	232311012	2025/6/8 19:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2257	7-14（2-4药）备	冰箱	232311012	2025/6/8 20:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

2258	7-14（2-4药）备	冰箱	232311012	2025/6/8 20:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2259	7-14（2-4药）备	冰箱	232311012	2025/6/8 20:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2260	7-14（2-4药）备	冰箱	232311012	2025/6/8 20:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2261	7-14（2-4药）备	冰箱	232311012	2025/6/8 20:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2262	7-14（2-4药）备	冰箱	232311012	2025/6/8 20:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2263	7-14（2-4药）备	冰箱	232311012	2025/6/8 20:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2264	7-14（2-4药）备	冰箱	232311012	2025/6/8 20:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2265	7-14（2-4药）备	冰箱	232311012	2025/6/8 20:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2266	7-14（2-4药）备	冰箱	232311012	2025/6/8 20:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2267	7-14（2-4药）备	冰箱	232311012	2025/6/8 20:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2268	7-14（2-4药）备	冰箱	232311012	2025/6/8 20:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2269	7-14（2-4药）备	冰箱	232311012	2025/6/8 21:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2270	7-14（2-4药）备	冰箱	232311012	2025/6/8 21:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2271	7-14（2-4药）备	冰箱	232311012	2025/6/8 21:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2272	7-14（2-4药）备	冰箱	232311012	2025/6/8 21:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2273	7-14（2-4药）备	冰箱	232311012	2025/6/8 21:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2274	7-14（2-4药）备	冰箱	232311012	2025/6/8 21:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2275	7-14（2-4药）备	冰箱	232311012	2025/6/8 21:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2276	7-14（2-4药）备	冰箱	232311012	2025/6/8 21:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2277	7-14（2-4药）备	冰箱	232311012	2025/6/8 21:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2278	7-14（2-4药）备	冰箱	232311012	2025/6/8 21:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2279	7-14（2-4药）备	冰箱	232311012	2025/6/8 21:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2280	7-14（2-4药）备	冰箱	232311012	2025/6/8 21:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2281	7-14（2-4药）备	冰箱	232311012	2025/6/8 22:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2282	7-14（2-4药）备	冰箱	232311012	2025/6/8 22:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2283	7-14（2-4药）备	冰箱	232311012	2025/6/8 22:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

2284	7-14（2-4药）备	冰箱	232311012	2025/6/8 22:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2285	7-14（2-4药）备	冰箱	232311012	2025/6/8 22:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2286	7-14（2-4药）备	冰箱	232311012	2025/6/8 22:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2287	7-14（2-4药）备	冰箱	232311012	2025/6/8 22:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2288	7-14（2-4药）备	冰箱	232311012	2025/6/8 22:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2289	7-14（2-4药）备	冰箱	232311012	2025/6/8 22:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2290	7-14（2-4药）备	冰箱	232311012	2025/6/8 22:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2291	7-14（2-4药）备	冰箱	232311012	2025/6/8 22:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2292	7-14（2-4药）备	冰箱	232311012	2025/6/8 22:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2293	7-14（2-4药）备	冰箱	232311012	2025/6/8 23:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2294	7-14（2-4药）备	冰箱	232311012	2025/6/8 23:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2295	7-14（2-4药）备	冰箱	232311012	2025/6/8 23:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2296	7-14（2-4药）备	冰箱	232311012	2025/6/8 23:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2297	7-14（2-4药）备	冰箱	232311012	2025/6/8 23:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2298	7-14（2-4药）备	冰箱	232311012	2025/6/8 23:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2299	7-14（2-4药）备	冰箱	232311012	2025/6/8 23:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2300	7-14（2-4药）备	冰箱	232311012	2025/6/8 23:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2301	7-14（2-4药）备	冰箱	232311012	2025/6/8 23:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2302	7-14（2-4药）备	冰箱	232311012	2025/6/8 23:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2303	7-14（2-4药）备	冰箱	232311012	2025/6/8 23:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2304	7-14（2-4药）备	冰箱	232311012	2025/6/8 23:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2305	7-14（2-4药）备	冰箱	232311012	2025/6/9 0:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2306	7-14（2-4药）备	冰箱	232311012	2025/6/9 0:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2307	7-14（2-4药）备	冰箱	232311012	2025/6/9 0:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2308	7-14（2-4药）备	冰箱	232311012	2025/6/9 0:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2309	7-14（2-4药）备	冰箱	232311012	2025/6/9 0:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

2310	7-14（2-4药）备	冰箱	232311012	2025/6/9 0:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2311	7-14（2-4药）备	冰箱	232311012	2025/6/9 0:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2312	7-14（2-4药）备	冰箱	232311012	2025/6/9 0:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2313	7-14（2-4药）备	冰箱	232311012	2025/6/9 0:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2314	7-14（2-4药）备	冰箱	232311012	2025/6/9 0:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2315	7-14（2-4药）备	冰箱	232311012	2025/6/9 0:50:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
2316	7-14（2-4药）备	冰箱	232311012	2025/6/9 0:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2317	7-14（2-4药）备	冰箱	232311012	2025/6/9 1:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2318	7-14（2-4药）备	冰箱	232311012	2025/6/9 1:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2319	7-14（2-4药）备	冰箱	232311012	2025/6/9 1:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2320	7-14（2-4药）备	冰箱	232311012	2025/6/9 1:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2321	7-14（2-4药）备	冰箱	232311012	2025/6/9 1:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2322	7-14（2-4药）备	冰箱	232311012	2025/6/9 1:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2323	7-14（2-4药）备	冰箱	232311012	2025/6/9 1:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2324	7-14（2-4药）备	冰箱	232311012	2025/6/9 1:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2325	7-14（2-4药）备	冰箱	232311012	2025/6/9 1:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2326	7-14（2-4药）备	冰箱	232311012	2025/6/9 1:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2327	7-14（2-4药）备	冰箱	232311012	2025/6/9 1:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2328	7-14（2-4药）备	冰箱	232311012	2025/6/9 1:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2329	7-14（2-4药）备	冰箱	232311012	2025/6/9 2:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2330	7-14（2-4药）备	冰箱	232311012	2025/6/9 2:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2331	7-14（2-4药）备	冰箱	232311012	2025/6/9 2:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2332	7-14（2-4药）备	冰箱	232311012	2025/6/9 2:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2333	7-14（2-4药）备	冰箱	232311012	2025/6/9 2:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2334	7-14（2-4药）备	冰箱	232311012	2025/6/9 2:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2335	7-14（2-4药）备	冰箱	232311012	2025/6/9 2:30:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,

2336	7-14（2-4药）备	冰箱	232311012	2025/6/9 2:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2337	7-14（2-4药）备	冰箱	232311012	2025/6/9 2:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2338	7-14（2-4药）备	冰箱	232311012	2025/6/9 2:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2339	7-14（2-4药）备	冰箱	232311012	2025/6/9 2:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2340	7-14（2-4药）备	冰箱	232311012	2025/6/9 2:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2341	7-14（2-4药）备	冰箱	232311012	2025/6/9 3:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2342	7-14（2-4药）备	冰箱	232311012	2025/6/9 3:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2343	7-14（2-4药）备	冰箱	232311012	2025/6/9 3:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2344	7-14（2-4药）备	冰箱	232311012	2025/6/9 3:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2345	7-14（2-4药）备	冰箱	232311012	2025/6/9 3:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2346	7-14（2-4药）备	冰箱	232311012	2025/6/9 3:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2347	7-14（2-4药）备	冰箱	232311012	2025/6/9 3:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2348	7-14（2-4药）备	冰箱	232311012	2025/6/9 3:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2349	7-14（2-4药）备	冰箱	232311012	2025/6/9 3:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2350	7-14（2-4药）备	冰箱	232311012	2025/6/9 3:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2351	7-14（2-4药）备	冰箱	232311012	2025/6/9 3:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2352	7-14（2-4药）备	冰箱	232311012	2025/6/9 3:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2353	7-14（2-4药）备	冰箱	232311012	2025/6/9 4:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2354	7-14（2-4药）备	冰箱	232311012	2025/6/9 4:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2355	7-14（2-4药）备	冰箱	232311012	2025/6/9 4:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2356	7-14（2-4药）备	冰箱	232311012	2025/6/9 4:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2357	7-14（2-4药）备	冰箱	232311012	2025/6/9 4:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2358	7-14（2-4药）备	冰箱	232311012	2025/6/9 4:25:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
2359	7-14（2-4药）备	冰箱	232311012	2025/6/9 4:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2360	7-14（2-4药）备	冰箱	232311012	2025/6/9 4:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2361	7-14（2-4药）备	冰箱	232311012	2025/6/9 4:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

2362	7-14（2-4药）备	冰箱	232311012	2025/6/9 4:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2363	7-14（2-4药）备	冰箱	232311012	2025/6/9 4:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2364	7-14（2-4药）备	冰箱	232311012	2025/6/9 4:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2365	7-14（2-4药）备	冰箱	232311012	2025/6/9 5:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2366	7-14（2-4药）备	冰箱	232311012	2025/6/9 5:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2367	7-14（2-4药）备	冰箱	232311012	2025/6/9 5:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2368	7-14（2-4药）备	冰箱	232311012	2025/6/9 5:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2369	7-14（2-4药）备	冰箱	232311012	2025/6/9 5:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2370	7-14（2-4药）备	冰箱	232311012	2025/6/9 5:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2371	7-14（2-4药）备	冰箱	232311012	2025/6/9 5:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2372	7-14（2-4药）备	冰箱	232311012	2025/6/9 5:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2373	7-14（2-4药）备	冰箱	232311012	2025/6/9 5:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2374	7-14（2-4药）备	冰箱	232311012	2025/6/9 5:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2375	7-14（2-4药）备	冰箱	232311012	2025/6/9 5:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2376	7-14（2-4药）备	冰箱	232311012	2025/6/9 5:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2377	7-14（2-4药）备	冰箱	232311012	2025/6/9 6:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2378	7-14（2-4药）备	冰箱	232311012	2025/6/9 6:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2379	7-14（2-4药）备	冰箱	232311012	2025/6/9 6:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2380	7-14（2-4药）备	冰箱	232311012	2025/6/9 6:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2381	7-14（2-4药）备	冰箱	232311012	2025/6/9 6:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2382	7-14（2-4药）备	冰箱	232311012	2025/6/9 6:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2383	7-14（2-4药）备	冰箱	232311012	2025/6/9 6:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2384	7-14（2-4药）备	冰箱	232311012	2025/6/9 6:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2385	7-14（2-4药）备	冰箱	232311012	2025/6/9 6:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2386	7-14（2-4药）备	冰箱	232311012	2025/6/9 6:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2387	7-14（2-4药）备	冰箱	232311012	2025/6/9 6:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

2388	7-14（2-4药）备	冰箱	232311012	2025/6/9 6:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2389	7-14（2-4药）备	冰箱	232311012	2025/6/9 7:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2390	7-14（2-4药）备	冰箱	232311012	2025/6/9 7:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2391	7-14（2-4药）备	冰箱	232311012	2025/6/9 7:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2392	7-14（2-4药）备	冰箱	232311012	2025/6/9 7:15:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
2393	7-14（2-4药）备	冰箱	232311012	2025/6/9 7:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2394	7-14（2-4药）备	冰箱	232311012	2025/6/9 7:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2395	7-14（2-4药）备	冰箱	232311012	2025/6/9 7:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2396	7-14（2-4药）备	冰箱	232311012	2025/6/9 7:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2397	7-14（2-4药）备	冰箱	232311012	2025/6/9 7:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2398	7-14（2-4药）备	冰箱	232311012	2025/6/9 7:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2399	7-14（2-4药）备	冰箱	232311012	2025/6/9 7:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2400	7-14（2-4药）备	冰箱	232311012	2025/6/9 7:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2401	7-14（2-4药）备	冰箱	232311012	2025/6/9 8:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2402	7-14（2-4药）备	冰箱	232311012	2025/6/9 8:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2403	7-14（2-4药）备	冰箱	232311012	2025/6/9 8:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2404	7-14（2-4药）备	冰箱	232311012	2025/6/9 8:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2405	7-14（2-4药）备	冰箱	232311012	2025/6/9 8:20:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
2406	7-14（2-4药）备	冰箱	232311012	2025/6/9 8:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2407	7-14（2-4药）备	冰箱	232311012	2025/6/9 8:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2408	7-14（2-4药）备	冰箱	232311012	2025/6/9 8:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2409	7-14（2-4药）备	冰箱	232311012	2025/6/9 8:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2410	7-14（2-4药）备	冰箱	232311012	2025/6/9 8:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2411	7-14（2-4药）备	冰箱	232311012	2025/6/9 8:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2412	7-14（2-4药）备	冰箱	232311012	2025/6/9 8:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2413	7-14（2-4药）备	冰箱	232311012	2025/6/9 9:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

2414	7-14（2-4药）备	冰箱	232311012	2025/6/9 9:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2415	7-14（2-4药）备	冰箱	232311012	2025/6/9 9:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2416	7-14（2-4药）备	冰箱	232311012	2025/6/9 9:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2417	7-14（2-4药）备	冰箱	232311012	2025/6/9 9:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2418	7-14（2-4药）备	冰箱	232311012	2025/6/9 9:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2419	7-14（2-4药）备	冰箱	232311012	2025/6/9 9:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2420	7-14（2-4药）备	冰箱	232311012	2025/6/9 9:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2421	7-14（2-4药）备	冰箱	232311012	2025/6/9 9:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2422	7-14（2-4药）备	冰箱	232311012	2025/6/9 9:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2423	7-14（2-4药）备	冰箱	232311012	2025/6/9 9:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2424	7-14（2-4药）备	冰箱	232311012	2025/6/9 9:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2425	7-14（2-4药）备	冰箱	232311012	2025/6/9 10:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2426	7-14（2-4药）备	冰箱	232311012	2025/6/9 10:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2427	7-14（2-4药）备	冰箱	232311012	2025/6/9 10:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2428	7-14（2-4药）备	冰箱	232311012	2025/6/9 10:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2429	7-14（2-4药）备	冰箱	232311012	2025/6/9 10:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2430	7-14（2-4药）备	冰箱	232311012	2025/6/9 10:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2431	7-14（2-4药）备	冰箱	232311012	2025/6/9 10:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2432	7-14（2-4药）备	冰箱	232311012	2025/6/9 10:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2433	7-14（2-4药）备	冰箱	232311012	2025/6/9 10:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2434	7-14（2-4药）备	冰箱	232311012	2025/6/9 10:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2435	7-14（2-4药）备	冰箱	232311012	2025/6/9 10:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2436	7-14（2-4药）备	冰箱	232311012	2025/6/9 10:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2437	7-14（2-4药）备	冰箱	232311012	2025/6/9 11:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2438	7-14（2-4药）备	冰箱	232311012	2025/6/9 11:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2439	7-14（2-4药）备	冰箱	232311012	2025/6/9 11:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

2440	7-14（2-4药）备	冰箱	232311012	2025/6/9 11:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2441	7-14（2-4药）备	冰箱	232311012	2025/6/9 11:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2442	7-14（2-4药）备	冰箱	232311012	2025/6/9 11:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2443	7-14（2-4药）备	冰箱	232311012	2025/6/9 11:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2444	7-14（2-4药）备	冰箱	232311012	2025/6/9 11:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2445	7-14（2-4药）备	冰箱	232311012	2025/6/9 11:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2446	7-14（2-4药）备	冰箱	232311012	2025/6/9 11:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2447	7-14（2-4药）备	冰箱	232311012	2025/6/9 11:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2448	7-14（2-4药）备	冰箱	232311012	2025/6/9 11:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2449	7-14（2-4药）备	冰箱	232311012	2025/6/9 12:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2450	7-14（2-4药）备	冰箱	232311012	2025/6/9 12:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2451	7-14（2-4药）备	冰箱	232311012	2025/6/9 12:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2452	7-14（2-4药）备	冰箱	232311012	2025/6/9 12:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2453	7-14（2-4药）备	冰箱	232311012	2025/6/9 12:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2454	7-14（2-4药）备	冰箱	232311012	2025/6/9 12:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2455	7-14（2-4药）备	冰箱	232311012	2025/6/9 12:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2456	7-14（2-4药）备	冰箱	232311012	2025/6/9 12:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2457	7-14（2-4药）备	冰箱	232311012	2025/6/9 12:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2458	7-14（2-4药）备	冰箱	232311012	2025/6/9 12:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2459	7-14（2-4药）备	冰箱	232311012	2025/6/9 12:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2460	7-14（2-4药）备	冰箱	232311012	2025/6/9 12:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2461	7-14（2-4药）备	冰箱	232311012	2025/6/9 13:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2462	7-14（2-4药）备	冰箱	232311012	2025/6/9 13:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2463	7-14（2-4药）备	冰箱	232311012	2025/6/9 13:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2464	7-14（2-4药）备	冰箱	232311012	2025/6/9 13:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2465	7-14（2-4药）备	冰箱	232311012	2025/6/9 13:20:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,

2466	7-14（2-4药）备	冰箱	232311012	2025/6/9 13:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2467	7-14（2-4药）备	冰箱	232311012	2025/6/9 13:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2468	7-14（2-4药）备	冰箱	232311012	2025/6/9 13:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2469	7-14（2-4药）备	冰箱	232311012	2025/6/9 13:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2470	7-14（2-4药）备	冰箱	232311012	2025/6/9 13:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2471	7-14（2-4药）备	冰箱	232311012	2025/6/9 13:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2472	7-14（2-4药）备	冰箱	232311012	2025/6/9 13:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2473	7-14（2-4药）备	冰箱	232311012	2025/6/9 14:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2474	7-14（2-4药）备	冰箱	232311012	2025/6/9 14:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2475	7-14（2-4药）备	冰箱	232311012	2025/6/9 14:10:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
2476	7-14（2-4药）备	冰箱	232311012	2025/6/9 14:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2477	7-14（2-4药）备	冰箱	232311012	2025/6/9 14:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2478	7-14（2-4药）备	冰箱	232311012	2025/6/9 14:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2479	7-14（2-4药）备	冰箱	232311012	2025/6/9 14:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2480	7-14（2-4药）备	冰箱	232311012	2025/6/9 14:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2481	7-14（2-4药）备	冰箱	232311012	2025/6/9 14:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2482	7-14（2-4药）备	冰箱	232311012	2025/6/9 14:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2483	7-14（2-4药）备	冰箱	232311012	2025/6/9 14:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2484	7-14（2-4药）备	冰箱	232311012	2025/6/9 14:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2485	7-14（2-4药）备	冰箱	232311012	2025/6/9 15:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2486	7-14（2-4药）备	冰箱	232311012	2025/6/9 15:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2487	7-14（2-4药）备	冰箱	232311012	2025/6/9 15:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2488	7-14（2-4药）备	冰箱	232311012	2025/6/9 15:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2489	7-14（2-4药）备	冰箱	232311012	2025/6/9 15:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2490	7-14（2-4药）备	冰箱	232311012	2025/6/9 15:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2491	7-14（2-4药）备	冰箱	232311012	2025/6/9 15:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

2492	7-14（2-4药）备	冰箱	232311012	2025/6/9 15:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2493	7-14（2-4药）备	冰箱	232311012	2025/6/9 15:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2494	7-14（2-4药）备	冰箱	232311012	2025/6/9 15:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2495	7-14（2-4药）备	冰箱	232311012	2025/6/9 15:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2496	7-14（2-4药）备	冰箱	232311012	2025/6/9 15:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2497	7-14（2-4药）备	冰箱	232311012	2025/6/9 16:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2498	7-14（2-4药）备	冰箱	232311012	2025/6/9 16:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2499	7-14（2-4药）备	冰箱	232311012	2025/6/9 16:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2500	7-14（2-4药）备	冰箱	232311012	2025/6/9 16:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2501	7-14（2-4药）备	冰箱	232311012	2025/6/9 16:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2502	7-14（2-4药）备	冰箱	232311012	2025/6/9 16:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2503	7-14（2-4药）备	冰箱	232311012	2025/6/9 16:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2504	7-14（2-4药）备	冰箱	232311012	2025/6/9 16:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2505	7-14（2-4药）备	冰箱	232311012	2025/6/9 16:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2506	7-14（2-4药）备	冰箱	232311012	2025/6/9 16:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2507	7-14（2-4药）备	冰箱	232311012	2025/6/9 16:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2508	7-14（2-4药）备	冰箱	232311012	2025/6/9 16:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2509	7-14（2-4药）备	冰箱	232311012	2025/6/9 17:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2510	7-14（2-4药）备	冰箱	232311012	2025/6/9 17:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2511	7-14（2-4药）备	冰箱	232311012	2025/6/9 17:10:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
2512	7-14（2-4药）备	冰箱	232311012	2025/6/9 17:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2513	7-14（2-4药）备	冰箱	232311012	2025/6/9 17:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2514	7-14（2-4药）备	冰箱	232311012	2025/6/9 17:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2515	7-14（2-4药）备	冰箱	232311012	2025/6/9 17:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2516	7-14（2-4药）备	冰箱	232311012	2025/6/9 17:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2517	7-14（2-4药）备	冰箱	232311012	2025/6/9 17:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

2518	7-14（2-4药）备	冰箱	232311012	2025/6/9 17:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2519	7-14（2-4药）备	冰箱	232311012	2025/6/9 17:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2520	7-14（2-4药）备	冰箱	232311012	2025/6/9 17:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2521	7-14（2-4药）备	冰箱	232311012	2025/6/9 18:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2522	7-14（2-4药）备	冰箱	232311012	2025/6/9 18:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2523	7-14（2-4药）备	冰箱	232311012	2025/6/9 18:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2524	7-14（2-4药）备	冰箱	232311012	2025/6/9 18:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2525	7-14（2-4药）备	冰箱	232311012	2025/6/9 18:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2526	7-14（2-4药）备	冰箱	232311012	2025/6/9 18:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2527	7-14（2-4药）备	冰箱	232311012	2025/6/9 18:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2528	7-14（2-4药）备	冰箱	232311012	2025/6/9 18:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2529	7-14（2-4药）备	冰箱	232311012	2025/6/9 18:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2530	7-14（2-4药）备	冰箱	232311012	2025/6/9 18:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2531	7-14（2-4药）备	冰箱	232311012	2025/6/9 18:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2532	7-14（2-4药）备	冰箱	232311012	2025/6/9 18:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2533	7-14（2-4药）备	冰箱	232311012	2025/6/9 19:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2534	7-14（2-4药）备	冰箱	232311012	2025/6/9 19:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2535	7-14（2-4药）备	冰箱	232311012	2025/6/9 19:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2536	7-14（2-4药）备	冰箱	232311012	2025/6/9 19:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2537	7-14（2-4药）备	冰箱	232311012	2025/6/9 19:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2538	7-14（2-4药）备	冰箱	232311012	2025/6/9 19:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2539	7-14（2-4药）备	冰箱	232311012	2025/6/9 19:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2540	7-14（2-4药）备	冰箱	232311012	2025/6/9 19:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2541	7-14（2-4药）备	冰箱	232311012	2025/6/9 19:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2542	7-14（2-4药）备	冰箱	232311012	2025/6/9 19:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2543	7-14（2-4药）备	冰箱	232311012	2025/6/9 19:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

2544	7-14（2-4药）备	冰箱	232311012	2025/6/9 19:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2545	7-14（2-4药）备	冰箱	232311012	2025/6/9 20:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2546	7-14（2-4药）备	冰箱	232311012	2025/6/9 20:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2547	7-14（2-4药）备	冰箱	232311012	2025/6/9 20:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2548	7-14（2-4药）备	冰箱	232311012	2025/6/9 20:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2549	7-14（2-4药）备	冰箱	232311012	2025/6/9 20:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2550	7-14（2-4药）备	冰箱	232311012	2025/6/9 20:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2551	7-14（2-4药）备	冰箱	232311012	2025/6/9 20:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2552	7-14（2-4药）备	冰箱	232311012	2025/6/9 20:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2553	7-14（2-4药）备	冰箱	232311012	2025/6/9 20:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2554	7-14（2-4药）备	冰箱	232311012	2025/6/9 20:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2555	7-14（2-4药）备	冰箱	232311012	2025/6/9 20:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2556	7-14（2-4药）备	冰箱	232311012	2025/6/9 20:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2557	7-14（2-4药）备	冰箱	232311012	2025/6/9 21:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2558	7-14（2-4药）备	冰箱	232311012	2025/6/9 21:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2559	7-14（2-4药）备	冰箱	232311012	2025/6/9 21:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2560	7-14（2-4药）备	冰箱	232311012	2025/6/9 21:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2561	7-14（2-4药）备	冰箱	232311012	2025/6/9 21:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2562	7-14（2-4药）备	冰箱	232311012	2025/6/9 21:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2563	7-14（2-4药）备	冰箱	232311012	2025/6/9 21:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2564	7-14（2-4药）备	冰箱	232311012	2025/6/9 21:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2565	7-14（2-4药）备	冰箱	232311012	2025/6/9 21:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2566	7-14（2-4药）备	冰箱	232311012	2025/6/9 21:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2567	7-14（2-4药）备	冰箱	232311012	2025/6/9 21:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2568	7-14（2-4药）备	冰箱	232311012	2025/6/9 21:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2569	7-14（2-4药）备	冰箱	232311012	2025/6/9 22:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,

2570	7-14（2-4药）备	冰箱	232311012	2025/6/9 22:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2571	7-14（2-4药）备	冰箱	232311012	2025/6/9 22:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2572	7-14（2-4药）备	冰箱	232311012	2025/6/9 22:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2573	7-14（2-4药）备	冰箱	232311012	2025/6/9 22:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2574	7-14（2-4药）备	冰箱	232311012	2025/6/9 22:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2575	7-14（2-4药）备	冰箱	232311012	2025/6/9 22:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2576	7-14（2-4药）备	冰箱	232311012	2025/6/9 22:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2577	7-14（2-4药）备	冰箱	232311012	2025/6/9 22:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2578	7-14（2-4药）备	冰箱	232311012	2025/6/9 22:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2579	7-14（2-4药）备	冰箱	232311012	2025/6/9 22:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2580	7-14（2-4药）备	冰箱	232311012	2025/6/9 22:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2581	7-14（2-4药）备	冰箱	232311012	2025/6/9 23:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2582	7-14（2-4药）备	冰箱	232311012	2025/6/9 23:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2583	7-14（2-4药）备	冰箱	232311012	2025/6/9 23:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2584	7-14（2-4药）备	冰箱	232311012	2025/6/9 23:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2585	7-14（2-4药）备	冰箱	232311012	2025/6/9 23:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2586	7-14（2-4药）备	冰箱	232311012	2025/6/9 23:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2587	7-14（2-4药）备	冰箱	232311012	2025/6/9 23:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2588	7-14（2-4药）备	冰箱	232311012	2025/6/9 23:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2589	7-14（2-4药）备	冰箱	232311012	2025/6/9 23:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2590	7-14（2-4药）备	冰箱	232311012	2025/6/9 23:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2591	7-14（2-4药）备	冰箱	232311012	2025/6/9 23:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2592	7-14（2-4药）备	冰箱	232311012	2025/6/9 23:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2593	7-14（2-4药）备	冰箱	232311012	2025/6/10 0:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2594	7-14（2-4药）备	冰箱	232311012	2025/6/10 0:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2595	7-14（2-4药）备	冰箱	232311012	2025/6/10 0:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

2596	7-14（2-4药）备	冰箱	232311012	2025/6/10 0:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2597	7-14（2-4药）备	冰箱	232311012	2025/6/10 0:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2598	7-14（2-4药）备	冰箱	232311012	2025/6/10 0:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2599	7-14（2-4药）备	冰箱	232311012	2025/6/10 0:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2600	7-14（2-4药）备	冰箱	232311012	2025/6/10 0:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2601	7-14（2-4药）备	冰箱	232311012	2025/6/10 0:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2602	7-14（2-4药）备	冰箱	232311012	2025/6/10 0:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2603	7-14（2-4药）备	冰箱	232311012	2025/6/10 0:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2604	7-14（2-4药）备	冰箱	232311012	2025/6/10 0:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2605	7-14（2-4药）备	冰箱	232311012	2025/6/10 1:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2606	7-14（2-4药）备	冰箱	232311012	2025/6/10 1:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2607	7-14（2-4药）备	冰箱	232311012	2025/6/10 1:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2608	7-14（2-4药）备	冰箱	232311012	2025/6/10 1:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2609	7-14（2-4药）备	冰箱	232311012	2025/6/10 1:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2610	7-14（2-4药）备	冰箱	232311012	2025/6/10 1:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2611	7-14（2-4药）备	冰箱	232311012	2025/6/10 1:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2612	7-14（2-4药）备	冰箱	232311012	2025/6/10 1:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2613	7-14（2-4药）备	冰箱	232311012	2025/6/10 1:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2614	7-14（2-4药）备	冰箱	232311012	2025/6/10 1:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2615	7-14（2-4药）备	冰箱	232311012	2025/6/10 1:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2616	7-14（2-4药）备	冰箱	232311012	2025/6/10 1:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2617	7-14（2-4药）备	冰箱	232311012	2025/6/10 2:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2618	7-14（2-4药）备	冰箱	232311012	2025/6/10 2:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2619	7-14（2-4药）备	冰箱	232311012	2025/6/10 2:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2620	7-14（2-4药）备	冰箱	232311012	2025/6/10 2:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2621	7-14（2-4药）备	冰箱	232311012	2025/6/10 2:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

2622	7-14（2-4药）备	冰箱	232311012	2025/6/10 2:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2623	7-14（2-4药）备	冰箱	232311012	2025/6/10 2:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2624	7-14（2-4药）备	冰箱	232311012	2025/6/10 2:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2625	7-14（2-4药）备	冰箱	232311012	2025/6/10 2:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2626	7-14（2-4药）备	冰箱	232311012	2025/6/10 2:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2627	7-14（2-4药）备	冰箱	232311012	2025/6/10 2:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2628	7-14（2-4药）备	冰箱	232311012	2025/6/10 2:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2629	7-14（2-4药）备	冰箱	232311012	2025/6/10 3:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2630	7-14（2-4药）备	冰箱	232311012	2025/6/10 3:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2631	7-14（2-4药）备	冰箱	232311012	2025/6/10 3:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2632	7-14（2-4药）备	冰箱	232311012	2025/6/10 3:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2633	7-14（2-4药）备	冰箱	232311012	2025/6/10 3:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2634	7-14（2-4药）备	冰箱	232311012	2025/6/10 3:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2635	7-14（2-4药）备	冰箱	232311012	2025/6/10 3:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2636	7-14（2-4药）备	冰箱	232311012	2025/6/10 3:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2637	7-14（2-4药）备	冰箱	232311012	2025/6/10 3:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2638	7-14（2-4药）备	冰箱	232311012	2025/6/10 3:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2639	7-14（2-4药）备	冰箱	232311012	2025/6/10 3:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2640	7-14（2-4药）备	冰箱	232311012	2025/6/10 3:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2641	7-14（2-4药）备	冰箱	232311012	2025/6/10 4:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2642	7-14（2-4药）备	冰箱	232311012	2025/6/10 4:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2643	7-14（2-4药）备	冰箱	232311012	2025/6/10 4:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2644	7-14（2-4药）备	冰箱	232311012	2025/6/10 4:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2645	7-14（2-4药）备	冰箱	232311012	2025/6/10 4:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2646	7-14（2-4药）备	冰箱	232311012	2025/6/10 4:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2647	7-14（2-4药）备	冰箱	232311012	2025/6/10 4:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

2648	7-14（2-4药）备	冰箱	232311012	2025/6/10 4:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2649	7-14（2-4药）备	冰箱	232311012	2025/6/10 4:40:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
2650	7-14（2-4药）备	冰箱	232311012	2025/6/10 4:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2651	7-14（2-4药）备	冰箱	232311012	2025/6/10 4:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2652	7-14（2-4药）备	冰箱	232311012	2025/6/10 4:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2653	7-14（2-4药）备	冰箱	232311012	2025/6/10 5:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2654	7-14（2-4药）备	冰箱	232311012	2025/6/10 5:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2655	7-14（2-4药）备	冰箱	232311012	2025/6/10 5:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2656	7-14（2-4药）备	冰箱	232311012	2025/6/10 5:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2657	7-14（2-4药）备	冰箱	232311012	2025/6/10 5:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2658	7-14（2-4药）备	冰箱	232311012	2025/6/10 5:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2659	7-14（2-4药）备	冰箱	232311012	2025/6/10 5:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2660	7-14（2-4药）备	冰箱	232311012	2025/6/10 5:35:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
2661	7-14（2-4药）备	冰箱	232311012	2025/6/10 5:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2662	7-14（2-4药）备	冰箱	232311012	2025/6/10 5:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2663	7-14（2-4药）备	冰箱	232311012	2025/6/10 5:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2664	7-14（2-4药）备	冰箱	232311012	2025/6/10 5:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2665	7-14（2-4药）备	冰箱	232311012	2025/6/10 6:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2666	7-14（2-4药）备	冰箱	232311012	2025/6/10 6:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2667	7-14（2-4药）备	冰箱	232311012	2025/6/10 6:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2668	7-14（2-4药）备	冰箱	232311012	2025/6/10 6:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2669	7-14（2-4药）备	冰箱	232311012	2025/6/10 6:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2670	7-14（2-4药）备	冰箱	232311012	2025/6/10 6:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2671	7-14（2-4药）备	冰箱	232311012	2025/6/10 6:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2672	7-14（2-4药）备	冰箱	232311012	2025/6/10 6:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2673	7-14（2-4药）备	冰箱	232311012	2025/6/10 6:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

2674	7-14（2-4药）备	冰箱	232311012	2025/6/10 6:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2675	7-14（2-4药）备	冰箱	232311012	2025/6/10 6:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2676	7-14（2-4药）备	冰箱	232311012	2025/6/10 6:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2677	7-14（2-4药）备	冰箱	232311012	2025/6/10 7:00:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
2678	7-14（2-4药）备	冰箱	232311012	2025/6/10 7:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2679	7-14（2-4药）备	冰箱	232311012	2025/6/10 7:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2680	7-14（2-4药）备	冰箱	232311012	2025/6/10 7:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2681	7-14（2-4药）备	冰箱	232311012	2025/6/10 7:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2682	7-14（2-4药）备	冰箱	232311012	2025/6/10 7:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2683	7-14（2-4药）备	冰箱	232311012	2025/6/10 7:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2684	7-14（2-4药）备	冰箱	232311012	2025/6/10 7:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2685	7-14（2-4药）备	冰箱	232311012	2025/6/10 7:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2686	7-14（2-4药）备	冰箱	232311012	2025/6/10 7:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2687	7-14（2-4药）备	冰箱	232311012	2025/6/10 7:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2688	7-14（2-4药）备	冰箱	232311012	2025/6/10 7:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2689	7-14（2-4药）备	冰箱	232311012	2025/6/10 8:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2690	7-14（2-4药）备	冰箱	232311012	2025/6/10 8:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2691	7-14（2-4药）备	冰箱	232311012	2025/6/10 8:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2692	7-14（2-4药）备	冰箱	232311012	2025/6/10 8:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2693	7-14（2-4药）备	冰箱	232311012	2025/6/10 8:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2694	7-14（2-4药）备	冰箱	232311012	2025/6/10 8:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2695	7-14（2-4药）备	冰箱	232311012	2025/6/10 8:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2696	7-14（2-4药）备	冰箱	232311012	2025/6/10 8:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2697	7-14（2-4药）备	冰箱	232311012	2025/6/10 8:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2698	7-14（2-4药）备	冰箱	232311012	2025/6/10 8:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2699	7-14（2-4药）备	冰箱	232311012	2025/6/10 8:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

2700	7-14（2-4药）备	冰箱	232311012	2025/6/10 8:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2701	7-14（2-4药）备	冰箱	232311012	2025/6/10 9:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2702	7-14（2-4药）备	冰箱	232311012	2025/6/10 9:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2703	7-14（2-4药）备	冰箱	232311012	2025/6/10 9:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2704	7-14（2-4药）备	冰箱	232311012	2025/6/10 9:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2705	7-14（2-4药）备	冰箱	232311012	2025/6/10 9:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2706	7-14（2-4药）备	冰箱	232311012	2025/6/10 9:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2707	7-14（2-4药）备	冰箱	232311012	2025/6/10 9:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2708	7-14（2-4药）备	冰箱	232311012	2025/6/10 9:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2709	7-14（2-4药）备	冰箱	232311012	2025/6/10 9:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2710	7-14（2-4药）备	冰箱	232311012	2025/6/10 9:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2711	7-14（2-4药）备	冰箱	232311012	2025/6/10 9:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2712	7-14（2-4药）备	冰箱	232311012	2025/6/10 9:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2713	7-14（2-4药）备	冰箱	232311012	2025/6/10 10:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2714	7-14（2-4药）备	冰箱	232311012	2025/6/10 10:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2715	7-14（2-4药）备	冰箱	232311012	2025/6/10 10:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2716	7-14（2-4药）备	冰箱	232311012	2025/6/10 10:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2717	7-14（2-4药）备	冰箱	232311012	2025/6/10 10:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2718	7-14（2-4药）备	冰箱	232311012	2025/6/10 10:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2719	7-14（2-4药）备	冰箱	232311012	2025/6/10 10:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2720	7-14（2-4药）备	冰箱	232311012	2025/6/10 10:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2721	7-14（2-4药）备	冰箱	232311012	2025/6/10 10:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2722	7-14（2-4药）备	冰箱	232311012	2025/6/10 10:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2723	7-14（2-4药）备	冰箱	232311012	2025/6/10 10:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2724	7-14（2-4药）备	冰箱	232311012	2025/6/10 10:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2725	7-14（2-4药）备	冰箱	232311012	2025/6/10 11:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

2726	7-14（2-4药）备	冰箱	232311012	2025/6/10 11:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2727	7-14（2-4药）备	冰箱	232311012	2025/6/10 11:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2728	7-14（2-4药）备	冰箱	232311012	2025/6/10 11:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2729	7-14（2-4药）备	冰箱	232311012	2025/6/10 11:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2730	7-14（2-4药）备	冰箱	232311012	2025/6/10 11:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2731	7-14（2-4药）备	冰箱	232311012	2025/6/10 11:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2732	7-14（2-4药）备	冰箱	232311012	2025/6/10 11:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2733	7-14（2-4药）备	冰箱	232311012	2025/6/10 11:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2734	7-14（2-4药）备	冰箱	232311012	2025/6/10 11:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2735	7-14（2-4药）备	冰箱	232311012	2025/6/10 11:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2736	7-14（2-4药）备	冰箱	232311012	2025/6/10 11:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2737	7-14（2-4药）备	冰箱	232311012	2025/6/10 12:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2738	7-14（2-4药）备	冰箱	232311012	2025/6/10 12:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2739	7-14（2-4药）备	冰箱	232311012	2025/6/10 12:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2740	7-14（2-4药）备	冰箱	232311012	2025/6/10 12:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2741	7-14（2-4药）备	冰箱	232311012	2025/6/10 12:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2742	7-14（2-4药）备	冰箱	232311012	2025/6/10 12:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2743	7-14（2-4药）备	冰箱	232311012	2025/6/10 12:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2744	7-14（2-4药）备	冰箱	232311012	2025/6/10 12:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2745	7-14（2-4药）备	冰箱	232311012	2025/6/10 12:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2746	7-14（2-4药）备	冰箱	232311012	2025/6/10 12:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2747	7-14（2-4药）备	冰箱	232311012	2025/6/10 12:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2748	7-14（2-4药）备	冰箱	232311012	2025/6/10 12:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2749	7-14（2-4药）备	冰箱	232311012	2025/6/10 13:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2750	7-14（2-4药）备	冰箱	232311012	2025/6/10 13:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2751	7-14（2-4药）备	冰箱	232311012	2025/6/10 13:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,

2752	7-14（2-4药）备	冰箱	232311012	2025/6/10 13:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2753	7-14（2-4药）备	冰箱	232311012	2025/6/10 13:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2754	7-14（2-4药）备	冰箱	232311012	2025/6/10 13:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2755	7-14（2-4药）备	冰箱	232311012	2025/6/10 13:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2756	7-14（2-4药）备	冰箱	232311012	2025/6/10 13:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2757	7-14（2-4药）备	冰箱	232311012	2025/6/10 13:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2758	7-14（2-4药）备	冰箱	232311012	2025/6/10 13:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2759	7-14（2-4药）备	冰箱	232311012	2025/6/10 13:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2760	7-14（2-4药）备	冰箱	232311012	2025/6/10 13:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2761	7-14（2-4药）备	冰箱	232311012	2025/6/10 14:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2762	7-14（2-4药）备	冰箱	232311012	2025/6/10 14:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2763	7-14（2-4药）备	冰箱	232311012	2025/6/10 14:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2764	7-14（2-4药）备	冰箱	232311012	2025/6/10 14:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2765	7-14（2-4药）备	冰箱	232311012	2025/6/10 14:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2766	7-14（2-4药）备	冰箱	232311012	2025/6/10 14:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2767	7-14（2-4药）备	冰箱	232311012	2025/6/10 14:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2768	7-14（2-4药）备	冰箱	232311012	2025/6/10 14:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2769	7-14（2-4药）备	冰箱	232311012	2025/6/10 14:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2770	7-14（2-4药）备	冰箱	232311012	2025/6/10 14:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2771	7-14（2-4药）备	冰箱	232311012	2025/6/10 14:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2772	7-14（2-4药）备	冰箱	232311012	2025/6/10 14:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2773	7-14（2-4药）备	冰箱	232311012	2025/6/10 15:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2774	7-14（2-4药）备	冰箱	232311012	2025/6/10 15:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2775	7-14（2-4药）备	冰箱	232311012	2025/6/10 15:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2776	7-14（2-4药）备	冰箱	232311012	2025/6/10 15:15:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
2777	7-14（2-4药）备	冰箱	232311012	2025/6/10 15:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

2778	7-14（2-4药）备	冰箱	232311012	2025/6/10 15:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2779	7-14（2-4药）备	冰箱	232311012	2025/6/10 15:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2780	7-14（2-4药）备	冰箱	232311012	2025/6/10 15:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2781	7-14（2-4药）备	冰箱	232311012	2025/6/10 15:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2782	7-14（2-4药）备	冰箱	232311012	2025/6/10 15:45:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
2783	7-14（2-4药）备	冰箱	232311012	2025/6/10 15:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2784	7-14（2-4药）备	冰箱	232311012	2025/6/10 15:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2785	7-14（2-4药）备	冰箱	232311012	2025/6/10 16:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2786	7-14（2-4药）备	冰箱	232311012	2025/6/10 16:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2787	7-14（2-4药）备	冰箱	232311012	2025/6/10 16:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2788	7-14（2-4药）备	冰箱	232311012	2025/6/10 16:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2789	7-14（2-4药）备	冰箱	232311012	2025/6/10 16:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2790	7-14（2-4药）备	冰箱	232311012	2025/6/10 16:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2791	7-14（2-4药）备	冰箱	232311012	2025/6/10 16:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2792	7-14（2-4药）备	冰箱	232311012	2025/6/10 16:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2793	7-14（2-4药）备	冰箱	232311012	2025/6/10 16:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2794	7-14（2-4药）备	冰箱	232311012	2025/6/10 16:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2795	7-14（2-4药）备	冰箱	232311012	2025/6/10 16:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2796	7-14（2-4药）备	冰箱	232311012	2025/6/10 16:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2797	7-14（2-4药）备	冰箱	232311012	2025/6/10 17:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2798	7-14（2-4药）备	冰箱	232311012	2025/6/10 17:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2799	7-14（2-4药）备	冰箱	232311012	2025/6/10 17:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2800	7-14（2-4药）备	冰箱	232311012	2025/6/10 17:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2801	7-14（2-4药）备	冰箱	232311012	2025/6/10 17:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2802	7-14（2-4药）备	冰箱	232311012	2025/6/10 17:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2803	7-14（2-4药）备	冰箱	232311012	2025/6/10 17:30:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,

2804	7-14（2-4药）备	冰箱	232311012	2025/6/10 17:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2805	7-14（2-4药）备	冰箱	232311012	2025/6/10 17:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2806	7-14（2-4药）备	冰箱	232311012	2025/6/10 17:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2807	7-14（2-4药）备	冰箱	232311012	2025/6/10 17:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2808	7-14（2-4药）备	冰箱	232311012	2025/6/10 17:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2809	7-14（2-4药）备	冰箱	232311012	2025/6/10 18:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2810	7-14（2-4药）备	冰箱	232311012	2025/6/10 18:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2811	7-14（2-4药）备	冰箱	232311012	2025/6/10 18:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2812	7-14（2-4药）备	冰箱	232311012	2025/6/10 18:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2813	7-14（2-4药）备	冰箱	232311012	2025/6/10 18:20:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
2814	7-14（2-4药）备	冰箱	232311012	2025/6/10 18:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2815	7-14（2-4药）备	冰箱	232311012	2025/6/10 18:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2816	7-14（2-4药）备	冰箱	232311012	2025/6/10 18:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2817	7-14（2-4药）备	冰箱	232311012	2025/6/10 18:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2818	7-14（2-4药）备	冰箱	232311012	2025/6/10 18:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2819	7-14（2-4药）备	冰箱	232311012	2025/6/10 18:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2820	7-14（2-4药）备	冰箱	232311012	2025/6/10 18:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2821	7-14（2-4药）备	冰箱	232311012	2025/6/10 19:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2822	7-14（2-4药）备	冰箱	232311012	2025/6/10 19:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2823	7-14（2-4药）备	冰箱	232311012	2025/6/10 19:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2824	7-14（2-4药）备	冰箱	232311012	2025/6/10 19:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2825	7-14（2-4药）备	冰箱	232311012	2025/6/10 19:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2826	7-14（2-4药）备	冰箱	232311012	2025/6/10 19:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2827	7-14（2-4药）备	冰箱	232311012	2025/6/10 19:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2828	7-14（2-4药）备	冰箱	232311012	2025/6/10 19:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2829	7-14（2-4药）备	冰箱	232311012	2025/6/10 19:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,

2830	7-14（2-4药）备	冰箱	232311012	2025/6/10 19:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2831	7-14（2-4药）备	冰箱	232311012	2025/6/10 19:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2832	7-14（2-4药）备	冰箱	232311012	2025/6/10 19:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2833	7-14（2-4药）备	冰箱	232311012	2025/6/10 20:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2834	7-14（2-4药）备	冰箱	232311012	2025/6/10 20:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2835	7-14（2-4药）备	冰箱	232311012	2025/6/10 20:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2836	7-14（2-4药）备	冰箱	232311012	2025/6/10 20:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2837	7-14（2-4药）备	冰箱	232311012	2025/6/10 20:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2838	7-14（2-4药）备	冰箱	232311012	2025/6/10 20:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2839	7-14（2-4药）备	冰箱	232311012	2025/6/10 20:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2840	7-14（2-4药）备	冰箱	232311012	2025/6/10 20:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2841	7-14（2-4药）备	冰箱	232311012	2025/6/10 20:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2842	7-14（2-4药）备	冰箱	232311012	2025/6/10 20:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2843	7-14（2-4药）备	冰箱	232311012	2025/6/10 20:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2844	7-14（2-4药）备	冰箱	232311012	2025/6/10 20:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2845	7-14（2-4药）备	冰箱	232311012	2025/6/10 21:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2846	7-14（2-4药）备	冰箱	232311012	2025/6/10 21:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2847	7-14（2-4药）备	冰箱	232311012	2025/6/10 21:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2848	7-14（2-4药）备	冰箱	232311012	2025/6/10 21:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2849	7-14（2-4药）备	冰箱	232311012	2025/6/10 21:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2850	7-14（2-4药）备	冰箱	232311012	2025/6/10 21:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2851	7-14（2-4药）备	冰箱	232311012	2025/6/10 21:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2852	7-14（2-4药）备	冰箱	232311012	2025/6/10 21:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2853	7-14（2-4药）备	冰箱	232311012	2025/6/10 21:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2854	7-14（2-4药）备	冰箱	232311012	2025/6/10 21:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2855	7-14（2-4药）备	冰箱	232311012	2025/6/10 21:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

2856	7-14（2-4药）备	冰箱	232311012	2025/6/10 21:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2857	7-14（2-4药）备	冰箱	232311012	2025/6/10 22:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2858	7-14（2-4药）备	冰箱	232311012	2025/6/10 22:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2859	7-14（2-4药）备	冰箱	232311012	2025/6/10 22:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2860	7-14（2-4药）备	冰箱	232311012	2025/6/10 22:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2861	7-14（2-4药）备	冰箱	232311012	2025/6/10 22:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2862	7-14（2-4药）备	冰箱	232311012	2025/6/10 22:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2863	7-14（2-4药）备	冰箱	232311012	2025/6/10 22:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2864	7-14（2-4药）备	冰箱	232311012	2025/6/10 22:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2865	7-14（2-4药）备	冰箱	232311012	2025/6/10 22:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2866	7-14（2-4药）备	冰箱	232311012	2025/6/10 22:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2867	7-14（2-4药）备	冰箱	232311012	2025/6/10 22:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2868	7-14（2-4药）备	冰箱	232311012	2025/6/10 22:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2869	7-14（2-4药）备	冰箱	232311012	2025/6/10 23:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2870	7-14（2-4药）备	冰箱	232311012	2025/6/10 23:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2871	7-14（2-4药）备	冰箱	232311012	2025/6/10 23:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2872	7-14（2-4药）备	冰箱	232311012	2025/6/10 23:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2873	7-14（2-4药）备	冰箱	232311012	2025/6/10 23:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2874	7-14（2-4药）备	冰箱	232311012	2025/6/10 23:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2875	7-14（2-4药）备	冰箱	232311012	2025/6/10 23:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2876	7-14（2-4药）备	冰箱	232311012	2025/6/10 23:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2877	7-14（2-4药）备	冰箱	232311012	2025/6/10 23:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2878	7-14（2-4药）备	冰箱	232311012	2025/6/10 23:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2879	7-14（2-4药）备	冰箱	232311012	2025/6/10 23:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2880	7-14（2-4药）备	冰箱	232311012	2025/6/10 23:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2881	7-14（2-4药）备	冰箱	232311012	2025/6/11 0:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

2882	7-14（2-4药）备	冰箱	232311012	2025/6/11 0:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2883	7-14（2-4药）备	冰箱	232311012	2025/6/11 0:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2884	7-14（2-4药）备	冰箱	232311012	2025/6/11 0:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2885	7-14（2-4药）备	冰箱	232311012	2025/6/11 0:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2886	7-14（2-4药）备	冰箱	232311012	2025/6/11 0:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2887	7-14（2-4药）备	冰箱	232311012	2025/6/11 0:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2888	7-14（2-4药）备	冰箱	232311012	2025/6/11 0:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2889	7-14（2-4药）备	冰箱	232311012	2025/6/11 0:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2890	7-14（2-4药）备	冰箱	232311012	2025/6/11 0:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2891	7-14（2-4药）备	冰箱	232311012	2025/6/11 0:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2892	7-14（2-4药）备	冰箱	232311012	2025/6/11 0:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2893	7-14（2-4药）备	冰箱	232311012	2025/6/11 1:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2894	7-14（2-4药）备	冰箱	232311012	2025/6/11 1:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2895	7-14（2-4药）备	冰箱	232311012	2025/6/11 1:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2896	7-14（2-4药）备	冰箱	232311012	2025/6/11 1:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2897	7-14（2-4药）备	冰箱	232311012	2025/6/11 1:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2898	7-14（2-4药）备	冰箱	232311012	2025/6/11 1:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2899	7-14（2-4药）备	冰箱	232311012	2025/6/11 1:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2900	7-14（2-4药）备	冰箱	232311012	2025/6/11 1:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2901	7-14（2-4药）备	冰箱	232311012	2025/6/11 1:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2902	7-14（2-4药）备	冰箱	232311012	2025/6/11 1:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2903	7-14（2-4药）备	冰箱	232311012	2025/6/11 1:50:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
2904	7-14（2-4药）备	冰箱	232311012	2025/6/11 1:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2905	7-14（2-4药）备	冰箱	232311012	2025/6/11 2:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2906	7-14（2-4药）备	冰箱	232311012	2025/6/11 2:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2907	7-14（2-4药）备	冰箱	232311012	2025/6/11 2:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

2908	7-14（2-4药）备	冰箱	232311012	2025/6/11 2:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2909	7-14（2-4药）备	冰箱	232311012	2025/6/11 2:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2910	7-14（2-4药）备	冰箱	232311012	2025/6/11 2:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2911	7-14（2-4药）备	冰箱	232311012	2025/6/11 2:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2912	7-14（2-4药）备	冰箱	232311012	2025/6/11 2:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2913	7-14（2-4药）备	冰箱	232311012	2025/6/11 2:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2914	7-14（2-4药）备	冰箱	232311012	2025/6/11 2:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2915	7-14（2-4药）备	冰箱	232311012	2025/6/11 2:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2916	7-14（2-4药）备	冰箱	232311012	2025/6/11 2:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2917	7-14（2-4药）备	冰箱	232311012	2025/6/11 3:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2918	7-14（2-4药）备	冰箱	232311012	2025/6/11 3:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2919	7-14（2-4药）备	冰箱	232311012	2025/6/11 3:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2920	7-14（2-4药）备	冰箱	232311012	2025/6/11 3:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2921	7-14（2-4药）备	冰箱	232311012	2025/6/11 3:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2922	7-14（2-4药）备	冰箱	232311012	2025/6/11 3:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2923	7-14（2-4药）备	冰箱	232311012	2025/6/11 3:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2924	7-14（2-4药）备	冰箱	232311012	2025/6/11 3:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2925	7-14（2-4药）备	冰箱	232311012	2025/6/11 3:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2926	7-14（2-4药）备	冰箱	232311012	2025/6/11 3:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
2927	7-14（2-4药）备	冰箱	232311012	2025/6/11 3:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2928	7-14（2-4药）备	冰箱	232311012	2025/6/11 3:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2929	7-14（2-4药）备	冰箱	232311012	2025/6/11 4:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2930	7-14（2-4药）备	冰箱	232311012	2025/6/11 4:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2931	7-14（2-4药）备	冰箱	232311012	2025/6/11 4:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2932	7-14（2-4药）备	冰箱	232311012	2025/6/11 4:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2933	7-14（2-4药）备	冰箱	232311012	2025/6/11 4:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

2934	7-14（2-4药）备	冰箱	232311012	2025/6/11 4:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2935	7-14（2-4药）备	冰箱	232311012	2025/6/11 4:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2936	7-14（2-4药）备	冰箱	232311012	2025/6/11 4:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2937	7-14（2-4药）备	冰箱	232311012	2025/6/11 4:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2938	7-14（2-4药）备	冰箱	232311012	2025/6/11 4:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2939	7-14（2-4药）备	冰箱	232311012	2025/6/11 4:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2940	7-14（2-4药）备	冰箱	232311012	2025/6/11 4:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2941	7-14（2-4药）备	冰箱	232311012	2025/6/11 5:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2942	7-14（2-4药）备	冰箱	232311012	2025/6/11 5:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2943	7-14（2-4药）备	冰箱	232311012	2025/6/11 5:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2944	7-14（2-4药）备	冰箱	232311012	2025/6/11 5:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2945	7-14（2-4药）备	冰箱	232311012	2025/6/11 5:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2946	7-14（2-4药）备	冰箱	232311012	2025/6/11 5:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2947	7-14（2-4药）备	冰箱	232311012	2025/6/11 5:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2948	7-14（2-4药）备	冰箱	232311012	2025/6/11 5:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
2949	7-14（2-4药）备	冰箱	232311012	2025/6/11 5:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
2950	7-14（2-4药）备	冰箱	232311012	2025/6/11 5:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2951	7-14（2-4药）备	冰箱	232311012	2025/6/11 5:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2952	7-14（2-4药）备	冰箱	232311012	2025/6/11 5:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2953	7-14（2-4药）备	冰箱	232311012	2025/6/11 6:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
2954	7-14（2-4药）备	冰箱	232311012	2025/6/11 6:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2955	7-14（2-4药）备	冰箱	232311012	2025/6/11 6:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2956	7-14（2-4药）备	冰箱	232311012	2025/6/11 6:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2957	7-14（2-4药）备	冰箱	232311012	2025/6/11 6:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2958	7-14（2-4药）备	冰箱	232311012	2025/6/11 6:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2959	7-14（2-4药）备	冰箱	232311012	2025/6/11 6:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

2960	7-14（2-4药）备	冰箱	232311012	2025/6/11 6:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2961	7-14（2-4药）备	冰箱	232311012	2025/6/11 6:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2962	7-14（2-4药）备	冰箱	232311012	2025/6/11 6:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2963	7-14（2-4药）备	冰箱	232311012	2025/6/11 6:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2964	7-14（2-4药）备	冰箱	232311012	2025/6/11 6:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2965	7-14（2-4药）备	冰箱	232311012	2025/6/11 7:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
2966	7-14（2-4药）备	冰箱	232311012	2025/6/11 7:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
2967	7-14（2-4药）备	冰箱	232311012	2025/6/11 7:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
2968	7-14（2-4药）备	冰箱	232311012	2025/6/11 7:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2969	7-14（2-4药）备	冰箱	232311012	2025/6/11 7:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2970	7-14（2-4药）备	冰箱	232311012	2025/6/11 7:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2971	7-14（2-4药）备	冰箱	232311012	2025/6/11 7:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2972	7-14（2-4药）备	冰箱	232311012	2025/6/11 7:35:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
2973	7-14（2-4药）备	冰箱	232311012	2025/6/11 7:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2974	7-14（2-4药）备	冰箱	232311012	2025/6/11 7:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2975	7-14（2-4药）备	冰箱	232311012	2025/6/11 7:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2976	7-14（2-4药）备	冰箱	232311012	2025/6/11 7:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2977	7-14（2-4药）备	冰箱	232311012	2025/6/11 8:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2978	7-14（2-4药）备	冰箱	232311012	2025/6/11 8:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2979	7-14（2-4药）备	冰箱	232311012	2025/6/11 8:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2980	7-14（2-4药）备	冰箱	232311012	2025/6/11 8:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2981	7-14（2-4药）备	冰箱	232311012	2025/6/11 8:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2982	7-14（2-4药）备	冰箱	232311012	2025/6/11 8:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2983	7-14（2-4药）备	冰箱	232311012	2025/6/11 8:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2984	7-14（2-4药）备	冰箱	232311012	2025/6/11 8:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2985	7-14（2-4药）备	冰箱	232311012	2025/6/11 8:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

2986	7-14（2-4药）备	冰箱	232311012	2025/6/11 8:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2987	7-14（2-4药）备	冰箱	232311012	2025/6/11 8:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2988	7-14（2-4药）备	冰箱	232311012	2025/6/11 8:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2989	7-14（2-4药）备	冰箱	232311012	2025/6/11 9:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
2990	7-14（2-4药）备	冰箱	232311012	2025/6/11 9:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
2991	7-14（2-4药）备	冰箱	232311012	2025/6/11 9:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2992	7-14（2-4药）备	冰箱	232311012	2025/6/11 9:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2993	7-14（2-4药）备	冰箱	232311012	2025/6/11 9:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2994	7-14（2-4药）备	冰箱	232311012	2025/6/11 9:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
2995	7-14（2-4药）备	冰箱	232311012	2025/6/11 9:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
2996	7-14（2-4药）备	冰箱	232311012	2025/6/11 9:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
2997	7-14（2-4药）备	冰箱	232311012	2025/6/11 9:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
2998	7-14（2-4药）备	冰箱	232311012	2025/6/11 9:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
2999	7-14（2-4药）备	冰箱	232311012	2025/6/11 9:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3000	7-14（2-4药）备	冰箱	232311012	2025/6/11 9:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3001	7-14（2-4药）备	冰箱	232311012	2025/6/11 10:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3002	7-14（2-4药）备	冰箱	232311012	2025/6/11 10:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3003	7-14（2-4药）备	冰箱	232311012	2025/6/11 10:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3004	7-14（2-4药）备	冰箱	232311012	2025/6/11 10:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3005	7-14（2-4药）备	冰箱	232311012	2025/6/11 10:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3006	7-14（2-4药）备	冰箱	232311012	2025/6/11 10:25:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
3007	7-14（2-4药）备	冰箱	232311012	2025/6/11 10:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3008	7-14（2-4药）备	冰箱	232311012	2025/6/11 10:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3009	7-14（2-4药）备	冰箱	232311012	2025/6/11 10:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3010	7-14（2-4药）备	冰箱	232311012	2025/6/11 10:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3011	7-14（2-4药）备	冰箱	232311012	2025/6/11 10:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

3012	7-14（2-4药）备	冰箱	232311012	2025/6/11 10:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3013	7-14（2-4药）备	冰箱	232311012	2025/6/11 11:00:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
3014	7-14（2-4药）备	冰箱	232311012	2025/6/11 11:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3015	7-14（2-4药）备	冰箱	232311012	2025/6/11 11:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3016	7-14（2-4药）备	冰箱	232311012	2025/6/11 11:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3017	7-14（2-4药）备	冰箱	232311012	2025/6/11 11:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3018	7-14（2-4药）备	冰箱	232311012	2025/6/11 11:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3019	7-14（2-4药）备	冰箱	232311012	2025/6/11 11:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3020	7-14（2-4药）备	冰箱	232311012	2025/6/11 11:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3021	7-14（2-4药）备	冰箱	232311012	2025/6/11 11:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3022	7-14（2-4药）备	冰箱	232311012	2025/6/11 11:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3023	7-14（2-4药）备	冰箱	232311012	2025/6/11 11:50:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
3024	7-14（2-4药）备	冰箱	232311012	2025/6/11 11:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3025	7-14（2-4药）备	冰箱	232311012	2025/6/11 12:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3026	7-14（2-4药）备	冰箱	232311012	2025/6/11 12:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3027	7-14（2-4药）备	冰箱	232311012	2025/6/11 12:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3028	7-14（2-4药）备	冰箱	232311012	2025/6/11 12:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3029	7-14（2-4药）备	冰箱	232311012	2025/6/11 12:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3030	7-14（2-4药）备	冰箱	232311012	2025/6/11 12:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3031	7-14（2-4药）备	冰箱	232311012	2025/6/11 12:30:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
3032	7-14（2-4药）备	冰箱	232311012	2025/6/11 12:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3033	7-14（2-4药）备	冰箱	232311012	2025/6/11 12:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3034	7-14（2-4药）备	冰箱	232311012	2025/6/11 12:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3035	7-14（2-4药）备	冰箱	232311012	2025/6/11 12:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3036	7-14（2-4药）备	冰箱	232311012	2025/6/11 12:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3037	7-14（2-4药）备	冰箱	232311012	2025/6/11 13:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

3038	7-14（2-4药）备	冰箱	232311012	2025/6/11 13:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3039	7-14（2-4药）备	冰箱	232311012	2025/6/11 13:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3040	7-14（2-4药）备	冰箱	232311012	2025/6/11 13:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3041	7-14（2-4药）备	冰箱	232311012	2025/6/11 13:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3042	7-14（2-4药）备	冰箱	232311012	2025/6/11 13:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3043	7-14（2-4药）备	冰箱	232311012	2025/6/11 13:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3044	7-14（2-4药）备	冰箱	232311012	2025/6/11 13:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3045	7-14（2-4药）备	冰箱	232311012	2025/6/11 13:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3046	7-14（2-4药）备	冰箱	232311012	2025/6/11 13:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3047	7-14（2-4药）备	冰箱	232311012	2025/6/11 13:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3048	7-14（2-4药）备	冰箱	232311012	2025/6/11 13:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3049	7-14（2-4药）备	冰箱	232311012	2025/6/11 14:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3050	7-14（2-4药）备	冰箱	232311012	2025/6/11 14:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3051	7-14（2-4药）备	冰箱	232311012	2025/6/11 14:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3052	7-14（2-4药）备	冰箱	232311012	2025/6/11 14:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3053	7-14（2-4药）备	冰箱	232311012	2025/6/11 14:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3054	7-14（2-4药）备	冰箱	232311012	2025/6/11 14:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3055	7-14（2-4药）备	冰箱	232311012	2025/6/11 14:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3056	7-14（2-4药）备	冰箱	232311012	2025/6/11 14:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3057	7-14（2-4药）备	冰箱	232311012	2025/6/11 14:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3058	7-14（2-4药）备	冰箱	232311012	2025/6/11 14:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3059	7-14（2-4药）备	冰箱	232311012	2025/6/11 14:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3060	7-14（2-4药）备	冰箱	232311012	2025/6/11 14:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3061	7-14（2-4药）备	冰箱	232311012	2025/6/11 15:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3062	7-14（2-4药）备	冰箱	232311012	2025/6/11 15:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3063	7-14（2-4药）备	冰箱	232311012	2025/6/11 15:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

3064	7-14（2-4药）备	冰箱	232311012	2025/6/11 15:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3065	7-14（2-4药）备	冰箱	232311012	2025/6/11 15:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3066	7-14（2-4药）备	冰箱	232311012	2025/6/11 15:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3067	7-14（2-4药）备	冰箱	232311012	2025/6/11 15:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3068	7-14（2-4药）备	冰箱	232311012	2025/6/11 15:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3069	7-14（2-4药）备	冰箱	232311012	2025/6/11 15:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3070	7-14（2-4药）备	冰箱	232311012	2025/6/11 15:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3071	7-14（2-4药）备	冰箱	232311012	2025/6/11 15:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3072	7-14（2-4药）备	冰箱	232311012	2025/6/11 15:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3073	7-14（2-4药）备	冰箱	232311012	2025/6/11 16:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3074	7-14（2-4药）备	冰箱	232311012	2025/6/11 16:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3075	7-14（2-4药）备	冰箱	232311012	2025/6/11 16:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3076	7-14（2-4药）备	冰箱	232311012	2025/6/11 16:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3077	7-14（2-4药）备	冰箱	232311012	2025/6/11 16:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3078	7-14（2-4药）备	冰箱	232311012	2025/6/11 16:25:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
3079	7-14（2-4药）备	冰箱	232311012	2025/6/11 16:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3080	7-14（2-4药）备	冰箱	232311012	2025/6/11 16:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3081	7-14（2-4药）备	冰箱	232311012	2025/6/11 16:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3082	7-14（2-4药）备	冰箱	232311012	2025/6/11 16:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3083	7-14（2-4药）备	冰箱	232311012	2025/6/11 16:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3084	7-14（2-4药）备	冰箱	232311012	2025/6/11 16:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3085	7-14（2-4药）备	冰箱	232311012	2025/6/11 17:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3086	7-14（2-4药）备	冰箱	232311012	2025/6/11 17:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3087	7-14（2-4药）备	冰箱	232311012	2025/6/11 17:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3088	7-14（2-4药）备	冰箱	232311012	2025/6/11 17:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3089	7-14（2-4药）备	冰箱	232311012	2025/6/11 17:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,

3090	7-14（2-4药）备	冰箱	232311012	2025/6/11 17:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3091	7-14（2-4药）备	冰箱	232311012	2025/6/11 17:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3092	7-14（2-4药）备	冰箱	232311012	2025/6/11 17:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3093	7-14（2-4药）备	冰箱	232311012	2025/6/11 17:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3094	7-14（2-4药）备	冰箱	232311012	2025/6/11 17:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3095	7-14（2-4药）备	冰箱	232311012	2025/6/11 17:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3096	7-14（2-4药）备	冰箱	232311012	2025/6/11 17:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3097	7-14（2-4药）备	冰箱	232311012	2025/6/11 18:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3098	7-14（2-4药）备	冰箱	232311012	2025/6/11 18:05:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
3099	7-14（2-4药）备	冰箱	232311012	2025/6/11 18:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3100	7-14（2-4药）备	冰箱	232311012	2025/6/11 18:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3101	7-14（2-4药）备	冰箱	232311012	2025/6/11 18:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3102	7-14（2-4药）备	冰箱	232311012	2025/6/11 18:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3103	7-14（2-4药）备	冰箱	232311012	2025/6/11 18:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3104	7-14（2-4药）备	冰箱	232311012	2025/6/11 18:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3105	7-14（2-4药）备	冰箱	232311012	2025/6/11 18:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3106	7-14（2-4药）备	冰箱	232311012	2025/6/11 18:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3107	7-14（2-4药）备	冰箱	232311012	2025/6/11 18:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3108	7-14（2-4药）备	冰箱	232311012	2025/6/11 18:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3109	7-14（2-4药）备	冰箱	232311012	2025/6/11 19:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3110	7-14（2-4药）备	冰箱	232311012	2025/6/11 19:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3111	7-14（2-4药）备	冰箱	232311012	2025/6/11 19:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3112	7-14（2-4药）备	冰箱	232311012	2025/6/11 19:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3113	7-14（2-4药）备	冰箱	232311012	2025/6/11 19:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3114	7-14（2-4药）备	冰箱	232311012	2025/6/11 19:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3115	7-14（2-4药）备	冰箱	232311012	2025/6/11 19:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,

3116	7-14（2-4药）备	冰箱	232311012	2025/6/11 19:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3117	7-14（2-4药）备	冰箱	232311012	2025/6/11 19:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3118	7-14（2-4药）备	冰箱	232311012	2025/6/11 19:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3119	7-14（2-4药）备	冰箱	232311012	2025/6/11 19:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3120	7-14（2-4药）备	冰箱	232311012	2025/6/11 19:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3121	7-14（2-4药）备	冰箱	232311012	2025/6/11 20:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3122	7-14（2-4药）备	冰箱	232311012	2025/6/11 20:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3123	7-14（2-4药）备	冰箱	232311012	2025/6/11 20:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3124	7-14（2-4药）备	冰箱	232311012	2025/6/11 20:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3125	7-14（2-4药）备	冰箱	232311012	2025/6/11 20:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3126	7-14（2-4药）备	冰箱	232311012	2025/6/11 20:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3127	7-14（2-4药）备	冰箱	232311012	2025/6/11 20:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3128	7-14（2-4药）备	冰箱	232311012	2025/6/11 20:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3129	7-14（2-4药）备	冰箱	232311012	2025/6/11 20:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3130	7-14（2-4药）备	冰箱	232311012	2025/6/11 20:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3131	7-14（2-4药）备	冰箱	232311012	2025/6/11 20:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3132	7-14（2-4药）备	冰箱	232311012	2025/6/11 20:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3133	7-14（2-4药）备	冰箱	232311012	2025/6/11 21:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3134	7-14（2-4药）备	冰箱	232311012	2025/6/11 21:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3135	7-14（2-4药）备	冰箱	232311012	2025/6/11 21:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3136	7-14（2-4药）备	冰箱	232311012	2025/6/11 21:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3137	7-14（2-4药）备	冰箱	232311012	2025/6/11 21:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3138	7-14（2-4药）备	冰箱	232311012	2025/6/11 21:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3139	7-14（2-4药）备	冰箱	232311012	2025/6/11 21:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3140	7-14（2-4药）备	冰箱	232311012	2025/6/11 21:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3141	7-14（2-4药）备	冰箱	232311012	2025/6/11 21:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

3142	7-14（2-4药）备	冰箱	232311012	2025/6/11 21:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3143	7-14（2-4药）备	冰箱	232311012	2025/6/11 21:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3144	7-14（2-4药）备	冰箱	232311012	2025/6/11 21:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3145	7-14（2-4药）备	冰箱	232311012	2025/6/11 22:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3146	7-14（2-4药）备	冰箱	232311012	2025/6/11 22:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3147	7-14（2-4药）备	冰箱	232311012	2025/6/11 22:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3148	7-14（2-4药）备	冰箱	232311012	2025/6/11 22:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3149	7-14（2-4药）备	冰箱	232311012	2025/6/11 22:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3150	7-14（2-4药）备	冰箱	232311012	2025/6/11 22:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3151	7-14（2-4药）备	冰箱	232311012	2025/6/11 22:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3152	7-14（2-4药）备	冰箱	232311012	2025/6/11 22:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3153	7-14（2-4药）备	冰箱	232311012	2025/6/11 22:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3154	7-14（2-4药）备	冰箱	232311012	2025/6/11 22:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3155	7-14（2-4药）备	冰箱	232311012	2025/6/11 22:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3156	7-14（2-4药）备	冰箱	232311012	2025/6/11 22:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3157	7-14（2-4药）备	冰箱	232311012	2025/6/11 23:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3158	7-14（2-4药）备	冰箱	232311012	2025/6/11 23:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3159	7-14（2-4药）备	冰箱	232311012	2025/6/11 23:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3160	7-14（2-4药）备	冰箱	232311012	2025/6/11 23:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3161	7-14（2-4药）备	冰箱	232311012	2025/6/11 23:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3162	7-14（2-4药）备	冰箱	232311012	2025/6/11 23:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3163	7-14（2-4药）备	冰箱	232311012	2025/6/11 23:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3164	7-14（2-4药）备	冰箱	232311012	2025/6/11 23:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3165	7-14（2-4药）备	冰箱	232311012	2025/6/11 23:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3166	7-14（2-4药）备	冰箱	232311012	2025/6/11 23:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3167	7-14（2-4药）备	冰箱	232311012	2025/6/11 23:50:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,

3168	7-14（2-4药）备	冰箱	232311012	2025/6/11 23:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3169	7-14（2-4药）备	冰箱	232311012	2025/6/12 0:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3170	7-14（2-4药）备	冰箱	232311012	2025/6/12 0:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3171	7-14（2-4药）备	冰箱	232311012	2025/6/12 0:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3172	7-14（2-4药）备	冰箱	232311012	2025/6/12 0:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3173	7-14（2-4药）备	冰箱	232311012	2025/6/12 0:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3174	7-14（2-4药）备	冰箱	232311012	2025/6/12 0:25:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
3175	7-14（2-4药）备	冰箱	232311012	2025/6/12 0:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3176	7-14（2-4药）备	冰箱	232311012	2025/6/12 0:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3177	7-14（2-4药）备	冰箱	232311012	2025/6/12 0:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3178	7-14（2-4药）备	冰箱	232311012	2025/6/12 0:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3179	7-14（2-4药）备	冰箱	232311012	2025/6/12 0:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3180	7-14（2-4药）备	冰箱	232311012	2025/6/12 0:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3181	7-14（2-4药）备	冰箱	232311012	2025/6/12 1:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3182	7-14（2-4药）备	冰箱	232311012	2025/6/12 1:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3183	7-14（2-4药）备	冰箱	232311012	2025/6/12 1:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3184	7-14（2-4药）备	冰箱	232311012	2025/6/12 1:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3185	7-14（2-4药）备	冰箱	232311012	2025/6/12 1:20:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
3186	7-14（2-4药）备	冰箱	232311012	2025/6/12 1:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3187	7-14（2-4药）备	冰箱	232311012	2025/6/12 1:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3188	7-14（2-4药）备	冰箱	232311012	2025/6/12 1:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3189	7-14（2-4药）备	冰箱	232311012	2025/6/12 1:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3190	7-14（2-4药）备	冰箱	232311012	2025/6/12 1:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3191	7-14（2-4药）备	冰箱	232311012	2025/6/12 1:50:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
3192	7-14（2-4药）备	冰箱	232311012	2025/6/12 1:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3193	7-14（2-4药）备	冰箱	232311012	2025/6/12 2:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

3194	7-14（2-4药）备	冰箱	232311012	2025/6/12 2:05:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
3195	7-14（2-4药）备	冰箱	232311012	2025/6/12 2:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3196	7-14（2-4药）备	冰箱	232311012	2025/6/12 2:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3197	7-14（2-4药）备	冰箱	232311012	2025/6/12 2:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3198	7-14（2-4药）备	冰箱	232311012	2025/6/12 2:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3199	7-14（2-4药）备	冰箱	232311012	2025/6/12 2:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3200	7-14（2-4药）备	冰箱	232311012	2025/6/12 2:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3201	7-14（2-4药）备	冰箱	232311012	2025/6/12 2:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3202	7-14（2-4药）备	冰箱	232311012	2025/6/12 2:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3203	7-14（2-4药）备	冰箱	232311012	2025/6/12 2:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3204	7-14（2-4药）备	冰箱	232311012	2025/6/12 2:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3205	7-14（2-4药）备	冰箱	232311012	2025/6/12 3:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3206	7-14（2-4药）备	冰箱	232311012	2025/6/12 3:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3207	7-14（2-4药）备	冰箱	232311012	2025/6/12 3:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3208	7-14（2-4药）备	冰箱	232311012	2025/6/12 3:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3209	7-14（2-4药）备	冰箱	232311012	2025/6/12 3:20:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
3210	7-14（2-4药）备	冰箱	232311012	2025/6/12 3:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3211	7-14（2-4药）备	冰箱	232311012	2025/6/12 3:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3212	7-14（2-4药）备	冰箱	232311012	2025/6/12 3:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3213	7-14（2-4药）备	冰箱	232311012	2025/6/12 3:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3214	7-14（2-4药）备	冰箱	232311012	2025/6/12 3:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3215	7-14（2-4药）备	冰箱	232311012	2025/6/12 3:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3216	7-14（2-4药）备	冰箱	232311012	2025/6/12 3:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3217	7-14（2-4药）备	冰箱	232311012	2025/6/12 4:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3218	7-14（2-4药）备	冰箱	232311012	2025/6/12 4:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3219	7-14（2-4药）备	冰箱	232311012	2025/6/12 4:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

3220	7-14（2-4药）备	冰箱	232311012	2025/6/12 4:15:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
3221	7-14（2-4药）备	冰箱	232311012	2025/6/12 4:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3222	7-14（2-4药）备	冰箱	232311012	2025/6/12 4:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3223	7-14（2-4药）备	冰箱	232311012	2025/6/12 4:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3224	7-14（2-4药）备	冰箱	232311012	2025/6/12 4:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3225	7-14（2-4药）备	冰箱	232311012	2025/6/12 4:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3226	7-14（2-4药）备	冰箱	232311012	2025/6/12 4:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3227	7-14（2-4药）备	冰箱	232311012	2025/6/12 4:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3228	7-14（2-4药）备	冰箱	232311012	2025/6/12 4:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3229	7-14（2-4药）备	冰箱	232311012	2025/6/12 5:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3230	7-14（2-4药）备	冰箱	232311012	2025/6/12 5:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3231	7-14（2-4药）备	冰箱	232311012	2025/6/12 5:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3232	7-14（2-4药）备	冰箱	232311012	2025/6/12 5:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3233	7-14（2-4药）备	冰箱	232311012	2025/6/12 5:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3234	7-14（2-4药）备	冰箱	232311012	2025/6/12 5:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3235	7-14（2-4药）备	冰箱	232311012	2025/6/12 5:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3236	7-14（2-4药）备	冰箱	232311012	2025/6/12 5:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3237	7-14（2-4药）备	冰箱	232311012	2025/6/12 5:40:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
3238	7-14（2-4药）备	冰箱	232311012	2025/6/12 5:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3239	7-14（2-4药）备	冰箱	232311012	2025/6/12 5:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3240	7-14（2-4药）备	冰箱	232311012	2025/6/12 5:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3241	7-14（2-4药）备	冰箱	232311012	2025/6/12 6:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3242	7-14（2-4药）备	冰箱	232311012	2025/6/12 6:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3243	7-14（2-4药）备	冰箱	232311012	2025/6/12 6:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3244	7-14（2-4药）备	冰箱	232311012	2025/6/12 6:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3245	7-14（2-4药）备	冰箱	232311012	2025/6/12 6:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,

3246	7-14（2-4药）备	冰箱	232311012	2025/6/12 6:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3247	7-14（2-4药）备	冰箱	232311012	2025/6/12 6:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3248	7-14（2-4药）备	冰箱	232311012	2025/6/12 6:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3249	7-14（2-4药）备	冰箱	232311012	2025/6/12 6:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3250	7-14（2-4药）备	冰箱	232311012	2025/6/12 6:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3251	7-14（2-4药）备	冰箱	232311012	2025/6/12 6:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3252	7-14（2-4药）备	冰箱	232311012	2025/6/12 6:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3253	7-14（2-4药）备	冰箱	232311012	2025/6/12 7:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3254	7-14（2-4药）备	冰箱	232311012	2025/6/12 7:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3255	7-14（2-4药）备	冰箱	232311012	2025/6/12 7:10:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
3256	7-14（2-4药）备	冰箱	232311012	2025/6/12 7:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3257	7-14（2-4药）备	冰箱	232311012	2025/6/12 7:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3258	7-14（2-4药）备	冰箱	232311012	2025/6/12 7:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3259	7-14（2-4药）备	冰箱	232311012	2025/6/12 7:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3260	7-14（2-4药）备	冰箱	232311012	2025/6/12 7:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3261	7-14（2-4药）备	冰箱	232311012	2025/6/12 7:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3262	7-14（2-4药）备	冰箱	232311012	2025/6/12 7:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3263	7-14（2-4药）备	冰箱	232311012	2025/6/12 7:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3264	7-14（2-4药）备	冰箱	232311012	2025/6/12 7:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3265	7-14（2-4药）备	冰箱	232311012	2025/6/12 8:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3266	7-14（2-4药）备	冰箱	232311012	2025/6/12 8:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3267	7-14（2-4药）备	冰箱	232311012	2025/6/12 8:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3268	7-14（2-4药）备	冰箱	232311012	2025/6/12 8:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3269	7-14（2-4药）备	冰箱	232311012	2025/6/12 8:20:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
3270	7-14（2-4药）备	冰箱	232311012	2025/6/12 8:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3271	7-14（2-4药）备	冰箱	232311012	2025/6/12 8:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

3272	7-14（2-4药）备	冰箱	232311012	2025/6/12 8:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3273	7-14（2-4药）备	冰箱	232311012	2025/6/12 8:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3274	7-14（2-4药）备	冰箱	232311012	2025/6/12 8:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3275	7-14（2-4药）备	冰箱	232311012	2025/6/12 8:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3276	7-14（2-4药）备	冰箱	232311012	2025/6/12 8:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3277	7-14（2-4药）备	冰箱	232311012	2025/6/12 9:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3278	7-14（2-4药）备	冰箱	232311012	2025/6/12 9:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3279	7-14（2-4药）备	冰箱	232311012	2025/6/12 9:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3280	7-14（2-4药）备	冰箱	232311012	2025/6/12 9:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3281	7-14（2-4药）备	冰箱	232311012	2025/6/12 9:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3282	7-14（2-4药）备	冰箱	232311012	2025/6/12 9:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3283	7-14（2-4药）备	冰箱	232311012	2025/6/12 9:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3284	7-14（2-4药）备	冰箱	232311012	2025/6/12 9:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3285	7-14（2-4药）备	冰箱	232311012	2025/6/12 9:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3286	7-14（2-4药）备	冰箱	232311012	2025/6/12 9:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3287	7-14（2-4药）备	冰箱	232311012	2025/6/12 9:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3288	7-14（2-4药）备	冰箱	232311012	2025/6/12 9:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3289	7-14（2-4药）备	冰箱	232311012	2025/6/12 10:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3290	7-14（2-4药）备	冰箱	232311012	2025/6/12 10:05:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
3291	7-14（2-4药）备	冰箱	232311012	2025/6/12 10:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3292	7-14（2-4药）备	冰箱	232311012	2025/6/12 10:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3293	7-14（2-4药）备	冰箱	232311012	2025/6/12 10:20:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
3294	7-14（2-4药）备	冰箱	232311012	2025/6/12 10:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3295	7-14（2-4药）备	冰箱	232311012	2025/6/12 10:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3296	7-14（2-4药）备	冰箱	232311012	2025/6/12 10:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3297	7-14（2-4药）备	冰箱	232311012	2025/6/12 10:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

3298	7-14（2-4药）备	冰箱	232311012	2025/6/12 10:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3299	7-14（2-4药）备	冰箱	232311012	2025/6/12 10:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3300	7-14（2-4药）备	冰箱	232311012	2025/6/12 10:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3301	7-14（2-4药）备	冰箱	232311012	2025/6/12 11:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3302	7-14（2-4药）备	冰箱	232311012	2025/6/12 11:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3303	7-14（2-4药）备	冰箱	232311012	2025/6/12 11:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3304	7-14（2-4药）备	冰箱	232311012	2025/6/12 11:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3305	7-14（2-4药）备	冰箱	232311012	2025/6/12 11:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3306	7-14（2-4药）备	冰箱	232311012	2025/6/12 11:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3307	7-14（2-4药）备	冰箱	232311012	2025/6/12 11:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3308	7-14（2-4药）备	冰箱	232311012	2025/6/12 11:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3309	7-14（2-4药）备	冰箱	232311012	2025/6/12 11:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3310	7-14（2-4药）备	冰箱	232311012	2025/6/12 11:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3311	7-14（2-4药）备	冰箱	232311012	2025/6/12 11:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3312	7-14（2-4药）备	冰箱	232311012	2025/6/12 11:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3313	7-14（2-4药）备	冰箱	232311012	2025/6/12 12:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3314	7-14（2-4药）备	冰箱	232311012	2025/6/12 12:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3315	7-14（2-4药）备	冰箱	232311012	2025/6/12 12:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3316	7-14（2-4药）备	冰箱	232311012	2025/6/12 12:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3317	7-14（2-4药）备	冰箱	232311012	2025/6/12 12:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3318	7-14（2-4药）备	冰箱	232311012	2025/6/12 12:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3319	7-14（2-4药）备	冰箱	232311012	2025/6/12 12:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3320	7-14（2-4药）备	冰箱	232311012	2025/6/12 12:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3321	7-14（2-4药）备	冰箱	232311012	2025/6/12 12:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3322	7-14（2-4药）备	冰箱	232311012	2025/6/12 12:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3323	7-14（2-4药）备	冰箱	232311012	2025/6/12 12:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

3324	7-14（2-4药）备	冰箱	232311012	2025/6/12 12:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3325	7-14（2-4药）备	冰箱	232311012	2025/6/12 13:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3326	7-14（2-4药）备	冰箱	232311012	2025/6/12 13:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3327	7-14（2-4药）备	冰箱	232311012	2025/6/12 13:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3328	7-14（2-4药）备	冰箱	232311012	2025/6/12 13:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3329	7-14（2-4药）备	冰箱	232311012	2025/6/12 13:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3330	7-14（2-4药）备	冰箱	232311012	2025/6/12 13:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3331	7-14（2-4药）备	冰箱	232311012	2025/6/12 13:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3332	7-14（2-4药）备	冰箱	232311012	2025/6/12 13:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3333	7-14（2-4药）备	冰箱	232311012	2025/6/12 13:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3334	7-14（2-4药）备	冰箱	232311012	2025/6/12 13:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3335	7-14（2-4药）备	冰箱	232311012	2025/6/12 13:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3336	7-14（2-4药）备	冰箱	232311012	2025/6/12 13:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3337	7-14（2-4药）备	冰箱	232311012	2025/6/12 14:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3338	7-14（2-4药）备	冰箱	232311012	2025/6/12 14:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3339	7-14（2-4药）备	冰箱	232311012	2025/6/12 14:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3340	7-14（2-4药）备	冰箱	232311012	2025/6/12 14:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3341	7-14（2-4药）备	冰箱	232311012	2025/6/12 14:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3342	7-14（2-4药）备	冰箱	232311012	2025/6/12 14:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3343	7-14（2-4药）备	冰箱	232311012	2025/6/12 14:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3344	7-14（2-4药）备	冰箱	232311012	2025/6/12 14:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3345	7-14（2-4药）备	冰箱	232311012	2025/6/12 14:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3346	7-14（2-4药）备	冰箱	232311012	2025/6/12 14:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3347	7-14（2-4药）备	冰箱	232311012	2025/6/12 14:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3348	7-14（2-4药）备	冰箱	232311012	2025/6/12 14:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3349	7-14（2-4药）备	冰箱	232311012	2025/6/12 15:00:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,

3350	7-14（2-4药）备	冰箱	232311012	2025/6/12 15:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3351	7-14（2-4药）备	冰箱	232311012	2025/6/12 15:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3352	7-14（2-4药）备	冰箱	232311012	2025/6/12 15:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3353	7-14（2-4药）备	冰箱	232311012	2025/6/12 15:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3354	7-14（2-4药）备	冰箱	232311012	2025/6/12 15:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3355	7-14（2-4药）备	冰箱	232311012	2025/6/12 15:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3356	7-14（2-4药）备	冰箱	232311012	2025/6/12 15:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3357	7-14（2-4药）备	冰箱	232311012	2025/6/12 15:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3358	7-14（2-4药）备	冰箱	232311012	2025/6/12 15:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3359	7-14（2-4药）备	冰箱	232311012	2025/6/12 15:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3360	7-14（2-4药）备	冰箱	232311012	2025/6/12 15:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3361	7-14（2-4药）备	冰箱	232311012	2025/6/12 16:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3362	7-14（2-4药）备	冰箱	232311012	2025/6/12 16:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3363	7-14（2-4药）备	冰箱	232311012	2025/6/12 16:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3364	7-14（2-4药）备	冰箱	232311012	2025/6/12 16:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3365	7-14（2-4药）备	冰箱	232311012	2025/6/12 16:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3366	7-14（2-4药）备	冰箱	232311012	2025/6/12 16:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3367	7-14（2-4药）备	冰箱	232311012	2025/6/12 16:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3368	7-14（2-4药）备	冰箱	232311012	2025/6/12 16:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3369	7-14（2-4药）备	冰箱	232311012	2025/6/12 16:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3370	7-14（2-4药）备	冰箱	232311012	2025/6/12 16:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3371	7-14（2-4药）备	冰箱	232311012	2025/6/12 16:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3372	7-14（2-4药）备	冰箱	232311012	2025/6/12 16:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3373	7-14（2-4药）备	冰箱	232311012	2025/6/12 17:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3374	7-14（2-4药）备	冰箱	232311012	2025/6/12 17:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3375	7-14（2-4药）备	冰箱	232311012	2025/6/12 17:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

3376	7-14（2-4药）备	冰箱	232311012	2025/6/12 17:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3377	7-14（2-4药）备	冰箱	232311012	2025/6/12 17:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3378	7-14（2-4药）备	冰箱	232311012	2025/6/12 17:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3379	7-14（2-4药）备	冰箱	232311012	2025/6/12 17:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3380	7-14（2-4药）备	冰箱	232311012	2025/6/12 17:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3381	7-14（2-4药）备	冰箱	232311012	2025/6/12 17:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3382	7-14（2-4药）备	冰箱	232311012	2025/6/12 17:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3383	7-14（2-4药）备	冰箱	232311012	2025/6/12 17:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3384	7-14（2-4药）备	冰箱	232311012	2025/6/12 17:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3385	7-14（2-4药）备	冰箱	232311012	2025/6/12 18:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3386	7-14（2-4药）备	冰箱	232311012	2025/6/12 18:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3387	7-14（2-4药）备	冰箱	232311012	2025/6/12 18:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3388	7-14（2-4药）备	冰箱	232311012	2025/6/12 18:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3389	7-14（2-4药）备	冰箱	232311012	2025/6/12 18:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3390	7-14（2-4药）备	冰箱	232311012	2025/6/12 18:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3391	7-14（2-4药）备	冰箱	232311012	2025/6/12 18:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3392	7-14（2-4药）备	冰箱	232311012	2025/6/12 18:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3393	7-14（2-4药）备	冰箱	232311012	2025/6/12 18:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3394	7-14（2-4药）备	冰箱	232311012	2025/6/12 18:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3395	7-14（2-4药）备	冰箱	232311012	2025/6/12 18:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3396	7-14（2-4药）备	冰箱	232311012	2025/6/12 18:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3397	7-14（2-4药）备	冰箱	232311012	2025/6/12 19:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3398	7-14（2-4药）备	冰箱	232311012	2025/6/12 19:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3399	7-14（2-4药）备	冰箱	232311012	2025/6/12 19:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3400	7-14（2-4药）备	冰箱	232311012	2025/6/12 19:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3401	7-14（2-4药）备	冰箱	232311012	2025/6/12 19:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

3402	7-14（2-4药）备	冰箱	232311012	2025/6/12 19:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3403	7-14（2-4药）备	冰箱	232311012	2025/6/12 19:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3404	7-14（2-4药）备	冰箱	232311012	2025/6/12 19:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3405	7-14（2-4药）备	冰箱	232311012	2025/6/12 19:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3406	7-14（2-4药）备	冰箱	232311012	2025/6/12 19:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3407	7-14（2-4药）备	冰箱	232311012	2025/6/12 19:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3408	7-14（2-4药）备	冰箱	232311012	2025/6/12 19:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3409	7-14（2-4药）备	冰箱	232311012	2025/6/12 20:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3410	7-14（2-4药）备	冰箱	232311012	2025/6/12 20:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3411	7-14（2-4药）备	冰箱	232311012	2025/6/12 20:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3412	7-14（2-4药）备	冰箱	232311012	2025/6/12 20:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3413	7-14（2-4药）备	冰箱	232311012	2025/6/12 20:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3414	7-14（2-4药）备	冰箱	232311012	2025/6/12 20:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3415	7-14（2-4药）备	冰箱	232311012	2025/6/12 20:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3416	7-14（2-4药）备	冰箱	232311012	2025/6/12 20:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3417	7-14（2-4药）备	冰箱	232311012	2025/6/12 20:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3418	7-14（2-4药）备	冰箱	232311012	2025/6/12 20:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3419	7-14（2-4药）备	冰箱	232311012	2025/6/12 20:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3420	7-14（2-4药）备	冰箱	232311012	2025/6/12 20:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3421	7-14（2-4药）备	冰箱	232311012	2025/6/12 21:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3422	7-14（2-4药）备	冰箱	232311012	2025/6/12 21:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3423	7-14（2-4药）备	冰箱	232311012	2025/6/12 21:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3424	7-14（2-4药）备	冰箱	232311012	2025/6/12 21:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3425	7-14（2-4药）备	冰箱	232311012	2025/6/12 21:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3426	7-14（2-4药）备	冰箱	232311012	2025/6/12 21:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3427	7-14（2-4药）备	冰箱	232311012	2025/6/12 21:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

3428	7-14（2-4药）备	冰箱	232311012	2025/6/12 21:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3429	7-14（2-4药）备	冰箱	232311012	2025/6/12 21:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3430	7-14（2-4药）备	冰箱	232311012	2025/6/12 21:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3431	7-14（2-4药）备	冰箱	232311012	2025/6/12 21:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3432	7-14（2-4药）备	冰箱	232311012	2025/6/12 21:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3433	7-14（2-4药）备	冰箱	232311012	2025/6/12 22:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3434	7-14（2-4药）备	冰箱	232311012	2025/6/12 22:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3435	7-14（2-4药）备	冰箱	232311012	2025/6/12 22:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3436	7-14（2-4药）备	冰箱	232311012	2025/6/12 22:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3437	7-14（2-4药）备	冰箱	232311012	2025/6/12 22:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3438	7-14（2-4药）备	冰箱	232311012	2025/6/12 22:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3439	7-14（2-4药）备	冰箱	232311012	2025/6/12 22:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3440	7-14（2-4药）备	冰箱	232311012	2025/6/12 22:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3441	7-14（2-4药）备	冰箱	232311012	2025/6/12 22:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3442	7-14（2-4药）备	冰箱	232311012	2025/6/12 22:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3443	7-14（2-4药）备	冰箱	232311012	2025/6/12 22:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3444	7-14（2-4药）备	冰箱	232311012	2025/6/12 22:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3445	7-14（2-4药）备	冰箱	232311012	2025/6/12 23:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3446	7-14（2-4药）备	冰箱	232311012	2025/6/12 23:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3447	7-14（2-4药）备	冰箱	232311012	2025/6/12 23:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3448	7-14（2-4药）备	冰箱	232311012	2025/6/12 23:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3449	7-14（2-4药）备	冰箱	232311012	2025/6/12 23:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3450	7-14（2-4药）备	冰箱	232311012	2025/6/12 23:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3451	7-14（2-4药）备	冰箱	232311012	2025/6/12 23:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3452	7-14（2-4药）备	冰箱	232311012	2025/6/12 23:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3453	7-14（2-4药）备	冰箱	232311012	2025/6/12 23:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

3454	7-14（2-4药）备	冰箱	232311012	2025/6/12 23:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3455	7-14（2-4药）备	冰箱	232311012	2025/6/12 23:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3456	7-14（2-4药）备	冰箱	232311012	2025/6/12 23:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3457	7-14（2-4药）备	冰箱	232311012	2025/6/13 0:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3458	7-14（2-4药）备	冰箱	232311012	2025/6/13 0:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3459	7-14（2-4药）备	冰箱	232311012	2025/6/13 0:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3460	7-14（2-4药）备	冰箱	232311012	2025/6/13 0:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3461	7-14（2-4药）备	冰箱	232311012	2025/6/13 0:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3462	7-14（2-4药）备	冰箱	232311012	2025/6/13 0:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3463	7-14（2-4药）备	冰箱	232311012	2025/6/13 0:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3464	7-14（2-4药）备	冰箱	232311012	2025/6/13 0:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3465	7-14（2-4药）备	冰箱	232311012	2025/6/13 0:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3466	7-14（2-4药）备	冰箱	232311012	2025/6/13 0:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3467	7-14（2-4药）备	冰箱	232311012	2025/6/13 0:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3468	7-14（2-4药）备	冰箱	232311012	2025/6/13 0:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3469	7-14（2-4药）备	冰箱	232311012	2025/6/13 1:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3470	7-14（2-4药）备	冰箱	232311012	2025/6/13 1:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3471	7-14（2-4药）备	冰箱	232311012	2025/6/13 1:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3472	7-14（2-4药）备	冰箱	232311012	2025/6/13 1:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3473	7-14（2-4药）备	冰箱	232311012	2025/6/13 1:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3474	7-14（2-4药）备	冰箱	232311012	2025/6/13 1:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3475	7-14（2-4药）备	冰箱	232311012	2025/6/13 1:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3476	7-14（2-4药）备	冰箱	232311012	2025/6/13 1:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3477	7-14（2-4药）备	冰箱	232311012	2025/6/13 1:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3478	7-14（2-4药）备	冰箱	232311012	2025/6/13 1:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3479	7-14（2-4药）备	冰箱	232311012	2025/6/13 1:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

3480	7-14（2-4药）备	冰箱	232311012	2025/6/13 1:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3481	7-14（2-4药）备	冰箱	232311012	2025/6/13 2:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3482	7-14（2-4药）备	冰箱	232311012	2025/6/13 2:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3483	7-14（2-4药）备	冰箱	232311012	2025/6/13 2:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3484	7-14（2-4药）备	冰箱	232311012	2025/6/13 2:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3485	7-14（2-4药）备	冰箱	232311012	2025/6/13 2:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3486	7-14（2-4药）备	冰箱	232311012	2025/6/13 2:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3487	7-14（2-4药）备	冰箱	232311012	2025/6/13 2:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3488	7-14（2-4药）备	冰箱	232311012	2025/6/13 2:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3489	7-14（2-4药）备	冰箱	232311012	2025/6/13 2:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3490	7-14（2-4药）备	冰箱	232311012	2025/6/13 2:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3491	7-14（2-4药）备	冰箱	232311012	2025/6/13 2:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3492	7-14（2-4药）备	冰箱	232311012	2025/6/13 2:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3493	7-14（2-4药）备	冰箱	232311012	2025/6/13 3:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3494	7-14（2-4药）备	冰箱	232311012	2025/6/13 3:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3495	7-14（2-4药）备	冰箱	232311012	2025/6/13 3:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3496	7-14（2-4药）备	冰箱	232311012	2025/6/13 3:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3497	7-14（2-4药）备	冰箱	232311012	2025/6/13 3:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3498	7-14（2-4药）备	冰箱	232311012	2025/6/13 3:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3499	7-14（2-4药）备	冰箱	232311012	2025/6/13 3:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3500	7-14（2-4药）备	冰箱	232311012	2025/6/13 3:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3501	7-14（2-4药）备	冰箱	232311012	2025/6/13 3:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3502	7-14（2-4药）备	冰箱	232311012	2025/6/13 3:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3503	7-14（2-4药）备	冰箱	232311012	2025/6/13 3:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3504	7-14（2-4药）备	冰箱	232311012	2025/6/13 3:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3505	7-14（2-4药）备	冰箱	232311012	2025/6/13 4:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

3506	7-14（2-4药）备	冰箱	232311012	2025/6/13 4:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3507	7-14（2-4药）备	冰箱	232311012	2025/6/13 4:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3508	7-14（2-4药）备	冰箱	232311012	2025/6/13 4:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3509	7-14（2-4药）备	冰箱	232311012	2025/6/13 4:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3510	7-14（2-4药）备	冰箱	232311012	2025/6/13 4:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3511	7-14（2-4药）备	冰箱	232311012	2025/6/13 4:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3512	7-14（2-4药）备	冰箱	232311012	2025/6/13 4:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3513	7-14（2-4药）备	冰箱	232311012	2025/6/13 4:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3514	7-14（2-4药）备	冰箱	232311012	2025/6/13 4:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3515	7-14（2-4药）备	冰箱	232311012	2025/6/13 4:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3516	7-14（2-4药）备	冰箱	232311012	2025/6/13 4:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3517	7-14（2-4药）备	冰箱	232311012	2025/6/13 5:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3518	7-14（2-4药）备	冰箱	232311012	2025/6/13 5:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3519	7-14（2-4药）备	冰箱	232311012	2025/6/13 5:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3520	7-14（2-4药）备	冰箱	232311012	2025/6/13 5:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3521	7-14（2-4药）备	冰箱	232311012	2025/6/13 5:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3522	7-14（2-4药）备	冰箱	232311012	2025/6/13 5:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3523	7-14（2-4药）备	冰箱	232311012	2025/6/13 5:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3524	7-14（2-4药）备	冰箱	232311012	2025/6/13 5:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3525	7-14（2-4药）备	冰箱	232311012	2025/6/13 5:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3526	7-14（2-4药）备	冰箱	232311012	2025/6/13 5:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3527	7-14（2-4药）备	冰箱	232311012	2025/6/13 5:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3528	7-14（2-4药）备	冰箱	232311012	2025/6/13 5:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3529	7-14（2-4药）备	冰箱	232311012	2025/6/13 6:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3530	7-14（2-4药）备	冰箱	232311012	2025/6/13 6:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3531	7-14（2-4药）备	冰箱	232311012	2025/6/13 6:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

3532	7-14（2-4药）备	冰箱	232311012	2025/6/13 6:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3533	7-14（2-4药）备	冰箱	232311012	2025/6/13 6:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3534	7-14（2-4药）备	冰箱	232311012	2025/6/13 6:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3535	7-14（2-4药）备	冰箱	232311012	2025/6/13 6:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3536	7-14（2-4药）备	冰箱	232311012	2025/6/13 6:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3537	7-14（2-4药）备	冰箱	232311012	2025/6/13 6:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3538	7-14（2-4药）备	冰箱	232311012	2025/6/13 6:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3539	7-14（2-4药）备	冰箱	232311012	2025/6/13 6:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3540	7-14（2-4药）备	冰箱	232311012	2025/6/13 6:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3541	7-14（2-4药）备	冰箱	232311012	2025/6/13 7:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3542	7-14（2-4药）备	冰箱	232311012	2025/6/13 7:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3543	7-14（2-4药）备	冰箱	232311012	2025/6/13 7:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3544	7-14（2-4药）备	冰箱	232311012	2025/6/13 7:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3545	7-14（2-4药）备	冰箱	232311012	2025/6/13 7:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3546	7-14（2-4药）备	冰箱	232311012	2025/6/13 7:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3547	7-14（2-4药）备	冰箱	232311012	2025/6/13 7:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3548	7-14（2-4药）备	冰箱	232311012	2025/6/13 7:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3549	7-14（2-4药）备	冰箱	232311012	2025/6/13 7:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3550	7-14（2-4药）备	冰箱	232311012	2025/6/13 7:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3551	7-14（2-4药）备	冰箱	232311012	2025/6/13 7:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3552	7-14（2-4药）备	冰箱	232311012	2025/6/13 7:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3553	7-14（2-4药）备	冰箱	232311012	2025/6/13 8:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3554	7-14（2-4药）备	冰箱	232311012	2025/6/13 8:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3555	7-14（2-4药）备	冰箱	232311012	2025/6/13 8:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3556	7-14（2-4药）备	冰箱	232311012	2025/6/13 8:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3557	7-14（2-4药）备	冰箱	232311012	2025/6/13 8:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

3558	7-14（2-4药）备	冰箱	232311012	2025/6/13 8:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3559	7-14（2-4药）备	冰箱	232311012	2025/6/13 8:30:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
3560	7-14（2-4药）备	冰箱	232311012	2025/6/13 8:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3561	7-14（2-4药）备	冰箱	232311012	2025/6/13 8:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3562	7-14（2-4药）备	冰箱	232311012	2025/6/13 8:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3563	7-14（2-4药）备	冰箱	232311012	2025/6/13 8:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3564	7-14（2-4药）备	冰箱	232311012	2025/6/13 8:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3565	7-14（2-4药）备	冰箱	232311012	2025/6/13 9:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3566	7-14（2-4药）备	冰箱	232311012	2025/6/13 9:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3567	7-14（2-4药）备	冰箱	232311012	2025/6/13 9:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3568	7-14（2-4药）备	冰箱	232311012	2025/6/13 9:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3569	7-14（2-4药）备	冰箱	232311012	2025/6/13 9:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3570	7-14（2-4药）备	冰箱	232311012	2025/6/13 9:25:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
3571	7-14（2-4药）备	冰箱	232311012	2025/6/13 9:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3572	7-14（2-4药）备	冰箱	232311012	2025/6/13 9:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3573	7-14（2-4药）备	冰箱	232311012	2025/6/13 9:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3574	7-14（2-4药）备	冰箱	232311012	2025/6/13 9:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3575	7-14（2-4药）备	冰箱	232311012	2025/6/13 9:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3576	7-14（2-4药）备	冰箱	232311012	2025/6/13 9:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3577	7-14（2-4药）备	冰箱	232311012	2025/6/13 10:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3578	7-14（2-4药）备	冰箱	232311012	2025/6/13 10:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3579	7-14（2-4药）备	冰箱	232311012	2025/6/13 10:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3580	7-14（2-4药）备	冰箱	232311012	2025/6/13 10:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3581	7-14（2-4药）备	冰箱	232311012	2025/6/13 10:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3582	7-14（2-4药）备	冰箱	232311012	2025/6/13 10:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3583	7-14（2-4药）备	冰箱	232311012	2025/6/13 10:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

3584	7-14（2-4药）备	冰箱	232311012	2025/6/13 10:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3585	7-14（2-4药）备	冰箱	232311012	2025/6/13 10:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3586	7-14（2-4药）备	冰箱	232311012	2025/6/13 10:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3587	7-14（2-4药）备	冰箱	232311012	2025/6/13 10:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3588	7-14（2-4药）备	冰箱	232311012	2025/6/13 10:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3589	7-14（2-4药）备	冰箱	232311012	2025/6/13 11:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3590	7-14（2-4药）备	冰箱	232311012	2025/6/13 11:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3591	7-14（2-4药）备	冰箱	232311012	2025/6/13 11:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3592	7-14（2-4药）备	冰箱	232311012	2025/6/13 11:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3593	7-14（2-4药）备	冰箱	232311012	2025/6/13 11:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3594	7-14（2-4药）备	冰箱	232311012	2025/6/13 11:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3595	7-14（2-4药）备	冰箱	232311012	2025/6/13 11:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3596	7-14（2-4药）备	冰箱	232311012	2025/6/13 11:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3597	7-14（2-4药）备	冰箱	232311012	2025/6/13 11:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3598	7-14（2-4药）备	冰箱	232311012	2025/6/13 11:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3599	7-14（2-4药）备	冰箱	232311012	2025/6/13 11:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3600	7-14（2-4药）备	冰箱	232311012	2025/6/13 11:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3601	7-14（2-4药）备	冰箱	232311012	2025/6/13 12:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3602	7-14（2-4药）备	冰箱	232311012	2025/6/13 12:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3603	7-14（2-4药）备	冰箱	232311012	2025/6/13 12:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3604	7-14（2-4药）备	冰箱	232311012	2025/6/13 12:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3605	7-14（2-4药）备	冰箱	232311012	2025/6/13 12:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3606	7-14（2-4药）备	冰箱	232311012	2025/6/13 12:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3607	7-14（2-4药）备	冰箱	232311012	2025/6/13 12:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3608	7-14（2-4药）备	冰箱	232311012	2025/6/13 12:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3609	7-14（2-4药）备	冰箱	232311012	2025/6/13 12:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,

3610	7-14（2-4药）备	冰箱	232311012	2025/6/13 12:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3611	7-14（2-4药）备	冰箱	232311012	2025/6/13 12:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3612	7-14（2-4药）备	冰箱	232311012	2025/6/13 12:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3613	7-14（2-4药）备	冰箱	232311012	2025/6/13 13:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3614	7-14（2-4药）备	冰箱	232311012	2025/6/13 13:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3615	7-14（2-4药）备	冰箱	232311012	2025/6/13 13:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3616	7-14（2-4药）备	冰箱	232311012	2025/6/13 13:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3617	7-14（2-4药）备	冰箱	232311012	2025/6/13 13:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3618	7-14（2-4药）备	冰箱	232311012	2025/6/13 13:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3619	7-14（2-4药）备	冰箱	232311012	2025/6/13 13:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3620	7-14（2-4药）备	冰箱	232311012	2025/6/13 13:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3621	7-14（2-4药）备	冰箱	232311012	2025/6/13 13:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3622	7-14（2-4药）备	冰箱	232311012	2025/6/13 13:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3623	7-14（2-4药）备	冰箱	232311012	2025/6/13 13:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3624	7-14（2-4药）备	冰箱	232311012	2025/6/13 13:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3625	7-14（2-4药）备	冰箱	232311012	2025/6/13 14:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3626	7-14（2-4药）备	冰箱	232311012	2025/6/13 14:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3627	7-14（2-4药）备	冰箱	232311012	2025/6/13 14:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3628	7-14（2-4药）备	冰箱	232311012	2025/6/13 14:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3629	7-14（2-4药）备	冰箱	232311012	2025/6/13 14:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3630	7-14（2-4药）备	冰箱	232311012	2025/6/13 14:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3631	7-14（2-4药）备	冰箱	232311012	2025/6/13 14:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3632	7-14（2-4药）备	冰箱	232311012	2025/6/13 14:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3633	7-14（2-4药）备	冰箱	232311012	2025/6/13 14:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3634	7-14（2-4药）备	冰箱	232311012	2025/6/13 14:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3635	7-14（2-4药）备	冰箱	232311012	2025/6/13 14:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

3636	7-14（2-4药）备	冰箱	232311012	2025/6/13 14:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3637	7-14（2-4药）备	冰箱	232311012	2025/6/13 15:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3638	7-14（2-4药）备	冰箱	232311012	2025/6/13 15:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3639	7-14（2-4药）备	冰箱	232311012	2025/6/13 15:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3640	7-14（2-4药）备	冰箱	232311012	2025/6/13 15:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3641	7-14（2-4药）备	冰箱	232311012	2025/6/13 15:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3642	7-14（2-4药）备	冰箱	232311012	2025/6/13 15:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3643	7-14（2-4药）备	冰箱	232311012	2025/6/13 15:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3644	7-14（2-4药）备	冰箱	232311012	2025/6/13 15:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3645	7-14（2-4药）备	冰箱	232311012	2025/6/13 15:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3646	7-14（2-4药）备	冰箱	232311012	2025/6/13 15:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3647	7-14（2-4药）备	冰箱	232311012	2025/6/13 15:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3648	7-14（2-4药）备	冰箱	232311012	2025/6/13 15:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3649	7-14（2-4药）备	冰箱	232311012	2025/6/13 16:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3650	7-14（2-4药）备	冰箱	232311012	2025/6/13 16:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3651	7-14（2-4药）备	冰箱	232311012	2025/6/13 16:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3652	7-14（2-4药）备	冰箱	232311012	2025/6/13 16:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3653	7-14（2-4药）备	冰箱	232311012	2025/6/13 16:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3654	7-14（2-4药）备	冰箱	232311012	2025/6/13 16:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3655	7-14（2-4药）备	冰箱	232311012	2025/6/13 16:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3656	7-14（2-4药）备	冰箱	232311012	2025/6/13 16:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3657	7-14（2-4药）备	冰箱	232311012	2025/6/13 16:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3658	7-14（2-4药）备	冰箱	232311012	2025/6/13 16:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3659	7-14（2-4药）备	冰箱	232311012	2025/6/13 16:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3660	7-14（2-4药）备	冰箱	232311012	2025/6/13 16:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3661	7-14（2-4药）备	冰箱	232311012	2025/6/13 17:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

3662	7-14（2-4药）备	冰箱	232311012	2025/6/13 17:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3663	7-14（2-4药）备	冰箱	232311012	2025/6/13 17:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3664	7-14（2-4药）备	冰箱	232311012	2025/6/13 17:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3665	7-14（2-4药）备	冰箱	232311012	2025/6/13 17:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3666	7-14（2-4药）备	冰箱	232311012	2025/6/13 17:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3667	7-14（2-4药）备	冰箱	232311012	2025/6/13 17:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3668	7-14（2-4药）备	冰箱	232311012	2025/6/13 17:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3669	7-14（2-4药）备	冰箱	232311012	2025/6/13 17:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3670	7-14（2-4药）备	冰箱	232311012	2025/6/13 17:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3671	7-14（2-4药）备	冰箱	232311012	2025/6/13 17:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3672	7-14（2-4药）备	冰箱	232311012	2025/6/13 17:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3673	7-14（2-4药）备	冰箱	232311012	2025/6/13 18:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3674	7-14（2-4药）备	冰箱	232311012	2025/6/13 18:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3675	7-14（2-4药）备	冰箱	232311012	2025/6/13 18:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3676	7-14（2-4药）备	冰箱	232311012	2025/6/13 18:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3677	7-14（2-4药）备	冰箱	232311012	2025/6/13 18:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3678	7-14（2-4药）备	冰箱	232311012	2025/6/13 18:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3679	7-14（2-4药）备	冰箱	232311012	2025/6/13 18:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3680	7-14（2-4药）备	冰箱	232311012	2025/6/13 18:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3681	7-14（2-4药）备	冰箱	232311012	2025/6/13 18:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3682	7-14（2-4药）备	冰箱	232311012	2025/6/13 18:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3683	7-14（2-4药）备	冰箱	232311012	2025/6/13 18:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3684	7-14（2-4药）备	冰箱	232311012	2025/6/13 18:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3685	7-14（2-4药）备	冰箱	232311012	2025/6/13 19:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3686	7-14（2-4药）备	冰箱	232311012	2025/6/13 19:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3687	7-14（2-4药）备	冰箱	232311012	2025/6/13 19:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

3688	7-14（2-4药）备	冰箱	232311012	2025/6/13 19:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3689	7-14（2-4药）备	冰箱	232311012	2025/6/13 19:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3690	7-14（2-4药）备	冰箱	232311012	2025/6/13 19:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3691	7-14（2-4药）备	冰箱	232311012	2025/6/13 19:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3692	7-14（2-4药）备	冰箱	232311012	2025/6/13 19:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3693	7-14（2-4药）备	冰箱	232311012	2025/6/13 19:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3694	7-14（2-4药）备	冰箱	232311012	2025/6/13 19:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3695	7-14（2-4药）备	冰箱	232311012	2025/6/13 19:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3696	7-14（2-4药）备	冰箱	232311012	2025/6/13 19:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3697	7-14（2-4药）备	冰箱	232311012	2025/6/13 20:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3698	7-14（2-4药）备	冰箱	232311012	2025/6/13 20:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3699	7-14（2-4药）备	冰箱	232311012	2025/6/13 20:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3700	7-14（2-4药）备	冰箱	232311012	2025/6/13 20:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3701	7-14（2-4药）备	冰箱	232311012	2025/6/13 20:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3702	7-14（2-4药）备	冰箱	232311012	2025/6/13 20:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3703	7-14（2-4药）备	冰箱	232311012	2025/6/13 20:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3704	7-14（2-4药）备	冰箱	232311012	2025/6/13 20:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3705	7-14（2-4药）备	冰箱	232311012	2025/6/13 20:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3706	7-14（2-4药）备	冰箱	232311012	2025/6/13 20:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3707	7-14（2-4药）备	冰箱	232311012	2025/6/13 20:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3708	7-14（2-4药）备	冰箱	232311012	2025/6/13 20:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3709	7-14（2-4药）备	冰箱	232311012	2025/6/13 21:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3710	7-14（2-4药）备	冰箱	232311012	2025/6/13 21:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3711	7-14（2-4药）备	冰箱	232311012	2025/6/13 21:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3712	7-14（2-4药）备	冰箱	232311012	2025/6/13 21:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3713	7-14（2-4药）备	冰箱	232311012	2025/6/13 21:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

3714	7-14（2-4药）备	冰箱	232311012	2025/6/13 21:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3715	7-14（2-4药）备	冰箱	232311012	2025/6/13 21:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3716	7-14（2-4药）备	冰箱	232311012	2025/6/13 21:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3717	7-14（2-4药）备	冰箱	232311012	2025/6/13 21:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3718	7-14（2-4药）备	冰箱	232311012	2025/6/13 21:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3719	7-14（2-4药）备	冰箱	232311012	2025/6/13 21:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3720	7-14（2-4药）备	冰箱	232311012	2025/6/13 21:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3721	7-14（2-4药）备	冰箱	232311012	2025/6/13 22:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3722	7-14（2-4药）备	冰箱	232311012	2025/6/13 22:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3723	7-14（2-4药）备	冰箱	232311012	2025/6/13 22:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3724	7-14（2-4药）备	冰箱	232311012	2025/6/13 22:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3725	7-14（2-4药）备	冰箱	232311012	2025/6/13 22:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3726	7-14（2-4药）备	冰箱	232311012	2025/6/13 22:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3727	7-14（2-4药）备	冰箱	232311012	2025/6/13 22:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3728	7-14（2-4药）备	冰箱	232311012	2025/6/13 22:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3729	7-14（2-4药）备	冰箱	232311012	2025/6/13 22:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3730	7-14（2-4药）备	冰箱	232311012	2025/6/13 22:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3731	7-14（2-4药）备	冰箱	232311012	2025/6/13 22:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3732	7-14（2-4药）备	冰箱	232311012	2025/6/13 22:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3733	7-14（2-4药）备	冰箱	232311012	2025/6/13 23:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3734	7-14（2-4药）备	冰箱	232311012	2025/6/13 23:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3735	7-14（2-4药）备	冰箱	232311012	2025/6/13 23:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3736	7-14（2-4药）备	冰箱	232311012	2025/6/13 23:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3737	7-14（2-4药）备	冰箱	232311012	2025/6/13 23:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3738	7-14（2-4药）备	冰箱	232311012	2025/6/13 23:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3739	7-14（2-4药）备	冰箱	232311012	2025/6/13 23:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

3740	7-14（2-4药）备	冰箱	232311012	2025/6/13 23:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3741	7-14（2-4药）备	冰箱	232311012	2025/6/13 23:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3742	7-14（2-4药）备	冰箱	232311012	2025/6/13 23:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3743	7-14（2-4药）备	冰箱	232311012	2025/6/13 23:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3744	7-14（2-4药）备	冰箱	232311012	2025/6/13 23:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3745	7-14（2-4药）备	冰箱	232311012	2025/6/14 0:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3746	7-14（2-4药）备	冰箱	232311012	2025/6/14 0:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3747	7-14（2-4药）备	冰箱	232311012	2025/6/14 0:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3748	7-14（2-4药）备	冰箱	232311012	2025/6/14 0:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3749	7-14（2-4药）备	冰箱	232311012	2025/6/14 0:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3750	7-14（2-4药）备	冰箱	232311012	2025/6/14 0:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3751	7-14（2-4药）备	冰箱	232311012	2025/6/14 0:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3752	7-14（2-4药）备	冰箱	232311012	2025/6/14 0:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3753	7-14（2-4药）备	冰箱	232311012	2025/6/14 0:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3754	7-14（2-4药）备	冰箱	232311012	2025/6/14 0:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3755	7-14（2-4药）备	冰箱	232311012	2025/6/14 0:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3756	7-14（2-4药）备	冰箱	232311012	2025/6/14 0:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3757	7-14（2-4药）备	冰箱	232311012	2025/6/14 1:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3758	7-14（2-4药）备	冰箱	232311012	2025/6/14 1:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3759	7-14（2-4药）备	冰箱	232311012	2025/6/14 1:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3760	7-14（2-4药）备	冰箱	232311012	2025/6/14 1:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3761	7-14（2-4药）备	冰箱	232311012	2025/6/14 1:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3762	7-14（2-4药）备	冰箱	232311012	2025/6/14 1:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3763	7-14（2-4药）备	冰箱	232311012	2025/6/14 1:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3764	7-14（2-4药）备	冰箱	232311012	2025/6/14 1:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3765	7-14（2-4药）备	冰箱	232311012	2025/6/14 1:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,

3766	7-14（2-4药）备	冰箱	232311012	2025/6/14 1:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3767	7-14（2-4药）备	冰箱	232311012	2025/6/14 1:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3768	7-14（2-4药）备	冰箱	232311012	2025/6/14 1:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3769	7-14（2-4药）备	冰箱	232311012	2025/6/14 2:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3770	7-14（2-4药）备	冰箱	232311012	2025/6/14 2:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3771	7-14（2-4药）备	冰箱	232311012	2025/6/14 2:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3772	7-14（2-4药）备	冰箱	232311012	2025/6/14 2:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3773	7-14（2-4药）备	冰箱	232311012	2025/6/14 2:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3774	7-14（2-4药）备	冰箱	232311012	2025/6/14 2:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3775	7-14（2-4药）备	冰箱	232311012	2025/6/14 2:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3776	7-14（2-4药）备	冰箱	232311012	2025/6/14 2:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3777	7-14（2-4药）备	冰箱	232311012	2025/6/14 2:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3778	7-14（2-4药）备	冰箱	232311012	2025/6/14 2:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3779	7-14（2-4药）备	冰箱	232311012	2025/6/14 2:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3780	7-14（2-4药）备	冰箱	232311012	2025/6/14 2:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3781	7-14（2-4药）备	冰箱	232311012	2025/6/14 3:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3782	7-14（2-4药）备	冰箱	232311012	2025/6/14 3:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3783	7-14（2-4药）备	冰箱	232311012	2025/6/14 3:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3784	7-14（2-4药）备	冰箱	232311012	2025/6/14 3:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3785	7-14（2-4药）备	冰箱	232311012	2025/6/14 3:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3786	7-14（2-4药）备	冰箱	232311012	2025/6/14 3:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3787	7-14（2-4药）备	冰箱	232311012	2025/6/14 3:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3788	7-14（2-4药）备	冰箱	232311012	2025/6/14 3:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3789	7-14（2-4药）备	冰箱	232311012	2025/6/14 3:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3790	7-14（2-4药）备	冰箱	232311012	2025/6/14 3:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3791	7-14（2-4药）备	冰箱	232311012	2025/6/14 3:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

3792	7-14（2-4药）备	冰箱	232311012	2025/6/14 3:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3793	7-14（2-4药）备	冰箱	232311012	2025/6/14 4:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3794	7-14（2-4药）备	冰箱	232311012	2025/6/14 4:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3795	7-14（2-4药）备	冰箱	232311012	2025/6/14 4:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3796	7-14（2-4药）备	冰箱	232311012	2025/6/14 4:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3797	7-14（2-4药）备	冰箱	232311012	2025/6/14 4:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3798	7-14（2-4药）备	冰箱	232311012	2025/6/14 4:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3799	7-14（2-4药）备	冰箱	232311012	2025/6/14 4:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3800	7-14（2-4药）备	冰箱	232311012	2025/6/14 4:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3801	7-14（2-4药）备	冰箱	232311012	2025/6/14 4:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3802	7-14（2-4药）备	冰箱	232311012	2025/6/14 4:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3803	7-14（2-4药）备	冰箱	232311012	2025/6/14 4:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3804	7-14（2-4药）备	冰箱	232311012	2025/6/14 4:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3805	7-14（2-4药）备	冰箱	232311012	2025/6/14 5:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3806	7-14（2-4药）备	冰箱	232311012	2025/6/14 5:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3807	7-14（2-4药）备	冰箱	232311012	2025/6/14 5:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3808	7-14（2-4药）备	冰箱	232311012	2025/6/14 5:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3809	7-14（2-4药）备	冰箱	232311012	2025/6/14 5:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3810	7-14（2-4药）备	冰箱	232311012	2025/6/14 5:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3811	7-14（2-4药）备	冰箱	232311012	2025/6/14 5:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3812	7-14（2-4药）备	冰箱	232311012	2025/6/14 5:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3813	7-14（2-4药）备	冰箱	232311012	2025/6/14 5:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3814	7-14（2-4药）备	冰箱	232311012	2025/6/14 5:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3815	7-14（2-4药）备	冰箱	232311012	2025/6/14 5:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3816	7-14（2-4药）备	冰箱	232311012	2025/6/14 5:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3817	7-14（2-4药）备	冰箱	232311012	2025/6/14 6:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,

3818	7-14（2-4药）备	冰箱	232311012	2025/6/14 6:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3819	7-14（2-4药）备	冰箱	232311012	2025/6/14 6:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3820	7-14（2-4药）备	冰箱	232311012	2025/6/14 6:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3821	7-14（2-4药）备	冰箱	232311012	2025/6/14 6:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3822	7-14（2-4药）备	冰箱	232311012	2025/6/14 6:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3823	7-14（2-4药）备	冰箱	232311012	2025/6/14 6:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3824	7-14（2-4药）备	冰箱	232311012	2025/6/14 6:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3825	7-14（2-4药）备	冰箱	232311012	2025/6/14 6:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3826	7-14（2-4药）备	冰箱	232311012	2025/6/14 6:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3827	7-14（2-4药）备	冰箱	232311012	2025/6/14 6:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3828	7-14（2-4药）备	冰箱	232311012	2025/6/14 6:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3829	7-14（2-4药）备	冰箱	232311012	2025/6/14 7:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3830	7-14（2-4药）备	冰箱	232311012	2025/6/14 7:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3831	7-14（2-4药）备	冰箱	232311012	2025/6/14 7:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3832	7-14（2-4药）备	冰箱	232311012	2025/6/14 7:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3833	7-14（2-4药）备	冰箱	232311012	2025/6/14 7:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3834	7-14（2-4药）备	冰箱	232311012	2025/6/14 7:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3835	7-14（2-4药）备	冰箱	232311012	2025/6/14 7:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3836	7-14（2-4药）备	冰箱	232311012	2025/6/14 7:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3837	7-14（2-4药）备	冰箱	232311012	2025/6/14 7:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3838	7-14（2-4药）备	冰箱	232311012	2025/6/14 7:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3839	7-14（2-4药）备	冰箱	232311012	2025/6/14 7:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3840	7-14（2-4药）备	冰箱	232311012	2025/6/14 7:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3841	7-14（2-4药）备	冰箱	232311012	2025/6/14 8:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3842	7-14（2-4药）备	冰箱	232311012	2025/6/14 8:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3843	7-14（2-4药）备	冰箱	232311012	2025/6/14 8:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,

3844	7-14（2-4药）备	冰箱	232311012	2025/6/14 8:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3845	7-14（2-4药）备	冰箱	232311012	2025/6/14 8:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3846	7-14（2-4药）备	冰箱	232311012	2025/6/14 8:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3847	7-14（2-4药）备	冰箱	232311012	2025/6/14 8:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3848	7-14（2-4药）备	冰箱	232311012	2025/6/14 8:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3849	7-14（2-4药）备	冰箱	232311012	2025/6/14 8:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3850	7-14（2-4药）备	冰箱	232311012	2025/6/14 8:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3851	7-14（2-4药）备	冰箱	232311012	2025/6/14 8:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3852	7-14（2-4药）备	冰箱	232311012	2025/6/14 8:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3853	7-14（2-4药）备	冰箱	232311012	2025/6/14 9:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3854	7-14（2-4药）备	冰箱	232311012	2025/6/14 9:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3855	7-14（2-4药）备	冰箱	232311012	2025/6/14 9:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3856	7-14（2-4药）备	冰箱	232311012	2025/6/14 9:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3857	7-14（2-4药）备	冰箱	232311012	2025/6/14 9:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3858	7-14（2-4药）备	冰箱	232311012	2025/6/14 9:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3859	7-14（2-4药）备	冰箱	232311012	2025/6/14 9:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3860	7-14（2-4药）备	冰箱	232311012	2025/6/14 9:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3861	7-14（2-4药）备	冰箱	232311012	2025/6/14 9:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3862	7-14（2-4药）备	冰箱	232311012	2025/6/14 9:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3863	7-14（2-4药）备	冰箱	232311012	2025/6/14 9:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3864	7-14（2-4药）备	冰箱	232311012	2025/6/14 9:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3865	7-14（2-4药）备	冰箱	232311012	2025/6/14 10:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3866	7-14（2-4药）备	冰箱	232311012	2025/6/14 10:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3867	7-14（2-4药）备	冰箱	232311012	2025/6/14 10:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3868	7-14（2-4药）备	冰箱	232311012	2025/6/14 10:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3869	7-14（2-4药）备	冰箱	232311012	2025/6/14 10:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

3870	7-14（2-4药）备	冰箱	232311012	2025/6/14 10:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3871	7-14（2-4药）备	冰箱	232311012	2025/6/14 10:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3872	7-14（2-4药）备	冰箱	232311012	2025/6/14 10:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3873	7-14（2-4药）备	冰箱	232311012	2025/6/14 10:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3874	7-14（2-4药）备	冰箱	232311012	2025/6/14 10:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3875	7-14（2-4药）备	冰箱	232311012	2025/6/14 10:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3876	7-14（2-4药）备	冰箱	232311012	2025/6/14 10:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3877	7-14（2-4药）备	冰箱	232311012	2025/6/14 11:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3878	7-14（2-4药）备	冰箱	232311012	2025/6/14 11:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3879	7-14（2-4药）备	冰箱	232311012	2025/6/14 11:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3880	7-14（2-4药）备	冰箱	232311012	2025/6/14 11:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3881	7-14（2-4药）备	冰箱	232311012	2025/6/14 11:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3882	7-14（2-4药）备	冰箱	232311012	2025/6/14 11:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3883	7-14（2-4药）备	冰箱	232311012	2025/6/14 11:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3884	7-14（2-4药）备	冰箱	232311012	2025/6/14 11:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3885	7-14（2-4药）备	冰箱	232311012	2025/6/14 11:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3886	7-14（2-4药）备	冰箱	232311012	2025/6/14 11:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3887	7-14（2-4药）备	冰箱	232311012	2025/6/14 11:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3888	7-14（2-4药）备	冰箱	232311012	2025/6/14 11:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3889	7-14（2-4药）备	冰箱	232311012	2025/6/14 12:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3890	7-14（2-4药）备	冰箱	232311012	2025/6/14 12:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3891	7-14（2-4药）备	冰箱	232311012	2025/6/14 12:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3892	7-14（2-4药）备	冰箱	232311012	2025/6/14 12:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3893	7-14（2-4药）备	冰箱	232311012	2025/6/14 12:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3894	7-14（2-4药）备	冰箱	232311012	2025/6/14 12:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3895	7-14（2-4药）备	冰箱	232311012	2025/6/14 12:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

3896	7-14（2-4药）备	冰箱	232311012	2025/6/14 12:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3897	7-14（2-4药）备	冰箱	232311012	2025/6/14 12:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3898	7-14（2-4药）备	冰箱	232311012	2025/6/14 12:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3899	7-14（2-4药）备	冰箱	232311012	2025/6/14 12:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3900	7-14（2-4药）备	冰箱	232311012	2025/6/14 12:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3901	7-14（2-4药）备	冰箱	232311012	2025/6/14 13:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3902	7-14（2-4药）备	冰箱	232311012	2025/6/14 13:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3903	7-14（2-4药）备	冰箱	232311012	2025/6/14 13:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3904	7-14（2-4药）备	冰箱	232311012	2025/6/14 13:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3905	7-14（2-4药）备	冰箱	232311012	2025/6/14 13:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3906	7-14（2-4药）备	冰箱	232311012	2025/6/14 13:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3907	7-14（2-4药）备	冰箱	232311012	2025/6/14 13:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3908	7-14（2-4药）备	冰箱	232311012	2025/6/14 13:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3909	7-14（2-4药）备	冰箱	232311012	2025/6/14 13:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3910	7-14（2-4药）备	冰箱	232311012	2025/6/14 13:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3911	7-14（2-4药）备	冰箱	232311012	2025/6/14 13:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3912	7-14（2-4药）备	冰箱	232311012	2025/6/14 13:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3913	7-14（2-4药）备	冰箱	232311012	2025/6/14 14:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3914	7-14（2-4药）备	冰箱	232311012	2025/6/14 14:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3915	7-14（2-4药）备	冰箱	232311012	2025/6/14 14:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3916	7-14（2-4药）备	冰箱	232311012	2025/6/14 14:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3917	7-14（2-4药）备	冰箱	232311012	2025/6/14 14:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3918	7-14（2-4药）备	冰箱	232311012	2025/6/14 14:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3919	7-14（2-4药）备	冰箱	232311012	2025/6/14 14:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3920	7-14（2-4药）备	冰箱	232311012	2025/6/14 14:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3921	7-14（2-4药）备	冰箱	232311012	2025/6/14 14:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

3922	7-14（2-4药）备	冰箱	232311012	2025/6/14 14:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3923	7-14（2-4药）备	冰箱	232311012	2025/6/14 14:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3924	7-14（2-4药）备	冰箱	232311012	2025/6/14 14:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3925	7-14（2-4药）备	冰箱	232311012	2025/6/14 15:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3926	7-14（2-4药）备	冰箱	232311012	2025/6/14 15:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3927	7-14（2-4药）备	冰箱	232311012	2025/6/14 15:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3928	7-14（2-4药）备	冰箱	232311012	2025/6/14 15:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3929	7-14（2-4药）备	冰箱	232311012	2025/6/14 15:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3930	7-14（2-4药）备	冰箱	232311012	2025/6/14 15:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3931	7-14（2-4药）备	冰箱	232311012	2025/6/14 15:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3932	7-14（2-4药）备	冰箱	232311012	2025/6/14 15:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3933	7-14（2-4药）备	冰箱	232311012	2025/6/14 15:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3934	7-14（2-4药）备	冰箱	232311012	2025/6/14 15:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3935	7-14（2-4药）备	冰箱	232311012	2025/6/14 15:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3936	7-14（2-4药）备	冰箱	232311012	2025/6/14 15:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3937	7-14（2-4药）备	冰箱	232311012	2025/6/14 16:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3938	7-14（2-4药）备	冰箱	232311012	2025/6/14 16:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3939	7-14（2-4药）备	冰箱	232311012	2025/6/14 16:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3940	7-14（2-4药）备	冰箱	232311012	2025/6/14 16:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3941	7-14（2-4药）备	冰箱	232311012	2025/6/14 16:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3942	7-14（2-4药）备	冰箱	232311012	2025/6/14 16:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3943	7-14（2-4药）备	冰箱	232311012	2025/6/14 16:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3944	7-14（2-4药）备	冰箱	232311012	2025/6/14 16:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3945	7-14（2-4药）备	冰箱	232311012	2025/6/14 16:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3946	7-14（2-4药）备	冰箱	232311012	2025/6/14 16:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3947	7-14（2-4药）备	冰箱	232311012	2025/6/14 16:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

3948	7-14（2-4药）备	冰箱	232311012	2025/6/14 16:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3949	7-14（2-4药）备	冰箱	232311012	2025/6/14 17:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3950	7-14（2-4药）备	冰箱	232311012	2025/6/14 17:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3951	7-14（2-4药）备	冰箱	232311012	2025/6/14 17:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3952	7-14（2-4药）备	冰箱	232311012	2025/6/14 17:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3953	7-14（2-4药）备	冰箱	232311012	2025/6/14 17:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3954	7-14（2-4药）备	冰箱	232311012	2025/6/14 17:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3955	7-14（2-4药）备	冰箱	232311012	2025/6/14 17:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3956	7-14（2-4药）备	冰箱	232311012	2025/6/14 17:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3957	7-14（2-4药）备	冰箱	232311012	2025/6/14 17:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3958	7-14（2-4药）备	冰箱	232311012	2025/6/14 17:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3959	7-14（2-4药）备	冰箱	232311012	2025/6/14 17:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3960	7-14（2-4药）备	冰箱	232311012	2025/6/14 17:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3961	7-14（2-4药）备	冰箱	232311012	2025/6/14 18:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3962	7-14（2-4药）备	冰箱	232311012	2025/6/14 18:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3963	7-14（2-4药）备	冰箱	232311012	2025/6/14 18:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3964	7-14（2-4药）备	冰箱	232311012	2025/6/14 18:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
3965	7-14（2-4药）备	冰箱	232311012	2025/6/14 18:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
3966	7-14（2-4药）备	冰箱	232311012	2025/6/14 18:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3967	7-14（2-4药）备	冰箱	232311012	2025/6/14 18:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3968	7-14（2-4药）备	冰箱	232311012	2025/6/14 18:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3969	7-14（2-4药）备	冰箱	232311012	2025/6/14 18:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3970	7-14（2-4药）备	冰箱	232311012	2025/6/14 18:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3971	7-14（2-4药）备	冰箱	232311012	2025/6/14 18:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
3972	7-14（2-4药）备	冰箱	232311012	2025/6/14 18:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3973	7-14（2-4药）备	冰箱	232311012	2025/6/14 19:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

3974	7-14（2-4药）备	冰箱	232311012	2025/6/14 19:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3975	7-14（2-4药）备	冰箱	232311012	2025/6/14 19:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
3976	7-14（2-4药）备	冰箱	232311012	2025/6/14 19:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3977	7-14（2-4药）备	冰箱	232311012	2025/6/14 19:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3978	7-14（2-4药）备	冰箱	232311012	2025/6/14 19:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3979	7-14（2-4药）备	冰箱	232311012	2025/6/14 19:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3980	7-14（2-4药）备	冰箱	232311012	2025/6/14 19:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3981	7-14（2-4药）备	冰箱	232311012	2025/6/14 19:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3982	7-14（2-4药）备	冰箱	232311012	2025/6/14 19:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
3983	7-14（2-4药）备	冰箱	232311012	2025/6/14 19:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3984	7-14（2-4药）备	冰箱	232311012	2025/6/14 19:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3985	7-14（2-4药）备	冰箱	232311012	2025/6/14 20:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
3986	7-14（2-4药）备	冰箱	232311012	2025/6/14 20:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3987	7-14（2-4药）备	冰箱	232311012	2025/6/14 20:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
3988	7-14（2-4药）备	冰箱	232311012	2025/6/14 20:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
3989	7-14（2-4药）备	冰箱	232311012	2025/6/14 20:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
3990	7-14（2-4药）备	冰箱	232311012	2025/6/14 20:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
3991	7-14（2-4药）备	冰箱	232311012	2025/6/14 20:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3992	7-14（2-4药）备	冰箱	232311012	2025/6/14 20:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3993	7-14（2-4药）备	冰箱	232311012	2025/6/14 20:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3994	7-14（2-4药）备	冰箱	232311012	2025/6/14 20:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
3995	7-14（2-4药）备	冰箱	232311012	2025/6/14 20:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3996	7-14（2-4药）备	冰箱	232311012	2025/6/14 20:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
3997	7-14（2-4药）备	冰箱	232311012	2025/6/14 21:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
3998	7-14（2-4药）备	冰箱	232311012	2025/6/14 21:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
3999	7-14（2-4药）备	冰箱	232311012	2025/6/14 21:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

4000	7-14（2-4药）备	冰箱	232311012	2025/6/14 21:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4001	7-14（2-4药）备	冰箱	232311012	2025/6/14 21:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4002	7-14（2-4药）备	冰箱	232311012	2025/6/14 21:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4003	7-14（2-4药）备	冰箱	232311012	2025/6/14 21:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4004	7-14（2-4药）备	冰箱	232311012	2025/6/14 21:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4005	7-14（2-4药）备	冰箱	232311012	2025/6/14 21:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4006	7-14（2-4药）备	冰箱	232311012	2025/6/14 21:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4007	7-14（2-4药）备	冰箱	232311012	2025/6/14 21:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4008	7-14（2-4药）备	冰箱	232311012	2025/6/14 21:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4009	7-14（2-4药）备	冰箱	232311012	2025/6/14 22:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4010	7-14（2-4药）备	冰箱	232311012	2025/6/14 22:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4011	7-14（2-4药）备	冰箱	232311012	2025/6/14 22:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4012	7-14（2-4药）备	冰箱	232311012	2025/6/14 22:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4013	7-14（2-4药）备	冰箱	232311012	2025/6/14 22:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4014	7-14（2-4药）备	冰箱	232311012	2025/6/14 22:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4015	7-14（2-4药）备	冰箱	232311012	2025/6/14 22:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4016	7-14（2-4药）备	冰箱	232311012	2025/6/14 22:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4017	7-14（2-4药）备	冰箱	232311012	2025/6/14 22:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4018	7-14（2-4药）备	冰箱	232311012	2025/6/14 22:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4019	7-14（2-4药）备	冰箱	232311012	2025/6/14 22:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4020	7-14（2-4药）备	冰箱	232311012	2025/6/14 22:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4021	7-14（2-4药）备	冰箱	232311012	2025/6/14 23:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4022	7-14（2-4药）备	冰箱	232311012	2025/6/14 23:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4023	7-14（2-4药）备	冰箱	232311012	2025/6/14 23:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4024	7-14（2-4药）备	冰箱	232311012	2025/6/14 23:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4025	7-14（2-4药）备	冰箱	232311012	2025/6/14 23:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

4026	7-14（2-4药）备	冰箱	232311012	2025/6/14 23:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4027	7-14（2-4药）备	冰箱	232311012	2025/6/14 23:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4028	7-14（2-4药）备	冰箱	232311012	2025/6/14 23:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4029	7-14（2-4药）备	冰箱	232311012	2025/6/14 23:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4030	7-14（2-4药）备	冰箱	232311012	2025/6/14 23:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4031	7-14（2-4药）备	冰箱	232311012	2025/6/14 23:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4032	7-14（2-4药）备	冰箱	232311012	2025/6/14 23:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4033	7-14（2-4药）备	冰箱	232311012	2025/6/15 0:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4034	7-14（2-4药）备	冰箱	232311012	2025/6/15 0:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4035	7-14（2-4药）备	冰箱	232311012	2025/6/15 0:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4036	7-14（2-4药）备	冰箱	232311012	2025/6/15 0:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4037	7-14（2-4药）备	冰箱	232311012	2025/6/15 0:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4038	7-14（2-4药）备	冰箱	232311012	2025/6/15 0:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4039	7-14（2-4药）备	冰箱	232311012	2025/6/15 0:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4040	7-14（2-4药）备	冰箱	232311012	2025/6/15 0:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4041	7-14（2-4药）备	冰箱	232311012	2025/6/15 0:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4042	7-14（2-4药）备	冰箱	232311012	2025/6/15 0:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4043	7-14（2-4药）备	冰箱	232311012	2025/6/15 0:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4044	7-14（2-4药）备	冰箱	232311012	2025/6/15 0:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4045	7-14（2-4药）备	冰箱	232311012	2025/6/15 1:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4046	7-14（2-4药）备	冰箱	232311012	2025/6/15 1:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4047	7-14（2-4药）备	冰箱	232311012	2025/6/15 1:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4048	7-14（2-4药）备	冰箱	232311012	2025/6/15 1:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4049	7-14（2-4药）备	冰箱	232311012	2025/6/15 1:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4050	7-14（2-4药）备	冰箱	232311012	2025/6/15 1:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4051	7-14（2-4药）备	冰箱	232311012	2025/6/15 1:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,

4052	7-14（2-4药）备	冰箱	232311012	2025/6/15 1:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4053	7-14（2-4药）备	冰箱	232311012	2025/6/15 1:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4054	7-14（2-4药）备	冰箱	232311012	2025/6/15 1:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4055	7-14（2-4药）备	冰箱	232311012	2025/6/15 1:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4056	7-14（2-4药）备	冰箱	232311012	2025/6/15 1:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4057	7-14（2-4药）备	冰箱	232311012	2025/6/15 2:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4058	7-14（2-4药）备	冰箱	232311012	2025/6/15 2:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4059	7-14（2-4药）备	冰箱	232311012	2025/6/15 2:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4060	7-14（2-4药）备	冰箱	232311012	2025/6/15 2:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4061	7-14（2-4药）备	冰箱	232311012	2025/6/15 2:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4062	7-14（2-4药）备	冰箱	232311012	2025/6/15 2:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4063	7-14（2-4药）备	冰箱	232311012	2025/6/15 2:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4064	7-14（2-4药）备	冰箱	232311012	2025/6/15 2:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4065	7-14（2-4药）备	冰箱	232311012	2025/6/15 2:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4066	7-14（2-4药）备	冰箱	232311012	2025/6/15 2:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4067	7-14（2-4药）备	冰箱	232311012	2025/6/15 2:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4068	7-14（2-4药）备	冰箱	232311012	2025/6/15 2:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4069	7-14（2-4药）备	冰箱	232311012	2025/6/15 3:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4070	7-14（2-4药）备	冰箱	232311012	2025/6/15 3:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4071	7-14（2-4药）备	冰箱	232311012	2025/6/15 3:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4072	7-14（2-4药）备	冰箱	232311012	2025/6/15 3:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4073	7-14（2-4药）备	冰箱	232311012	2025/6/15 3:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4074	7-14（2-4药）备	冰箱	232311012	2025/6/15 3:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4075	7-14（2-4药）备	冰箱	232311012	2025/6/15 3:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4076	7-14（2-4药）备	冰箱	232311012	2025/6/15 3:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4077	7-14（2-4药）备	冰箱	232311012	2025/6/15 3:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

4078	7-14（2-4药）备	冰箱	232311012	2025/6/15 3:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4079	7-14（2-4药）备	冰箱	232311012	2025/6/15 3:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4080	7-14（2-4药）备	冰箱	232311012	2025/6/15 3:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4081	7-14（2-4药）备	冰箱	232311012	2025/6/15 4:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4082	7-14（2-4药）备	冰箱	232311012	2025/6/15 4:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4083	7-14（2-4药）备	冰箱	232311012	2025/6/15 4:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4084	7-14（2-4药）备	冰箱	232311012	2025/6/15 4:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4085	7-14（2-4药）备	冰箱	232311012	2025/6/15 4:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4086	7-14（2-4药）备	冰箱	232311012	2025/6/15 4:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4087	7-14（2-4药）备	冰箱	232311012	2025/6/15 4:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4088	7-14（2-4药）备	冰箱	232311012	2025/6/15 4:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4089	7-14（2-4药）备	冰箱	232311012	2025/6/15 4:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4090	7-14（2-4药）备	冰箱	232311012	2025/6/15 4:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4091	7-14（2-4药）备	冰箱	232311012	2025/6/15 4:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4092	7-14（2-4药）备	冰箱	232311012	2025/6/15 4:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4093	7-14（2-4药）备	冰箱	232311012	2025/6/15 5:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4094	7-14（2-4药）备	冰箱	232311012	2025/6/15 5:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4095	7-14（2-4药）备	冰箱	232311012	2025/6/15 5:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4096	7-14（2-4药）备	冰箱	232311012	2025/6/15 5:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4097	7-14（2-4药）备	冰箱	232311012	2025/6/15 5:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4098	7-14（2-4药）备	冰箱	232311012	2025/6/15 5:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4099	7-14（2-4药）备	冰箱	232311012	2025/6/15 5:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4100	7-14（2-4药）备	冰箱	232311012	2025/6/15 5:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4101	7-14（2-4药）备	冰箱	232311012	2025/6/15 5:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4102	7-14（2-4药）备	冰箱	232311012	2025/6/15 5:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4103	7-14（2-4药）备	冰箱	232311012	2025/6/15 5:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

4104	7-14（2-4药）备	冰箱	232311012	2025/6/15 5:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4105	7-14（2-4药）备	冰箱	232311012	2025/6/15 6:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4106	7-14（2-4药）备	冰箱	232311012	2025/6/15 6:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4107	7-14（2-4药）备	冰箱	232311012	2025/6/15 6:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4108	7-14（2-4药）备	冰箱	232311012	2025/6/15 6:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4109	7-14（2-4药）备	冰箱	232311012	2025/6/15 6:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4110	7-14（2-4药）备	冰箱	232311012	2025/6/15 6:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4111	7-14（2-4药）备	冰箱	232311012	2025/6/15 6:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4112	7-14（2-4药）备	冰箱	232311012	2025/6/15 6:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4113	7-14（2-4药）备	冰箱	232311012	2025/6/15 6:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4114	7-14（2-4药）备	冰箱	232311012	2025/6/15 6:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4115	7-14（2-4药）备	冰箱	232311012	2025/6/15 6:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4116	7-14（2-4药）备	冰箱	232311012	2025/6/15 6:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4117	7-14（2-4药）备	冰箱	232311012	2025/6/15 7:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4118	7-14（2-4药）备	冰箱	232311012	2025/6/15 7:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4119	7-14（2-4药）备	冰箱	232311012	2025/6/15 7:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4120	7-14（2-4药）备	冰箱	232311012	2025/6/15 7:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4121	7-14（2-4药）备	冰箱	232311012	2025/6/15 7:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4122	7-14（2-4药）备	冰箱	232311012	2025/6/15 7:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4123	7-14（2-4药）备	冰箱	232311012	2025/6/15 7:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4124	7-14（2-4药）备	冰箱	232311012	2025/6/15 7:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4125	7-14（2-4药）备	冰箱	232311012	2025/6/15 7:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4126	7-14（2-4药）备	冰箱	232311012	2025/6/15 7:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4127	7-14（2-4药）备	冰箱	232311012	2025/6/15 7:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4128	7-14（2-4药）备	冰箱	232311012	2025/6/15 7:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4129	7-14（2-4药）备	冰箱	232311012	2025/6/15 8:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

4130	7-14（2-4药）备	冰箱	232311012	2025/6/15 8:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4131	7-14（2-4药）备	冰箱	232311012	2025/6/15 8:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4132	7-14（2-4药）备	冰箱	232311012	2025/6/15 8:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4133	7-14（2-4药）备	冰箱	232311012	2025/6/15 8:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4134	7-14（2-4药）备	冰箱	232311012	2025/6/15 8:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4135	7-14（2-4药）备	冰箱	232311012	2025/6/15 8:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4136	7-14（2-4药）备	冰箱	232311012	2025/6/15 8:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4137	7-14（2-4药）备	冰箱	232311012	2025/6/15 8:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4138	7-14（2-4药）备	冰箱	232311012	2025/6/15 8:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4139	7-14（2-4药）备	冰箱	232311012	2025/6/15 8:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4140	7-14（2-4药）备	冰箱	232311012	2025/6/15 8:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4141	7-14（2-4药）备	冰箱	232311012	2025/6/15 9:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4142	7-14（2-4药）备	冰箱	232311012	2025/6/15 9:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4143	7-14（2-4药）备	冰箱	232311012	2025/6/15 9:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4144	7-14（2-4药）备	冰箱	232311012	2025/6/15 9:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4145	7-14（2-4药）备	冰箱	232311012	2025/6/15 9:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4146	7-14（2-4药）备	冰箱	232311012	2025/6/15 9:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4147	7-14（2-4药）备	冰箱	232311012	2025/6/15 9:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4148	7-14（2-4药）备	冰箱	232311012	2025/6/15 9:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4149	7-14（2-4药）备	冰箱	232311012	2025/6/15 9:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4150	7-14（2-4药）备	冰箱	232311012	2025/6/15 9:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4151	7-14（2-4药）备	冰箱	232311012	2025/6/15 9:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4152	7-14（2-4药）备	冰箱	232311012	2025/6/15 9:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4153	7-14（2-4药）备	冰箱	232311012	2025/6/15 10:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4154	7-14（2-4药）备	冰箱	232311012	2025/6/15 10:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4155	7-14（2-4药）备	冰箱	232311012	2025/6/15 10:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

4156	7-14（2-4药）备	冰箱	232311012	2025/6/15 10:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4157	7-14（2-4药）备	冰箱	232311012	2025/6/15 10:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4158	7-14（2-4药）备	冰箱	232311012	2025/6/15 10:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4159	7-14（2-4药）备	冰箱	232311012	2025/6/15 10:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4160	7-14（2-4药）备	冰箱	232311012	2025/6/15 10:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4161	7-14（2-4药）备	冰箱	232311012	2025/6/15 10:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4162	7-14（2-4药）备	冰箱	232311012	2025/6/15 10:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4163	7-14（2-4药）备	冰箱	232311012	2025/6/15 10:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4164	7-14（2-4药）备	冰箱	232311012	2025/6/15 10:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4165	7-14（2-4药）备	冰箱	232311012	2025/6/15 11:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4166	7-14（2-4药）备	冰箱	232311012	2025/6/15 11:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4167	7-14（2-4药）备	冰箱	232311012	2025/6/15 11:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4168	7-14（2-4药）备	冰箱	232311012	2025/6/15 11:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4169	7-14（2-4药）备	冰箱	232311012	2025/6/15 11:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4170	7-14（2-4药）备	冰箱	232311012	2025/6/15 11:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4171	7-14（2-4药）备	冰箱	232311012	2025/6/15 11:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4172	7-14（2-4药）备	冰箱	232311012	2025/6/15 11:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4173	7-14（2-4药）备	冰箱	232311012	2025/6/15 11:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4174	7-14（2-4药）备	冰箱	232311012	2025/6/15 11:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4175	7-14（2-4药）备	冰箱	232311012	2025/6/15 11:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4176	7-14（2-4药）备	冰箱	232311012	2025/6/15 11:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4177	7-14（2-4药）备	冰箱	232311012	2025/6/15 12:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4178	7-14（2-4药）备	冰箱	232311012	2025/6/15 12:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4179	7-14（2-4药）备	冰箱	232311012	2025/6/15 12:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4180	7-14（2-4药）备	冰箱	232311012	2025/6/15 12:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4181	7-14（2-4药）备	冰箱	232311012	2025/6/15 12:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

4182	7-14（2-4药）备	冰箱	232311012	2025/6/15 12:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4183	7-14（2-4药）备	冰箱	232311012	2025/6/15 12:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4184	7-14（2-4药）备	冰箱	232311012	2025/6/15 12:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4185	7-14（2-4药）备	冰箱	232311012	2025/6/15 12:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4186	7-14（2-4药）备	冰箱	232311012	2025/6/15 12:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4187	7-14（2-4药）备	冰箱	232311012	2025/6/15 12:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4188	7-14（2-4药）备	冰箱	232311012	2025/6/15 12:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4189	7-14（2-4药）备	冰箱	232311012	2025/6/15 13:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4190	7-14（2-4药）备	冰箱	232311012	2025/6/15 13:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4191	7-14（2-4药）备	冰箱	232311012	2025/6/15 13:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4192	7-14（2-4药）备	冰箱	232311012	2025/6/15 13:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4193	7-14（2-4药）备	冰箱	232311012	2025/6/15 13:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4194	7-14（2-4药）备	冰箱	232311012	2025/6/15 13:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4195	7-14（2-4药）备	冰箱	232311012	2025/6/15 13:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4196	7-14（2-4药）备	冰箱	232311012	2025/6/15 13:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4197	7-14（2-4药）备	冰箱	232311012	2025/6/15 13:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4198	7-14（2-4药）备	冰箱	232311012	2025/6/15 13:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4199	7-14（2-4药）备	冰箱	232311012	2025/6/15 13:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4200	7-14（2-4药）备	冰箱	232311012	2025/6/15 13:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4201	7-14（2-4药）备	冰箱	232311012	2025/6/15 14:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4202	7-14（2-4药）备	冰箱	232311012	2025/6/15 14:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4203	7-14（2-4药）备	冰箱	232311012	2025/6/15 14:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4204	7-14（2-4药）备	冰箱	232311012	2025/6/15 14:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4205	7-14（2-4药）备	冰箱	232311012	2025/6/15 14:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4206	7-14（2-4药）备	冰箱	232311012	2025/6/15 14:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4207	7-14（2-4药）备	冰箱	232311012	2025/6/15 14:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

4208	7-14（2-4药）备	冰箱	232311012	2025/6/15 14:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4209	7-14（2-4药）备	冰箱	232311012	2025/6/15 14:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4210	7-14（2-4药）备	冰箱	232311012	2025/6/15 14:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4211	7-14（2-4药）备	冰箱	232311012	2025/6/15 14:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4212	7-14（2-4药）备	冰箱	232311012	2025/6/15 14:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4213	7-14（2-4药）备	冰箱	232311012	2025/6/15 15:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4214	7-14（2-4药）备	冰箱	232311012	2025/6/15 15:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4215	7-14（2-4药）备	冰箱	232311012	2025/6/15 15:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4216	7-14（2-4药）备	冰箱	232311012	2025/6/15 15:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4217	7-14（2-4药）备	冰箱	232311012	2025/6/15 15:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4218	7-14（2-4药）备	冰箱	232311012	2025/6/15 15:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4219	7-14（2-4药）备	冰箱	232311012	2025/6/15 15:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4220	7-14（2-4药）备	冰箱	232311012	2025/6/15 15:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4221	7-14（2-4药）备	冰箱	232311012	2025/6/15 15:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4222	7-14（2-4药）备	冰箱	232311012	2025/6/15 15:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4223	7-14（2-4药）备	冰箱	232311012	2025/6/15 15:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4224	7-14（2-4药）备	冰箱	232311012	2025/6/15 15:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4225	7-14（2-4药）备	冰箱	232311012	2025/6/15 16:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4226	7-14（2-4药）备	冰箱	232311012	2025/6/15 16:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4227	7-14（2-4药）备	冰箱	232311012	2025/6/15 16:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4228	7-14（2-4药）备	冰箱	232311012	2025/6/15 16:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4229	7-14（2-4药）备	冰箱	232311012	2025/6/15 16:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4230	7-14（2-4药）备	冰箱	232311012	2025/6/15 16:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4231	7-14（2-4药）备	冰箱	232311012	2025/6/15 16:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4232	7-14（2-4药）备	冰箱	232311012	2025/6/15 16:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4233	7-14（2-4药）备	冰箱	232311012	2025/6/15 16:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

4234	7-14（2-4药）备	冰箱	232311012	2025/6/15 16:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4235	7-14（2-4药）备	冰箱	232311012	2025/6/15 16:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4236	7-14（2-4药）备	冰箱	232311012	2025/6/15 16:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4237	7-14（2-4药）备	冰箱	232311012	2025/6/15 17:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4238	7-14（2-4药）备	冰箱	232311012	2025/6/15 17:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4239	7-14（2-4药）备	冰箱	232311012	2025/6/15 17:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4240	7-14（2-4药）备	冰箱	232311012	2025/6/15 17:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4241	7-14（2-4药）备	冰箱	232311012	2025/6/15 17:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4242	7-14（2-4药）备	冰箱	232311012	2025/6/15 17:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4243	7-14（2-4药）备	冰箱	232311012	2025/6/15 17:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4244	7-14（2-4药）备	冰箱	232311012	2025/6/15 17:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4245	7-14（2-4药）备	冰箱	232311012	2025/6/15 17:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4246	7-14（2-4药）备	冰箱	232311012	2025/6/15 17:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4247	7-14（2-4药）备	冰箱	232311012	2025/6/15 17:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4248	7-14（2-4药）备	冰箱	232311012	2025/6/15 17:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4249	7-14（2-4药）备	冰箱	232311012	2025/6/15 18:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4250	7-14（2-4药）备	冰箱	232311012	2025/6/15 18:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4251	7-14（2-4药）备	冰箱	232311012	2025/6/15 18:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4252	7-14（2-4药）备	冰箱	232311012	2025/6/15 18:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4253	7-14（2-4药）备	冰箱	232311012	2025/6/15 18:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4254	7-14（2-4药）备	冰箱	232311012	2025/6/15 18:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4255	7-14（2-4药）备	冰箱	232311012	2025/6/15 18:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4256	7-14（2-4药）备	冰箱	232311012	2025/6/15 18:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4257	7-14（2-4药）备	冰箱	232311012	2025/6/15 18:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4258	7-14（2-4药）备	冰箱	232311012	2025/6/15 18:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4259	7-14（2-4药）备	冰箱	232311012	2025/6/15 18:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,

4260	7-14（2-4药）备	冰箱	232311012	2025/6/15 18:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4261	7-14（2-4药）备	冰箱	232311012	2025/6/15 19:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4262	7-14（2-4药）备	冰箱	232311012	2025/6/15 19:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4263	7-14（2-4药）备	冰箱	232311012	2025/6/15 19:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4264	7-14（2-4药）备	冰箱	232311012	2025/6/15 19:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4265	7-14（2-4药）备	冰箱	232311012	2025/6/15 19:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4266	7-14（2-4药）备	冰箱	232311012	2025/6/15 19:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4267	7-14（2-4药）备	冰箱	232311012	2025/6/15 19:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4268	7-14（2-4药）备	冰箱	232311012	2025/6/15 19:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4269	7-14（2-4药）备	冰箱	232311012	2025/6/15 19:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4270	7-14（2-4药）备	冰箱	232311012	2025/6/15 19:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4271	7-14（2-4药）备	冰箱	232311012	2025/6/15 19:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4272	7-14（2-4药）备	冰箱	232311012	2025/6/15 19:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4273	7-14（2-4药）备	冰箱	232311012	2025/6/15 20:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4274	7-14（2-4药）备	冰箱	232311012	2025/6/15 20:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4275	7-14（2-4药）备	冰箱	232311012	2025/6/15 20:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4276	7-14（2-4药）备	冰箱	232311012	2025/6/15 20:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4277	7-14（2-4药）备	冰箱	232311012	2025/6/15 20:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4278	7-14（2-4药）备	冰箱	232311012	2025/6/15 20:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4279	7-14（2-4药）备	冰箱	232311012	2025/6/15 20:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4280	7-14（2-4药）备	冰箱	232311012	2025/6/15 20:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4281	7-14（2-4药）备	冰箱	232311012	2025/6/15 20:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4282	7-14（2-4药）备	冰箱	232311012	2025/6/15 20:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4283	7-14（2-4药）备	冰箱	232311012	2025/6/15 20:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4284	7-14（2-4药）备	冰箱	232311012	2025/6/15 20:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4285	7-14（2-4药）备	冰箱	232311012	2025/6/15 21:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,

4286	7-14（2-4药）备	冰箱	232311012	2025/6/15 21:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4287	7-14（2-4药）备	冰箱	232311012	2025/6/15 21:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4288	7-14（2-4药）备	冰箱	232311012	2025/6/15 21:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4289	7-14（2-4药）备	冰箱	232311012	2025/6/15 21:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4290	7-14（2-4药）备	冰箱	232311012	2025/6/15 21:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4291	7-14（2-4药）备	冰箱	232311012	2025/6/15 21:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4292	7-14（2-4药）备	冰箱	232311012	2025/6/15 21:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4293	7-14（2-4药）备	冰箱	232311012	2025/6/15 21:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4294	7-14（2-4药）备	冰箱	232311012	2025/6/15 21:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4295	7-14（2-4药）备	冰箱	232311012	2025/6/15 21:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4296	7-14（2-4药）备	冰箱	232311012	2025/6/15 21:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4297	7-14（2-4药）备	冰箱	232311012	2025/6/15 22:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4298	7-14（2-4药）备	冰箱	232311012	2025/6/15 22:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4299	7-14（2-4药）备	冰箱	232311012	2025/6/15 22:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4300	7-14（2-4药）备	冰箱	232311012	2025/6/15 22:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4301	7-14（2-4药）备	冰箱	232311012	2025/6/15 22:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4302	7-14（2-4药）备	冰箱	232311012	2025/6/15 22:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4303	7-14（2-4药）备	冰箱	232311012	2025/6/15 22:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4304	7-14（2-4药）备	冰箱	232311012	2025/6/15 22:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4305	7-14（2-4药）备	冰箱	232311012	2025/6/15 22:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4306	7-14（2-4药）备	冰箱	232311012	2025/6/15 22:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4307	7-14（2-4药）备	冰箱	232311012	2025/6/15 22:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4308	7-14（2-4药）备	冰箱	232311012	2025/6/15 22:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4309	7-14（2-4药）备	冰箱	232311012	2025/6/15 23:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4310	7-14（2-4药）备	冰箱	232311012	2025/6/15 23:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4311	7-14（2-4药）备	冰箱	232311012	2025/6/15 23:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,

4312	7-14（2-4药）备	冰箱	232311012	2025/6/15 23:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4313	7-14（2-4药）备	冰箱	232311012	2025/6/15 23:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4314	7-14（2-4药）备	冰箱	232311012	2025/6/15 23:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4315	7-14（2-4药）备	冰箱	232311012	2025/6/15 23:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4316	7-14（2-4药）备	冰箱	232311012	2025/6/15 23:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4317	7-14（2-4药）备	冰箱	232311012	2025/6/15 23:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4318	7-14（2-4药）备	冰箱	232311012	2025/6/15 23:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4319	7-14（2-4药）备	冰箱	232311012	2025/6/15 23:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4320	7-14（2-4药）备	冰箱	232311012	2025/6/15 23:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4321	7-14（2-4药）备	冰箱	232311012	2025/6/16 0:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4322	7-14（2-4药）备	冰箱	232311012	2025/6/16 0:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4323	7-14（2-4药）备	冰箱	232311012	2025/6/16 0:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4324	7-14（2-4药）备	冰箱	232311012	2025/6/16 0:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4325	7-14（2-4药）备	冰箱	232311012	2025/6/16 0:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4326	7-14（2-4药）备	冰箱	232311012	2025/6/16 0:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4327	7-14（2-4药）备	冰箱	232311012	2025/6/16 0:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4328	7-14（2-4药）备	冰箱	232311012	2025/6/16 0:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4329	7-14（2-4药）备	冰箱	232311012	2025/6/16 0:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4330	7-14（2-4药）备	冰箱	232311012	2025/6/16 0:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4331	7-14（2-4药）备	冰箱	232311012	2025/6/16 0:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4332	7-14（2-4药）备	冰箱	232311012	2025/6/16 0:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4333	7-14（2-4药）备	冰箱	232311012	2025/6/16 1:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4334	7-14（2-4药）备	冰箱	232311012	2025/6/16 1:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4335	7-14（2-4药）备	冰箱	232311012	2025/6/16 1:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4336	7-14（2-4药）备	冰箱	232311012	2025/6/16 1:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4337	7-14（2-4药）备	冰箱	232311012	2025/6/16 1:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

4338	7-14（2-4药）备	冰箱	232311012	2025/6/16 1:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4339	7-14（2-4药）备	冰箱	232311012	2025/6/16 1:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4340	7-14（2-4药）备	冰箱	232311012	2025/6/16 1:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4341	7-14（2-4药）备	冰箱	232311012	2025/6/16 1:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4342	7-14（2-4药）备	冰箱	232311012	2025/6/16 1:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4343	7-14（2-4药）备	冰箱	232311012	2025/6/16 1:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4344	7-14（2-4药）备	冰箱	232311012	2025/6/16 1:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4345	7-14（2-4药）备	冰箱	232311012	2025/6/16 2:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4346	7-14（2-4药）备	冰箱	232311012	2025/6/16 2:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4347	7-14（2-4药）备	冰箱	232311012	2025/6/16 2:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4348	7-14（2-4药）备	冰箱	232311012	2025/6/16 2:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4349	7-14（2-4药）备	冰箱	232311012	2025/6/16 2:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4350	7-14（2-4药）备	冰箱	232311012	2025/6/16 2:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4351	7-14（2-4药）备	冰箱	232311012	2025/6/16 2:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4352	7-14（2-4药）备	冰箱	232311012	2025/6/16 2:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4353	7-14（2-4药）备	冰箱	232311012	2025/6/16 2:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4354	7-14（2-4药）备	冰箱	232311012	2025/6/16 2:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4355	7-14（2-4药）备	冰箱	232311012	2025/6/16 2:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4356	7-14（2-4药）备	冰箱	232311012	2025/6/16 2:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4357	7-14（2-4药）备	冰箱	232311012	2025/6/16 3:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4358	7-14（2-4药）备	冰箱	232311012	2025/6/16 3:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4359	7-14（2-4药）备	冰箱	232311012	2025/6/16 3:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4360	7-14（2-4药）备	冰箱	232311012	2025/6/16 3:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4361	7-14（2-4药）备	冰箱	232311012	2025/6/16 3:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4362	7-14（2-4药）备	冰箱	232311012	2025/6/16 3:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4363	7-14（2-4药）备	冰箱	232311012	2025/6/16 3:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

4364	7-14（2-4药）备	冰箱	232311012	2025/6/16 3:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4365	7-14（2-4药）备	冰箱	232311012	2025/6/16 3:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4366	7-14（2-4药）备	冰箱	232311012	2025/6/16 3:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4367	7-14（2-4药）备	冰箱	232311012	2025/6/16 3:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4368	7-14（2-4药）备	冰箱	232311012	2025/6/16 3:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4369	7-14（2-4药）备	冰箱	232311012	2025/6/16 4:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4370	7-14（2-4药）备	冰箱	232311012	2025/6/16 4:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4371	7-14（2-4药）备	冰箱	232311012	2025/6/16 4:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4372	7-14（2-4药）备	冰箱	232311012	2025/6/16 4:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4373	7-14（2-4药）备	冰箱	232311012	2025/6/16 4:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4374	7-14（2-4药）备	冰箱	232311012	2025/6/16 4:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4375	7-14（2-4药）备	冰箱	232311012	2025/6/16 4:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4376	7-14（2-4药）备	冰箱	232311012	2025/6/16 4:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4377	7-14（2-4药）备	冰箱	232311012	2025/6/16 4:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4378	7-14（2-4药）备	冰箱	232311012	2025/6/16 4:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4379	7-14（2-4药）备	冰箱	232311012	2025/6/16 4:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4380	7-14（2-4药）备	冰箱	232311012	2025/6/16 4:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4381	7-14（2-4药）备	冰箱	232311012	2025/6/16 5:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4382	7-14（2-4药）备	冰箱	232311012	2025/6/16 5:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4383	7-14（2-4药）备	冰箱	232311012	2025/6/16 5:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4384	7-14（2-4药）备	冰箱	232311012	2025/6/16 5:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4385	7-14（2-4药）备	冰箱	232311012	2025/6/16 5:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4386	7-14（2-4药）备	冰箱	232311012	2025/6/16 5:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4387	7-14（2-4药）备	冰箱	232311012	2025/6/16 5:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4388	7-14（2-4药）备	冰箱	232311012	2025/6/16 5:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4389	7-14（2-4药）备	冰箱	232311012	2025/6/16 5:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

4390	7-14（2-4药）备	冰箱	232311012	2025/6/16 5:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4391	7-14（2-4药）备	冰箱	232311012	2025/6/16 5:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4392	7-14（2-4药）备	冰箱	232311012	2025/6/16 5:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4393	7-14（2-4药）备	冰箱	232311012	2025/6/16 6:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4394	7-14（2-4药）备	冰箱	232311012	2025/6/16 6:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4395	7-14（2-4药）备	冰箱	232311012	2025/6/16 6:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4396	7-14（2-4药）备	冰箱	232311012	2025/6/16 6:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4397	7-14（2-4药）备	冰箱	232311012	2025/6/16 6:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4398	7-14（2-4药）备	冰箱	232311012	2025/6/16 6:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4399	7-14（2-4药）备	冰箱	232311012	2025/6/16 6:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4400	7-14（2-4药）备	冰箱	232311012	2025/6/16 6:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4401	7-14（2-4药）备	冰箱	232311012	2025/6/16 6:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4402	7-14（2-4药）备	冰箱	232311012	2025/6/16 6:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4403	7-14（2-4药）备	冰箱	232311012	2025/6/16 6:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4404	7-14（2-4药）备	冰箱	232311012	2025/6/16 6:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4405	7-14（2-4药）备	冰箱	232311012	2025/6/16 7:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4406	7-14（2-4药）备	冰箱	232311012	2025/6/16 7:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4407	7-14（2-4药）备	冰箱	232311012	2025/6/16 7:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4408	7-14（2-4药）备	冰箱	232311012	2025/6/16 7:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4409	7-14（2-4药）备	冰箱	232311012	2025/6/16 7:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4410	7-14（2-4药）备	冰箱	232311012	2025/6/16 7:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4411	7-14（2-4药）备	冰箱	232311012	2025/6/16 7:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4412	7-14（2-4药）备	冰箱	232311012	2025/6/16 7:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4413	7-14（2-4药）备	冰箱	232311012	2025/6/16 7:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4414	7-14（2-4药）备	冰箱	232311012	2025/6/16 7:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4415	7-14（2-4药）备	冰箱	232311012	2025/6/16 7:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,

4416	7-14（2-4药）备	冰箱	232311012	2025/6/16 7:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4417	7-14（2-4药）备	冰箱	232311012	2025/6/16 8:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4418	7-14（2-4药）备	冰箱	232311012	2025/6/16 8:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4419	7-14（2-4药）备	冰箱	232311012	2025/6/16 8:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4420	7-14（2-4药）备	冰箱	232311012	2025/6/16 8:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4421	7-14（2-4药）备	冰箱	232311012	2025/6/16 8:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4422	7-14（2-4药）备	冰箱	232311012	2025/6/16 8:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4423	7-14（2-4药）备	冰箱	232311012	2025/6/16 8:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4424	7-14（2-4药）备	冰箱	232311012	2025/6/16 8:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4425	7-14（2-4药）备	冰箱	232311012	2025/6/16 8:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4426	7-14（2-4药）备	冰箱	232311012	2025/6/16 8:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4427	7-14（2-4药）备	冰箱	232311012	2025/6/16 8:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4428	7-14（2-4药）备	冰箱	232311012	2025/6/16 8:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4429	7-14（2-4药）备	冰箱	232311012	2025/6/16 9:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4430	7-14（2-4药）备	冰箱	232311012	2025/6/16 9:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4431	7-14（2-4药）备	冰箱	232311012	2025/6/16 9:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4432	7-14（2-4药）备	冰箱	232311012	2025/6/16 9:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4433	7-14（2-4药）备	冰箱	232311012	2025/6/16 9:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4434	7-14（2-4药）备	冰箱	232311012	2025/6/16 9:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4435	7-14（2-4药）备	冰箱	232311012	2025/6/16 9:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4436	7-14（2-4药）备	冰箱	232311012	2025/6/16 9:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4437	7-14（2-4药）备	冰箱	232311012	2025/6/16 9:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4438	7-14（2-4药）备	冰箱	232311012	2025/6/16 9:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4439	7-14（2-4药）备	冰箱	232311012	2025/6/16 9:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4440	7-14（2-4药）备	冰箱	232311012	2025/6/16 9:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4441	7-14（2-4药）备	冰箱	232311012	2025/6/16 10:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

4442	7-14（2-4药）备	冰箱	232311012	2025/6/16 10:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4443	7-14（2-4药）备	冰箱	232311012	2025/6/16 10:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4444	7-14（2-4药）备	冰箱	232311012	2025/6/16 10:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4445	7-14（2-4药）备	冰箱	232311012	2025/6/16 10:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4446	7-14（2-4药）备	冰箱	232311012	2025/6/16 10:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4447	7-14（2-4药）备	冰箱	232311012	2025/6/16 10:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4448	7-14（2-4药）备	冰箱	232311012	2025/6/16 10:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4449	7-14（2-4药）备	冰箱	232311012	2025/6/16 10:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4450	7-14（2-4药）备	冰箱	232311012	2025/6/16 10:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4451	7-14（2-4药）备	冰箱	232311012	2025/6/16 10:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4452	7-14（2-4药）备	冰箱	232311012	2025/6/16 10:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4453	7-14（2-4药）备	冰箱	232311012	2025/6/16 11:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4454	7-14（2-4药）备	冰箱	232311012	2025/6/16 11:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4455	7-14（2-4药）备	冰箱	232311012	2025/6/16 11:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4456	7-14（2-4药）备	冰箱	232311012	2025/6/16 11:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4457	7-14（2-4药）备	冰箱	232311012	2025/6/16 11:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4458	7-14（2-4药）备	冰箱	232311012	2025/6/16 11:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4459	7-14（2-4药）备	冰箱	232311012	2025/6/16 11:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4460	7-14（2-4药）备	冰箱	232311012	2025/6/16 11:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4461	7-14（2-4药）备	冰箱	232311012	2025/6/16 11:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4462	7-14（2-4药）备	冰箱	232311012	2025/6/16 11:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4463	7-14（2-4药）备	冰箱	232311012	2025/6/16 11:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4464	7-14（2-4药）备	冰箱	232311012	2025/6/16 11:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4465	7-14（2-4药）备	冰箱	232311012	2025/6/16 12:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4466	7-14（2-4药）备	冰箱	232311012	2025/6/16 12:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4467	7-14（2-4药）备	冰箱	232311012	2025/6/16 12:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,

4468	7-14（2-4药）备	冰箱	232311012	2025/6/16 12:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4469	7-14（2-4药）备	冰箱	232311012	2025/6/16 12:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4470	7-14（2-4药）备	冰箱	232311012	2025/6/16 12:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4471	7-14（2-4药）备	冰箱	232311012	2025/6/16 12:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4472	7-14（2-4药）备	冰箱	232311012	2025/6/16 12:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4473	7-14（2-4药）备	冰箱	232311012	2025/6/16 12:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4474	7-14（2-4药）备	冰箱	232311012	2025/6/16 12:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4475	7-14（2-4药）备	冰箱	232311012	2025/6/16 12:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4476	7-14（2-4药）备	冰箱	232311012	2025/6/16 12:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4477	7-14（2-4药）备	冰箱	232311012	2025/6/16 13:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4478	7-14（2-4药）备	冰箱	232311012	2025/6/16 13:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4479	7-14（2-4药）备	冰箱	232311012	2025/6/16 13:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4480	7-14（2-4药）备	冰箱	232311012	2025/6/16 13:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4481	7-14（2-4药）备	冰箱	232311012	2025/6/16 13:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4482	7-14（2-4药）备	冰箱	232311012	2025/6/16 13:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4483	7-14（2-4药）备	冰箱	232311012	2025/6/16 13:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4484	7-14（2-4药）备	冰箱	232311012	2025/6/16 13:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4485	7-14（2-4药）备	冰箱	232311012	2025/6/16 13:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4486	7-14（2-4药）备	冰箱	232311012	2025/6/16 13:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4487	7-14（2-4药）备	冰箱	232311012	2025/6/16 13:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4488	7-14（2-4药）备	冰箱	232311012	2025/6/16 13:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4489	7-14（2-4药）备	冰箱	232311012	2025/6/16 14:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4490	7-14（2-4药）备	冰箱	232311012	2025/6/16 14:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4491	7-14（2-4药）备	冰箱	232311012	2025/6/16 14:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4492	7-14（2-4药）备	冰箱	232311012	2025/6/16 14:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4493	7-14（2-4药）备	冰箱	232311012	2025/6/16 14:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

4494	7-14（2-4药）备	冰箱	232311012	2025/6/16 14:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4495	7-14（2-4药）备	冰箱	232311012	2025/6/16 14:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4496	7-14（2-4药）备	冰箱	232311012	2025/6/16 14:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4497	7-14（2-4药）备	冰箱	232311012	2025/6/16 14:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4498	7-14（2-4药）备	冰箱	232311012	2025/6/16 14:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4499	7-14（2-4药）备	冰箱	232311012	2025/6/16 14:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4500	7-14（2-4药）备	冰箱	232311012	2025/6/16 14:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4501	7-14（2-4药）备	冰箱	232311012	2025/6/16 15:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4502	7-14（2-4药）备	冰箱	232311012	2025/6/16 15:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4503	7-14（2-4药）备	冰箱	232311012	2025/6/16 15:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4504	7-14（2-4药）备	冰箱	232311012	2025/6/16 15:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4505	7-14（2-4药）备	冰箱	232311012	2025/6/16 15:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4506	7-14（2-4药）备	冰箱	232311012	2025/6/16 15:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4507	7-14（2-4药）备	冰箱	232311012	2025/6/16 15:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4508	7-14（2-4药）备	冰箱	232311012	2025/6/16 15:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4509	7-14（2-4药）备	冰箱	232311012	2025/6/16 15:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4510	7-14（2-4药）备	冰箱	232311012	2025/6/16 15:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4511	7-14（2-4药）备	冰箱	232311012	2025/6/16 15:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4512	7-14（2-4药）备	冰箱	232311012	2025/6/16 15:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4513	7-14（2-4药）备	冰箱	232311012	2025/6/16 16:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4514	7-14（2-4药）备	冰箱	232311012	2025/6/16 16:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4515	7-14（2-4药）备	冰箱	232311012	2025/6/16 16:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4516	7-14（2-4药）备	冰箱	232311012	2025/6/16 16:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4517	7-14（2-4药）备	冰箱	232311012	2025/6/16 16:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4518	7-14（2-4药）备	冰箱	232311012	2025/6/16 16:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4519	7-14（2-4药）备	冰箱	232311012	2025/6/16 16:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

4520	7-14（2-4药）备	冰箱	232311012	2025/6/16 16:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4521	7-14（2-4药）备	冰箱	232311012	2025/6/16 16:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4522	7-14（2-4药）备	冰箱	232311012	2025/6/16 16:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4523	7-14（2-4药）备	冰箱	232311012	2025/6/16 16:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4524	7-14（2-4药）备	冰箱	232311012	2025/6/16 16:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4525	7-14（2-4药）备	冰箱	232311012	2025/6/16 17:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4526	7-14（2-4药）备	冰箱	232311012	2025/6/16 17:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4527	7-14（2-4药）备	冰箱	232311012	2025/6/16 17:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4528	7-14（2-4药）备	冰箱	232311012	2025/6/16 17:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4529	7-14（2-4药）备	冰箱	232311012	2025/6/16 17:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4530	7-14（2-4药）备	冰箱	232311012	2025/6/16 17:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4531	7-14（2-4药）备	冰箱	232311012	2025/6/16 17:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4532	7-14（2-4药）备	冰箱	232311012	2025/6/16 17:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4533	7-14（2-4药）备	冰箱	232311012	2025/6/16 17:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4534	7-14（2-4药）备	冰箱	232311012	2025/6/16 17:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4535	7-14（2-4药）备	冰箱	232311012	2025/6/16 17:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4536	7-14（2-4药）备	冰箱	232311012	2025/6/16 17:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4537	7-14（2-4药）备	冰箱	232311012	2025/6/16 18:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4538	7-14（2-4药）备	冰箱	232311012	2025/6/16 18:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4539	7-14（2-4药）备	冰箱	232311012	2025/6/16 18:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4540	7-14（2-4药）备	冰箱	232311012	2025/6/16 18:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4541	7-14（2-4药）备	冰箱	232311012	2025/6/16 18:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4542	7-14（2-4药）备	冰箱	232311012	2025/6/16 18:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4543	7-14（2-4药）备	冰箱	232311012	2025/6/16 18:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4544	7-14（2-4药）备	冰箱	232311012	2025/6/16 18:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4545	7-14（2-4药）备	冰箱	232311012	2025/6/16 18:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

4546	7-14（2-4药）备	冰箱	232311012	2025/6/16 18:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4547	7-14（2-4药）备	冰箱	232311012	2025/6/16 18:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4548	7-14（2-4药）备	冰箱	232311012	2025/6/16 18:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4549	7-14（2-4药）备	冰箱	232311012	2025/6/16 19:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4550	7-14（2-4药）备	冰箱	232311012	2025/6/16 19:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4551	7-14（2-4药）备	冰箱	232311012	2025/6/16 19:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4552	7-14（2-4药）备	冰箱	232311012	2025/6/16 19:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4553	7-14（2-4药）备	冰箱	232311012	2025/6/16 19:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4554	7-14（2-4药）备	冰箱	232311012	2025/6/16 19:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4555	7-14（2-4药）备	冰箱	232311012	2025/6/16 19:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4556	7-14（2-4药）备	冰箱	232311012	2025/6/16 19:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4557	7-14（2-4药）备	冰箱	232311012	2025/6/16 19:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4558	7-14（2-4药）备	冰箱	232311012	2025/6/16 19:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4559	7-14（2-4药）备	冰箱	232311012	2025/6/16 19:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4560	7-14（2-4药）备	冰箱	232311012	2025/6/16 19:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4561	7-14（2-4药）备	冰箱	232311012	2025/6/16 20:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4562	7-14（2-4药）备	冰箱	232311012	2025/6/16 20:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4563	7-14（2-4药）备	冰箱	232311012	2025/6/16 20:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4564	7-14（2-4药）备	冰箱	232311012	2025/6/16 20:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4565	7-14（2-4药）备	冰箱	232311012	2025/6/16 20:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4566	7-14（2-4药）备	冰箱	232311012	2025/6/16 20:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4567	7-14（2-4药）备	冰箱	232311012	2025/6/16 20:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4568	7-14（2-4药）备	冰箱	232311012	2025/6/16 20:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4569	7-14（2-4药）备	冰箱	232311012	2025/6/16 20:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4570	7-14（2-4药）备	冰箱	232311012	2025/6/16 20:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4571	7-14（2-4药）备	冰箱	232311012	2025/6/16 20:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

4572	7-14（2-4药）备	冰箱	232311012	2025/6/16 20:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4573	7-14（2-4药）备	冰箱	232311012	2025/6/16 21:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4574	7-14（2-4药）备	冰箱	232311012	2025/6/16 21:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4575	7-14（2-4药）备	冰箱	232311012	2025/6/16 21:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4576	7-14（2-4药）备	冰箱	232311012	2025/6/16 21:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4577	7-14（2-4药）备	冰箱	232311012	2025/6/16 21:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4578	7-14（2-4药）备	冰箱	232311012	2025/6/16 21:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4579	7-14（2-4药）备	冰箱	232311012	2025/6/16 21:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4580	7-14（2-4药）备	冰箱	232311012	2025/6/16 21:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4581	7-14（2-4药）备	冰箱	232311012	2025/6/16 21:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4582	7-14（2-4药）备	冰箱	232311012	2025/6/16 21:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4583	7-14（2-4药）备	冰箱	232311012	2025/6/16 21:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4584	7-14（2-4药）备	冰箱	232311012	2025/6/16 21:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4585	7-14（2-4药）备	冰箱	232311012	2025/6/16 22:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4586	7-14（2-4药）备	冰箱	232311012	2025/6/16 22:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4587	7-14（2-4药）备	冰箱	232311012	2025/6/16 22:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4588	7-14（2-4药）备	冰箱	232311012	2025/6/16 22:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4589	7-14（2-4药）备	冰箱	232311012	2025/6/16 22:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4590	7-14（2-4药）备	冰箱	232311012	2025/6/16 22:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4591	7-14（2-4药）备	冰箱	232311012	2025/6/16 22:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4592	7-14（2-4药）备	冰箱	232311012	2025/6/16 22:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4593	7-14（2-4药）备	冰箱	232311012	2025/6/16 22:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4594	7-14（2-4药）备	冰箱	232311012	2025/6/16 22:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4595	7-14（2-4药）备	冰箱	232311012	2025/6/16 22:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4596	7-14（2-4药）备	冰箱	232311012	2025/6/16 22:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4597	7-14（2-4药）备	冰箱	232311012	2025/6/16 23:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,

4598	7-14（2-4药）备	冰箱	232311012	2025/6/16 23:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4599	7-14（2-4药）备	冰箱	232311012	2025/6/16 23:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4600	7-14（2-4药）备	冰箱	232311012	2025/6/16 23:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4601	7-14（2-4药）备	冰箱	232311012	2025/6/16 23:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4602	7-14（2-4药）备	冰箱	232311012	2025/6/16 23:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4603	7-14（2-4药）备	冰箱	232311012	2025/6/16 23:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4604	7-14（2-4药）备	冰箱	232311012	2025/6/16 23:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4605	7-14（2-4药）备	冰箱	232311012	2025/6/16 23:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4606	7-14（2-4药）备	冰箱	232311012	2025/6/16 23:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4607	7-14（2-4药）备	冰箱	232311012	2025/6/16 23:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4608	7-14（2-4药）备	冰箱	232311012	2025/6/16 23:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4609	7-14（2-4药）备	冰箱	232311012	2025/6/17 0:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4610	7-14（2-4药）备	冰箱	232311012	2025/6/17 0:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4611	7-14（2-4药）备	冰箱	232311012	2025/6/17 0:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4612	7-14（2-4药）备	冰箱	232311012	2025/6/17 0:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4613	7-14（2-4药）备	冰箱	232311012	2025/6/17 0:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4614	7-14（2-4药）备	冰箱	232311012	2025/6/17 0:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4615	7-14（2-4药）备	冰箱	232311012	2025/6/17 0:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4616	7-14（2-4药）备	冰箱	232311012	2025/6/17 0:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4617	7-14（2-4药）备	冰箱	232311012	2025/6/17 0:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4618	7-14（2-4药）备	冰箱	232311012	2025/6/17 0:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4619	7-14（2-4药）备	冰箱	232311012	2025/6/17 0:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4620	7-14（2-4药）备	冰箱	232311012	2025/6/17 0:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4621	7-14（2-4药）备	冰箱	232311012	2025/6/17 1:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4622	7-14（2-4药）备	冰箱	232311012	2025/6/17 1:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4623	7-14（2-4药）备	冰箱	232311012	2025/6/17 1:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

4624	7-14（2-4药）备	冰箱	232311012	2025/6/17 1:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4625	7-14（2-4药）备	冰箱	232311012	2025/6/17 1:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4626	7-14（2-4药）备	冰箱	232311012	2025/6/17 1:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4627	7-14（2-4药）备	冰箱	232311012	2025/6/17 1:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4628	7-14（2-4药）备	冰箱	232311012	2025/6/17 1:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4629	7-14（2-4药）备	冰箱	232311012	2025/6/17 1:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4630	7-14（2-4药）备	冰箱	232311012	2025/6/17 1:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4631	7-14（2-4药）备	冰箱	232311012	2025/6/17 1:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4632	7-14（2-4药）备	冰箱	232311012	2025/6/17 1:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4633	7-14（2-4药）备	冰箱	232311012	2025/6/17 2:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4634	7-14（2-4药）备	冰箱	232311012	2025/6/17 2:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4635	7-14（2-4药）备	冰箱	232311012	2025/6/17 2:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4636	7-14（2-4药）备	冰箱	232311012	2025/6/17 2:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4637	7-14（2-4药）备	冰箱	232311012	2025/6/17 2:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4638	7-14（2-4药）备	冰箱	232311012	2025/6/17 2:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4639	7-14（2-4药）备	冰箱	232311012	2025/6/17 2:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4640	7-14（2-4药）备	冰箱	232311012	2025/6/17 2:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4641	7-14（2-4药）备	冰箱	232311012	2025/6/17 2:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4642	7-14（2-4药）备	冰箱	232311012	2025/6/17 2:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4643	7-14（2-4药）备	冰箱	232311012	2025/6/17 2:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4644	7-14（2-4药）备	冰箱	232311012	2025/6/17 2:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4645	7-14（2-4药）备	冰箱	232311012	2025/6/17 3:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4646	7-14（2-4药）备	冰箱	232311012	2025/6/17 3:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4647	7-14（2-4药）备	冰箱	232311012	2025/6/17 3:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4648	7-14（2-4药）备	冰箱	232311012	2025/6/17 3:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4649	7-14（2-4药）备	冰箱	232311012	2025/6/17 3:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

4650	7-14（2-4药）备	冰箱	232311012	2025/6/17 3:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4651	7-14（2-4药）备	冰箱	232311012	2025/6/17 3:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4652	7-14（2-4药）备	冰箱	232311012	2025/6/17 3:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4653	7-14（2-4药）备	冰箱	232311012	2025/6/17 3:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4654	7-14（2-4药）备	冰箱	232311012	2025/6/17 3:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4655	7-14（2-4药）备	冰箱	232311012	2025/6/17 3:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4656	7-14（2-4药）备	冰箱	232311012	2025/6/17 3:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4657	7-14（2-4药）备	冰箱	232311012	2025/6/17 4:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4658	7-14（2-4药）备	冰箱	232311012	2025/6/17 4:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4659	7-14（2-4药）备	冰箱	232311012	2025/6/17 4:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4660	7-14（2-4药）备	冰箱	232311012	2025/6/17 4:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4661	7-14（2-4药）备	冰箱	232311012	2025/6/17 4:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4662	7-14（2-4药）备	冰箱	232311012	2025/6/17 4:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4663	7-14（2-4药）备	冰箱	232311012	2025/6/17 4:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4664	7-14（2-4药）备	冰箱	232311012	2025/6/17 4:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4665	7-14（2-4药）备	冰箱	232311012	2025/6/17 4:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4666	7-14（2-4药）备	冰箱	232311012	2025/6/17 4:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4667	7-14（2-4药）备	冰箱	232311012	2025/6/17 4:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4668	7-14（2-4药）备	冰箱	232311012	2025/6/17 4:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4669	7-14（2-4药）备	冰箱	232311012	2025/6/17 5:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4670	7-14（2-4药）备	冰箱	232311012	2025/6/17 5:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4671	7-14（2-4药）备	冰箱	232311012	2025/6/17 5:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4672	7-14（2-4药）备	冰箱	232311012	2025/6/17 5:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4673	7-14（2-4药）备	冰箱	232311012	2025/6/17 5:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4674	7-14（2-4药）备	冰箱	232311012	2025/6/17 5:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4675	7-14（2-4药）备	冰箱	232311012	2025/6/17 5:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

4676	7-14（2-4药）备	冰箱	232311012	2025/6/17 5:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4677	7-14（2-4药）备	冰箱	232311012	2025/6/17 5:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4678	7-14（2-4药）备	冰箱	232311012	2025/6/17 5:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4679	7-14（2-4药）备	冰箱	232311012	2025/6/17 5:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4680	7-14（2-4药）备	冰箱	232311012	2025/6/17 5:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4681	7-14（2-4药）备	冰箱	232311012	2025/6/17 6:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4682	7-14（2-4药）备	冰箱	232311012	2025/6/17 6:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4683	7-14（2-4药）备	冰箱	232311012	2025/6/17 6:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4684	7-14（2-4药）备	冰箱	232311012	2025/6/17 6:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4685	7-14（2-4药）备	冰箱	232311012	2025/6/17 6:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4686	7-14（2-4药）备	冰箱	232311012	2025/6/17 6:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4687	7-14（2-4药）备	冰箱	232311012	2025/6/17 6:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4688	7-14（2-4药）备	冰箱	232311012	2025/6/17 6:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4689	7-14（2-4药）备	冰箱	232311012	2025/6/17 6:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4690	7-14（2-4药）备	冰箱	232311012	2025/6/17 6:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4691	7-14（2-4药）备	冰箱	232311012	2025/6/17 6:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4692	7-14（2-4药）备	冰箱	232311012	2025/6/17 6:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4693	7-14（2-4药）备	冰箱	232311012	2025/6/17 7:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4694	7-14（2-4药）备	冰箱	232311012	2025/6/17 7:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4695	7-14（2-4药）备	冰箱	232311012	2025/6/17 7:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4696	7-14（2-4药）备	冰箱	232311012	2025/6/17 7:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4697	7-14（2-4药）备	冰箱	232311012	2025/6/17 7:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4698	7-14（2-4药）备	冰箱	232311012	2025/6/17 7:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4699	7-14（2-4药）备	冰箱	232311012	2025/6/17 7:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4700	7-14（2-4药）备	冰箱	232311012	2025/6/17 7:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4701	7-14（2-4药）备	冰箱	232311012	2025/6/17 7:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

4702	7-14（2-4药）备	冰箱	232311012	2025/6/17 7:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4703	7-14（2-4药）备	冰箱	232311012	2025/6/17 7:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4704	7-14（2-4药）备	冰箱	232311012	2025/6/17 7:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4705	7-14（2-4药）备	冰箱	232311012	2025/6/17 8:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4706	7-14（2-4药）备	冰箱	232311012	2025/6/17 8:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4707	7-14（2-4药）备	冰箱	232311012	2025/6/17 8:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4708	7-14（2-4药）备	冰箱	232311012	2025/6/17 8:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4709	7-14（2-4药）备	冰箱	232311012	2025/6/17 8:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4710	7-14（2-4药）备	冰箱	232311012	2025/6/17 8:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4711	7-14（2-4药）备	冰箱	232311012	2025/6/17 8:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4712	7-14（2-4药）备	冰箱	232311012	2025/6/17 8:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4713	7-14（2-4药）备	冰箱	232311012	2025/6/17 8:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4714	7-14（2-4药）备	冰箱	232311012	2025/6/17 8:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4715	7-14（2-4药）备	冰箱	232311012	2025/6/17 8:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4716	7-14（2-4药）备	冰箱	232311012	2025/6/17 8:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4717	7-14（2-4药）备	冰箱	232311012	2025/6/17 9:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4718	7-14（2-4药）备	冰箱	232311012	2025/6/17 9:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4719	7-14（2-4药）备	冰箱	232311012	2025/6/17 9:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4720	7-14（2-4药）备	冰箱	232311012	2025/6/17 9:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4721	7-14（2-4药）备	冰箱	232311012	2025/6/17 9:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4722	7-14（2-4药）备	冰箱	232311012	2025/6/17 9:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4723	7-14（2-4药）备	冰箱	232311012	2025/6/17 9:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4724	7-14（2-4药）备	冰箱	232311012	2025/6/17 9:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4725	7-14（2-4药）备	冰箱	232311012	2025/6/17 9:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4726	7-14（2-4药）备	冰箱	232311012	2025/6/17 9:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4727	7-14（2-4药）备	冰箱	232311012	2025/6/17 9:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

4728	7-14（2-4药）备	冰箱	232311012	2025/6/17 9:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4729	7-14（2-4药）备	冰箱	232311012	2025/6/17 10:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4730	7-14（2-4药）备	冰箱	232311012	2025/6/17 10:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4731	7-14（2-4药）备	冰箱	232311012	2025/6/17 10:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4732	7-14（2-4药）备	冰箱	232311012	2025/6/17 10:15:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
4733	7-14（2-4药）备	冰箱	232311012	2025/6/17 10:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4734	7-14（2-4药）备	冰箱	232311012	2025/6/17 10:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4735	7-14（2-4药）备	冰箱	232311012	2025/6/17 10:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4736	7-14（2-4药）备	冰箱	232311012	2025/6/17 10:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4737	7-14（2-4药）备	冰箱	232311012	2025/6/17 10:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4738	7-14（2-4药）备	冰箱	232311012	2025/6/17 10:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
4739	7-14（2-4药）备	冰箱	232311012	2025/6/17 10:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4740	7-14（2-4药）备	冰箱	232311012	2025/6/17 10:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4741	7-14（2-4药）备	冰箱	232311012	2025/6/17 11:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4742	7-14（2-4药）备	冰箱	232311012	2025/6/17 11:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4743	7-14（2-4药）备	冰箱	232311012	2025/6/17 11:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4744	7-14（2-4药）备	冰箱	232311012	2025/6/17 11:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4745	7-14（2-4药）备	冰箱	232311012	2025/6/17 11:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4746	7-14（2-4药）备	冰箱	232311012	2025/6/17 11:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4747	7-14（2-4药）备	冰箱	232311012	2025/6/17 11:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4748	7-14（2-4药）备	冰箱	232311012	2025/6/17 11:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4749	7-14（2-4药）备	冰箱	232311012	2025/6/17 11:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4750	7-14（2-4药）备	冰箱	232311012	2025/6/17 11:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4751	7-14（2-4药）备	冰箱	232311012	2025/6/17 11:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4752	7-14（2-4药）备	冰箱	232311012	2025/6/17 11:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4753	7-14（2-4药）备	冰箱	232311012	2025/6/17 12:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

4754	7-14（2-4药）备	冰箱	232311012	2025/6/17 12:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4755	7-14（2-4药）备	冰箱	232311012	2025/6/17 12:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4756	7-14（2-4药）备	冰箱	232311012	2025/6/17 12:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4757	7-14（2-4药）备	冰箱	232311012	2025/6/17 12:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4758	7-14（2-4药）备	冰箱	232311012	2025/6/17 12:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4759	7-14（2-4药）备	冰箱	232311012	2025/6/17 12:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4760	7-14（2-4药）备	冰箱	232311012	2025/6/17 12:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4761	7-14（2-4药）备	冰箱	232311012	2025/6/17 12:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4762	7-14（2-4药）备	冰箱	232311012	2025/6/17 12:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4763	7-14（2-4药）备	冰箱	232311012	2025/6/17 12:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4764	7-14（2-4药）备	冰箱	232311012	2025/6/17 12:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4765	7-14（2-4药）备	冰箱	232311012	2025/6/17 13:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4766	7-14（2-4药）备	冰箱	232311012	2025/6/17 13:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4767	7-14（2-4药）备	冰箱	232311012	2025/6/17 13:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4768	7-14（2-4药）备	冰箱	232311012	2025/6/17 13:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4769	7-14（2-4药）备	冰箱	232311012	2025/6/17 13:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4770	7-14（2-4药）备	冰箱	232311012	2025/6/17 13:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4771	7-14（2-4药）备	冰箱	232311012	2025/6/17 13:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4772	7-14（2-4药）备	冰箱	232311012	2025/6/17 13:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4773	7-14（2-4药）备	冰箱	232311012	2025/6/17 13:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4774	7-14（2-4药）备	冰箱	232311012	2025/6/17 13:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4775	7-14（2-4药）备	冰箱	232311012	2025/6/17 13:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4776	7-14（2-4药）备	冰箱	232311012	2025/6/17 13:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4777	7-14（2-4药）备	冰箱	232311012	2025/6/17 14:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4778	7-14（2-4药）备	冰箱	232311012	2025/6/17 14:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4779	7-14（2-4药）备	冰箱	232311012	2025/6/17 14:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

4780	7-14（2-4药）备	冰箱	232311012	2025/6/17 14:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4781	7-14（2-4药）备	冰箱	232311012	2025/6/17 14:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4782	7-14（2-4药）备	冰箱	232311012	2025/6/17 14:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4783	7-14（2-4药）备	冰箱	232311012	2025/6/17 14:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4784	7-14（2-4药）备	冰箱	232311012	2025/6/17 14:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4785	7-14（2-4药）备	冰箱	232311012	2025/6/17 14:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4786	7-14（2-4药）备	冰箱	232311012	2025/6/17 14:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4787	7-14（2-4药）备	冰箱	232311012	2025/6/17 14:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4788	7-14（2-4药）备	冰箱	232311012	2025/6/17 14:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4789	7-14（2-4药）备	冰箱	232311012	2025/6/17 15:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4790	7-14（2-4药）备	冰箱	232311012	2025/6/17 15:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4791	7-14（2-4药）备	冰箱	232311012	2025/6/17 15:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4792	7-14（2-4药）备	冰箱	232311012	2025/6/17 15:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4793	7-14（2-4药）备	冰箱	232311012	2025/6/17 15:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4794	7-14（2-4药）备	冰箱	232311012	2025/6/17 15:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4795	7-14（2-4药）备	冰箱	232311012	2025/6/17 15:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4796	7-14（2-4药）备	冰箱	232311012	2025/6/17 15:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4797	7-14（2-4药）备	冰箱	232311012	2025/6/17 15:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4798	7-14（2-4药）备	冰箱	232311012	2025/6/17 15:45:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4799	7-14（2-4药）备	冰箱	232311012	2025/6/17 15:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4800	7-14（2-4药）备	冰箱	232311012	2025/6/17 15:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4801	7-14（2-4药）备	冰箱	232311012	2025/6/17 16:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4802	7-14（2-4药）备	冰箱	232311012	2025/6/17 16:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4803	7-14（2-4药）备	冰箱	232311012	2025/6/17 16:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4804	7-14（2-4药）备	冰箱	232311012	2025/6/17 16:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4805	7-14（2-4药）备	冰箱	232311012	2025/6/17 16:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

4806	7-14（2-4药）备	冰箱	232311012	2025/6/17 16:25:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4807	7-14（2-4药）备	冰箱	232311012	2025/6/17 16:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4808	7-14（2-4药）备	冰箱	232311012	2025/6/17 16:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4809	7-14（2-4药）备	冰箱	232311012	2025/6/17 16:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4810	7-14（2-4药）备	冰箱	232311012	2025/6/17 16:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4811	7-14（2-4药）备	冰箱	232311012	2025/6/17 16:50:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4812	7-14（2-4药）备	冰箱	232311012	2025/6/17 16:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4813	7-14（2-4药）备	冰箱	232311012	2025/6/17 17:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4814	7-14（2-4药）备	冰箱	232311012	2025/6/17 17:05:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4815	7-14（2-4药）备	冰箱	232311012	2025/6/17 17:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4816	7-14（2-4药）备	冰箱	232311012	2025/6/17 17:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4817	7-14（2-4药）备	冰箱	232311012	2025/6/17 17:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4818	7-14（2-4药）备	冰箱	232311012	2025/6/17 17:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4819	7-14（2-4药）备	冰箱	232311012	2025/6/17 17:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4820	7-14（2-4药）备	冰箱	232311012	2025/6/17 17:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4821	7-14（2-4药）备	冰箱	232311012	2025/6/17 17:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4822	7-14（2-4药）备	冰箱	232311012	2025/6/17 17:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4823	7-14（2-4药）备	冰箱	232311012	2025/6/17 17:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4824	7-14（2-4药）备	冰箱	232311012	2025/6/17 17:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4825	7-14（2-4药）备	冰箱	232311012	2025/6/17 18:00:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4826	7-14（2-4药）备	冰箱	232311012	2025/6/17 18:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4827	7-14（2-4药）备	冰箱	232311012	2025/6/17 18:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4828	7-14（2-4药）备	冰箱	232311012	2025/6/17 18:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4829	7-14（2-4药）备	冰箱	232311012	2025/6/17 18:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4830	7-14（2-4药）备	冰箱	232311012	2025/6/17 18:25:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4831	7-14（2-4药）备	冰箱	232311012	2025/6/17 18:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,

4832	7-14（2-4药）备	冰箱	232311012	2025/6/17 18:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4833	7-14（2-4药）备	冰箱	232311012	2025/6/17 18:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4834	7-14（2-4药）备	冰箱	232311012	2025/6/17 18:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4835	7-14（2-4药）备	冰箱	232311012	2025/6/17 18:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4836	7-14（2-4药）备	冰箱	232311012	2025/6/17 18:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4837	7-14（2-4药）备	冰箱	232311012	2025/6/17 19:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4838	7-14（2-4药）备	冰箱	232311012	2025/6/17 19:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4839	7-14（2-4药）备	冰箱	232311012	2025/6/17 19:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4840	7-14（2-4药）备	冰箱	232311012	2025/6/17 19:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4841	7-14（2-4药）备	冰箱	232311012	2025/6/17 19:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4842	7-14（2-4药）备	冰箱	232311012	2025/6/17 19:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4843	7-14（2-4药）备	冰箱	232311012	2025/6/17 19:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4844	7-14（2-4药）备	冰箱	232311012	2025/6/17 19:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4845	7-14（2-4药）备	冰箱	232311012	2025/6/17 19:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4846	7-14（2-4药）备	冰箱	232311012	2025/6/17 19:45:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4847	7-14（2-4药）备	冰箱	232311012	2025/6/17 19:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4848	7-14（2-4药）备	冰箱	232311012	2025/6/17 19:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4849	7-14（2-4药）备	冰箱	232311012	2025/6/17 20:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4850	7-14（2-4药）备	冰箱	232311012	2025/6/17 20:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4851	7-14（2-4药）备	冰箱	232311012	2025/6/17 20:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4852	7-14（2-4药）备	冰箱	232311012	2025/6/17 20:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4853	7-14（2-4药）备	冰箱	232311012	2025/6/17 20:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4854	7-14（2-4药）备	冰箱	232311012	2025/6/17 20:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4855	7-14（2-4药）备	冰箱	232311012	2025/6/17 20:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4856	7-14（2-4药）备	冰箱	232311012	2025/6/17 20:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4857	7-14（2-4药）备	冰箱	232311012	2025/6/17 20:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

4858	7-14（2-4药）备	冰箱	232311012	2025/6/17 20:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4859	7-14（2-4药）备	冰箱	232311012	2025/6/17 20:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4860	7-14（2-4药）备	冰箱	232311012	2025/6/17 20:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4861	7-14（2-4药）备	冰箱	232311012	2025/6/17 21:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4862	7-14（2-4药）备	冰箱	232311012	2025/6/17 21:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4863	7-14（2-4药）备	冰箱	232311012	2025/6/17 21:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4864	7-14（2-4药）备	冰箱	232311012	2025/6/17 21:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4865	7-14（2-4药）备	冰箱	232311012	2025/6/17 21:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4866	7-14（2-4药）备	冰箱	232311012	2025/6/17 21:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4867	7-14（2-4药）备	冰箱	232311012	2025/6/17 21:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4868	7-14（2-4药）备	冰箱	232311012	2025/6/17 21:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4869	7-14（2-4药）备	冰箱	232311012	2025/6/17 21:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4870	7-14（2-4药）备	冰箱	232311012	2025/6/17 21:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4871	7-14（2-4药）备	冰箱	232311012	2025/6/17 21:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4872	7-14（2-4药）备	冰箱	232311012	2025/6/17 21:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4873	7-14（2-4药）备	冰箱	232311012	2025/6/17 22:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4874	7-14（2-4药）备	冰箱	232311012	2025/6/17 22:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4875	7-14（2-4药）备	冰箱	232311012	2025/6/17 22:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4876	7-14（2-4药）备	冰箱	232311012	2025/6/17 22:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4877	7-14（2-4药）备	冰箱	232311012	2025/6/17 22:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4878	7-14（2-4药）备	冰箱	232311012	2025/6/17 22:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4879	7-14（2-4药）备	冰箱	232311012	2025/6/17 22:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4880	7-14（2-4药）备	冰箱	232311012	2025/6/17 22:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4881	7-14（2-4药）备	冰箱	232311012	2025/6/17 22:40:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4882	7-14（2-4药）备	冰箱	232311012	2025/6/17 22:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4883	7-14（2-4药）备	冰箱	232311012	2025/6/17 22:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,

4884	7-14（2-4药）备	冰箱	232311012	2025/6/17 22:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4885	7-14（2-4药）备	冰箱	232311012	2025/6/17 23:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4886	7-14（2-4药）备	冰箱	232311012	2025/6/17 23:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4887	7-14（2-4药）备	冰箱	232311012	2025/6/17 23:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4888	7-14（2-4药）备	冰箱	232311012	2025/6/17 23:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4889	7-14（2-4药）备	冰箱	232311012	2025/6/17 23:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4890	7-14（2-4药）备	冰箱	232311012	2025/6/17 23:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4891	7-14（2-4药）备	冰箱	232311012	2025/6/17 23:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4892	7-14（2-4药）备	冰箱	232311012	2025/6/17 23:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4893	7-14（2-4药）备	冰箱	232311012	2025/6/17 23:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4894	7-14（2-4药）备	冰箱	232311012	2025/6/17 23:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4895	7-14（2-4药）备	冰箱	232311012	2025/6/17 23:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4896	7-14（2-4药）备	冰箱	232311012	2025/6/17 23:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4897	7-14（2-4药）备	冰箱	232311012	2025/6/18 0:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4898	7-14（2-4药）备	冰箱	232311012	2025/6/18 0:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4899	7-14（2-4药）备	冰箱	232311012	2025/6/18 0:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4900	7-14（2-4药）备	冰箱	232311012	2025/6/18 0:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4901	7-14（2-4药）备	冰箱	232311012	2025/6/18 0:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4902	7-14（2-4药）备	冰箱	232311012	2025/6/18 0:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4903	7-14（2-4药）备	冰箱	232311012	2025/6/18 0:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4904	7-14（2-4药）备	冰箱	232311012	2025/6/18 0:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4905	7-14（2-4药）备	冰箱	232311012	2025/6/18 0:40:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4906	7-14（2-4药）备	冰箱	232311012	2025/6/18 0:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4907	7-14（2-4药）备	冰箱	232311012	2025/6/18 0:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4908	7-14（2-4药）备	冰箱	232311012	2025/6/18 0:55:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4909	7-14（2-4药）备	冰箱	232311012	2025/6/18 1:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

4910	7-14（2-4药）备	冰箱	232311012	2025/6/18 1:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4911	7-14（2-4药）备	冰箱	232311012	2025/6/18 1:10:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4912	7-14（2-4药）备	冰箱	232311012	2025/6/18 1:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4913	7-14（2-4药）备	冰箱	232311012	2025/6/18 1:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4914	7-14（2-4药）备	冰箱	232311012	2025/6/18 1:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4915	7-14（2-4药）备	冰箱	232311012	2025/6/18 1:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4916	7-14（2-4药）备	冰箱	232311012	2025/6/18 1:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4917	7-14（2-4药）备	冰箱	232311012	2025/6/18 1:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4918	7-14（2-4药）备	冰箱	232311012	2025/6/18 1:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4919	7-14（2-4药）备	冰箱	232311012	2025/6/18 1:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4920	7-14（2-4药）备	冰箱	232311012	2025/6/18 1:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4921	7-14（2-4药）备	冰箱	232311012	2025/6/18 2:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4922	7-14（2-4药）备	冰箱	232311012	2025/6/18 2:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4923	7-14（2-4药）备	冰箱	232311012	2025/6/18 2:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4924	7-14（2-4药）备	冰箱	232311012	2025/6/18 2:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4925	7-14（2-4药）备	冰箱	232311012	2025/6/18 2:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4926	7-14（2-4药）备	冰箱	232311012	2025/6/18 2:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4927	7-14（2-4药）备	冰箱	232311012	2025/6/18 2:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4928	7-14（2-4药）备	冰箱	232311012	2025/6/18 2:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4929	7-14（2-4药）备	冰箱	232311012	2025/6/18 2:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4930	7-14（2-4药）备	冰箱	232311012	2025/6/18 2:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4931	7-14（2-4药）备	冰箱	232311012	2025/6/18 2:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4932	7-14（2-4药）备	冰箱	232311012	2025/6/18 2:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4933	7-14（2-4药）备	冰箱	232311012	2025/6/18 3:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4934	7-14（2-4药）备	冰箱	232311012	2025/6/18 3:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4935	7-14（2-4药）备	冰箱	232311012	2025/6/18 3:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,

4936	7-14（2-4药）备	冰箱	232311012	2025/6/18 3:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4937	7-14（2-4药）备	冰箱	232311012	2025/6/18 3:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4938	7-14（2-4药）备	冰箱	232311012	2025/6/18 3:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4939	7-14（2-4药）备	冰箱	232311012	2025/6/18 3:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4940	7-14（2-4药）备	冰箱	232311012	2025/6/18 3:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4941	7-14（2-4药）备	冰箱	232311012	2025/6/18 3:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4942	7-14（2-4药）备	冰箱	232311012	2025/6/18 3:45:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4943	7-14（2-4药）备	冰箱	232311012	2025/6/18 3:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4944	7-14（2-4药）备	冰箱	232311012	2025/6/18 3:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4945	7-14（2-4药）备	冰箱	232311012	2025/6/18 4:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4946	7-14（2-4药）备	冰箱	232311012	2025/6/18 4:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4947	7-14（2-4药）备	冰箱	232311012	2025/6/18 4:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4948	7-14（2-4药）备	冰箱	232311012	2025/6/18 4:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4949	7-14（2-4药）备	冰箱	232311012	2025/6/18 4:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4950	7-14（2-4药）备	冰箱	232311012	2025/6/18 4:25:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4951	7-14（2-4药）备	冰箱	232311012	2025/6/18 4:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4952	7-14（2-4药）备	冰箱	232311012	2025/6/18 4:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4953	7-14（2-4药）备	冰箱	232311012	2025/6/18 4:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4954	7-14（2-4药）备	冰箱	232311012	2025/6/18 4:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4955	7-14（2-4药）备	冰箱	232311012	2025/6/18 4:50:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4956	7-14（2-4药）备	冰箱	232311012	2025/6/18 4:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4957	7-14（2-4药）备	冰箱	232311012	2025/6/18 5:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4958	7-14（2-4药）备	冰箱	232311012	2025/6/18 5:05:00	4.0℃	正常	2023/12/26 18:11:37:未储存药品,
4959	7-14（2-4药）备	冰箱	232311012	2025/6/18 5:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4960	7-14（2-4药）备	冰箱	232311012	2025/6/18 5:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4961	7-14（2-4药）备	冰箱	232311012	2025/6/18 5:20:00	4.0℃	正常	2023/12/26 18:11:37:未储存药品,

4962	7-14（2-4药）备	冰箱	232311012	2025/6/18 5:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4963	7-14（2-4药）备	冰箱	232311012	2025/6/18 5:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4964	7-14（2-4药）备	冰箱	232311012	2025/6/18 5:35:00	4.0℃	正常	2023/12/26 18:11:37:未储存药品,
4965	7-14（2-4药）备	冰箱	232311012	2025/6/18 5:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4966	7-14（2-4药）备	冰箱	232311012	2025/6/18 5:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4967	7-14（2-4药）备	冰箱	232311012	2025/6/18 5:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4968	7-14（2-4药）备	冰箱	232311012	2025/6/18 5:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4969	7-14（2-4药）备	冰箱	232311012	2025/6/18 6:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4970	7-14（2-4药）备	冰箱	232311012	2025/6/18 6:05:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4971	7-14（2-4药）备	冰箱	232311012	2025/6/18 6:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
4972	7-14（2-4药）备	冰箱	232311012	2025/6/18 6:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
4973	7-14（2-4药）备	冰箱	232311012	2025/6/18 6:20:00	4.0℃	正常	2023/12/26 18:11:37:未储存药品,
4974	7-14（2-4药）备	冰箱	232311012	2025/6/18 6:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4975	7-14（2-4药）备	冰箱	232311012	2025/6/18 6:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4976	7-14（2-4药）备	冰箱	232311012	2025/6/18 6:35:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4977	7-14（2-4药）备	冰箱	232311012	2025/6/18 6:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4978	7-14（2-4药）备	冰箱	232311012	2025/6/18 6:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4979	7-14（2-4药）备	冰箱	232311012	2025/6/18 6:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4980	7-14（2-4药）备	冰箱	232311012	2025/6/18 6:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4981	7-14（2-4药）备	冰箱	232311012	2025/6/18 7:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
4982	7-14（2-4药）备	冰箱	232311012	2025/6/18 7:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4983	7-14（2-4药）备	冰箱	232311012	2025/6/18 7:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4984	7-14（2-4药）备	冰箱	232311012	2025/6/18 7:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
4985	7-14（2-4药）备	冰箱	232311012	2025/6/18 7:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
4986	7-14（2-4药）备	冰箱	232311012	2025/6/18 7:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
4987	7-14（2-4药）备	冰箱	232311012	2025/6/18 7:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

4988	7-14（2-4药）备	冰箱	232311012	2025/6/18 7:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
4989	7-14（2-4药）备	冰箱	232311012	2025/6/18 7:40:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4990	7-14（2-4药）备	冰箱	232311012	2025/6/18 7:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
4991	7-14（2-4药）备	冰箱	232311012	2025/6/18 7:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
4992	7-14（2-4药）备	冰箱	232311012	2025/6/18 7:55:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4993	7-14（2-4药）备	冰箱	232311012	2025/6/18 8:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4994	7-14（2-4药）备	冰箱	232311012	2025/6/18 8:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
4995	7-14（2-4药）备	冰箱	232311012	2025/6/18 8:10:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
4996	7-14（2-4药）备	冰箱	232311012	2025/6/18 8:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
4997	7-14（2-4药）备	冰箱	232311012	2025/6/18 8:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
4998	7-14（2-4药）备	冰箱	232311012	2025/6/18 8:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
4999	7-14（2-4药）备	冰箱	232311012	2025/6/18 8:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5000	7-14（2-4药）备	冰箱	232311012	2025/6/18 8:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5001	7-14（2-4药）备	冰箱	232311012	2025/6/18 8:40:00	4.0℃	正常	2023/12/26 18:11:37:未储存药品,
5002	7-14（2-4药）备	冰箱	232311012	2025/6/18 8:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5003	7-14（2-4药）备	冰箱	232311012	2025/6/18 8:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5004	7-14（2-4药）备	冰箱	232311012	2025/6/18 8:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5005	7-14（2-4药）备	冰箱	232311012	2025/6/18 9:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5006	7-14（2-4药）备	冰箱	232311012	2025/6/18 9:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5007	7-14（2-4药）备	冰箱	232311012	2025/6/18 9:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5008	7-14（2-4药）备	冰箱	232311012	2025/6/18 9:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5009	7-14（2-4药）备	冰箱	232311012	2025/6/18 9:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5010	7-14（2-4药）备	冰箱	232311012	2025/6/18 9:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5011	7-14（2-4药）备	冰箱	232311012	2025/6/18 9:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5012	7-14（2-4药）备	冰箱	232311012	2025/6/18 9:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5013	7-14（2-4药）备	冰箱	232311012	2025/6/18 9:40:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,

5014	7-14（2-4药）备	冰箱	232311012	2025/6/18 9:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5015	7-14（2-4药）备	冰箱	232311012	2025/6/18 9:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5016	7-14（2-4药）备	冰箱	232311012	2025/6/18 9:55:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
5017	7-14（2-4药）备	冰箱	232311012	2025/6/18 10:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5018	7-14（2-4药）备	冰箱	232311012	2025/6/18 10:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5019	7-14（2-4药）备	冰箱	232311012	2025/6/18 10:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5020	7-14（2-4药）备	冰箱	232311012	2025/6/18 10:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5021	7-14（2-4药）备	冰箱	232311012	2025/6/18 10:20:00	4.0℃	正常	2023/12/26 18:11:37:未储存药品,
5022	7-14（2-4药）备	冰箱	232311012	2025/6/18 10:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5023	7-14（2-4药）备	冰箱	232311012	2025/6/18 10:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5024	7-14（2-4药）备	冰箱	232311012	2025/6/18 10:35:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
5025	7-14（2-4药）备	冰箱	232311012	2025/6/18 10:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5026	7-14（2-4药）备	冰箱	232311012	2025/6/18 10:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5027	7-14（2-4药）备	冰箱	232311012	2025/6/18 10:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5028	7-14（2-4药）备	冰箱	232311012	2025/6/18 10:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5029	7-14（2-4药）备	冰箱	232311012	2025/6/18 11:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5030	7-14（2-4药）备	冰箱	232311012	2025/6/18 11:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5031	7-14（2-4药）备	冰箱	232311012	2025/6/18 11:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5032	7-14（2-4药）备	冰箱	232311012	2025/6/18 11:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5033	7-14（2-4药）备	冰箱	232311012	2025/6/18 11:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5034	7-14（2-4药）备	冰箱	232311012	2025/6/18 11:25:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
5035	7-14（2-4药）备	冰箱	232311012	2025/6/18 11:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5036	7-14（2-4药）备	冰箱	232311012	2025/6/18 11:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5037	7-14（2-4药）备	冰箱	232311012	2025/6/18 11:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5038	7-14（2-4药）备	冰箱	232311012	2025/6/18 11:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5039	7-14（2-4药）备	冰箱	232311012	2025/6/18 11:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

5040	7-14（2-4药）备	冰箱	232311012	2025/6/18 11:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5041	7-14（2-4药）备	冰箱	232311012	2025/6/18 12:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5042	7-14（2-4药）备	冰箱	232311012	2025/6/18 12:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5043	7-14（2-4药）备	冰箱	232311012	2025/6/18 12:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5044	7-14（2-4药）备	冰箱	232311012	2025/6/18 12:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5045	7-14（2-4药）备	冰箱	232311012	2025/6/18 12:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5046	7-14（2-4药）备	冰箱	232311012	2025/6/18 12:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5047	7-14（2-4药）备	冰箱	232311012	2025/6/18 12:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5048	7-14（2-4药）备	冰箱	232311012	2025/6/18 12:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5049	7-14（2-4药）备	冰箱	232311012	2025/6/18 12:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5050	7-14（2-4药）备	冰箱	232311012	2025/6/18 12:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5051	7-14（2-4药）备	冰箱	232311012	2025/6/18 12:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5052	7-14（2-4药）备	冰箱	232311012	2025/6/18 12:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5053	7-14（2-4药）备	冰箱	232311012	2025/6/18 13:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5054	7-14（2-4药）备	冰箱	232311012	2025/6/18 13:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5055	7-14（2-4药）备	冰箱	232311012	2025/6/18 13:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5056	7-14（2-4药）备	冰箱	232311012	2025/6/18 13:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5057	7-14（2-4药）备	冰箱	232311012	2025/6/18 13:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5058	7-14（2-4药）备	冰箱	232311012	2025/6/18 13:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5059	7-14（2-4药）备	冰箱	232311012	2025/6/18 13:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5060	7-14（2-4药）备	冰箱	232311012	2025/6/18 13:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5061	7-14（2-4药）备	冰箱	232311012	2025/6/18 13:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5062	7-14（2-4药）备	冰箱	232311012	2025/6/18 13:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5063	7-14（2-4药）备	冰箱	232311012	2025/6/18 13:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5064	7-14（2-4药）备	冰箱	232311012	2025/6/18 13:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5065	7-14（2-4药）备	冰箱	232311012	2025/6/18 14:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,

5066	7-14（2-4药）备	冰箱	232311012	2025/6/18 14:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5067	7-14（2-4药）备	冰箱	232311012	2025/6/18 14:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5068	7-14（2-4药）备	冰箱	232311012	2025/6/18 14:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5069	7-14（2-4药）备	冰箱	232311012	2025/6/18 14:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5070	7-14（2-4药）备	冰箱	232311012	2025/6/18 14:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5071	7-14（2-4药）备	冰箱	232311012	2025/6/18 14:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5072	7-14（2-4药）备	冰箱	232311012	2025/6/18 14:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5073	7-14（2-4药）备	冰箱	232311012	2025/6/18 14:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5074	7-14（2-4药）备	冰箱	232311012	2025/6/18 14:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5075	7-14（2-4药）备	冰箱	232311012	2025/6/18 14:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5076	7-14（2-4药）备	冰箱	232311012	2025/6/18 14:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5077	7-14（2-4药）备	冰箱	232311012	2025/6/18 15:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5078	7-14（2-4药）备	冰箱	232311012	2025/6/18 15:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5079	7-14（2-4药）备	冰箱	232311012	2025/6/18 15:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5080	7-14（2-4药）备	冰箱	232311012	2025/6/18 15:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5081	7-14（2-4药）备	冰箱	232311012	2025/6/18 15:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5082	7-14（2-4药）备	冰箱	232311012	2025/6/18 15:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5083	7-14（2-4药）备	冰箱	232311012	2025/6/18 15:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5084	7-14（2-4药）备	冰箱	232311012	2025/6/18 15:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5085	7-14（2-4药）备	冰箱	232311012	2025/6/18 15:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5086	7-14（2-4药）备	冰箱	232311012	2025/6/18 15:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5087	7-14（2-4药）备	冰箱	232311012	2025/6/18 15:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5088	7-14（2-4药）备	冰箱	232311012	2025/6/18 15:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5089	7-14（2-4药）备	冰箱	232311012	2025/6/18 16:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5090	7-14（2-4药）备	冰箱	232311012	2025/6/18 16:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5091	7-14（2-4药）备	冰箱	232311012	2025/6/18 16:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

5092	7-14（2-4药）备	冰箱	232311012	2025/6/18 16:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5093	7-14（2-4药）备	冰箱	232311012	2025/6/18 16:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5094	7-14（2-4药）备	冰箱	232311012	2025/6/18 16:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5095	7-14（2-4药）备	冰箱	232311012	2025/6/18 16:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5096	7-14（2-4药）备	冰箱	232311012	2025/6/18 16:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5097	7-14（2-4药）备	冰箱	232311012	2025/6/18 16:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5098	7-14（2-4药）备	冰箱	232311012	2025/6/18 16:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5099	7-14（2-4药）备	冰箱	232311012	2025/6/18 16:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5100	7-14（2-4药）备	冰箱	232311012	2025/6/18 16:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5101	7-14（2-4药）备	冰箱	232311012	2025/6/18 17:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5102	7-14（2-4药）备	冰箱	232311012	2025/6/18 17:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5103	7-14（2-4药）备	冰箱	232311012	2025/6/18 17:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5104	7-14（2-4药）备	冰箱	232311012	2025/6/18 17:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5105	7-14（2-4药）备	冰箱	232311012	2025/6/18 17:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5106	7-14（2-4药）备	冰箱	232311012	2025/6/18 17:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5107	7-14（2-4药）备	冰箱	232311012	2025/6/18 17:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5108	7-14（2-4药）备	冰箱	232311012	2025/6/18 17:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5109	7-14（2-4药）备	冰箱	232311012	2025/6/18 17:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5110	7-14（2-4药）备	冰箱	232311012	2025/6/18 17:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5111	7-14（2-4药）备	冰箱	232311012	2025/6/18 17:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5112	7-14（2-4药）备	冰箱	232311012	2025/6/18 17:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5113	7-14（2-4药）备	冰箱	232311012	2025/6/18 18:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5114	7-14（2-4药）备	冰箱	232311012	2025/6/18 18:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5115	7-14（2-4药）备	冰箱	232311012	2025/6/18 18:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5116	7-14（2-4药）备	冰箱	232311012	2025/6/18 18:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5117	7-14（2-4药）备	冰箱	232311012	2025/6/18 18:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

5118	7-14（2-4药）备	冰箱	232311012	2025/6/18 18:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5119	7-14（2-4药）备	冰箱	232311012	2025/6/18 18:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5120	7-14（2-4药）备	冰箱	232311012	2025/6/18 18:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5121	7-14（2-4药）备	冰箱	232311012	2025/6/18 18:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5122	7-14（2-4药）备	冰箱	232311012	2025/6/18 18:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5123	7-14（2-4药）备	冰箱	232311012	2025/6/18 18:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5124	7-14（2-4药）备	冰箱	232311012	2025/6/18 18:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5125	7-14（2-4药）备	冰箱	232311012	2025/6/18 19:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5126	7-14（2-4药）备	冰箱	232311012	2025/6/18 19:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5127	7-14（2-4药）备	冰箱	232311012	2025/6/18 19:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5128	7-14（2-4药）备	冰箱	232311012	2025/6/18 19:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5129	7-14（2-4药）备	冰箱	232311012	2025/6/18 19:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5130	7-14（2-4药）备	冰箱	232311012	2025/6/18 19:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5131	7-14（2-4药）备	冰箱	232311012	2025/6/18 19:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5132	7-14（2-4药）备	冰箱	232311012	2025/6/18 19:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5133	7-14（2-4药）备	冰箱	232311012	2025/6/18 19:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5134	7-14（2-4药）备	冰箱	232311012	2025/6/18 19:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5135	7-14（2-4药）备	冰箱	232311012	2025/6/18 19:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5136	7-14（2-4药）备	冰箱	232311012	2025/6/18 19:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5137	7-14（2-4药）备	冰箱	232311012	2025/6/18 20:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5138	7-14（2-4药）备	冰箱	232311012	2025/6/18 20:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5139	7-14（2-4药）备	冰箱	232311012	2025/6/18 20:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5140	7-14（2-4药）备	冰箱	232311012	2025/6/18 20:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5141	7-14（2-4药）备	冰箱	232311012	2025/6/18 20:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5142	7-14（2-4药）备	冰箱	232311012	2025/6/18 20:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5143	7-14（2-4药）备	冰箱	232311012	2025/6/18 20:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

5144	7-14（2-4药）备	冰箱	232311012	2025/6/18 20:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5145	7-14（2-4药）备	冰箱	232311012	2025/6/18 20:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5146	7-14（2-4药）备	冰箱	232311012	2025/6/18 20:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5147	7-14（2-4药）备	冰箱	232311012	2025/6/18 20:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5148	7-14（2-4药）备	冰箱	232311012	2025/6/18 20:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5149	7-14（2-4药）备	冰箱	232311012	2025/6/18 21:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5150	7-14（2-4药）备	冰箱	232311012	2025/6/18 21:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5151	7-14（2-4药）备	冰箱	232311012	2025/6/18 21:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5152	7-14（2-4药）备	冰箱	232311012	2025/6/18 21:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5153	7-14（2-4药）备	冰箱	232311012	2025/6/18 21:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5154	7-14（2-4药）备	冰箱	232311012	2025/6/18 21:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5155	7-14（2-4药）备	冰箱	232311012	2025/6/18 21:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5156	7-14（2-4药）备	冰箱	232311012	2025/6/18 21:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5157	7-14（2-4药）备	冰箱	232311012	2025/6/18 21:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5158	7-14（2-4药）备	冰箱	232311012	2025/6/18 21:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5159	7-14（2-4药）备	冰箱	232311012	2025/6/18 21:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5160	7-14（2-4药）备	冰箱	232311012	2025/6/18 21:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5161	7-14（2-4药）备	冰箱	232311012	2025/6/18 22:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5162	7-14（2-4药）备	冰箱	232311012	2025/6/18 22:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5163	7-14（2-4药）备	冰箱	232311012	2025/6/18 22:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5164	7-14（2-4药）备	冰箱	232311012	2025/6/18 22:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5165	7-14（2-4药）备	冰箱	232311012	2025/6/18 22:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5166	7-14（2-4药）备	冰箱	232311012	2025/6/18 22:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5167	7-14（2-4药）备	冰箱	232311012	2025/6/18 22:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5168	7-14（2-4药）备	冰箱	232311012	2025/6/18 22:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5169	7-14（2-4药）备	冰箱	232311012	2025/6/18 22:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

5170	7-14（2-4药）备	冰箱	232311012	2025/6/18 22:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5171	7-14（2-4药）备	冰箱	232311012	2025/6/18 22:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5172	7-14（2-4药）备	冰箱	232311012	2025/6/18 22:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5173	7-14（2-4药）备	冰箱	232311012	2025/6/18 23:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5174	7-14（2-4药）备	冰箱	232311012	2025/6/18 23:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5175	7-14（2-4药）备	冰箱	232311012	2025/6/18 23:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5176	7-14（2-4药）备	冰箱	232311012	2025/6/18 23:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5177	7-14（2-4药）备	冰箱	232311012	2025/6/18 23:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5178	7-14（2-4药）备	冰箱	232311012	2025/6/18 23:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5179	7-14（2-4药）备	冰箱	232311012	2025/6/18 23:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5180	7-14（2-4药）备	冰箱	232311012	2025/6/18 23:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5181	7-14（2-4药）备	冰箱	232311012	2025/6/18 23:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5182	7-14（2-4药）备	冰箱	232311012	2025/6/18 23:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5183	7-14（2-4药）备	冰箱	232311012	2025/6/18 23:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5184	7-14（2-4药）备	冰箱	232311012	2025/6/18 23:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5185	7-14（2-4药）备	冰箱	232311012	2025/6/19 0:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5186	7-14（2-4药）备	冰箱	232311012	2025/6/19 0:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5187	7-14（2-4药）备	冰箱	232311012	2025/6/19 0:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5188	7-14（2-4药）备	冰箱	232311012	2025/6/19 0:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5189	7-14（2-4药）备	冰箱	232311012	2025/6/19 0:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5190	7-14（2-4药）备	冰箱	232311012	2025/6/19 0:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5191	7-14（2-4药）备	冰箱	232311012	2025/6/19 0:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5192	7-14（2-4药）备	冰箱	232311012	2025/6/19 0:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5193	7-14（2-4药）备	冰箱	232311012	2025/6/19 0:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5194	7-14（2-4药）备	冰箱	232311012	2025/6/19 0:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5195	7-14（2-4药）备	冰箱	232311012	2025/6/19 0:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

5196	7-14（2-4药）备	冰箱	232311012	2025/6/19 0:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5197	7-14（2-4药）备	冰箱	232311012	2025/6/19 1:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5198	7-14（2-4药）备	冰箱	232311012	2025/6/19 1:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5199	7-14（2-4药）备	冰箱	232311012	2025/6/19 1:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5200	7-14（2-4药）备	冰箱	232311012	2025/6/19 1:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5201	7-14（2-4药）备	冰箱	232311012	2025/6/19 1:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5202	7-14（2-4药）备	冰箱	232311012	2025/6/19 1:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5203	7-14（2-4药）备	冰箱	232311012	2025/6/19 1:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5204	7-14（2-4药）备	冰箱	232311012	2025/6/19 1:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5205	7-14（2-4药）备	冰箱	232311012	2025/6/19 1:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5206	7-14（2-4药）备	冰箱	232311012	2025/6/19 1:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5207	7-14（2-4药）备	冰箱	232311012	2025/6/19 1:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5208	7-14（2-4药）备	冰箱	232311012	2025/6/19 1:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5209	7-14（2-4药）备	冰箱	232311012	2025/6/19 2:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5210	7-14（2-4药）备	冰箱	232311012	2025/6/19 2:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5211	7-14（2-4药）备	冰箱	232311012	2025/6/19 2:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5212	7-14（2-4药）备	冰箱	232311012	2025/6/19 2:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5213	7-14（2-4药）备	冰箱	232311012	2025/6/19 2:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5214	7-14（2-4药）备	冰箱	232311012	2025/6/19 2:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5215	7-14（2-4药）备	冰箱	232311012	2025/6/19 2:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5216	7-14（2-4药）备	冰箱	232311012	2025/6/19 2:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5217	7-14（2-4药）备	冰箱	232311012	2025/6/19 2:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5218	7-14（2-4药）备	冰箱	232311012	2025/6/19 2:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5219	7-14（2-4药）备	冰箱	232311012	2025/6/19 2:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5220	7-14（2-4药）备	冰箱	232311012	2025/6/19 2:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5221	7-14（2-4药）备	冰箱	232311012	2025/6/19 3:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,

5222	7-14（2-4药）备	冰箱	232311012	2025/6/19 3:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5223	7-14（2-4药）备	冰箱	232311012	2025/6/19 3:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5224	7-14（2-4药）备	冰箱	232311012	2025/6/19 3:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5225	7-14（2-4药）备	冰箱	232311012	2025/6/19 3:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5226	7-14（2-4药）备	冰箱	232311012	2025/6/19 3:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5227	7-14（2-4药）备	冰箱	232311012	2025/6/19 3:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5228	7-14（2-4药）备	冰箱	232311012	2025/6/19 3:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5229	7-14（2-4药）备	冰箱	232311012	2025/6/19 3:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5230	7-14（2-4药）备	冰箱	232311012	2025/6/19 3:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5231	7-14（2-4药）备	冰箱	232311012	2025/6/19 3:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5232	7-14（2-4药）备	冰箱	232311012	2025/6/19 3:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5233	7-14（2-4药）备	冰箱	232311012	2025/6/19 4:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5234	7-14（2-4药）备	冰箱	232311012	2025/6/19 4:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5235	7-14（2-4药）备	冰箱	232311012	2025/6/19 4:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5236	7-14（2-4药）备	冰箱	232311012	2025/6/19 4:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5237	7-14（2-4药）备	冰箱	232311012	2025/6/19 4:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5238	7-14（2-4药）备	冰箱	232311012	2025/6/19 4:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5239	7-14（2-4药）备	冰箱	232311012	2025/6/19 4:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5240	7-14（2-4药）备	冰箱	232311012	2025/6/19 4:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5241	7-14（2-4药）备	冰箱	232311012	2025/6/19 4:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5242	7-14（2-4药）备	冰箱	232311012	2025/6/19 4:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5243	7-14（2-4药）备	冰箱	232311012	2025/6/19 4:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5244	7-14（2-4药）备	冰箱	232311012	2025/6/19 4:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5245	7-14（2-4药）备	冰箱	232311012	2025/6/19 5:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5246	7-14（2-4药）备	冰箱	232311012	2025/6/19 5:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5247	7-14（2-4药）备	冰箱	232311012	2025/6/19 5:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,

5248	7-14（2-4药）备	冰箱	232311012	2025/6/19 5:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5249	7-14（2-4药）备	冰箱	232311012	2025/6/19 5:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5250	7-14（2-4药）备	冰箱	232311012	2025/6/19 5:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5251	7-14（2-4药）备	冰箱	232311012	2025/6/19 5:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5252	7-14（2-4药）备	冰箱	232311012	2025/6/19 5:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5253	7-14（2-4药）备	冰箱	232311012	2025/6/19 5:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5254	7-14（2-4药）备	冰箱	232311012	2025/6/19 5:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5255	7-14（2-4药）备	冰箱	232311012	2025/6/19 5:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5256	7-14（2-4药）备	冰箱	232311012	2025/6/19 5:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5257	7-14（2-4药）备	冰箱	232311012	2025/6/19 6:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5258	7-14（2-4药）备	冰箱	232311012	2025/6/19 6:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5259	7-14（2-4药）备	冰箱	232311012	2025/6/19 6:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5260	7-14（2-4药）备	冰箱	232311012	2025/6/19 6:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5261	7-14（2-4药）备	冰箱	232311012	2025/6/19 6:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5262	7-14（2-4药）备	冰箱	232311012	2025/6/19 6:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5263	7-14（2-4药）备	冰箱	232311012	2025/6/19 6:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5264	7-14（2-4药）备	冰箱	232311012	2025/6/19 6:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5265	7-14（2-4药）备	冰箱	232311012	2025/6/19 6:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5266	7-14（2-4药）备	冰箱	232311012	2025/6/19 6:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5267	7-14（2-4药）备	冰箱	232311012	2025/6/19 6:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5268	7-14（2-4药）备	冰箱	232311012	2025/6/19 6:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5269	7-14（2-4药）备	冰箱	232311012	2025/6/19 7:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5270	7-14（2-4药）备	冰箱	232311012	2025/6/19 7:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5271	7-14（2-4药）备	冰箱	232311012	2025/6/19 7:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5272	7-14（2-4药）备	冰箱	232311012	2025/6/19 7:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5273	7-14（2-4药）备	冰箱	232311012	2025/6/19 7:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

5274	7-14（2-4药）备	冰箱	232311012	2025/6/19 7:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5275	7-14（2-4药）备	冰箱	232311012	2025/6/19 7:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5276	7-14（2-4药）备	冰箱	232311012	2025/6/19 7:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5277	7-14（2-4药）备	冰箱	232311012	2025/6/19 7:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5278	7-14（2-4药）备	冰箱	232311012	2025/6/19 7:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5279	7-14（2-4药）备	冰箱	232311012	2025/6/19 7:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5280	7-14（2-4药）备	冰箱	232311012	2025/6/19 7:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5281	7-14（2-4药）备	冰箱	232311012	2025/6/19 8:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5282	7-14（2-4药）备	冰箱	232311012	2025/6/19 8:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5283	7-14（2-4药）备	冰箱	232311012	2025/6/19 8:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5284	7-14（2-4药）备	冰箱	232311012	2025/6/19 8:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5285	7-14（2-4药）备	冰箱	232311012	2025/6/19 8:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5286	7-14（2-4药）备	冰箱	232311012	2025/6/19 8:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5287	7-14（2-4药）备	冰箱	232311012	2025/6/19 8:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5288	7-14（2-4药）备	冰箱	232311012	2025/6/19 8:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5289	7-14（2-4药）备	冰箱	232311012	2025/6/19 8:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5290	7-14（2-4药）备	冰箱	232311012	2025/6/19 8:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5291	7-14（2-4药）备	冰箱	232311012	2025/6/19 8:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5292	7-14（2-4药）备	冰箱	232311012	2025/6/19 8:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5293	7-14（2-4药）备	冰箱	232311012	2025/6/19 9:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5294	7-14（2-4药）备	冰箱	232311012	2025/6/19 9:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5295	7-14（2-4药）备	冰箱	232311012	2025/6/19 9:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5296	7-14（2-4药）备	冰箱	232311012	2025/6/19 9:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5297	7-14（2-4药）备	冰箱	232311012	2025/6/19 9:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5298	7-14（2-4药）备	冰箱	232311012	2025/6/19 9:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5299	7-14（2-4药）备	冰箱	232311012	2025/6/19 9:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

5300	7-14（2-4药）备	冰箱	232311012	2025/6/19 9:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5301	7-14（2-4药）备	冰箱	232311012	2025/6/19 9:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5302	7-14（2-4药）备	冰箱	232311012	2025/6/19 9:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5303	7-14（2-4药）备	冰箱	232311012	2025/6/19 9:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5304	7-14（2-4药）备	冰箱	232311012	2025/6/19 9:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5305	7-14（2-4药）备	冰箱	232311012	2025/6/19 10:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5306	7-14（2-4药）备	冰箱	232311012	2025/6/19 10:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5307	7-14（2-4药）备	冰箱	232311012	2025/6/19 10:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5308	7-14（2-4药）备	冰箱	232311012	2025/6/19 10:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5309	7-14（2-4药）备	冰箱	232311012	2025/6/19 10:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5310	7-14（2-4药）备	冰箱	232311012	2025/6/19 10:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5311	7-14（2-4药）备	冰箱	232311012	2025/6/19 10:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5312	7-14（2-4药）备	冰箱	232311012	2025/6/19 10:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5313	7-14（2-4药）备	冰箱	232311012	2025/6/19 10:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5314	7-14（2-4药）备	冰箱	232311012	2025/6/19 10:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5315	7-14（2-4药）备	冰箱	232311012	2025/6/19 10:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5316	7-14（2-4药）备	冰箱	232311012	2025/6/19 10:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5317	7-14（2-4药）备	冰箱	232311012	2025/6/19 11:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5318	7-14（2-4药）备	冰箱	232311012	2025/6/19 11:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5319	7-14（2-4药）备	冰箱	232311012	2025/6/19 11:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5320	7-14（2-4药）备	冰箱	232311012	2025/6/19 11:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5321	7-14（2-4药）备	冰箱	232311012	2025/6/19 11:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5322	7-14（2-4药）备	冰箱	232311012	2025/6/19 11:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5323	7-14（2-4药）备	冰箱	232311012	2025/6/19 11:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5324	7-14（2-4药）备	冰箱	232311012	2025/6/19 11:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5325	7-14（2-4药）备	冰箱	232311012	2025/6/19 11:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

5326	7-14（2-4药）备	冰箱	232311012	2025/6/19 11:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5327	7-14（2-4药）备	冰箱	232311012	2025/6/19 11:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5328	7-14（2-4药）备	冰箱	232311012	2025/6/19 11:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5329	7-14（2-4药）备	冰箱	232311012	2025/6/19 12:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5330	7-14（2-4药）备	冰箱	232311012	2025/6/19 12:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5331	7-14（2-4药）备	冰箱	232311012	2025/6/19 12:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5332	7-14（2-4药）备	冰箱	232311012	2025/6/19 12:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5333	7-14（2-4药）备	冰箱	232311012	2025/6/19 12:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5334	7-14（2-4药）备	冰箱	232311012	2025/6/19 12:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5335	7-14（2-4药）备	冰箱	232311012	2025/6/19 12:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5336	7-14（2-4药）备	冰箱	232311012	2025/6/19 12:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5337	7-14（2-4药）备	冰箱	232311012	2025/6/19 12:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5338	7-14（2-4药）备	冰箱	232311012	2025/6/19 12:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5339	7-14（2-4药）备	冰箱	232311012	2025/6/19 12:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5340	7-14（2-4药）备	冰箱	232311012	2025/6/19 12:55:00	4.1℃	正常	2023/12/26 18:11:37:未储存药品,
5341	7-14（2-4药）备	冰箱	232311012	2025/6/19 13:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5342	7-14（2-4药）备	冰箱	232311012	2025/6/19 13:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5343	7-14（2-4药）备	冰箱	232311012	2025/6/19 13:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5344	7-14（2-4药）备	冰箱	232311012	2025/6/19 13:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5345	7-14（2-4药）备	冰箱	232311012	2025/6/19 13:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5346	7-14（2-4药）备	冰箱	232311012	2025/6/19 13:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5347	7-14（2-4药）备	冰箱	232311012	2025/6/19 13:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5348	7-14（2-4药）备	冰箱	232311012	2025/6/19 13:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5349	7-14（2-4药）备	冰箱	232311012	2025/6/19 13:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5350	7-14（2-4药）备	冰箱	232311012	2025/6/19 13:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5351	7-14（2-4药）备	冰箱	232311012	2025/6/19 13:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

5352	7-14（2-4药）备	冰箱	232311012	2025/6/19 13:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5353	7-14（2-4药）备	冰箱	232311012	2025/6/19 14:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5354	7-14（2-4药）备	冰箱	232311012	2025/6/19 14:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5355	7-14（2-4药）备	冰箱	232311012	2025/6/19 14:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5356	7-14（2-4药）备	冰箱	232311012	2025/6/19 14:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5357	7-14（2-4药）备	冰箱	232311012	2025/6/19 14:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5358	7-14（2-4药）备	冰箱	232311012	2025/6/19 14:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5359	7-14（2-4药）备	冰箱	232311012	2025/6/19 14:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5360	7-14（2-4药）备	冰箱	232311012	2025/6/19 14:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5361	7-14（2-4药）备	冰箱	232311012	2025/6/19 14:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5362	7-14（2-4药）备	冰箱	232311012	2025/6/19 14:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5363	7-14（2-4药）备	冰箱	232311012	2025/6/19 14:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5364	7-14（2-4药）备	冰箱	232311012	2025/6/19 14:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5365	7-14（2-4药）备	冰箱	232311012	2025/6/19 15:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5366	7-14（2-4药）备	冰箱	232311012	2025/6/19 15:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5367	7-14（2-4药）备	冰箱	232311012	2025/6/19 15:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5368	7-14（2-4药）备	冰箱	232311012	2025/6/19 15:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5369	7-14（2-4药）备	冰箱	232311012	2025/6/19 15:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5370	7-14（2-4药）备	冰箱	232311012	2025/6/19 15:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5371	7-14（2-4药）备	冰箱	232311012	2025/6/19 15:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5372	7-14（2-4药）备	冰箱	232311012	2025/6/19 15:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5373	7-14（2-4药）备	冰箱	232311012	2025/6/19 15:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5374	7-14（2-4药）备	冰箱	232311012	2025/6/19 15:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5375	7-14（2-4药）备	冰箱	232311012	2025/6/19 15:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5376	7-14（2-4药）备	冰箱	232311012	2025/6/19 15:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5377	7-14（2-4药）备	冰箱	232311012	2025/6/19 16:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

5378	7-14（2-4药）备	冰箱	232311012	2025/6/19 16:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5379	7-14（2-4药）备	冰箱	232311012	2025/6/19 16:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5380	7-14（2-4药）备	冰箱	232311012	2025/6/19 16:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5381	7-14（2-4药）备	冰箱	232311012	2025/6/19 16:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5382	7-14（2-4药）备	冰箱	232311012	2025/6/19 16:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5383	7-14（2-4药）备	冰箱	232311012	2025/6/19 16:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5384	7-14（2-4药）备	冰箱	232311012	2025/6/19 16:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5385	7-14（2-4药）备	冰箱	232311012	2025/6/19 16:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5386	7-14（2-4药）备	冰箱	232311012	2025/6/19 16:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5387	7-14（2-4药）备	冰箱	232311012	2025/6/19 16:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5388	7-14（2-4药）备	冰箱	232311012	2025/6/19 16:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5389	7-14（2-4药）备	冰箱	232311012	2025/6/19 17:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5390	7-14（2-4药）备	冰箱	232311012	2025/6/19 17:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5391	7-14（2-4药）备	冰箱	232311012	2025/6/19 17:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5392	7-14（2-4药）备	冰箱	232311012	2025/6/19 17:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5393	7-14（2-4药）备	冰箱	232311012	2025/6/19 17:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5394	7-14（2-4药）备	冰箱	232311012	2025/6/19 17:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5395	7-14（2-4药）备	冰箱	232311012	2025/6/19 17:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5396	7-14（2-4药）备	冰箱	232311012	2025/6/19 17:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5397	7-14（2-4药）备	冰箱	232311012	2025/6/19 17:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5398	7-14（2-4药）备	冰箱	232311012	2025/6/19 17:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5399	7-14（2-4药）备	冰箱	232311012	2025/6/19 17:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5400	7-14（2-4药）备	冰箱	232311012	2025/6/19 17:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5401	7-14（2-4药）备	冰箱	232311012	2025/6/19 18:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5402	7-14（2-4药）备	冰箱	232311012	2025/6/19 18:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5403	7-14（2-4药）备	冰箱	232311012	2025/6/19 18:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,

5404	7-14（2-4药）备	冰箱	232311012	2025/6/19 18:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5405	7-14（2-4药）备	冰箱	232311012	2025/6/19 18:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5406	7-14（2-4药）备	冰箱	232311012	2025/6/19 18:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5407	7-14（2-4药）备	冰箱	232311012	2025/6/19 18:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5408	7-14（2-4药）备	冰箱	232311012	2025/6/19 18:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5409	7-14（2-4药）备	冰箱	232311012	2025/6/19 18:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5410	7-14（2-4药）备	冰箱	232311012	2025/6/19 18:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5411	7-14（2-4药）备	冰箱	232311012	2025/6/19 18:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5412	7-14（2-4药）备	冰箱	232311012	2025/6/19 18:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5413	7-14（2-4药）备	冰箱	232311012	2025/6/19 19:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5414	7-14（2-4药）备	冰箱	232311012	2025/6/19 19:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5415	7-14（2-4药）备	冰箱	232311012	2025/6/19 19:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5416	7-14（2-4药）备	冰箱	232311012	2025/6/19 19:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5417	7-14（2-4药）备	冰箱	232311012	2025/6/19 19:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5418	7-14（2-4药）备	冰箱	232311012	2025/6/19 19:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5419	7-14（2-4药）备	冰箱	232311012	2025/6/19 19:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5420	7-14（2-4药）备	冰箱	232311012	2025/6/19 19:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5421	7-14（2-4药）备	冰箱	232311012	2025/6/19 19:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5422	7-14（2-4药）备	冰箱	232311012	2025/6/19 19:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5423	7-14（2-4药）备	冰箱	232311012	2025/6/19 19:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5424	7-14（2-4药）备	冰箱	232311012	2025/6/19 19:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5425	7-14（2-4药）备	冰箱	232311012	2025/6/19 20:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5426	7-14（2-4药）备	冰箱	232311012	2025/6/19 20:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5427	7-14（2-4药）备	冰箱	232311012	2025/6/19 20:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5428	7-14（2-4药）备	冰箱	232311012	2025/6/19 20:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5429	7-14（2-4药）备	冰箱	232311012	2025/6/19 20:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,

5430	7-14（2-4药）备	冰箱	232311012	2025/6/19 20:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5431	7-14（2-4药）备	冰箱	232311012	2025/6/19 20:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5432	7-14（2-4药）备	冰箱	232311012	2025/6/19 20:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5433	7-14（2-4药）备	冰箱	232311012	2025/6/19 20:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5434	7-14（2-4药）备	冰箱	232311012	2025/6/19 20:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5435	7-14（2-4药）备	冰箱	232311012	2025/6/19 20:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5436	7-14（2-4药）备	冰箱	232311012	2025/6/19 20:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5437	7-14（2-4药）备	冰箱	232311012	2025/6/19 21:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5438	7-14（2-4药）备	冰箱	232311012	2025/6/19 21:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5439	7-14（2-4药）备	冰箱	232311012	2025/6/19 21:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5440	7-14（2-4药）备	冰箱	232311012	2025/6/19 21:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5441	7-14（2-4药）备	冰箱	232311012	2025/6/19 21:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5442	7-14（2-4药）备	冰箱	232311012	2025/6/19 21:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5443	7-14（2-4药）备	冰箱	232311012	2025/6/19 21:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5444	7-14（2-4药）备	冰箱	232311012	2025/6/19 21:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5445	7-14（2-4药）备	冰箱	232311012	2025/6/19 21:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5446	7-14（2-4药）备	冰箱	232311012	2025/6/19 21:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5447	7-14（2-4药）备	冰箱	232311012	2025/6/19 21:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5448	7-14（2-4药）备	冰箱	232311012	2025/6/19 21:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5449	7-14（2-4药）备	冰箱	232311012	2025/6/19 22:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5450	7-14（2-4药）备	冰箱	232311012	2025/6/19 22:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5451	7-14（2-4药）备	冰箱	232311012	2025/6/19 22:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5452	7-14（2-4药）备	冰箱	232311012	2025/6/19 22:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5453	7-14（2-4药）备	冰箱	232311012	2025/6/19 22:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5454	7-14（2-4药）备	冰箱	232311012	2025/6/19 22:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5455	7-14（2-4药）备	冰箱	232311012	2025/6/19 22:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

5456	7-14（2-4药）备	冰箱	232311012	2025/6/19 22:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5457	7-14（2-4药）备	冰箱	232311012	2025/6/19 22:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5458	7-14（2-4药）备	冰箱	232311012	2025/6/19 22:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5459	7-14（2-4药）备	冰箱	232311012	2025/6/19 22:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5460	7-14（2-4药）备	冰箱	232311012	2025/6/19 22:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5461	7-14（2-4药）备	冰箱	232311012	2025/6/19 23:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5462	7-14（2-4药）备	冰箱	232311012	2025/6/19 23:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5463	7-14（2-4药）备	冰箱	232311012	2025/6/19 23:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5464	7-14（2-4药）备	冰箱	232311012	2025/6/19 23:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5465	7-14（2-4药）备	冰箱	232311012	2025/6/19 23:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5466	7-14（2-4药）备	冰箱	232311012	2025/6/19 23:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5467	7-14（2-4药）备	冰箱	232311012	2025/6/19 23:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5468	7-14（2-4药）备	冰箱	232311012	2025/6/19 23:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5469	7-14（2-4药）备	冰箱	232311012	2025/6/19 23:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5470	7-14（2-4药）备	冰箱	232311012	2025/6/19 23:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5471	7-14（2-4药）备	冰箱	232311012	2025/6/19 23:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5472	7-14（2-4药）备	冰箱	232311012	2025/6/19 23:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5473	7-14（2-4药）备	冰箱	232311012	2025/6/20 0:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5474	7-14（2-4药）备	冰箱	232311012	2025/6/20 0:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5475	7-14（2-4药）备	冰箱	232311012	2025/6/20 0:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5476	7-14（2-4药）备	冰箱	232311012	2025/6/20 0:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5477	7-14（2-4药）备	冰箱	232311012	2025/6/20 0:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5478	7-14（2-4药）备	冰箱	232311012	2025/6/20 0:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5479	7-14（2-4药）备	冰箱	232311012	2025/6/20 0:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5480	7-14（2-4药）备	冰箱	232311012	2025/6/20 0:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5481	7-14（2-4药）备	冰箱	232311012	2025/6/20 0:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

5482	7-14（2-4药）备	冰箱	232311012	2025/6/20 0:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5483	7-14（2-4药）备	冰箱	232311012	2025/6/20 0:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5484	7-14（2-4药）备	冰箱	232311012	2025/6/20 0:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5485	7-14（2-4药）备	冰箱	232311012	2025/6/20 1:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5486	7-14（2-4药）备	冰箱	232311012	2025/6/20 1:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5487	7-14（2-4药）备	冰箱	232311012	2025/6/20 1:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5488	7-14（2-4药）备	冰箱	232311012	2025/6/20 1:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5489	7-14（2-4药）备	冰箱	232311012	2025/6/20 1:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5490	7-14（2-4药）备	冰箱	232311012	2025/6/20 1:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5491	7-14（2-4药）备	冰箱	232311012	2025/6/20 1:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5492	7-14（2-4药）备	冰箱	232311012	2025/6/20 1:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5493	7-14（2-4药）备	冰箱	232311012	2025/6/20 1:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5494	7-14（2-4药）备	冰箱	232311012	2025/6/20 1:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5495	7-14（2-4药）备	冰箱	232311012	2025/6/20 1:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5496	7-14（2-4药）备	冰箱	232311012	2025/6/20 1:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5497	7-14（2-4药）备	冰箱	232311012	2025/6/20 2:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5498	7-14（2-4药）备	冰箱	232311012	2025/6/20 2:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5499	7-14（2-4药）备	冰箱	232311012	2025/6/20 2:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5500	7-14（2-4药）备	冰箱	232311012	2025/6/20 2:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5501	7-14（2-4药）备	冰箱	232311012	2025/6/20 2:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5502	7-14（2-4药）备	冰箱	232311012	2025/6/20 2:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5503	7-14（2-4药）备	冰箱	232311012	2025/6/20 2:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5504	7-14（2-4药）备	冰箱	232311012	2025/6/20 2:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5505	7-14（2-4药）备	冰箱	232311012	2025/6/20 2:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5506	7-14（2-4药）备	冰箱	232311012	2025/6/20 2:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5507	7-14（2-4药）备	冰箱	232311012	2025/6/20 2:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,

5508	7-14（2-4药）备	冰箱	232311012	2025/6/20 2:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5509	7-14（2-4药）备	冰箱	232311012	2025/6/20 3:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5510	7-14（2-4药）备	冰箱	232311012	2025/6/20 3:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5511	7-14（2-4药）备	冰箱	232311012	2025/6/20 3:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5512	7-14（2-4药）备	冰箱	232311012	2025/6/20 3:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5513	7-14（2-4药）备	冰箱	232311012	2025/6/20 3:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5514	7-14（2-4药）备	冰箱	232311012	2025/6/20 3:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5515	7-14（2-4药）备	冰箱	232311012	2025/6/20 3:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5516	7-14（2-4药）备	冰箱	232311012	2025/6/20 3:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5517	7-14（2-4药）备	冰箱	232311012	2025/6/20 3:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5518	7-14（2-4药）备	冰箱	232311012	2025/6/20 3:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5519	7-14（2-4药）备	冰箱	232311012	2025/6/20 3:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5520	7-14（2-4药）备	冰箱	232311012	2025/6/20 3:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5521	7-14（2-4药）备	冰箱	232311012	2025/6/20 4:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5522	7-14（2-4药）备	冰箱	232311012	2025/6/20 4:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5523	7-14（2-4药）备	冰箱	232311012	2025/6/20 4:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5524	7-14（2-4药）备	冰箱	232311012	2025/6/20 4:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5525	7-14（2-4药）备	冰箱	232311012	2025/6/20 4:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5526	7-14（2-4药）备	冰箱	232311012	2025/6/20 4:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5527	7-14（2-4药）备	冰箱	232311012	2025/6/20 4:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5528	7-14（2-4药）备	冰箱	232311012	2025/6/20 4:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5529	7-14（2-4药）备	冰箱	232311012	2025/6/20 4:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5530	7-14（2-4药）备	冰箱	232311012	2025/6/20 4:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5531	7-14（2-4药）备	冰箱	232311012	2025/6/20 4:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5532	7-14（2-4药）备	冰箱	232311012	2025/6/20 4:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5533	7-14（2-4药）备	冰箱	232311012	2025/6/20 5:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

5534	7-14（2-4药）备	冰箱	232311012	2025/6/20 5:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5535	7-14（2-4药）备	冰箱	232311012	2025/6/20 5:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5536	7-14（2-4药）备	冰箱	232311012	2025/6/20 5:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5537	7-14（2-4药）备	冰箱	232311012	2025/6/20 5:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5538	7-14（2-4药）备	冰箱	232311012	2025/6/20 5:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5539	7-14（2-4药）备	冰箱	232311012	2025/6/20 5:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5540	7-14（2-4药）备	冰箱	232311012	2025/6/20 5:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5541	7-14（2-4药）备	冰箱	232311012	2025/6/20 5:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5542	7-14（2-4药）备	冰箱	232311012	2025/6/20 5:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5543	7-14（2-4药）备	冰箱	232311012	2025/6/20 5:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5544	7-14（2-4药）备	冰箱	232311012	2025/6/20 5:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5545	7-14（2-4药）备	冰箱	232311012	2025/6/20 6:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5546	7-14（2-4药）备	冰箱	232311012	2025/6/20 6:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5547	7-14（2-4药）备	冰箱	232311012	2025/6/20 6:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5548	7-14（2-4药）备	冰箱	232311012	2025/6/20 6:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5549	7-14（2-4药）备	冰箱	232311012	2025/6/20 6:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5550	7-14（2-4药）备	冰箱	232311012	2025/6/20 6:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5551	7-14（2-4药）备	冰箱	232311012	2025/6/20 6:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5552	7-14（2-4药）备	冰箱	232311012	2025/6/20 6:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5553	7-14（2-4药）备	冰箱	232311012	2025/6/20 6:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5554	7-14（2-4药）备	冰箱	232311012	2025/6/20 6:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5555	7-14（2-4药）备	冰箱	232311012	2025/6/20 6:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5556	7-14（2-4药）备	冰箱	232311012	2025/6/20 6:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5557	7-14（2-4药）备	冰箱	232311012	2025/6/20 7:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5558	7-14（2-4药）备	冰箱	232311012	2025/6/20 7:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5559	7-14（2-4药）备	冰箱	232311012	2025/6/20 7:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

5560	7-14（2-4药）备	冰箱	232311012	2025/6/20 7:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5561	7-14（2-4药）备	冰箱	232311012	2025/6/20 7:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5562	7-14（2-4药）备	冰箱	232311012	2025/6/20 7:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5563	7-14（2-4药）备	冰箱	232311012	2025/6/20 7:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5564	7-14（2-4药）备	冰箱	232311012	2025/6/20 7:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5565	7-14（2-4药）备	冰箱	232311012	2025/6/20 7:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5566	7-14（2-4药）备	冰箱	232311012	2025/6/20 7:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5567	7-14（2-4药）备	冰箱	232311012	2025/6/20 7:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5568	7-14（2-4药）备	冰箱	232311012	2025/6/20 7:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5569	7-14（2-4药）备	冰箱	232311012	2025/6/20 8:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5570	7-14（2-4药）备	冰箱	232311012	2025/6/20 8:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5571	7-14（2-4药）备	冰箱	232311012	2025/6/20 8:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5572	7-14（2-4药）备	冰箱	232311012	2025/6/20 8:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5573	7-14（2-4药）备	冰箱	232311012	2025/6/20 8:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5574	7-14（2-4药）备	冰箱	232311012	2025/6/20 8:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5575	7-14（2-4药）备	冰箱	232311012	2025/6/20 8:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5576	7-14（2-4药）备	冰箱	232311012	2025/6/20 8:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5577	7-14（2-4药）备	冰箱	232311012	2025/6/20 8:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5578	7-14（2-4药）备	冰箱	232311012	2025/6/20 8:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5579	7-14（2-4药）备	冰箱	232311012	2025/6/20 8:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5580	7-14（2-4药）备	冰箱	232311012	2025/6/20 8:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5581	7-14（2-4药）备	冰箱	232311012	2025/6/20 9:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5582	7-14（2-4药）备	冰箱	232311012	2025/6/20 9:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5583	7-14（2-4药）备	冰箱	232311012	2025/6/20 9:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5584	7-14（2-4药）备	冰箱	232311012	2025/6/20 9:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5585	7-14（2-4药）备	冰箱	232311012	2025/6/20 9:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

5586	7-14（2-4药）备	冰箱	232311012	2025/6/20 9:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5587	7-14（2-4药）备	冰箱	232311012	2025/6/20 9:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5588	7-14（2-4药）备	冰箱	232311012	2025/6/20 9:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5589	7-14（2-4药）备	冰箱	232311012	2025/6/20 9:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5590	7-14（2-4药）备	冰箱	232311012	2025/6/20 9:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5591	7-14（2-4药）备	冰箱	232311012	2025/6/20 9:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5592	7-14（2-4药）备	冰箱	232311012	2025/6/20 9:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5593	7-14（2-4药）备	冰箱	232311012	2025/6/20 10:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5594	7-14（2-4药）备	冰箱	232311012	2025/6/20 10:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5595	7-14（2-4药）备	冰箱	232311012	2025/6/20 10:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5596	7-14（2-4药）备	冰箱	232311012	2025/6/20 10:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5597	7-14（2-4药）备	冰箱	232311012	2025/6/20 10:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5598	7-14（2-4药）备	冰箱	232311012	2025/6/20 10:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5599	7-14（2-4药）备	冰箱	232311012	2025/6/20 10:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5600	7-14（2-4药）备	冰箱	232311012	2025/6/20 10:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5601	7-14（2-4药）备	冰箱	232311012	2025/6/20 10:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5602	7-14（2-4药）备	冰箱	232311012	2025/6/20 10:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5603	7-14（2-4药）备	冰箱	232311012	2025/6/20 10:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5604	7-14（2-4药）备	冰箱	232311012	2025/6/20 10:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5605	7-14（2-4药）备	冰箱	232311012	2025/6/20 11:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5606	7-14（2-4药）备	冰箱	232311012	2025/6/20 11:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5607	7-14（2-4药）备	冰箱	232311012	2025/6/20 11:10:00	5.8℃	正常	2023/12/26 18:11:37:未储存药品,
5608	7-14（2-4药）备	冰箱	232311012	2025/6/20 11:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5609	7-14（2-4药）备	冰箱	232311012	2025/6/20 11:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5610	7-14（2-4药）备	冰箱	232311012	2025/6/20 11:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5611	7-14（2-4药）备	冰箱	232311012	2025/6/20 11:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,

5612	7-14（2-4药）备	冰箱	232311012	2025/6/20 11:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5613	7-14（2-4药）备	冰箱	232311012	2025/6/20 11:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5614	7-14（2-4药）备	冰箱	232311012	2025/6/20 11:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5615	7-14（2-4药）备	冰箱	232311012	2025/6/20 11:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5616	7-14（2-4药）备	冰箱	232311012	2025/6/20 11:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5617	7-14（2-4药）备	冰箱	232311012	2025/6/20 12:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5618	7-14（2-4药）备	冰箱	232311012	2025/6/20 12:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5619	7-14（2-4药）备	冰箱	232311012	2025/6/20 12:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5620	7-14（2-4药）备	冰箱	232311012	2025/6/20 12:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5621	7-14（2-4药）备	冰箱	232311012	2025/6/20 12:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5622	7-14（2-4药）备	冰箱	232311012	2025/6/20 12:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5623	7-14（2-4药）备	冰箱	232311012	2025/6/20 12:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5624	7-14（2-4药）备	冰箱	232311012	2025/6/20 12:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5625	7-14（2-4药）备	冰箱	232311012	2025/6/20 12:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5626	7-14（2-4药）备	冰箱	232311012	2025/6/20 12:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5627	7-14（2-4药）备	冰箱	232311012	2025/6/20 12:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5628	7-14（2-4药）备	冰箱	232311012	2025/6/20 12:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5629	7-14（2-4药）备	冰箱	232311012	2025/6/20 13:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5630	7-14（2-4药）备	冰箱	232311012	2025/6/20 13:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5631	7-14（2-4药）备	冰箱	232311012	2025/6/20 13:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5632	7-14（2-4药）备	冰箱	232311012	2025/6/20 13:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5633	7-14（2-4药）备	冰箱	232311012	2025/6/20 13:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5634	7-14（2-4药）备	冰箱	232311012	2025/6/20 13:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5635	7-14（2-4药）备	冰箱	232311012	2025/6/20 13:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5636	7-14（2-4药）备	冰箱	232311012	2025/6/20 13:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5637	7-14（2-4药）备	冰箱	232311012	2025/6/20 13:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

5638	7-14（2-4药）备	冰箱	232311012	2025/6/20 13:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5639	7-14（2-4药）备	冰箱	232311012	2025/6/20 13:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5640	7-14（2-4药）备	冰箱	232311012	2025/6/20 13:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5641	7-14（2-4药）备	冰箱	232311012	2025/6/20 14:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5642	7-14（2-4药）备	冰箱	232311012	2025/6/20 14:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5643	7-14（2-4药）备	冰箱	232311012	2025/6/20 14:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5644	7-14（2-4药）备	冰箱	232311012	2025/6/20 14:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5645	7-14（2-4药）备	冰箱	232311012	2025/6/20 14:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5646	7-14（2-4药）备	冰箱	232311012	2025/6/20 14:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5647	7-14（2-4药）备	冰箱	232311012	2025/6/20 14:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5648	7-14（2-4药）备	冰箱	232311012	2025/6/20 14:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5649	7-14（2-4药）备	冰箱	232311012	2025/6/20 14:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5650	7-14（2-4药）备	冰箱	232311012	2025/6/20 14:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5651	7-14（2-4药）备	冰箱	232311012	2025/6/20 14:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5652	7-14（2-4药）备	冰箱	232311012	2025/6/20 14:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5653	7-14（2-4药）备	冰箱	232311012	2025/6/20 15:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5654	7-14（2-4药）备	冰箱	232311012	2025/6/20 15:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5655	7-14（2-4药）备	冰箱	232311012	2025/6/20 15:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5656	7-14（2-4药）备	冰箱	232311012	2025/6/20 15:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5657	7-14（2-4药）备	冰箱	232311012	2025/6/20 15:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5658	7-14（2-4药）备	冰箱	232311012	2025/6/20 15:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5659	7-14（2-4药）备	冰箱	232311012	2025/6/20 15:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5660	7-14（2-4药）备	冰箱	232311012	2025/6/20 15:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5661	7-14（2-4药）备	冰箱	232311012	2025/6/20 15:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5662	7-14（2-4药）备	冰箱	232311012	2025/6/20 15:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5663	7-14（2-4药）备	冰箱	232311012	2025/6/20 15:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

5664	7-14（2-4药）备	冰箱	232311012	2025/6/20 15:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5665	7-14（2-4药）备	冰箱	232311012	2025/6/20 16:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5666	7-14（2-4药）备	冰箱	232311012	2025/6/20 16:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5667	7-14（2-4药）备	冰箱	232311012	2025/6/20 16:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5668	7-14（2-4药）备	冰箱	232311012	2025/6/20 16:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5669	7-14（2-4药）备	冰箱	232311012	2025/6/20 16:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5670	7-14（2-4药）备	冰箱	232311012	2025/6/20 16:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5671	7-14（2-4药）备	冰箱	232311012	2025/6/20 16:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5672	7-14（2-4药）备	冰箱	232311012	2025/6/20 16:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5673	7-14（2-4药）备	冰箱	232311012	2025/6/20 16:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5674	7-14（2-4药）备	冰箱	232311012	2025/6/20 16:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5675	7-14（2-4药）备	冰箱	232311012	2025/6/20 16:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5676	7-14（2-4药）备	冰箱	232311012	2025/6/20 16:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5677	7-14（2-4药）备	冰箱	232311012	2025/6/20 17:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5678	7-14（2-4药）备	冰箱	232311012	2025/6/20 17:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5679	7-14（2-4药）备	冰箱	232311012	2025/6/20 17:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5680	7-14（2-4药）备	冰箱	232311012	2025/6/20 17:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5681	7-14（2-4药）备	冰箱	232311012	2025/6/20 17:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5682	7-14（2-4药）备	冰箱	232311012	2025/6/20 17:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5683	7-14（2-4药）备	冰箱	232311012	2025/6/20 17:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5684	7-14（2-4药）备	冰箱	232311012	2025/6/20 17:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5685	7-14（2-4药）备	冰箱	232311012	2025/6/20 17:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5686	7-14（2-4药）备	冰箱	232311012	2025/6/20 17:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5687	7-14（2-4药）备	冰箱	232311012	2025/6/20 17:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5688	7-14（2-4药）备	冰箱	232311012	2025/6/20 17:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5689	7-14（2-4药）备	冰箱	232311012	2025/6/20 18:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,

5690	7-14（2-4药）备	冰箱	232311012	2025/6/20 18:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5691	7-14（2-4药）备	冰箱	232311012	2025/6/20 18:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5692	7-14（2-4药）备	冰箱	232311012	2025/6/20 18:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5693	7-14（2-4药）备	冰箱	232311012	2025/6/20 18:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5694	7-14（2-4药）备	冰箱	232311012	2025/6/20 18:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5695	7-14（2-4药）备	冰箱	232311012	2025/6/20 18:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5696	7-14（2-4药）备	冰箱	232311012	2025/6/20 18:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5697	7-14（2-4药）备	冰箱	232311012	2025/6/20 18:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5698	7-14（2-4药）备	冰箱	232311012	2025/6/20 18:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5699	7-14（2-4药）备	冰箱	232311012	2025/6/20 18:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5700	7-14（2-4药）备	冰箱	232311012	2025/6/20 18:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5701	7-14（2-4药）备	冰箱	232311012	2025/6/20 19:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5702	7-14（2-4药）备	冰箱	232311012	2025/6/20 19:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5703	7-14（2-4药）备	冰箱	232311012	2025/6/20 19:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5704	7-14（2-4药）备	冰箱	232311012	2025/6/20 19:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5705	7-14（2-4药）备	冰箱	232311012	2025/6/20 19:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5706	7-14（2-4药）备	冰箱	232311012	2025/6/20 19:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5707	7-14（2-4药）备	冰箱	232311012	2025/6/20 19:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5708	7-14（2-4药）备	冰箱	232311012	2025/6/20 19:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5709	7-14（2-4药）备	冰箱	232311012	2025/6/20 19:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5710	7-14（2-4药）备	冰箱	232311012	2025/6/20 19:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5711	7-14（2-4药）备	冰箱	232311012	2025/6/20 19:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5712	7-14（2-4药）备	冰箱	232311012	2025/6/20 19:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5713	7-14（2-4药）备	冰箱	232311012	2025/6/20 20:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5714	7-14（2-4药）备	冰箱	232311012	2025/6/20 20:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5715	7-14（2-4药）备	冰箱	232311012	2025/6/20 20:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,

5716	7-14（2-4药）备	冰箱	232311012	2025/6/20 20:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5717	7-14（2-4药）备	冰箱	232311012	2025/6/20 20:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5718	7-14（2-4药）备	冰箱	232311012	2025/6/20 20:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5719	7-14（2-4药）备	冰箱	232311012	2025/6/20 20:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5720	7-14（2-4药）备	冰箱	232311012	2025/6/20 20:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5721	7-14（2-4药）备	冰箱	232311012	2025/6/20 20:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5722	7-14（2-4药）备	冰箱	232311012	2025/6/20 20:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5723	7-14（2-4药）备	冰箱	232311012	2025/6/20 20:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5724	7-14（2-4药）备	冰箱	232311012	2025/6/20 20:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5725	7-14（2-4药）备	冰箱	232311012	2025/6/20 21:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5726	7-14（2-4药）备	冰箱	232311012	2025/6/20 21:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5727	7-14（2-4药）备	冰箱	232311012	2025/6/20 21:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5728	7-14（2-4药）备	冰箱	232311012	2025/6/20 21:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5729	7-14（2-4药）备	冰箱	232311012	2025/6/20 21:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5730	7-14（2-4药）备	冰箱	232311012	2025/6/20 21:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5731	7-14（2-4药）备	冰箱	232311012	2025/6/20 21:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5732	7-14（2-4药）备	冰箱	232311012	2025/6/20 21:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5733	7-14（2-4药）备	冰箱	232311012	2025/6/20 21:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5734	7-14（2-4药）备	冰箱	232311012	2025/6/20 21:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5735	7-14（2-4药）备	冰箱	232311012	2025/6/20 21:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5736	7-14（2-4药）备	冰箱	232311012	2025/6/20 21:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5737	7-14（2-4药）备	冰箱	232311012	2025/6/20 22:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5738	7-14（2-4药）备	冰箱	232311012	2025/6/20 22:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5739	7-14（2-4药）备	冰箱	232311012	2025/6/20 22:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5740	7-14（2-4药）备	冰箱	232311012	2025/6/20 22:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5741	7-14（2-4药）备	冰箱	232311012	2025/6/20 22:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,

5742	7-14（2-4药）备	冰箱	232311012	2025/6/20 22:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5743	7-14（2-4药）备	冰箱	232311012	2025/6/20 22:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5744	7-14（2-4药）备	冰箱	232311012	2025/6/20 22:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5745	7-14（2-4药）备	冰箱	232311012	2025/6/20 22:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5746	7-14（2-4药）备	冰箱	232311012	2025/6/20 22:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5747	7-14（2-4药）备	冰箱	232311012	2025/6/20 22:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5748	7-14（2-4药）备	冰箱	232311012	2025/6/20 22:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5749	7-14（2-4药）备	冰箱	232311012	2025/6/20 23:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5750	7-14（2-4药）备	冰箱	232311012	2025/6/20 23:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5751	7-14（2-4药）备	冰箱	232311012	2025/6/20 23:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5752	7-14（2-4药）备	冰箱	232311012	2025/6/20 23:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5753	7-14（2-4药）备	冰箱	232311012	2025/6/20 23:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5754	7-14（2-4药）备	冰箱	232311012	2025/6/20 23:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5755	7-14（2-4药）备	冰箱	232311012	2025/6/20 23:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5756	7-14（2-4药）备	冰箱	232311012	2025/6/20 23:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5757	7-14（2-4药）备	冰箱	232311012	2025/6/20 23:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5758	7-14（2-4药）备	冰箱	232311012	2025/6/20 23:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5759	7-14（2-4药）备	冰箱	232311012	2025/6/20 23:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5760	7-14（2-4药）备	冰箱	232311012	2025/6/20 23:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5761	7-14（2-4药）备	冰箱	232311012	2025/6/21 0:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5762	7-14（2-4药）备	冰箱	232311012	2025/6/21 0:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5763	7-14（2-4药）备	冰箱	232311012	2025/6/21 0:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5764	7-14（2-4药）备	冰箱	232311012	2025/6/21 0:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5765	7-14（2-4药）备	冰箱	232311012	2025/6/21 0:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5766	7-14（2-4药）备	冰箱	232311012	2025/6/21 0:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5767	7-14（2-4药）备	冰箱	232311012	2025/6/21 0:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

5768	7-14（2-4药）备	冰箱	232311012	2025/6/21 0:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5769	7-14（2-4药）备	冰箱	232311012	2025/6/21 0:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5770	7-14（2-4药）备	冰箱	232311012	2025/6/21 0:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5771	7-14（2-4药）备	冰箱	232311012	2025/6/21 0:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5772	7-14（2-4药）备	冰箱	232311012	2025/6/21 0:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5773	7-14（2-4药）备	冰箱	232311012	2025/6/21 1:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5774	7-14（2-4药）备	冰箱	232311012	2025/6/21 1:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5775	7-14（2-4药）备	冰箱	232311012	2025/6/21 1:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5776	7-14（2-4药）备	冰箱	232311012	2025/6/21 1:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5777	7-14（2-4药）备	冰箱	232311012	2025/6/21 1:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5778	7-14（2-4药）备	冰箱	232311012	2025/6/21 1:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5779	7-14（2-4药）备	冰箱	232311012	2025/6/21 1:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5780	7-14（2-4药）备	冰箱	232311012	2025/6/21 1:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5781	7-14（2-4药）备	冰箱	232311012	2025/6/21 1:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5782	7-14（2-4药）备	冰箱	232311012	2025/6/21 1:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5783	7-14（2-4药）备	冰箱	232311012	2025/6/21 1:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5784	7-14（2-4药）备	冰箱	232311012	2025/6/21 1:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5785	7-14（2-4药）备	冰箱	232311012	2025/6/21 2:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5786	7-14（2-4药）备	冰箱	232311012	2025/6/21 2:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5787	7-14（2-4药）备	冰箱	232311012	2025/6/21 2:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5788	7-14（2-4药）备	冰箱	232311012	2025/6/21 2:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5789	7-14（2-4药）备	冰箱	232311012	2025/6/21 2:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5790	7-14（2-4药）备	冰箱	232311012	2025/6/21 2:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5791	7-14（2-4药）备	冰箱	232311012	2025/6/21 2:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5792	7-14（2-4药）备	冰箱	232311012	2025/6/21 2:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5793	7-14（2-4药）备	冰箱	232311012	2025/6/21 2:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

5794	7-14（2-4药）备	冰箱	232311012	2025/6/21 2:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5795	7-14（2-4药）备	冰箱	232311012	2025/6/21 2:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5796	7-14（2-4药）备	冰箱	232311012	2025/6/21 2:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5797	7-14（2-4药）备	冰箱	232311012	2025/6/21 3:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5798	7-14（2-4药）备	冰箱	232311012	2025/6/21 3:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5799	7-14（2-4药）备	冰箱	232311012	2025/6/21 3:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5800	7-14（2-4药）备	冰箱	232311012	2025/6/21 3:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5801	7-14（2-4药）备	冰箱	232311012	2025/6/21 3:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5802	7-14（2-4药）备	冰箱	232311012	2025/6/21 3:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5803	7-14（2-4药）备	冰箱	232311012	2025/6/21 3:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5804	7-14（2-4药）备	冰箱	232311012	2025/6/21 3:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5805	7-14（2-4药）备	冰箱	232311012	2025/6/21 3:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5806	7-14（2-4药）备	冰箱	232311012	2025/6/21 3:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5807	7-14（2-4药）备	冰箱	232311012	2025/6/21 3:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5808	7-14（2-4药）备	冰箱	232311012	2025/6/21 3:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5809	7-14（2-4药）备	冰箱	232311012	2025/6/21 4:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5810	7-14（2-4药）备	冰箱	232311012	2025/6/21 4:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5811	7-14（2-4药）备	冰箱	232311012	2025/6/21 4:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5812	7-14（2-4药）备	冰箱	232311012	2025/6/21 4:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5813	7-14（2-4药）备	冰箱	232311012	2025/6/21 4:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5814	7-14（2-4药）备	冰箱	232311012	2025/6/21 4:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5815	7-14（2-4药）备	冰箱	232311012	2025/6/21 4:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5816	7-14（2-4药）备	冰箱	232311012	2025/6/21 4:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5817	7-14（2-4药）备	冰箱	232311012	2025/6/21 4:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5818	7-14（2-4药）备	冰箱	232311012	2025/6/21 4:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5819	7-14（2-4药）备	冰箱	232311012	2025/6/21 4:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

5820	7-14（2-4药）备	冰箱	232311012	2025/6/21 4:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5821	7-14（2-4药）备	冰箱	232311012	2025/6/21 5:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5822	7-14（2-4药）备	冰箱	232311012	2025/6/21 5:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5823	7-14（2-4药）备	冰箱	232311012	2025/6/21 5:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5824	7-14（2-4药）备	冰箱	232311012	2025/6/21 5:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5825	7-14（2-4药）备	冰箱	232311012	2025/6/21 5:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5826	7-14（2-4药）备	冰箱	232311012	2025/6/21 5:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5827	7-14（2-4药）备	冰箱	232311012	2025/6/21 5:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5828	7-14（2-4药）备	冰箱	232311012	2025/6/21 5:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5829	7-14（2-4药）备	冰箱	232311012	2025/6/21 5:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5830	7-14（2-4药）备	冰箱	232311012	2025/6/21 5:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5831	7-14（2-4药）备	冰箱	232311012	2025/6/21 5:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5832	7-14（2-4药）备	冰箱	232311012	2025/6/21 5:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5833	7-14（2-4药）备	冰箱	232311012	2025/6/21 6:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5834	7-14（2-4药）备	冰箱	232311012	2025/6/21 6:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5835	7-14（2-4药）备	冰箱	232311012	2025/6/21 6:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5836	7-14（2-4药）备	冰箱	232311012	2025/6/21 6:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5837	7-14（2-4药）备	冰箱	232311012	2025/6/21 6:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5838	7-14（2-4药）备	冰箱	232311012	2025/6/21 6:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5839	7-14（2-4药）备	冰箱	232311012	2025/6/21 6:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5840	7-14（2-4药）备	冰箱	232311012	2025/6/21 6:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5841	7-14（2-4药）备	冰箱	232311012	2025/6/21 6:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5842	7-14（2-4药）备	冰箱	232311012	2025/6/21 6:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5843	7-14（2-4药）备	冰箱	232311012	2025/6/21 6:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5844	7-14（2-4药）备	冰箱	232311012	2025/6/21 6:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5845	7-14（2-4药）备	冰箱	232311012	2025/6/21 7:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

5846	7-14（2-4药）备	冰箱	232311012	2025/6/21 7:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5847	7-14（2-4药）备	冰箱	232311012	2025/6/21 7:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5848	7-14（2-4药）备	冰箱	232311012	2025/6/21 7:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5849	7-14（2-4药）备	冰箱	232311012	2025/6/21 7:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5850	7-14（2-4药）备	冰箱	232311012	2025/6/21 7:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5851	7-14（2-4药）备	冰箱	232311012	2025/6/21 7:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5852	7-14（2-4药）备	冰箱	232311012	2025/6/21 7:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5853	7-14（2-4药）备	冰箱	232311012	2025/6/21 7:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5854	7-14（2-4药）备	冰箱	232311012	2025/6/21 7:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5855	7-14（2-4药）备	冰箱	232311012	2025/6/21 7:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5856	7-14（2-4药）备	冰箱	232311012	2025/6/21 7:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5857	7-14（2-4药）备	冰箱	232311012	2025/6/21 8:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5858	7-14（2-4药）备	冰箱	232311012	2025/6/21 8:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5859	7-14（2-4药）备	冰箱	232311012	2025/6/21 8:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5860	7-14（2-4药）备	冰箱	232311012	2025/6/21 8:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5861	7-14（2-4药）备	冰箱	232311012	2025/6/21 8:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5862	7-14（2-4药）备	冰箱	232311012	2025/6/21 8:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5863	7-14（2-4药）备	冰箱	232311012	2025/6/21 8:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5864	7-14（2-4药）备	冰箱	232311012	2025/6/21 8:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5865	7-14（2-4药）备	冰箱	232311012	2025/6/21 8:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5866	7-14（2-4药）备	冰箱	232311012	2025/6/21 8:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5867	7-14（2-4药）备	冰箱	232311012	2025/6/21 8:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5868	7-14（2-4药）备	冰箱	232311012	2025/6/21 8:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5869	7-14（2-4药）备	冰箱	232311012	2025/6/21 9:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5870	7-14（2-4药）备	冰箱	232311012	2025/6/21 9:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5871	7-14（2-4药）备	冰箱	232311012	2025/6/21 9:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

5872	7-14（2-4药）备	冰箱	232311012	2025/6/21 9:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5873	7-14（2-4药）备	冰箱	232311012	2025/6/21 9:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5874	7-14（2-4药）备	冰箱	232311012	2025/6/21 9:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5875	7-14（2-4药）备	冰箱	232311012	2025/6/21 9:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5876	7-14（2-4药）备	冰箱	232311012	2025/6/21 9:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5877	7-14（2-4药）备	冰箱	232311012	2025/6/21 9:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5878	7-14（2-4药）备	冰箱	232311012	2025/6/21 9:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5879	7-14（2-4药）备	冰箱	232311012	2025/6/21 9:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5880	7-14（2-4药）备	冰箱	232311012	2025/6/21 9:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5881	7-14（2-4药）备	冰箱	232311012	2025/6/21 10:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5882	7-14（2-4药）备	冰箱	232311012	2025/6/21 10:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5883	7-14（2-4药）备	冰箱	232311012	2025/6/21 10:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5884	7-14（2-4药）备	冰箱	232311012	2025/6/21 10:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5885	7-14（2-4药）备	冰箱	232311012	2025/6/21 10:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5886	7-14（2-4药）备	冰箱	232311012	2025/6/21 10:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5887	7-14（2-4药）备	冰箱	232311012	2025/6/21 10:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5888	7-14（2-4药）备	冰箱	232311012	2025/6/21 10:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5889	7-14（2-4药）备	冰箱	232311012	2025/6/21 10:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5890	7-14（2-4药）备	冰箱	232311012	2025/6/21 10:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5891	7-14（2-4药）备	冰箱	232311012	2025/6/21 10:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5892	7-14（2-4药）备	冰箱	232311012	2025/6/21 10:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5893	7-14（2-4药）备	冰箱	232311012	2025/6/21 11:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5894	7-14（2-4药）备	冰箱	232311012	2025/6/21 11:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5895	7-14（2-4药）备	冰箱	232311012	2025/6/21 11:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5896	7-14（2-4药）备	冰箱	232311012	2025/6/21 11:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5897	7-14（2-4药）备	冰箱	232311012	2025/6/21 11:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

5898	7-14（2-4药）备	冰箱	232311012	2025/6/21 11:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5899	7-14（2-4药）备	冰箱	232311012	2025/6/21 11:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5900	7-14（2-4药）备	冰箱	232311012	2025/6/21 11:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5901	7-14（2-4药）备	冰箱	232311012	2025/6/21 11:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5902	7-14（2-4药）备	冰箱	232311012	2025/6/21 11:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5903	7-14（2-4药）备	冰箱	232311012	2025/6/21 11:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5904	7-14（2-4药）备	冰箱	232311012	2025/6/21 11:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5905	7-14（2-4药）备	冰箱	232311012	2025/6/21 12:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5906	7-14（2-4药）备	冰箱	232311012	2025/6/21 12:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5907	7-14（2-4药）备	冰箱	232311012	2025/6/21 12:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5908	7-14（2-4药）备	冰箱	232311012	2025/6/21 12:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5909	7-14（2-4药）备	冰箱	232311012	2025/6/21 12:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5910	7-14（2-4药）备	冰箱	232311012	2025/6/21 12:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5911	7-14（2-4药）备	冰箱	232311012	2025/6/21 12:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5912	7-14（2-4药）备	冰箱	232311012	2025/6/21 12:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5913	7-14（2-4药）备	冰箱	232311012	2025/6/21 12:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5914	7-14（2-4药）备	冰箱	232311012	2025/6/21 12:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5915	7-14（2-4药）备	冰箱	232311012	2025/6/21 12:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5916	7-14（2-4药）备	冰箱	232311012	2025/6/21 12:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5917	7-14（2-4药）备	冰箱	232311012	2025/6/21 13:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5918	7-14（2-4药）备	冰箱	232311012	2025/6/21 13:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5919	7-14（2-4药）备	冰箱	232311012	2025/6/21 13:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5920	7-14（2-4药）备	冰箱	232311012	2025/6/21 13:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5921	7-14（2-4药）备	冰箱	232311012	2025/6/21 13:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5922	7-14（2-4药）备	冰箱	232311012	2025/6/21 13:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5923	7-14（2-4药）备	冰箱	232311012	2025/6/21 13:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

5924	7-14（2-4药）备	冰箱	232311012	2025/6/21 13:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5925	7-14（2-4药）备	冰箱	232311012	2025/6/21 13:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5926	7-14（2-4药）备	冰箱	232311012	2025/6/21 13:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5927	7-14（2-4药）备	冰箱	232311012	2025/6/21 13:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5928	7-14（2-4药）备	冰箱	232311012	2025/6/21 13:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5929	7-14（2-4药）备	冰箱	232311012	2025/6/21 14:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5930	7-14（2-4药）备	冰箱	232311012	2025/6/21 14:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5931	7-14（2-4药）备	冰箱	232311012	2025/6/21 14:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5932	7-14（2-4药）备	冰箱	232311012	2025/6/21 14:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5933	7-14（2-4药）备	冰箱	232311012	2025/6/21 14:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5934	7-14（2-4药）备	冰箱	232311012	2025/6/21 14:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5935	7-14（2-4药）备	冰箱	232311012	2025/6/21 14:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5936	7-14（2-4药）备	冰箱	232311012	2025/6/21 14:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5937	7-14（2-4药）备	冰箱	232311012	2025/6/21 14:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5938	7-14（2-4药）备	冰箱	232311012	2025/6/21 14:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5939	7-14（2-4药）备	冰箱	232311012	2025/6/21 14:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5940	7-14（2-4药）备	冰箱	232311012	2025/6/21 14:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5941	7-14（2-4药）备	冰箱	232311012	2025/6/21 15:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5942	7-14（2-4药）备	冰箱	232311012	2025/6/21 15:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5943	7-14（2-4药）备	冰箱	232311012	2025/6/21 15:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5944	7-14（2-4药）备	冰箱	232311012	2025/6/21 15:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5945	7-14（2-4药）备	冰箱	232311012	2025/6/21 15:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5946	7-14（2-4药）备	冰箱	232311012	2025/6/21 15:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5947	7-14（2-4药）备	冰箱	232311012	2025/6/21 15:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5948	7-14（2-4药）备	冰箱	232311012	2025/6/21 15:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5949	7-14（2-4药）备	冰箱	232311012	2025/6/21 15:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

5950	7-14（2-4药）备	冰箱	232311012	2025/6/21 15:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5951	7-14（2-4药）备	冰箱	232311012	2025/6/21 15:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5952	7-14（2-4药）备	冰箱	232311012	2025/6/21 15:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5953	7-14（2-4药）备	冰箱	232311012	2025/6/21 16:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5954	7-14（2-4药）备	冰箱	232311012	2025/6/21 16:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5955	7-14（2-4药）备	冰箱	232311012	2025/6/21 16:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5956	7-14（2-4药）备	冰箱	232311012	2025/6/21 16:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5957	7-14（2-4药）备	冰箱	232311012	2025/6/21 16:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5958	7-14（2-4药）备	冰箱	232311012	2025/6/21 16:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5959	7-14（2-4药）备	冰箱	232311012	2025/6/21 16:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5960	7-14（2-4药）备	冰箱	232311012	2025/6/21 16:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5961	7-14（2-4药）备	冰箱	232311012	2025/6/21 16:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5962	7-14（2-4药）备	冰箱	232311012	2025/6/21 16:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5963	7-14（2-4药）备	冰箱	232311012	2025/6/21 16:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5964	7-14（2-4药）备	冰箱	232311012	2025/6/21 16:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5965	7-14（2-4药）备	冰箱	232311012	2025/6/21 17:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
5966	7-14（2-4药）备	冰箱	232311012	2025/6/21 17:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5967	7-14（2-4药）备	冰箱	232311012	2025/6/21 17:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5968	7-14（2-4药）备	冰箱	232311012	2025/6/21 17:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
5969	7-14（2-4药）备	冰箱	232311012	2025/6/21 17:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
5970	7-14（2-4药）备	冰箱	232311012	2025/6/21 17:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
5971	7-14（2-4药）备	冰箱	232311012	2025/6/21 17:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5972	7-14（2-4药）备	冰箱	232311012	2025/6/21 17:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5973	7-14（2-4药）备	冰箱	232311012	2025/6/21 17:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5974	7-14（2-4药）备	冰箱	232311012	2025/6/21 17:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
5975	7-14（2-4药）备	冰箱	232311012	2025/6/21 17:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

5976	7-14（2-4药）备	冰箱	232311012	2025/6/21 17:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5977	7-14（2-4药）备	冰箱	232311012	2025/6/21 18:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
5978	7-14（2-4药）备	冰箱	232311012	2025/6/21 18:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5979	7-14（2-4药）备	冰箱	232311012	2025/6/21 18:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5980	7-14（2-4药）备	冰箱	232311012	2025/6/21 18:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5981	7-14（2-4药）备	冰箱	232311012	2025/6/21 18:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5982	7-14（2-4药）备	冰箱	232311012	2025/6/21 18:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5983	7-14（2-4药）备	冰箱	232311012	2025/6/21 18:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5984	7-14（2-4药）备	冰箱	232311012	2025/6/21 18:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5985	7-14（2-4药）备	冰箱	232311012	2025/6/21 18:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5986	7-14（2-4药）备	冰箱	232311012	2025/6/21 18:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5987	7-14（2-4药）备	冰箱	232311012	2025/6/21 18:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
5988	7-14（2-4药）备	冰箱	232311012	2025/6/21 18:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5989	7-14（2-4药）备	冰箱	232311012	2025/6/21 19:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5990	7-14（2-4药）备	冰箱	232311012	2025/6/21 19:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5991	7-14（2-4药）备	冰箱	232311012	2025/6/21 19:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
5992	7-14（2-4药）备	冰箱	232311012	2025/6/21 19:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
5993	7-14（2-4药）备	冰箱	232311012	2025/6/21 19:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5994	7-14（2-4药）备	冰箱	232311012	2025/6/21 19:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
5995	7-14（2-4药）备	冰箱	232311012	2025/6/21 19:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
5996	7-14（2-4药）备	冰箱	232311012	2025/6/21 19:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
5997	7-14（2-4药）备	冰箱	232311012	2025/6/21 19:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
5998	7-14（2-4药）备	冰箱	232311012	2025/6/21 19:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
5999	7-14（2-4药）备	冰箱	232311012	2025/6/21 19:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6000	7-14（2-4药）备	冰箱	232311012	2025/6/21 19:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6001	7-14（2-4药）备	冰箱	232311012	2025/6/21 20:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

6002	7-14（2-4药）备	冰箱	232311012	2025/6/21 20:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6003	7-14（2-4药）备	冰箱	232311012	2025/6/21 20:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6004	7-14（2-4药）备	冰箱	232311012	2025/6/21 20:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6005	7-14（2-4药）备	冰箱	232311012	2025/6/21 20:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6006	7-14（2-4药）备	冰箱	232311012	2025/6/21 20:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6007	7-14（2-4药）备	冰箱	232311012	2025/6/21 20:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6008	7-14（2-4药）备	冰箱	232311012	2025/6/21 20:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6009	7-14（2-4药）备	冰箱	232311012	2025/6/21 20:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6010	7-14（2-4药）备	冰箱	232311012	2025/6/21 20:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6011	7-14（2-4药）备	冰箱	232311012	2025/6/21 20:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6012	7-14（2-4药）备	冰箱	232311012	2025/6/21 20:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6013	7-14（2-4药）备	冰箱	232311012	2025/6/21 21:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6014	7-14（2-4药）备	冰箱	232311012	2025/6/21 21:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6015	7-14（2-4药）备	冰箱	232311012	2025/6/21 21:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6016	7-14（2-4药）备	冰箱	232311012	2025/6/21 21:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6017	7-14（2-4药）备	冰箱	232311012	2025/6/21 21:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6018	7-14（2-4药）备	冰箱	232311012	2025/6/21 21:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6019	7-14（2-4药）备	冰箱	232311012	2025/6/21 21:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6020	7-14（2-4药）备	冰箱	232311012	2025/6/21 21:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6021	7-14（2-4药）备	冰箱	232311012	2025/6/21 21:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6022	7-14（2-4药）备	冰箱	232311012	2025/6/21 21:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6023	7-14（2-4药）备	冰箱	232311012	2025/6/21 21:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6024	7-14（2-4药）备	冰箱	232311012	2025/6/21 21:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6025	7-14（2-4药）备	冰箱	232311012	2025/6/21 22:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6026	7-14（2-4药）备	冰箱	232311012	2025/6/21 22:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6027	7-14（2-4药）备	冰箱	232311012	2025/6/21 22:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

6028	7-14（2-4药）备	冰箱	232311012	2025/6/21 22:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6029	7-14（2-4药）备	冰箱	232311012	2025/6/21 22:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6030	7-14（2-4药）备	冰箱	232311012	2025/6/21 22:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6031	7-14（2-4药）备	冰箱	232311012	2025/6/21 22:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6032	7-14（2-4药）备	冰箱	232311012	2025/6/21 22:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6033	7-14（2-4药）备	冰箱	232311012	2025/6/21 22:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6034	7-14（2-4药）备	冰箱	232311012	2025/6/21 22:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6035	7-14（2-4药）备	冰箱	232311012	2025/6/21 22:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6036	7-14（2-4药）备	冰箱	232311012	2025/6/21 22:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6037	7-14（2-4药）备	冰箱	232311012	2025/6/21 23:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6038	7-14（2-4药）备	冰箱	232311012	2025/6/21 23:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6039	7-14（2-4药）备	冰箱	232311012	2025/6/21 23:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6040	7-14（2-4药）备	冰箱	232311012	2025/6/21 23:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6041	7-14（2-4药）备	冰箱	232311012	2025/6/21 23:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6042	7-14（2-4药）备	冰箱	232311012	2025/6/21 23:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6043	7-14（2-4药）备	冰箱	232311012	2025/6/21 23:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6044	7-14（2-4药）备	冰箱	232311012	2025/6/21 23:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6045	7-14（2-4药）备	冰箱	232311012	2025/6/21 23:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6046	7-14（2-4药）备	冰箱	232311012	2025/6/21 23:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6047	7-14（2-4药）备	冰箱	232311012	2025/6/21 23:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6048	7-14（2-4药）备	冰箱	232311012	2025/6/21 23:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6049	7-14（2-4药）备	冰箱	232311012	2025/6/22 0:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6050	7-14（2-4药）备	冰箱	232311012	2025/6/22 0:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6051	7-14（2-4药）备	冰箱	232311012	2025/6/22 0:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6052	7-14（2-4药）备	冰箱	232311012	2025/6/22 0:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6053	7-14（2-4药）备	冰箱	232311012	2025/6/22 0:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

6054	7-14（2-4药）备	冰箱	232311012	2025/6/22 0:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6055	7-14（2-4药）备	冰箱	232311012	2025/6/22 0:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6056	7-14（2-4药）备	冰箱	232311012	2025/6/22 0:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6057	7-14（2-4药）备	冰箱	232311012	2025/6/22 0:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6058	7-14（2-4药）备	冰箱	232311012	2025/6/22 0:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6059	7-14（2-4药）备	冰箱	232311012	2025/6/22 0:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6060	7-14（2-4药）备	冰箱	232311012	2025/6/22 0:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6061	7-14（2-4药）备	冰箱	232311012	2025/6/22 1:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6062	7-14（2-4药）备	冰箱	232311012	2025/6/22 1:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6063	7-14（2-4药）备	冰箱	232311012	2025/6/22 1:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6064	7-14（2-4药）备	冰箱	232311012	2025/6/22 1:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6065	7-14（2-4药）备	冰箱	232311012	2025/6/22 1:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6066	7-14（2-4药）备	冰箱	232311012	2025/6/22 1:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6067	7-14（2-4药）备	冰箱	232311012	2025/6/22 1:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6068	7-14（2-4药）备	冰箱	232311012	2025/6/22 1:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6069	7-14（2-4药）备	冰箱	232311012	2025/6/22 1:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6070	7-14（2-4药）备	冰箱	232311012	2025/6/22 1:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6071	7-14（2-4药）备	冰箱	232311012	2025/6/22 1:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6072	7-14（2-4药）备	冰箱	232311012	2025/6/22 1:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6073	7-14（2-4药）备	冰箱	232311012	2025/6/22 2:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6074	7-14（2-4药）备	冰箱	232311012	2025/6/22 2:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6075	7-14（2-4药）备	冰箱	232311012	2025/6/22 2:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6076	7-14（2-4药）备	冰箱	232311012	2025/6/22 2:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6077	7-14（2-4药）备	冰箱	232311012	2025/6/22 2:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6078	7-14（2-4药）备	冰箱	232311012	2025/6/22 2:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6079	7-14（2-4药）备	冰箱	232311012	2025/6/22 2:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

6080	7-14（2-4药）备	冰箱	232311012	2025/6/22 2:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6081	7-14（2-4药）备	冰箱	232311012	2025/6/22 2:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6082	7-14（2-4药）备	冰箱	232311012	2025/6/22 2:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6083	7-14（2-4药）备	冰箱	232311012	2025/6/22 2:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6084	7-14（2-4药）备	冰箱	232311012	2025/6/22 2:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6085	7-14（2-4药）备	冰箱	232311012	2025/6/22 3:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6086	7-14（2-4药）备	冰箱	232311012	2025/6/22 3:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6087	7-14（2-4药）备	冰箱	232311012	2025/6/22 3:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6088	7-14（2-4药）备	冰箱	232311012	2025/6/22 3:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6089	7-14（2-4药）备	冰箱	232311012	2025/6/22 3:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6090	7-14（2-4药）备	冰箱	232311012	2025/6/22 3:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6091	7-14（2-4药）备	冰箱	232311012	2025/6/22 3:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6092	7-14（2-4药）备	冰箱	232311012	2025/6/22 3:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6093	7-14（2-4药）备	冰箱	232311012	2025/6/22 3:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6094	7-14（2-4药）备	冰箱	232311012	2025/6/22 3:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6095	7-14（2-4药）备	冰箱	232311012	2025/6/22 3:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6096	7-14（2-4药）备	冰箱	232311012	2025/6/22 3:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6097	7-14（2-4药）备	冰箱	232311012	2025/6/22 4:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6098	7-14（2-4药）备	冰箱	232311012	2025/6/22 4:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6099	7-14（2-4药）备	冰箱	232311012	2025/6/22 4:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6100	7-14（2-4药）备	冰箱	232311012	2025/6/22 4:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6101	7-14（2-4药）备	冰箱	232311012	2025/6/22 4:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6102	7-14（2-4药）备	冰箱	232311012	2025/6/22 4:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6103	7-14（2-4药）备	冰箱	232311012	2025/6/22 4:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6104	7-14（2-4药）备	冰箱	232311012	2025/6/22 4:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6105	7-14（2-4药）备	冰箱	232311012	2025/6/22 4:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

6106	7-14（2-4药）备	冰箱	232311012	2025/6/22 4:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6107	7-14（2-4药）备	冰箱	232311012	2025/6/22 4:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6108	7-14（2-4药）备	冰箱	232311012	2025/6/22 4:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6109	7-14（2-4药）备	冰箱	232311012	2025/6/22 5:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6110	7-14（2-4药）备	冰箱	232311012	2025/6/22 5:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6111	7-14（2-4药）备	冰箱	232311012	2025/6/22 5:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6112	7-14（2-4药）备	冰箱	232311012	2025/6/22 5:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6113	7-14（2-4药）备	冰箱	232311012	2025/6/22 5:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6114	7-14（2-4药）备	冰箱	232311012	2025/6/22 5:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6115	7-14（2-4药）备	冰箱	232311012	2025/6/22 5:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6116	7-14（2-4药）备	冰箱	232311012	2025/6/22 5:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6117	7-14（2-4药）备	冰箱	232311012	2025/6/22 5:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6118	7-14（2-4药）备	冰箱	232311012	2025/6/22 5:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6119	7-14（2-4药）备	冰箱	232311012	2025/6/22 5:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6120	7-14（2-4药）备	冰箱	232311012	2025/6/22 5:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6121	7-14（2-4药）备	冰箱	232311012	2025/6/22 6:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6122	7-14（2-4药）备	冰箱	232311012	2025/6/22 6:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6123	7-14（2-4药）备	冰箱	232311012	2025/6/22 6:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6124	7-14（2-4药）备	冰箱	232311012	2025/6/22 6:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6125	7-14（2-4药）备	冰箱	232311012	2025/6/22 6:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6126	7-14（2-4药）备	冰箱	232311012	2025/6/22 6:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6127	7-14（2-4药）备	冰箱	232311012	2025/6/22 6:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6128	7-14（2-4药）备	冰箱	232311012	2025/6/22 6:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6129	7-14（2-4药）备	冰箱	232311012	2025/6/22 6:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6130	7-14（2-4药）备	冰箱	232311012	2025/6/22 6:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6131	7-14（2-4药）备	冰箱	232311012	2025/6/22 6:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

6132	7-14（2-4药）备	冰箱	232311012	2025/6/22 6:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6133	7-14（2-4药）备	冰箱	232311012	2025/6/22 7:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6134	7-14（2-4药）备	冰箱	232311012	2025/6/22 7:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6135	7-14（2-4药）备	冰箱	232311012	2025/6/22 7:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6136	7-14（2-4药）备	冰箱	232311012	2025/6/22 7:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6137	7-14（2-4药）备	冰箱	232311012	2025/6/22 7:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6138	7-14（2-4药）备	冰箱	232311012	2025/6/22 7:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6139	7-14（2-4药）备	冰箱	232311012	2025/6/22 7:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6140	7-14（2-4药）备	冰箱	232311012	2025/6/22 7:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6141	7-14（2-4药）备	冰箱	232311012	2025/6/22 7:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6142	7-14（2-4药）备	冰箱	232311012	2025/6/22 7:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6143	7-14（2-4药）备	冰箱	232311012	2025/6/22 7:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6144	7-14（2-4药）备	冰箱	232311012	2025/6/22 7:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6145	7-14（2-4药）备	冰箱	232311012	2025/6/22 8:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6146	7-14（2-4药）备	冰箱	232311012	2025/6/22 8:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6147	7-14（2-4药）备	冰箱	232311012	2025/6/22 8:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6148	7-14（2-4药）备	冰箱	232311012	2025/6/22 8:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6149	7-14（2-4药）备	冰箱	232311012	2025/6/22 8:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6150	7-14（2-4药）备	冰箱	232311012	2025/6/22 8:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6151	7-14（2-4药）备	冰箱	232311012	2025/6/22 8:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6152	7-14（2-4药）备	冰箱	232311012	2025/6/22 8:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6153	7-14（2-4药）备	冰箱	232311012	2025/6/22 8:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6154	7-14（2-4药）备	冰箱	232311012	2025/6/22 8:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6155	7-14（2-4药）备	冰箱	232311012	2025/6/22 8:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6156	7-14（2-4药）备	冰箱	232311012	2025/6/22 8:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6157	7-14（2-4药）备	冰箱	232311012	2025/6/22 9:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

6158	7-14（2-4药）备	冰箱	232311012	2025/6/22 9:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6159	7-14（2-4药）备	冰箱	232311012	2025/6/22 9:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6160	7-14（2-4药）备	冰箱	232311012	2025/6/22 9:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6161	7-14（2-4药）备	冰箱	232311012	2025/6/22 9:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6162	7-14（2-4药）备	冰箱	232311012	2025/6/22 9:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6163	7-14（2-4药）备	冰箱	232311012	2025/6/22 9:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6164	7-14（2-4药）备	冰箱	232311012	2025/6/22 9:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6165	7-14（2-4药）备	冰箱	232311012	2025/6/22 9:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6166	7-14（2-4药）备	冰箱	232311012	2025/6/22 9:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6167	7-14（2-4药）备	冰箱	232311012	2025/6/22 9:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6168	7-14（2-4药）备	冰箱	232311012	2025/6/22 9:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6169	7-14（2-4药）备	冰箱	232311012	2025/6/22 10:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6170	7-14（2-4药）备	冰箱	232311012	2025/6/22 10:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6171	7-14（2-4药）备	冰箱	232311012	2025/6/22 10:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6172	7-14（2-4药）备	冰箱	232311012	2025/6/22 10:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6173	7-14（2-4药）备	冰箱	232311012	2025/6/22 10:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6174	7-14（2-4药）备	冰箱	232311012	2025/6/22 10:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6175	7-14（2-4药）备	冰箱	232311012	2025/6/22 10:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6176	7-14（2-4药）备	冰箱	232311012	2025/6/22 10:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6177	7-14（2-4药）备	冰箱	232311012	2025/6/22 10:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6178	7-14（2-4药）备	冰箱	232311012	2025/6/22 10:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6179	7-14（2-4药）备	冰箱	232311012	2025/6/22 10:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6180	7-14（2-4药）备	冰箱	232311012	2025/6/22 10:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6181	7-14（2-4药）备	冰箱	232311012	2025/6/22 11:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6182	7-14（2-4药）备	冰箱	232311012	2025/6/22 11:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6183	7-14（2-4药）备	冰箱	232311012	2025/6/22 11:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

6184	7-14（2-4药）备	冰箱	232311012	2025/6/22 11:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6185	7-14（2-4药）备	冰箱	232311012	2025/6/22 11:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6186	7-14（2-4药）备	冰箱	232311012	2025/6/22 11:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6187	7-14（2-4药）备	冰箱	232311012	2025/6/22 11:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6188	7-14（2-4药）备	冰箱	232311012	2025/6/22 11:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6189	7-14（2-4药）备	冰箱	232311012	2025/6/22 11:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6190	7-14（2-4药）备	冰箱	232311012	2025/6/22 11:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6191	7-14（2-4药）备	冰箱	232311012	2025/6/22 11:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6192	7-14（2-4药）备	冰箱	232311012	2025/6/22 11:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6193	7-14（2-4药）备	冰箱	232311012	2025/6/22 12:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6194	7-14（2-4药）备	冰箱	232311012	2025/6/22 12:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6195	7-14（2-4药）备	冰箱	232311012	2025/6/22 12:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6196	7-14（2-4药）备	冰箱	232311012	2025/6/22 12:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6197	7-14（2-4药）备	冰箱	232311012	2025/6/22 12:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6198	7-14（2-4药）备	冰箱	232311012	2025/6/22 12:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6199	7-14（2-4药）备	冰箱	232311012	2025/6/22 12:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6200	7-14（2-4药）备	冰箱	232311012	2025/6/22 12:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6201	7-14（2-4药）备	冰箱	232311012	2025/6/22 12:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6202	7-14（2-4药）备	冰箱	232311012	2025/6/22 12:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6203	7-14（2-4药）备	冰箱	232311012	2025/6/22 12:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6204	7-14（2-4药）备	冰箱	232311012	2025/6/22 12:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6205	7-14（2-4药）备	冰箱	232311012	2025/6/22 13:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6206	7-14（2-4药）备	冰箱	232311012	2025/6/22 13:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6207	7-14（2-4药）备	冰箱	232311012	2025/6/22 13:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6208	7-14（2-4药）备	冰箱	232311012	2025/6/22 13:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6209	7-14（2-4药）备	冰箱	232311012	2025/6/22 13:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

6210	7-14（2-4药）备	冰箱	232311012	2025/6/22 13:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6211	7-14（2-4药）备	冰箱	232311012	2025/6/22 13:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6212	7-14（2-4药）备	冰箱	232311012	2025/6/22 13:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6213	7-14（2-4药）备	冰箱	232311012	2025/6/22 13:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6214	7-14（2-4药）备	冰箱	232311012	2025/6/22 13:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6215	7-14（2-4药）备	冰箱	232311012	2025/6/22 13:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6216	7-14（2-4药）备	冰箱	232311012	2025/6/22 13:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6217	7-14（2-4药）备	冰箱	232311012	2025/6/22 14:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6218	7-14（2-4药）备	冰箱	232311012	2025/6/22 14:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6219	7-14（2-4药）备	冰箱	232311012	2025/6/22 14:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6220	7-14（2-4药）备	冰箱	232311012	2025/6/22 14:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6221	7-14（2-4药）备	冰箱	232311012	2025/6/22 14:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6222	7-14（2-4药）备	冰箱	232311012	2025/6/22 14:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6223	7-14（2-4药）备	冰箱	232311012	2025/6/22 14:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6224	7-14（2-4药）备	冰箱	232311012	2025/6/22 14:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6225	7-14（2-4药）备	冰箱	232311012	2025/6/22 14:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6226	7-14（2-4药）备	冰箱	232311012	2025/6/22 14:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6227	7-14（2-4药）备	冰箱	232311012	2025/6/22 14:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6228	7-14（2-4药）备	冰箱	232311012	2025/6/22 14:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6229	7-14（2-4药）备	冰箱	232311012	2025/6/22 15:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6230	7-14（2-4药）备	冰箱	232311012	2025/6/22 15:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6231	7-14（2-4药）备	冰箱	232311012	2025/6/22 15:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6232	7-14（2-4药）备	冰箱	232311012	2025/6/22 15:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6233	7-14（2-4药）备	冰箱	232311012	2025/6/22 15:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6234	7-14（2-4药）备	冰箱	232311012	2025/6/22 15:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6235	7-14（2-4药）备	冰箱	232311012	2025/6/22 15:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

6236	7-14（2-4药）备	冰箱	232311012	2025/6/22 15:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6237	7-14（2-4药）备	冰箱	232311012	2025/6/22 15:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6238	7-14（2-4药）备	冰箱	232311012	2025/6/22 15:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6239	7-14（2-4药）备	冰箱	232311012	2025/6/22 15:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6240	7-14（2-4药）备	冰箱	232311012	2025/6/22 15:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6241	7-14（2-4药）备	冰箱	232311012	2025/6/22 16:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6242	7-14（2-4药）备	冰箱	232311012	2025/6/22 16:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6243	7-14（2-4药）备	冰箱	232311012	2025/6/22 16:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6244	7-14（2-4药）备	冰箱	232311012	2025/6/22 16:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6245	7-14（2-4药）备	冰箱	232311012	2025/6/22 16:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6246	7-14（2-4药）备	冰箱	232311012	2025/6/22 16:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6247	7-14（2-4药）备	冰箱	232311012	2025/6/22 16:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6248	7-14（2-4药）备	冰箱	232311012	2025/6/22 16:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6249	7-14（2-4药）备	冰箱	232311012	2025/6/22 16:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6250	7-14（2-4药）备	冰箱	232311012	2025/6/22 16:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6251	7-14（2-4药）备	冰箱	232311012	2025/6/22 16:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6252	7-14（2-4药）备	冰箱	232311012	2025/6/22 16:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6253	7-14（2-4药）备	冰箱	232311012	2025/6/22 17:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6254	7-14（2-4药）备	冰箱	232311012	2025/6/22 17:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6255	7-14（2-4药）备	冰箱	232311012	2025/6/22 17:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6256	7-14（2-4药）备	冰箱	232311012	2025/6/22 17:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6257	7-14（2-4药）备	冰箱	232311012	2025/6/22 17:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6258	7-14（2-4药）备	冰箱	232311012	2025/6/22 17:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6259	7-14（2-4药）备	冰箱	232311012	2025/6/22 17:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6260	7-14（2-4药）备	冰箱	232311012	2025/6/22 17:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6261	7-14（2-4药）备	冰箱	232311012	2025/6/22 17:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

6262	7-14（2-4药）备	冰箱	232311012	2025/6/22 17:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6263	7-14（2-4药）备	冰箱	232311012	2025/6/22 17:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6264	7-14（2-4药）备	冰箱	232311012	2025/6/22 17:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6265	7-14（2-4药）备	冰箱	232311012	2025/6/22 18:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6266	7-14（2-4药）备	冰箱	232311012	2025/6/22 18:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6267	7-14（2-4药）备	冰箱	232311012	2025/6/22 18:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6268	7-14（2-4药）备	冰箱	232311012	2025/6/22 18:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6269	7-14（2-4药）备	冰箱	232311012	2025/6/22 18:20:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6270	7-14（2-4药）备	冰箱	232311012	2025/6/22 18:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6271	7-14（2-4药）备	冰箱	232311012	2025/6/22 18:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6272	7-14（2-4药）备	冰箱	232311012	2025/6/22 18:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6273	7-14（2-4药）备	冰箱	232311012	2025/6/22 18:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6274	7-14（2-4药）备	冰箱	232311012	2025/6/22 18:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6275	7-14（2-4药）备	冰箱	232311012	2025/6/22 18:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6276	7-14（2-4药）备	冰箱	232311012	2025/6/22 18:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6277	7-14（2-4药）备	冰箱	232311012	2025/6/22 19:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6278	7-14（2-4药）备	冰箱	232311012	2025/6/22 19:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6279	7-14（2-4药）备	冰箱	232311012	2025/6/22 19:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6280	7-14（2-4药）备	冰箱	232311012	2025/6/22 19:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6281	7-14（2-4药）备	冰箱	232311012	2025/6/22 19:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6282	7-14（2-4药）备	冰箱	232311012	2025/6/22 19:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6283	7-14（2-4药）备	冰箱	232311012	2025/6/22 19:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6284	7-14（2-4药）备	冰箱	232311012	2025/6/22 19:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6285	7-14（2-4药）备	冰箱	232311012	2025/6/22 19:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6286	7-14（2-4药）备	冰箱	232311012	2025/6/22 19:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6287	7-14（2-4药）备	冰箱	232311012	2025/6/22 19:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

6288	7-14（2-4药）备	冰箱	232311012	2025/6/22 19:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6289	7-14（2-4药）备	冰箱	232311012	2025/6/22 20:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6290	7-14（2-4药）备	冰箱	232311012	2025/6/22 20:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6291	7-14（2-4药）备	冰箱	232311012	2025/6/22 20:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6292	7-14（2-4药）备	冰箱	232311012	2025/6/22 20:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6293	7-14（2-4药）备	冰箱	232311012	2025/6/22 20:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6294	7-14（2-4药）备	冰箱	232311012	2025/6/22 20:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6295	7-14（2-4药）备	冰箱	232311012	2025/6/22 20:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6296	7-14（2-4药）备	冰箱	232311012	2025/6/22 20:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6297	7-14（2-4药）备	冰箱	232311012	2025/6/22 20:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6298	7-14（2-4药）备	冰箱	232311012	2025/6/22 20:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6299	7-14（2-4药）备	冰箱	232311012	2025/6/22 20:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6300	7-14（2-4药）备	冰箱	232311012	2025/6/22 20:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6301	7-14（2-4药）备	冰箱	232311012	2025/6/22 21:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6302	7-14（2-4药）备	冰箱	232311012	2025/6/22 21:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6303	7-14（2-4药）备	冰箱	232311012	2025/6/22 21:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6304	7-14（2-4药）备	冰箱	232311012	2025/6/22 21:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6305	7-14（2-4药）备	冰箱	232311012	2025/6/22 21:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6306	7-14（2-4药）备	冰箱	232311012	2025/6/22 21:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6307	7-14（2-4药）备	冰箱	232311012	2025/6/22 21:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6308	7-14（2-4药）备	冰箱	232311012	2025/6/22 21:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6309	7-14（2-4药）备	冰箱	232311012	2025/6/22 21:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6310	7-14（2-4药）备	冰箱	232311012	2025/6/22 21:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6311	7-14（2-4药）备	冰箱	232311012	2025/6/22 21:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6312	7-14（2-4药）备	冰箱	232311012	2025/6/22 21:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6313	7-14（2-4药）备	冰箱	232311012	2025/6/22 22:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

6314	7-14（2-4药）备	冰箱	232311012	2025/6/22 22:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6315	7-14（2-4药）备	冰箱	232311012	2025/6/22 22:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6316	7-14（2-4药）备	冰箱	232311012	2025/6/22 22:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6317	7-14（2-4药）备	冰箱	232311012	2025/6/22 22:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6318	7-14（2-4药）备	冰箱	232311012	2025/6/22 22:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6319	7-14（2-4药）备	冰箱	232311012	2025/6/22 22:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6320	7-14（2-4药）备	冰箱	232311012	2025/6/22 22:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6321	7-14（2-4药）备	冰箱	232311012	2025/6/22 22:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6322	7-14（2-4药）备	冰箱	232311012	2025/6/22 22:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6323	7-14（2-4药）备	冰箱	232311012	2025/6/22 22:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6324	7-14（2-4药）备	冰箱	232311012	2025/6/22 22:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6325	7-14（2-4药）备	冰箱	232311012	2025/6/22 23:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6326	7-14（2-4药）备	冰箱	232311012	2025/6/22 23:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6327	7-14（2-4药）备	冰箱	232311012	2025/6/22 23:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6328	7-14（2-4药）备	冰箱	232311012	2025/6/22 23:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6329	7-14（2-4药）备	冰箱	232311012	2025/6/22 23:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6330	7-14（2-4药）备	冰箱	232311012	2025/6/22 23:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6331	7-14（2-4药）备	冰箱	232311012	2025/6/22 23:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6332	7-14（2-4药）备	冰箱	232311012	2025/6/22 23:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6333	7-14（2-4药）备	冰箱	232311012	2025/6/22 23:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6334	7-14（2-4药）备	冰箱	232311012	2025/6/22 23:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6335	7-14（2-4药）备	冰箱	232311012	2025/6/22 23:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6336	7-14（2-4药）备	冰箱	232311012	2025/6/22 23:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6337	7-14（2-4药）备	冰箱	232311012	2025/6/23 0:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6338	7-14（2-4药）备	冰箱	232311012	2025/6/23 0:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6339	7-14（2-4药）备	冰箱	232311012	2025/6/23 0:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,

6340	7-14（2-4药）备	冰箱	232311012	2025/6/23 0:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6341	7-14（2-4药）备	冰箱	232311012	2025/6/23 0:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6342	7-14（2-4药）备	冰箱	232311012	2025/6/23 0:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6343	7-14（2-4药）备	冰箱	232311012	2025/6/23 0:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6344	7-14（2-4药）备	冰箱	232311012	2025/6/23 0:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6345	7-14（2-4药）备	冰箱	232311012	2025/6/23 0:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6346	7-14（2-4药）备	冰箱	232311012	2025/6/23 0:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6347	7-14（2-4药）备	冰箱	232311012	2025/6/23 0:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6348	7-14（2-4药）备	冰箱	232311012	2025/6/23 0:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6349	7-14（2-4药）备	冰箱	232311012	2025/6/23 1:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6350	7-14（2-4药）备	冰箱	232311012	2025/6/23 1:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6351	7-14（2-4药）备	冰箱	232311012	2025/6/23 1:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6352	7-14（2-4药）备	冰箱	232311012	2025/6/23 1:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6353	7-14（2-4药）备	冰箱	232311012	2025/6/23 1:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6354	7-14（2-4药）备	冰箱	232311012	2025/6/23 1:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6355	7-14（2-4药）备	冰箱	232311012	2025/6/23 1:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6356	7-14（2-4药）备	冰箱	232311012	2025/6/23 1:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6357	7-14（2-4药）备	冰箱	232311012	2025/6/23 1:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6358	7-14（2-4药）备	冰箱	232311012	2025/6/23 1:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6359	7-14（2-4药）备	冰箱	232311012	2025/6/23 1:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6360	7-14（2-4药）备	冰箱	232311012	2025/6/23 1:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6361	7-14（2-4药）备	冰箱	232311012	2025/6/23 2:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6362	7-14（2-4药）备	冰箱	232311012	2025/6/23 2:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6363	7-14（2-4药）备	冰箱	232311012	2025/6/23 2:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6364	7-14（2-4药）备	冰箱	232311012	2025/6/23 2:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6365	7-14（2-4药）备	冰箱	232311012	2025/6/23 2:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

6366	7-14（2-4药）备	冰箱	232311012	2025/6/23 2:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6367	7-14（2-4药）备	冰箱	232311012	2025/6/23 2:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6368	7-14（2-4药）备	冰箱	232311012	2025/6/23 2:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6369	7-14（2-4药）备	冰箱	232311012	2025/6/23 2:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6370	7-14（2-4药）备	冰箱	232311012	2025/6/23 2:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6371	7-14（2-4药）备	冰箱	232311012	2025/6/23 2:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6372	7-14（2-4药）备	冰箱	232311012	2025/6/23 2:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6373	7-14（2-4药）备	冰箱	232311012	2025/6/23 3:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6374	7-14（2-4药）备	冰箱	232311012	2025/6/23 3:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6375	7-14（2-4药）备	冰箱	232311012	2025/6/23 3:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6376	7-14（2-4药）备	冰箱	232311012	2025/6/23 3:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6377	7-14（2-4药）备	冰箱	232311012	2025/6/23 3:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6378	7-14（2-4药）备	冰箱	232311012	2025/6/23 3:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6379	7-14（2-4药）备	冰箱	232311012	2025/6/23 3:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6380	7-14（2-4药）备	冰箱	232311012	2025/6/23 3:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6381	7-14（2-4药）备	冰箱	232311012	2025/6/23 3:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6382	7-14（2-4药）备	冰箱	232311012	2025/6/23 3:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6383	7-14（2-4药）备	冰箱	232311012	2025/6/23 3:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6384	7-14（2-4药）备	冰箱	232311012	2025/6/23 3:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6385	7-14（2-4药）备	冰箱	232311012	2025/6/23 4:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6386	7-14（2-4药）备	冰箱	232311012	2025/6/23 4:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6387	7-14（2-4药）备	冰箱	232311012	2025/6/23 4:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6388	7-14（2-4药）备	冰箱	232311012	2025/6/23 4:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6389	7-14（2-4药）备	冰箱	232311012	2025/6/23 4:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6390	7-14（2-4药）备	冰箱	232311012	2025/6/23 4:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6391	7-14（2-4药）备	冰箱	232311012	2025/6/23 4:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

6392	7-14（2-4药）备	冰箱	232311012	2025/6/23 4:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6393	7-14（2-4药）备	冰箱	232311012	2025/6/23 4:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6394	7-14（2-4药）备	冰箱	232311012	2025/6/23 4:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6395	7-14（2-4药）备	冰箱	232311012	2025/6/23 4:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6396	7-14（2-4药）备	冰箱	232311012	2025/6/23 4:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6397	7-14（2-4药）备	冰箱	232311012	2025/6/23 5:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6398	7-14（2-4药）备	冰箱	232311012	2025/6/23 5:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6399	7-14（2-4药）备	冰箱	232311012	2025/6/23 5:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6400	7-14（2-4药）备	冰箱	232311012	2025/6/23 5:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6401	7-14（2-4药）备	冰箱	232311012	2025/6/23 5:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6402	7-14（2-4药）备	冰箱	232311012	2025/6/23 5:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6403	7-14（2-4药）备	冰箱	232311012	2025/6/23 5:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6404	7-14（2-4药）备	冰箱	232311012	2025/6/23 5:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6405	7-14（2-4药）备	冰箱	232311012	2025/6/23 5:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6406	7-14（2-4药）备	冰箱	232311012	2025/6/23 5:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6407	7-14（2-4药）备	冰箱	232311012	2025/6/23 5:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6408	7-14（2-4药）备	冰箱	232311012	2025/6/23 5:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6409	7-14（2-4药）备	冰箱	232311012	2025/6/23 6:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6410	7-14（2-4药）备	冰箱	232311012	2025/6/23 6:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6411	7-14（2-4药）备	冰箱	232311012	2025/6/23 6:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6412	7-14（2-4药）备	冰箱	232311012	2025/6/23 6:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6413	7-14（2-4药）备	冰箱	232311012	2025/6/23 6:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6414	7-14（2-4药）备	冰箱	232311012	2025/6/23 6:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6415	7-14（2-4药）备	冰箱	232311012	2025/6/23 6:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6416	7-14（2-4药）备	冰箱	232311012	2025/6/23 6:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6417	7-14（2-4药）备	冰箱	232311012	2025/6/23 6:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

6418	7-14（2-4药）备	冰箱	232311012	2025/6/23 6:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6419	7-14（2-4药）备	冰箱	232311012	2025/6/23 6:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6420	7-14（2-4药）备	冰箱	232311012	2025/6/23 6:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6421	7-14（2-4药）备	冰箱	232311012	2025/6/23 7:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6422	7-14（2-4药）备	冰箱	232311012	2025/6/23 7:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6423	7-14（2-4药）备	冰箱	232311012	2025/6/23 7:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6424	7-14（2-4药）备	冰箱	232311012	2025/6/23 7:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6425	7-14（2-4药）备	冰箱	232311012	2025/6/23 7:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6426	7-14（2-4药）备	冰箱	232311012	2025/6/23 7:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6427	7-14（2-4药）备	冰箱	232311012	2025/6/23 7:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6428	7-14（2-4药）备	冰箱	232311012	2025/6/23 7:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6429	7-14（2-4药）备	冰箱	232311012	2025/6/23 7:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6430	7-14（2-4药）备	冰箱	232311012	2025/6/23 7:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6431	7-14（2-4药）备	冰箱	232311012	2025/6/23 7:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6432	7-14（2-4药）备	冰箱	232311012	2025/6/23 7:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6433	7-14（2-4药）备	冰箱	232311012	2025/6/23 8:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6434	7-14（2-4药）备	冰箱	232311012	2025/6/23 8:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6435	7-14（2-4药）备	冰箱	232311012	2025/6/23 8:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6436	7-14（2-4药）备	冰箱	232311012	2025/6/23 8:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6437	7-14（2-4药）备	冰箱	232311012	2025/6/23 8:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6438	7-14（2-4药）备	冰箱	232311012	2025/6/23 8:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6439	7-14（2-4药）备	冰箱	232311012	2025/6/23 8:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6440	7-14（2-4药）备	冰箱	232311012	2025/6/23 8:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6441	7-14（2-4药）备	冰箱	232311012	2025/6/23 8:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6442	7-14（2-4药）备	冰箱	232311012	2025/6/23 8:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6443	7-14（2-4药）备	冰箱	232311012	2025/6/23 8:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

6444	7-14（2-4药）备	冰箱	232311012	2025/6/23 8:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6445	7-14（2-4药）备	冰箱	232311012	2025/6/23 9:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6446	7-14（2-4药）备	冰箱	232311012	2025/6/23 9:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6447	7-14（2-4药）备	冰箱	232311012	2025/6/23 9:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6448	7-14（2-4药）备	冰箱	232311012	2025/6/23 9:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6449	7-14（2-4药）备	冰箱	232311012	2025/6/23 9:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6450	7-14（2-4药）备	冰箱	232311012	2025/6/23 9:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6451	7-14（2-4药）备	冰箱	232311012	2025/6/23 9:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6452	7-14（2-4药）备	冰箱	232311012	2025/6/23 9:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6453	7-14（2-4药）备	冰箱	232311012	2025/6/23 9:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6454	7-14（2-4药）备	冰箱	232311012	2025/6/23 9:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6455	7-14（2-4药）备	冰箱	232311012	2025/6/23 9:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6456	7-14（2-4药）备	冰箱	232311012	2025/6/23 9:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6457	7-14（2-4药）备	冰箱	232311012	2025/6/23 10:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6458	7-14（2-4药）备	冰箱	232311012	2025/6/23 10:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6459	7-14（2-4药）备	冰箱	232311012	2025/6/23 10:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6460	7-14（2-4药）备	冰箱	232311012	2025/6/23 10:15:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6461	7-14（2-4药）备	冰箱	232311012	2025/6/23 10:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6462	7-14（2-4药）备	冰箱	232311012	2025/6/23 10:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6463	7-14（2-4药）备	冰箱	232311012	2025/6/23 10:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6464	7-14（2-4药）备	冰箱	232311012	2025/6/23 10:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6465	7-14（2-4药）备	冰箱	232311012	2025/6/23 10:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6466	7-14（2-4药）备	冰箱	232311012	2025/6/23 10:45:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6467	7-14（2-4药）备	冰箱	232311012	2025/6/23 10:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6468	7-14（2-4药）备	冰箱	232311012	2025/6/23 10:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6469	7-14（2-4药）备	冰箱	232311012	2025/6/23 11:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

6470	7-14（2-4药）备	冰箱	232311012	2025/6/23 11:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6471	7-14（2-4药）备	冰箱	232311012	2025/6/23 11:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6472	7-14（2-4药）备	冰箱	232311012	2025/6/23 11:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6473	7-14（2-4药）备	冰箱	232311012	2025/6/23 11:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6474	7-14（2-4药）备	冰箱	232311012	2025/6/23 11:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6475	7-14（2-4药）备	冰箱	232311012	2025/6/23 11:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6476	7-14（2-4药）备	冰箱	232311012	2025/6/23 11:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6477	7-14（2-4药）备	冰箱	232311012	2025/6/23 11:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6478	7-14（2-4药）备	冰箱	232311012	2025/6/23 11:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6479	7-14（2-4药）备	冰箱	232311012	2025/6/23 11:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6480	7-14（2-4药）备	冰箱	232311012	2025/6/23 11:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6481	7-14（2-4药）备	冰箱	232311012	2025/6/23 12:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6482	7-14（2-4药）备	冰箱	232311012	2025/6/23 12:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6483	7-14（2-4药）备	冰箱	232311012	2025/6/23 12:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6484	7-14（2-4药）备	冰箱	232311012	2025/6/23 12:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6485	7-14（2-4药）备	冰箱	232311012	2025/6/23 12:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6486	7-14（2-4药）备	冰箱	232311012	2025/6/23 12:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6487	7-14（2-4药）备	冰箱	232311012	2025/6/23 12:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6488	7-14（2-4药）备	冰箱	232311012	2025/6/23 12:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6489	7-14（2-4药）备	冰箱	232311012	2025/6/23 12:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6490	7-14（2-4药）备	冰箱	232311012	2025/6/23 12:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6491	7-14（2-4药）备	冰箱	232311012	2025/6/23 12:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6492	7-14（2-4药）备	冰箱	232311012	2025/6/23 12:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6493	7-14（2-4药）备	冰箱	232311012	2025/6/23 13:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6494	7-14（2-4药）备	冰箱	232311012	2025/6/23 13:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6495	7-14（2-4药）备	冰箱	232311012	2025/6/23 13:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

6496	7-14（2-4药）备	冰箱	232311012	2025/6/23 13:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6497	7-14（2-4药）备	冰箱	232311012	2025/6/23 13:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6498	7-14（2-4药）备	冰箱	232311012	2025/6/23 13:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6499	7-14（2-4药）备	冰箱	232311012	2025/6/23 13:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6500	7-14（2-4药）备	冰箱	232311012	2025/6/23 13:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6501	7-14（2-4药）备	冰箱	232311012	2025/6/23 13:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6502	7-14（2-4药）备	冰箱	232311012	2025/6/23 13:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6503	7-14（2-4药）备	冰箱	232311012	2025/6/23 13:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6504	7-14（2-4药）备	冰箱	232311012	2025/6/23 13:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6505	7-14（2-4药）备	冰箱	232311012	2025/6/23 14:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6506	7-14（2-4药）备	冰箱	232311012	2025/6/23 14:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6507	7-14（2-4药）备	冰箱	232311012	2025/6/23 14:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6508	7-14（2-4药）备	冰箱	232311012	2025/6/23 14:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6509	7-14（2-4药）备	冰箱	232311012	2025/6/23 14:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6510	7-14（2-4药）备	冰箱	232311012	2025/6/23 14:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6511	7-14（2-4药）备	冰箱	232311012	2025/6/23 14:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6512	7-14（2-4药）备	冰箱	232311012	2025/6/23 14:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6513	7-14（2-4药）备	冰箱	232311012	2025/6/23 14:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6514	7-14（2-4药）备	冰箱	232311012	2025/6/23 14:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6515	7-14（2-4药）备	冰箱	232311012	2025/6/23 14:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6516	7-14（2-4药）备	冰箱	232311012	2025/6/23 14:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6517	7-14（2-4药）备	冰箱	232311012	2025/6/23 15:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6518	7-14（2-4药）备	冰箱	232311012	2025/6/23 15:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6519	7-14（2-4药）备	冰箱	232311012	2025/6/23 15:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6520	7-14（2-4药）备	冰箱	232311012	2025/6/23 15:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6521	7-14（2-4药）备	冰箱	232311012	2025/6/23 15:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

6522	7-14（2-4药）备	冰箱	232311012	2025/6/23 15:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6523	7-14（2-4药）备	冰箱	232311012	2025/6/23 15:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6524	7-14（2-4药）备	冰箱	232311012	2025/6/23 15:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6525	7-14（2-4药）备	冰箱	232311012	2025/6/23 15:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6526	7-14（2-4药）备	冰箱	232311012	2025/6/23 15:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6527	7-14（2-4药）备	冰箱	232311012	2025/6/23 15:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6528	7-14（2-4药）备	冰箱	232311012	2025/6/23 15:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6529	7-14（2-4药）备	冰箱	232311012	2025/6/23 16:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6530	7-14（2-4药）备	冰箱	232311012	2025/6/23 16:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6531	7-14（2-4药）备	冰箱	232311012	2025/6/23 16:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6532	7-14（2-4药）备	冰箱	232311012	2025/6/23 16:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6533	7-14（2-4药）备	冰箱	232311012	2025/6/23 16:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6534	7-14（2-4药）备	冰箱	232311012	2025/6/23 16:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6535	7-14（2-4药）备	冰箱	232311012	2025/6/23 16:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6536	7-14（2-4药）备	冰箱	232311012	2025/6/23 16:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6537	7-14（2-4药）备	冰箱	232311012	2025/6/23 16:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6538	7-14（2-4药）备	冰箱	232311012	2025/6/23 16:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6539	7-14（2-4药）备	冰箱	232311012	2025/6/23 16:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6540	7-14（2-4药）备	冰箱	232311012	2025/6/23 16:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6541	7-14（2-4药）备	冰箱	232311012	2025/6/23 17:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6542	7-14（2-4药）备	冰箱	232311012	2025/6/23 17:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6543	7-14（2-4药）备	冰箱	232311012	2025/6/23 17:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6544	7-14（2-4药）备	冰箱	232311012	2025/6/23 17:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6545	7-14（2-4药）备	冰箱	232311012	2025/6/23 17:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6546	7-14（2-4药）备	冰箱	232311012	2025/6/23 17:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6547	7-14（2-4药）备	冰箱	232311012	2025/6/23 17:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

6548	7-14（2-4药）备	冰箱	232311012	2025/6/23 17:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6549	7-14（2-4药）备	冰箱	232311012	2025/6/23 17:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6550	7-14（2-4药）备	冰箱	232311012	2025/6/23 17:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6551	7-14（2-4药）备	冰箱	232311012	2025/6/23 17:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6552	7-14（2-4药）备	冰箱	232311012	2025/6/23 17:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6553	7-14（2-4药）备	冰箱	232311012	2025/6/23 18:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6554	7-14（2-4药）备	冰箱	232311012	2025/6/23 18:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6555	7-14（2-4药）备	冰箱	232311012	2025/6/23 18:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6556	7-14（2-4药）备	冰箱	232311012	2025/6/23 18:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6557	7-14（2-4药）备	冰箱	232311012	2025/6/23 18:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6558	7-14（2-4药）备	冰箱	232311012	2025/6/23 18:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6559	7-14（2-4药）备	冰箱	232311012	2025/6/23 18:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6560	7-14（2-4药）备	冰箱	232311012	2025/6/23 18:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6561	7-14（2-4药）备	冰箱	232311012	2025/6/23 18:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6562	7-14（2-4药）备	冰箱	232311012	2025/6/23 18:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6563	7-14（2-4药）备	冰箱	232311012	2025/6/23 18:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6564	7-14（2-4药）备	冰箱	232311012	2025/6/23 18:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6565	7-14（2-4药）备	冰箱	232311012	2025/6/23 19:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6566	7-14（2-4药）备	冰箱	232311012	2025/6/23 19:05:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6567	7-14（2-4药）备	冰箱	232311012	2025/6/23 19:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6568	7-14（2-4药）备	冰箱	232311012	2025/6/23 19:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6569	7-14（2-4药）备	冰箱	232311012	2025/6/23 19:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6570	7-14（2-4药）备	冰箱	232311012	2025/6/23 19:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6571	7-14（2-4药）备	冰箱	232311012	2025/6/23 19:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6572	7-14（2-4药）备	冰箱	232311012	2025/6/23 19:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6573	7-14（2-4药）备	冰箱	232311012	2025/6/23 19:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

6574	7-14（2-4药）备	冰箱	232311012	2025/6/23 19:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6575	7-14（2-4药）备	冰箱	232311012	2025/6/23 19:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6576	7-14（2-4药）备	冰箱	232311012	2025/6/23 19:55:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6577	7-14（2-4药）备	冰箱	232311012	2025/6/23 20:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6578	7-14（2-4药）备	冰箱	232311012	2025/6/23 20:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6579	7-14（2-4药）备	冰箱	232311012	2025/6/23 20:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6580	7-14（2-4药）备	冰箱	232311012	2025/6/23 20:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6581	7-14（2-4药）备	冰箱	232311012	2025/6/23 20:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6582	7-14（2-4药）备	冰箱	232311012	2025/6/23 20:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6583	7-14（2-4药）备	冰箱	232311012	2025/6/23 20:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6584	7-14（2-4药）备	冰箱	232311012	2025/6/23 20:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6585	7-14（2-4药）备	冰箱	232311012	2025/6/23 20:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6586	7-14（2-4药）备	冰箱	232311012	2025/6/23 20:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6587	7-14（2-4药）备	冰箱	232311012	2025/6/23 20:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6588	7-14（2-4药）备	冰箱	232311012	2025/6/23 20:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6589	7-14（2-4药）备	冰箱	232311012	2025/6/23 21:00:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6590	7-14（2-4药）备	冰箱	232311012	2025/6/23 21:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6591	7-14（2-4药）备	冰箱	232311012	2025/6/23 21:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6592	7-14（2-4药）备	冰箱	232311012	2025/6/23 21:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6593	7-14（2-4药）备	冰箱	232311012	2025/6/23 21:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6594	7-14（2-4药）备	冰箱	232311012	2025/6/23 21:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6595	7-14（2-4药）备	冰箱	232311012	2025/6/23 21:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6596	7-14（2-4药）备	冰箱	232311012	2025/6/23 21:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6597	7-14（2-4药）备	冰箱	232311012	2025/6/23 21:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6598	7-14（2-4药）备	冰箱	232311012	2025/6/23 21:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6599	7-14（2-4药）备	冰箱	232311012	2025/6/23 21:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

6600	7-14（2-4药）备	冰箱	232311012	2025/6/23 21:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6601	7-14（2-4药）备	冰箱	232311012	2025/6/23 22:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6602	7-14（2-4药）备	冰箱	232311012	2025/6/23 22:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6603	7-14（2-4药）备	冰箱	232311012	2025/6/23 22:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6604	7-14（2-4药）备	冰箱	232311012	2025/6/23 22:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6605	7-14（2-4药）备	冰箱	232311012	2025/6/23 22:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6606	7-14（2-4药）备	冰箱	232311012	2025/6/23 22:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6607	7-14（2-4药）备	冰箱	232311012	2025/6/23 22:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6608	7-14（2-4药）备	冰箱	232311012	2025/6/23 22:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6609	7-14（2-4药）备	冰箱	232311012	2025/6/23 22:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6610	7-14（2-4药）备	冰箱	232311012	2025/6/23 22:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6611	7-14（2-4药）备	冰箱	232311012	2025/6/23 22:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6612	7-14（2-4药）备	冰箱	232311012	2025/6/23 22:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6613	7-14（2-4药）备	冰箱	232311012	2025/6/23 23:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6614	7-14（2-4药）备	冰箱	232311012	2025/6/23 23:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6615	7-14（2-4药）备	冰箱	232311012	2025/6/23 23:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6616	7-14（2-4药）备	冰箱	232311012	2025/6/23 23:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6617	7-14（2-4药）备	冰箱	232311012	2025/6/23 23:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6618	7-14（2-4药）备	冰箱	232311012	2025/6/23 23:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6619	7-14（2-4药）备	冰箱	232311012	2025/6/23 23:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6620	7-14（2-4药）备	冰箱	232311012	2025/6/23 23:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6621	7-14（2-4药）备	冰箱	232311012	2025/6/23 23:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6622	7-14（2-4药）备	冰箱	232311012	2025/6/23 23:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6623	7-14（2-4药）备	冰箱	232311012	2025/6/23 23:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6624	7-14（2-4药）备	冰箱	232311012	2025/6/23 23:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6625	7-14（2-4药）备	冰箱	232311012	2025/6/24 0:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

6626	7-14（2-4药）备	冰箱	232311012	2025/6/24 0:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6627	7-14（2-4药）备	冰箱	232311012	2025/6/24 0:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6628	7-14（2-4药）备	冰箱	232311012	2025/6/24 0:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6629	7-14（2-4药）备	冰箱	232311012	2025/6/24 0:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6630	7-14（2-4药）备	冰箱	232311012	2025/6/24 0:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6631	7-14（2-4药）备	冰箱	232311012	2025/6/24 0:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6632	7-14（2-4药）备	冰箱	232311012	2025/6/24 0:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6633	7-14（2-4药）备	冰箱	232311012	2025/6/24 0:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6634	7-14（2-4药）备	冰箱	232311012	2025/6/24 0:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6635	7-14（2-4药）备	冰箱	232311012	2025/6/24 0:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6636	7-14（2-4药）备	冰箱	232311012	2025/6/24 0:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6637	7-14（2-4药）备	冰箱	232311012	2025/6/24 1:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6638	7-14（2-4药）备	冰箱	232311012	2025/6/24 1:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6639	7-14（2-4药）备	冰箱	232311012	2025/6/24 1:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6640	7-14（2-4药）备	冰箱	232311012	2025/6/24 1:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6641	7-14（2-4药）备	冰箱	232311012	2025/6/24 1:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6642	7-14（2-4药）备	冰箱	232311012	2025/6/24 1:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6643	7-14（2-4药）备	冰箱	232311012	2025/6/24 1:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6644	7-14（2-4药）备	冰箱	232311012	2025/6/24 1:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6645	7-14（2-4药）备	冰箱	232311012	2025/6/24 1:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6646	7-14（2-4药）备	冰箱	232311012	2025/6/24 1:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6647	7-14（2-4药）备	冰箱	232311012	2025/6/24 1:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6648	7-14（2-4药）备	冰箱	232311012	2025/6/24 1:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6649	7-14（2-4药）备	冰箱	232311012	2025/6/24 2:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6650	7-14（2-4药）备	冰箱	232311012	2025/6/24 2:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6651	7-14（2-4药）备	冰箱	232311012	2025/6/24 2:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

6652	7-14（2-4药）备	冰箱	232311012	2025/6/24 2:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6653	7-14（2-4药）备	冰箱	232311012	2025/6/24 2:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6654	7-14（2-4药）备	冰箱	232311012	2025/6/24 2:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6655	7-14（2-4药）备	冰箱	232311012	2025/6/24 2:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6656	7-14（2-4药）备	冰箱	232311012	2025/6/24 2:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6657	7-14（2-4药）备	冰箱	232311012	2025/6/24 2:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6658	7-14（2-4药）备	冰箱	232311012	2025/6/24 2:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6659	7-14（2-4药）备	冰箱	232311012	2025/6/24 2:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6660	7-14（2-4药）备	冰箱	232311012	2025/6/24 2:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6661	7-14（2-4药）备	冰箱	232311012	2025/6/24 3:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6662	7-14（2-4药）备	冰箱	232311012	2025/6/24 3:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6663	7-14（2-4药）备	冰箱	232311012	2025/6/24 3:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6664	7-14（2-4药）备	冰箱	232311012	2025/6/24 3:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6665	7-14（2-4药）备	冰箱	232311012	2025/6/24 3:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6666	7-14（2-4药）备	冰箱	232311012	2025/6/24 3:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6667	7-14（2-4药）备	冰箱	232311012	2025/6/24 3:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6668	7-14（2-4药）备	冰箱	232311012	2025/6/24 3:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6669	7-14（2-4药）备	冰箱	232311012	2025/6/24 3:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6670	7-14（2-4药）备	冰箱	232311012	2025/6/24 3:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6671	7-14（2-4药）备	冰箱	232311012	2025/6/24 3:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6672	7-14（2-4药）备	冰箱	232311012	2025/6/24 3:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6673	7-14（2-4药）备	冰箱	232311012	2025/6/24 4:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6674	7-14（2-4药）备	冰箱	232311012	2025/6/24 4:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6675	7-14（2-4药）备	冰箱	232311012	2025/6/24 4:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6676	7-14（2-4药）备	冰箱	232311012	2025/6/24 4:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6677	7-14（2-4药）备	冰箱	232311012	2025/6/24 4:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

6678	7-14（2-4药）备	冰箱	232311012	2025/6/24 4:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6679	7-14（2-4药）备	冰箱	232311012	2025/6/24 4:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6680	7-14（2-4药）备	冰箱	232311012	2025/6/24 4:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6681	7-14（2-4药）备	冰箱	232311012	2025/6/24 4:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6682	7-14（2-4药）备	冰箱	232311012	2025/6/24 4:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6683	7-14（2-4药）备	冰箱	232311012	2025/6/24 4:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6684	7-14（2-4药）备	冰箱	232311012	2025/6/24 4:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6685	7-14（2-4药）备	冰箱	232311012	2025/6/24 5:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6686	7-14（2-4药）备	冰箱	232311012	2025/6/24 5:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6687	7-14（2-4药）备	冰箱	232311012	2025/6/24 5:10:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6688	7-14（2-4药）备	冰箱	232311012	2025/6/24 5:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6689	7-14（2-4药）备	冰箱	232311012	2025/6/24 5:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6690	7-14（2-4药）备	冰箱	232311012	2025/6/24 5:25:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6691	7-14（2-4药）备	冰箱	232311012	2025/6/24 5:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6692	7-14（2-4药）备	冰箱	232311012	2025/6/24 5:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6693	7-14（2-4药）备	冰箱	232311012	2025/6/24 5:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6694	7-14（2-4药）备	冰箱	232311012	2025/6/24 5:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6695	7-14（2-4药）备	冰箱	232311012	2025/6/24 5:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6696	7-14（2-4药）备	冰箱	232311012	2025/6/24 5:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6697	7-14（2-4药）备	冰箱	232311012	2025/6/24 6:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6698	7-14（2-4药）备	冰箱	232311012	2025/6/24 6:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6699	7-14（2-4药）备	冰箱	232311012	2025/6/24 6:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6700	7-14（2-4药）备	冰箱	232311012	2025/6/24 6:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6701	7-14（2-4药）备	冰箱	232311012	2025/6/24 6:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6702	7-14（2-4药）备	冰箱	232311012	2025/6/24 6:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6703	7-14（2-4药）备	冰箱	232311012	2025/6/24 6:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,

6704	7-14（2-4药）备	冰箱	232311012	2025/6/24 6:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6705	7-14（2-4药）备	冰箱	232311012	2025/6/24 6:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6706	7-14（2-4药）备	冰箱	232311012	2025/6/24 6:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6707	7-14（2-4药）备	冰箱	232311012	2025/6/24 6:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6708	7-14（2-4药）备	冰箱	232311012	2025/6/24 6:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6709	7-14（2-4药）备	冰箱	232311012	2025/6/24 7:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6710	7-14（2-4药）备	冰箱	232311012	2025/6/24 7:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6711	7-14（2-4药）备	冰箱	232311012	2025/6/24 7:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6712	7-14（2-4药）备	冰箱	232311012	2025/6/24 7:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6713	7-14（2-4药）备	冰箱	232311012	2025/6/24 7:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6714	7-14（2-4药）备	冰箱	232311012	2025/6/24 7:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6715	7-14（2-4药）备	冰箱	232311012	2025/6/24 7:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6716	7-14（2-4药）备	冰箱	232311012	2025/6/24 7:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6717	7-14（2-4药）备	冰箱	232311012	2025/6/24 7:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6718	7-14（2-4药）备	冰箱	232311012	2025/6/24 7:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6719	7-14（2-4药）备	冰箱	232311012	2025/6/24 7:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6720	7-14（2-4药）备	冰箱	232311012	2025/6/24 7:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6721	7-14（2-4药）备	冰箱	232311012	2025/6/24 8:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6722	7-14（2-4药）备	冰箱	232311012	2025/6/24 8:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6723	7-14（2-4药）备	冰箱	232311012	2025/6/24 8:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6724	7-14（2-4药）备	冰箱	232311012	2025/6/24 8:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6725	7-14（2-4药）备	冰箱	232311012	2025/6/24 8:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6726	7-14（2-4药）备	冰箱	232311012	2025/6/24 8:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6727	7-14（2-4药）备	冰箱	232311012	2025/6/24 8:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6728	7-14（2-4药）备	冰箱	232311012	2025/6/24 8:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6729	7-14（2-4药）备	冰箱	232311012	2025/6/24 8:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

6730	7-14（2-4药）备	冰箱	232311012	2025/6/24 8:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6731	7-14（2-4药）备	冰箱	232311012	2025/6/24 8:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6732	7-14（2-4药）备	冰箱	232311012	2025/6/24 8:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6733	7-14（2-4药）备	冰箱	232311012	2025/6/24 9:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6734	7-14（2-4药）备	冰箱	232311012	2025/6/24 9:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6735	7-14（2-4药）备	冰箱	232311012	2025/6/24 9:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6736	7-14（2-4药）备	冰箱	232311012	2025/6/24 9:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6737	7-14（2-4药）备	冰箱	232311012	2025/6/24 9:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6738	7-14（2-4药）备	冰箱	232311012	2025/6/24 9:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6739	7-14（2-4药）备	冰箱	232311012	2025/6/24 9:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6740	7-14（2-4药）备	冰箱	232311012	2025/6/24 9:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6741	7-14（2-4药）备	冰箱	232311012	2025/6/24 9:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6742	7-14（2-4药）备	冰箱	232311012	2025/6/24 9:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6743	7-14（2-4药）备	冰箱	232311012	2025/6/24 9:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6744	7-14（2-4药）备	冰箱	232311012	2025/6/24 9:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6745	7-14（2-4药）备	冰箱	232311012	2025/6/24 10:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6746	7-14（2-4药）备	冰箱	232311012	2025/6/24 10:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6747	7-14（2-4药）备	冰箱	232311012	2025/6/24 10:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6748	7-14（2-4药）备	冰箱	232311012	2025/6/24 10:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6749	7-14（2-4药）备	冰箱	232311012	2025/6/24 10:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6750	7-14（2-4药）备	冰箱	232311012	2025/6/24 10:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6751	7-14（2-4药）备	冰箱	232311012	2025/6/24 10:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6752	7-14（2-4药）备	冰箱	232311012	2025/6/24 10:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6753	7-14（2-4药）备	冰箱	232311012	2025/6/24 10:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6754	7-14（2-4药）备	冰箱	232311012	2025/6/24 10:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6755	7-14（2-4药）备	冰箱	232311012	2025/6/24 10:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

6756	7-14（2-4药）备	冰箱	232311012	2025/6/24 10:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6757	7-14（2-4药）备	冰箱	232311012	2025/6/24 11:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6758	7-14（2-4药）备	冰箱	232311012	2025/6/24 11:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6759	7-14（2-4药）备	冰箱	232311012	2025/6/24 11:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6760	7-14（2-4药）备	冰箱	232311012	2025/6/24 11:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6761	7-14（2-4药）备	冰箱	232311012	2025/6/24 11:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6762	7-14（2-4药）备	冰箱	232311012	2025/6/24 11:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6763	7-14（2-4药）备	冰箱	232311012	2025/6/24 11:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6764	7-14（2-4药）备	冰箱	232311012	2025/6/24 11:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6765	7-14（2-4药）备	冰箱	232311012	2025/6/24 11:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6766	7-14（2-4药）备	冰箱	232311012	2025/6/24 11:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6767	7-14（2-4药）备	冰箱	232311012	2025/6/24 11:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6768	7-14（2-4药）备	冰箱	232311012	2025/6/24 11:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6769	7-14（2-4药）备	冰箱	232311012	2025/6/24 12:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6770	7-14（2-4药）备	冰箱	232311012	2025/6/24 12:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6771	7-14（2-4药）备	冰箱	232311012	2025/6/24 12:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6772	7-14（2-4药）备	冰箱	232311012	2025/6/24 12:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6773	7-14（2-4药）备	冰箱	232311012	2025/6/24 12:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6774	7-14（2-4药）备	冰箱	232311012	2025/6/24 12:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6775	7-14（2-4药）备	冰箱	232311012	2025/6/24 12:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6776	7-14（2-4药）备	冰箱	232311012	2025/6/24 12:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6777	7-14（2-4药）备	冰箱	232311012	2025/6/24 12:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6778	7-14（2-4药）备	冰箱	232311012	2025/6/24 12:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6779	7-14（2-4药）备	冰箱	232311012	2025/6/24 12:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6780	7-14（2-4药）备	冰箱	232311012	2025/6/24 12:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6781	7-14（2-4药）备	冰箱	232311012	2025/6/24 13:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

6782	7-14（2-4药）备	冰箱	232311012	2025/6/24 13:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6783	7-14（2-4药）备	冰箱	232311012	2025/6/24 13:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6784	7-14（2-4药）备	冰箱	232311012	2025/6/24 13:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6785	7-14（2-4药）备	冰箱	232311012	2025/6/24 13:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6786	7-14（2-4药）备	冰箱	232311012	2025/6/24 13:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6787	7-14（2-4药）备	冰箱	232311012	2025/6/24 13:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6788	7-14（2-4药）备	冰箱	232311012	2025/6/24 13:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6789	7-14（2-4药）备	冰箱	232311012	2025/6/24 13:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6790	7-14（2-4药）备	冰箱	232311012	2025/6/24 13:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6791	7-14（2-4药）备	冰箱	232311012	2025/6/24 13:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6792	7-14（2-4药）备	冰箱	232311012	2025/6/24 13:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6793	7-14（2-4药）备	冰箱	232311012	2025/6/24 14:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6794	7-14（2-4药）备	冰箱	232311012	2025/6/24 14:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6795	7-14（2-4药）备	冰箱	232311012	2025/6/24 14:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6796	7-14（2-4药）备	冰箱	232311012	2025/6/24 14:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6797	7-14（2-4药）备	冰箱	232311012	2025/6/24 14:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6798	7-14（2-4药）备	冰箱	232311012	2025/6/24 14:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6799	7-14（2-4药）备	冰箱	232311012	2025/6/24 14:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6800	7-14（2-4药）备	冰箱	232311012	2025/6/24 14:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6801	7-14（2-4药）备	冰箱	232311012	2025/6/24 14:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6802	7-14（2-4药）备	冰箱	232311012	2025/6/24 14:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6803	7-14（2-4药）备	冰箱	232311012	2025/6/24 14:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6804	7-14（2-4药）备	冰箱	232311012	2025/6/24 14:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6805	7-14（2-4药）备	冰箱	232311012	2025/6/24 15:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6806	7-14（2-4药）备	冰箱	232311012	2025/6/24 15:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6807	7-14（2-4药）备	冰箱	232311012	2025/6/24 15:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

6808	7-14（2-4药）备	冰箱	232311012	2025/6/24 15:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6809	7-14（2-4药）备	冰箱	232311012	2025/6/24 15:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6810	7-14（2-4药）备	冰箱	232311012	2025/6/24 15:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6811	7-14（2-4药）备	冰箱	232311012	2025/6/24 15:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6812	7-14（2-4药）备	冰箱	232311012	2025/6/24 15:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6813	7-14（2-4药）备	冰箱	232311012	2025/6/24 15:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6814	7-14（2-4药）备	冰箱	232311012	2025/6/24 15:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6815	7-14（2-4药）备	冰箱	232311012	2025/6/24 15:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6816	7-14（2-4药）备	冰箱	232311012	2025/6/24 15:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6817	7-14（2-4药）备	冰箱	232311012	2025/6/24 16:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6818	7-14（2-4药）备	冰箱	232311012	2025/6/24 16:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6819	7-14（2-4药）备	冰箱	232311012	2025/6/24 16:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6820	7-14（2-4药）备	冰箱	232311012	2025/6/24 16:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6821	7-14（2-4药）备	冰箱	232311012	2025/6/24 16:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6822	7-14（2-4药）备	冰箱	232311012	2025/6/24 16:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6823	7-14（2-4药）备	冰箱	232311012	2025/6/24 16:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6824	7-14（2-4药）备	冰箱	232311012	2025/6/24 16:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6825	7-14（2-4药）备	冰箱	232311012	2025/6/24 16:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6826	7-14（2-4药）备	冰箱	232311012	2025/6/24 16:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6827	7-14（2-4药）备	冰箱	232311012	2025/6/24 16:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6828	7-14（2-4药）备	冰箱	232311012	2025/6/24 16:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6829	7-14（2-4药）备	冰箱	232311012	2025/6/24 17:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6830	7-14（2-4药）备	冰箱	232311012	2025/6/24 17:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6831	7-14（2-4药）备	冰箱	232311012	2025/6/24 17:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6832	7-14（2-4药）备	冰箱	232311012	2025/6/24 17:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6833	7-14（2-4药）备	冰箱	232311012	2025/6/24 17:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

6834	7-14（2-4药）备	冰箱	232311012	2025/6/24 17:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6835	7-14（2-4药）备	冰箱	232311012	2025/6/24 17:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6836	7-14（2-4药）备	冰箱	232311012	2025/6/24 17:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6837	7-14（2-4药）备	冰箱	232311012	2025/6/24 17:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6838	7-14（2-4药）备	冰箱	232311012	2025/6/24 17:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6839	7-14（2-4药）备	冰箱	232311012	2025/6/24 17:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6840	7-14（2-4药）备	冰箱	232311012	2025/6/24 17:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6841	7-14（2-4药）备	冰箱	232311012	2025/6/24 18:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6842	7-14（2-4药）备	冰箱	232311012	2025/6/24 18:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6843	7-14（2-4药）备	冰箱	232311012	2025/6/24 18:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6844	7-14（2-4药）备	冰箱	232311012	2025/6/24 18:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6845	7-14（2-4药）备	冰箱	232311012	2025/6/24 18:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6846	7-14（2-4药）备	冰箱	232311012	2025/6/24 18:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6847	7-14（2-4药）备	冰箱	232311012	2025/6/24 18:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6848	7-14（2-4药）备	冰箱	232311012	2025/6/24 18:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6849	7-14（2-4药）备	冰箱	232311012	2025/6/24 18:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6850	7-14（2-4药）备	冰箱	232311012	2025/6/24 18:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6851	7-14（2-4药）备	冰箱	232311012	2025/6/24 18:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6852	7-14（2-4药）备	冰箱	232311012	2025/6/24 18:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6853	7-14（2-4药）备	冰箱	232311012	2025/6/24 19:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6854	7-14（2-4药）备	冰箱	232311012	2025/6/24 19:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6855	7-14（2-4药）备	冰箱	232311012	2025/6/24 19:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6856	7-14（2-4药）备	冰箱	232311012	2025/6/24 19:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6857	7-14（2-4药）备	冰箱	232311012	2025/6/24 19:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6858	7-14（2-4药）备	冰箱	232311012	2025/6/24 19:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6859	7-14（2-4药）备	冰箱	232311012	2025/6/24 19:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

6860	7-14（2-4药）备	冰箱	232311012	2025/6/24 19:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6861	7-14（2-4药）备	冰箱	232311012	2025/6/24 19:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6862	7-14（2-4药）备	冰箱	232311012	2025/6/24 19:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6863	7-14（2-4药）备	冰箱	232311012	2025/6/24 19:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6864	7-14（2-4药）备	冰箱	232311012	2025/6/24 19:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6865	7-14（2-4药）备	冰箱	232311012	2025/6/24 20:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6866	7-14（2-4药）备	冰箱	232311012	2025/6/24 20:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6867	7-14（2-4药）备	冰箱	232311012	2025/6/24 20:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6868	7-14（2-4药）备	冰箱	232311012	2025/6/24 20:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6869	7-14（2-4药）备	冰箱	232311012	2025/6/24 20:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6870	7-14（2-4药）备	冰箱	232311012	2025/6/24 20:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6871	7-14（2-4药）备	冰箱	232311012	2025/6/24 20:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6872	7-14（2-4药）备	冰箱	232311012	2025/6/24 20:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6873	7-14（2-4药）备	冰箱	232311012	2025/6/24 20:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6874	7-14（2-4药）备	冰箱	232311012	2025/6/24 20:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6875	7-14（2-4药）备	冰箱	232311012	2025/6/24 20:50:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6876	7-14（2-4药）备	冰箱	232311012	2025/6/24 20:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6877	7-14（2-4药）备	冰箱	232311012	2025/6/24 21:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6878	7-14（2-4药）备	冰箱	232311012	2025/6/24 21:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6879	7-14（2-4药）备	冰箱	232311012	2025/6/24 21:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6880	7-14（2-4药）备	冰箱	232311012	2025/6/24 21:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6881	7-14（2-4药）备	冰箱	232311012	2025/6/24 21:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6882	7-14（2-4药）备	冰箱	232311012	2025/6/24 21:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6883	7-14（2-4药）备	冰箱	232311012	2025/6/24 21:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6884	7-14（2-4药）备	冰箱	232311012	2025/6/24 21:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6885	7-14（2-4药）备	冰箱	232311012	2025/6/24 21:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

6886	7-14（2-4药）备	冰箱	232311012	2025/6/24 21:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6887	7-14（2-4药）备	冰箱	232311012	2025/6/24 21:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6888	7-14（2-4药）备	冰箱	232311012	2025/6/24 21:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6889	7-14（2-4药）备	冰箱	232311012	2025/6/24 22:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6890	7-14（2-4药）备	冰箱	232311012	2025/6/24 22:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6891	7-14（2-4药）备	冰箱	232311012	2025/6/24 22:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6892	7-14（2-4药）备	冰箱	232311012	2025/6/24 22:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6893	7-14（2-4药）备	冰箱	232311012	2025/6/24 22:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6894	7-14（2-4药）备	冰箱	232311012	2025/6/24 22:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6895	7-14（2-4药）备	冰箱	232311012	2025/6/24 22:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6896	7-14（2-4药）备	冰箱	232311012	2025/6/24 22:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6897	7-14（2-4药）备	冰箱	232311012	2025/6/24 22:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6898	7-14（2-4药）备	冰箱	232311012	2025/6/24 22:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6899	7-14（2-4药）备	冰箱	232311012	2025/6/24 22:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6900	7-14（2-4药）备	冰箱	232311012	2025/6/24 22:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6901	7-14（2-4药）备	冰箱	232311012	2025/6/24 23:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6902	7-14（2-4药）备	冰箱	232311012	2025/6/24 23:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6903	7-14（2-4药）备	冰箱	232311012	2025/6/24 23:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6904	7-14（2-4药）备	冰箱	232311012	2025/6/24 23:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6905	7-14（2-4药）备	冰箱	232311012	2025/6/24 23:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6906	7-14（2-4药）备	冰箱	232311012	2025/6/24 23:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6907	7-14（2-4药）备	冰箱	232311012	2025/6/24 23:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6908	7-14（2-4药）备	冰箱	232311012	2025/6/24 23:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6909	7-14（2-4药）备	冰箱	232311012	2025/6/24 23:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6910	7-14（2-4药）备	冰箱	232311012	2025/6/24 23:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6911	7-14（2-4药）备	冰箱	232311012	2025/6/24 23:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

6912	7-14（2-4药）备	冰箱	232311012	2025/6/24 23:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6913	7-14（2-4药）备	冰箱	232311012	2025/6/25 0:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6914	7-14（2-4药）备	冰箱	232311012	2025/6/25 0:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6915	7-14（2-4药）备	冰箱	232311012	2025/6/25 0:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6916	7-14（2-4药）备	冰箱	232311012	2025/6/25 0:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6917	7-14（2-4药）备	冰箱	232311012	2025/6/25 0:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6918	7-14（2-4药）备	冰箱	232311012	2025/6/25 0:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6919	7-14（2-4药）备	冰箱	232311012	2025/6/25 0:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6920	7-14（2-4药）备	冰箱	232311012	2025/6/25 0:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6921	7-14（2-4药）备	冰箱	232311012	2025/6/25 0:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6922	7-14（2-4药）备	冰箱	232311012	2025/6/25 0:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6923	7-14（2-4药）备	冰箱	232311012	2025/6/25 0:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6924	7-14（2-4药）备	冰箱	232311012	2025/6/25 0:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6925	7-14（2-4药）备	冰箱	232311012	2025/6/25 1:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6926	7-14（2-4药）备	冰箱	232311012	2025/6/25 1:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6927	7-14（2-4药）备	冰箱	232311012	2025/6/25 1:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6928	7-14（2-4药）备	冰箱	232311012	2025/6/25 1:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6929	7-14（2-4药）备	冰箱	232311012	2025/6/25 1:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6930	7-14（2-4药）备	冰箱	232311012	2025/6/25 1:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6931	7-14（2-4药）备	冰箱	232311012	2025/6/25 1:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6932	7-14（2-4药）备	冰箱	232311012	2025/6/25 1:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6933	7-14（2-4药）备	冰箱	232311012	2025/6/25 1:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6934	7-14（2-4药）备	冰箱	232311012	2025/6/25 1:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6935	7-14（2-4药）备	冰箱	232311012	2025/6/25 1:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6936	7-14（2-4药）备	冰箱	232311012	2025/6/25 1:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6937	7-14（2-4药）备	冰箱	232311012	2025/6/25 2:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

6938	7-14（2-4药）备	冰箱	232311012	2025/6/25 2:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6939	7-14（2-4药）备	冰箱	232311012	2025/6/25 2:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6940	7-14（2-4药）备	冰箱	232311012	2025/6/25 2:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6941	7-14（2-4药）备	冰箱	232311012	2025/6/25 2:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6942	7-14（2-4药）备	冰箱	232311012	2025/6/25 2:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6943	7-14（2-4药）备	冰箱	232311012	2025/6/25 2:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6944	7-14（2-4药）备	冰箱	232311012	2025/6/25 2:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6945	7-14（2-4药）备	冰箱	232311012	2025/6/25 2:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6946	7-14（2-4药）备	冰箱	232311012	2025/6/25 2:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6947	7-14（2-4药）备	冰箱	232311012	2025/6/25 2:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6948	7-14（2-4药）备	冰箱	232311012	2025/6/25 2:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6949	7-14（2-4药）备	冰箱	232311012	2025/6/25 3:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6950	7-14（2-4药）备	冰箱	232311012	2025/6/25 3:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6951	7-14（2-4药）备	冰箱	232311012	2025/6/25 3:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6952	7-14（2-4药）备	冰箱	232311012	2025/6/25 3:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6953	7-14（2-4药）备	冰箱	232311012	2025/6/25 3:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6954	7-14（2-4药）备	冰箱	232311012	2025/6/25 3:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6955	7-14（2-4药）备	冰箱	232311012	2025/6/25 3:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6956	7-14（2-4药）备	冰箱	232311012	2025/6/25 3:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6957	7-14（2-4药）备	冰箱	232311012	2025/6/25 3:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6958	7-14（2-4药）备	冰箱	232311012	2025/6/25 3:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6959	7-14（2-4药）备	冰箱	232311012	2025/6/25 3:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6960	7-14（2-4药）备	冰箱	232311012	2025/6/25 3:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6961	7-14（2-4药）备	冰箱	232311012	2025/6/25 4:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6962	7-14（2-4药）备	冰箱	232311012	2025/6/25 4:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6963	7-14（2-4药）备	冰箱	232311012	2025/6/25 4:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

6964	7-14（2-4药）备	冰箱	232311012	2025/6/25 4:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6965	7-14（2-4药）备	冰箱	232311012	2025/6/25 4:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6966	7-14（2-4药）备	冰箱	232311012	2025/6/25 4:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6967	7-14（2-4药）备	冰箱	232311012	2025/6/25 4:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6968	7-14（2-4药）备	冰箱	232311012	2025/6/25 4:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6969	7-14（2-4药）备	冰箱	232311012	2025/6/25 4:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6970	7-14（2-4药）备	冰箱	232311012	2025/6/25 4:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
6971	7-14（2-4药）备	冰箱	232311012	2025/6/25 4:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6972	7-14（2-4药）备	冰箱	232311012	2025/6/25 4:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6973	7-14（2-4药）备	冰箱	232311012	2025/6/25 5:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6974	7-14（2-4药）备	冰箱	232311012	2025/6/25 5:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6975	7-14（2-4药）备	冰箱	232311012	2025/6/25 5:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6976	7-14（2-4药）备	冰箱	232311012	2025/6/25 5:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6977	7-14（2-4药）备	冰箱	232311012	2025/6/25 5:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
6978	7-14（2-4药）备	冰箱	232311012	2025/6/25 5:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6979	7-14（2-4药）备	冰箱	232311012	2025/6/25 5:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
6980	7-14（2-4药）备	冰箱	232311012	2025/6/25 5:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
6981	7-14（2-4药）备	冰箱	232311012	2025/6/25 5:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6982	7-14（2-4药）备	冰箱	232311012	2025/6/25 5:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6983	7-14（2-4药）备	冰箱	232311012	2025/6/25 5:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
6984	7-14（2-4药）备	冰箱	232311012	2025/6/25 5:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6985	7-14（2-4药）备	冰箱	232311012	2025/6/25 6:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
6986	7-14（2-4药）备	冰箱	232311012	2025/6/25 6:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6987	7-14（2-4药）备	冰箱	232311012	2025/6/25 6:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
6988	7-14（2-4药）备	冰箱	232311012	2025/6/25 6:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
6989	7-14（2-4药）备	冰箱	232311012	2025/6/25 6:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

6990	7-14（2-4药）备	冰箱	232311012	2025/6/25 6:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6991	7-14（2-4药）备	冰箱	232311012	2025/6/25 6:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
6992	7-14（2-4药）备	冰箱	232311012	2025/6/25 6:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
6993	7-14（2-4药）备	冰箱	232311012	2025/6/25 6:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
6994	7-14（2-4药）备	冰箱	232311012	2025/6/25 6:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6995	7-14（2-4药）备	冰箱	232311012	2025/6/25 6:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6996	7-14（2-4药）备	冰箱	232311012	2025/6/25 6:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
6997	7-14（2-4药）备	冰箱	232311012	2025/6/25 7:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
6998	7-14（2-4药）备	冰箱	232311012	2025/6/25 7:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
6999	7-14（2-4药）备	冰箱	232311012	2025/6/25 7:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7000	7-14（2-4药）备	冰箱	232311012	2025/6/25 7:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7001	7-14（2-4药）备	冰箱	232311012	2025/6/25 7:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7002	7-14（2-4药）备	冰箱	232311012	2025/6/25 7:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7003	7-14（2-4药）备	冰箱	232311012	2025/6/25 7:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7004	7-14（2-4药）备	冰箱	232311012	2025/6/25 7:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7005	7-14（2-4药）备	冰箱	232311012	2025/6/25 7:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7006	7-14（2-4药）备	冰箱	232311012	2025/6/25 7:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7007	7-14（2-4药）备	冰箱	232311012	2025/6/25 7:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7008	7-14（2-4药）备	冰箱	232311012	2025/6/25 7:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7009	7-14（2-4药）备	冰箱	232311012	2025/6/25 8:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7010	7-14（2-4药）备	冰箱	232311012	2025/6/25 8:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7011	7-14（2-4药）备	冰箱	232311012	2025/6/25 8:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7012	7-14（2-4药）备	冰箱	232311012	2025/6/25 8:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7013	7-14（2-4药）备	冰箱	232311012	2025/6/25 8:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7014	7-14（2-4药）备	冰箱	232311012	2025/6/25 8:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7015	7-14（2-4药）备	冰箱	232311012	2025/6/25 8:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,

7016	7-14（2-4药）备	冰箱	232311012	2025/6/25 8:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7017	7-14（2-4药）备	冰箱	232311012	2025/6/25 8:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7018	7-14（2-4药）备	冰箱	232311012	2025/6/25 8:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7019	7-14（2-4药）备	冰箱	232311012	2025/6/25 8:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7020	7-14（2-4药）备	冰箱	232311012	2025/6/25 8:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7021	7-14（2-4药）备	冰箱	232311012	2025/6/25 9:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7022	7-14（2-4药）备	冰箱	232311012	2025/6/25 9:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7023	7-14（2-4药）备	冰箱	232311012	2025/6/25 9:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7024	7-14（2-4药）备	冰箱	232311012	2025/6/25 9:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7025	7-14（2-4药）备	冰箱	232311012	2025/6/25 9:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7026	7-14（2-4药）备	冰箱	232311012	2025/6/25 9:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7027	7-14（2-4药）备	冰箱	232311012	2025/6/25 9:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7028	7-14（2-4药）备	冰箱	232311012	2025/6/25 9:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7029	7-14（2-4药）备	冰箱	232311012	2025/6/25 9:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7030	7-14（2-4药）备	冰箱	232311012	2025/6/25 9:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7031	7-14（2-4药）备	冰箱	232311012	2025/6/25 9:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7032	7-14（2-4药）备	冰箱	232311012	2025/6/25 9:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7033	7-14（2-4药）备	冰箱	232311012	2025/6/25 10:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7034	7-14（2-4药）备	冰箱	232311012	2025/6/25 10:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7035	7-14（2-4药）备	冰箱	232311012	2025/6/25 10:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7036	7-14（2-4药）备	冰箱	232311012	2025/6/25 10:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7037	7-14（2-4药）备	冰箱	232311012	2025/6/25 10:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7038	7-14（2-4药）备	冰箱	232311012	2025/6/25 10:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7039	7-14（2-4药）备	冰箱	232311012	2025/6/25 10:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7040	7-14（2-4药）备	冰箱	232311012	2025/6/25 10:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7041	7-14（2-4药）备	冰箱	232311012	2025/6/25 10:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

7042	7-14（2-4药）备	冰箱	232311012	2025/6/25 10:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7043	7-14（2-4药）备	冰箱	232311012	2025/6/25 10:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7044	7-14（2-4药）备	冰箱	232311012	2025/6/25 10:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7045	7-14（2-4药）备	冰箱	232311012	2025/6/25 11:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7046	7-14（2-4药）备	冰箱	232311012	2025/6/25 11:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7047	7-14（2-4药）备	冰箱	232311012	2025/6/25 11:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7048	7-14（2-4药）备	冰箱	232311012	2025/6/25 11:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7049	7-14（2-4药）备	冰箱	232311012	2025/6/25 11:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7050	7-14（2-4药）备	冰箱	232311012	2025/6/25 11:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7051	7-14（2-4药）备	冰箱	232311012	2025/6/25 11:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7052	7-14（2-4药）备	冰箱	232311012	2025/6/25 11:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7053	7-14（2-4药）备	冰箱	232311012	2025/6/25 11:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7054	7-14（2-4药）备	冰箱	232311012	2025/6/25 11:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7055	7-14（2-4药）备	冰箱	232311012	2025/6/25 11:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7056	7-14（2-4药）备	冰箱	232311012	2025/6/25 11:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7057	7-14（2-4药）备	冰箱	232311012	2025/6/25 12:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7058	7-14（2-4药）备	冰箱	232311012	2025/6/25 12:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7059	7-14（2-4药）备	冰箱	232311012	2025/6/25 12:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7060	7-14（2-4药）备	冰箱	232311012	2025/6/25 12:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7061	7-14（2-4药）备	冰箱	232311012	2025/6/25 12:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7062	7-14（2-4药）备	冰箱	232311012	2025/6/25 12:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7063	7-14（2-4药）备	冰箱	232311012	2025/6/25 12:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7064	7-14（2-4药）备	冰箱	232311012	2025/6/25 12:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7065	7-14（2-4药）备	冰箱	232311012	2025/6/25 12:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7066	7-14（2-4药）备	冰箱	232311012	2025/6/25 12:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7067	7-14（2-4药）备	冰箱	232311012	2025/6/25 12:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

7068	7-14（2-4药）备	冰箱	232311012	2025/6/25 12:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7069	7-14（2-4药）备	冰箱	232311012	2025/6/25 13:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7070	7-14（2-4药）备	冰箱	232311012	2025/6/25 13:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7071	7-14（2-4药）备	冰箱	232311012	2025/6/25 13:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7072	7-14（2-4药）备	冰箱	232311012	2025/6/25 13:15:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
7073	7-14（2-4药）备	冰箱	232311012	2025/6/25 13:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7074	7-14（2-4药）备	冰箱	232311012	2025/6/25 13:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7075	7-14（2-4药）备	冰箱	232311012	2025/6/25 13:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7076	7-14（2-4药）备	冰箱	232311012	2025/6/25 13:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7077	7-14（2-4药）备	冰箱	232311012	2025/6/25 13:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7078	7-14（2-4药）备	冰箱	232311012	2025/6/25 13:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7079	7-14（2-4药）备	冰箱	232311012	2025/6/25 13:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7080	7-14（2-4药）备	冰箱	232311012	2025/6/25 13:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7081	7-14（2-4药）备	冰箱	232311012	2025/6/25 14:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7082	7-14（2-4药）备	冰箱	232311012	2025/6/25 14:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7083	7-14（2-4药）备	冰箱	232311012	2025/6/25 14:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7084	7-14（2-4药）备	冰箱	232311012	2025/6/25 14:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7085	7-14（2-4药）备	冰箱	232311012	2025/6/25 14:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7086	7-14（2-4药）备	冰箱	232311012	2025/6/25 14:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7087	7-14（2-4药）备	冰箱	232311012	2025/6/25 14:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7088	7-14（2-4药）备	冰箱	232311012	2025/6/25 14:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7089	7-14（2-4药）备	冰箱	232311012	2025/6/25 14:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7090	7-14（2-4药）备	冰箱	232311012	2025/6/25 14:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7091	7-14（2-4药）备	冰箱	232311012	2025/6/25 14:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7092	7-14（2-4药）备	冰箱	232311012	2025/6/25 14:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7093	7-14（2-4药）备	冰箱	232311012	2025/6/25 15:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

7094	7-14（2-4药）备	冰箱	232311012	2025/6/25 15:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7095	7-14（2-4药）备	冰箱	232311012	2025/6/25 15:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7096	7-14（2-4药）备	冰箱	232311012	2025/6/25 15:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7097	7-14（2-4药）备	冰箱	232311012	2025/6/25 15:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7098	7-14（2-4药）备	冰箱	232311012	2025/6/25 15:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7099	7-14（2-4药）备	冰箱	232311012	2025/6/25 15:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7100	7-14（2-4药）备	冰箱	232311012	2025/6/25 15:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7101	7-14（2-4药）备	冰箱	232311012	2025/6/25 15:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7102	7-14（2-4药）备	冰箱	232311012	2025/6/25 15:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7103	7-14（2-4药）备	冰箱	232311012	2025/6/25 15:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7104	7-14（2-4药）备	冰箱	232311012	2025/6/25 15:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7105	7-14（2-4药）备	冰箱	232311012	2025/6/25 16:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7106	7-14（2-4药）备	冰箱	232311012	2025/6/25 16:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7107	7-14（2-4药）备	冰箱	232311012	2025/6/25 16:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7108	7-14（2-4药）备	冰箱	232311012	2025/6/25 16:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7109	7-14（2-4药）备	冰箱	232311012	2025/6/25 16:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7110	7-14（2-4药）备	冰箱	232311012	2025/6/25 16:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7111	7-14（2-4药）备	冰箱	232311012	2025/6/25 16:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7112	7-14（2-4药）备	冰箱	232311012	2025/6/25 16:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7113	7-14（2-4药）备	冰箱	232311012	2025/6/25 16:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7114	7-14（2-4药）备	冰箱	232311012	2025/6/25 16:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7115	7-14（2-4药）备	冰箱	232311012	2025/6/25 16:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7116	7-14（2-4药）备	冰箱	232311012	2025/6/25 16:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7117	7-14（2-4药）备	冰箱	232311012	2025/6/25 17:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7118	7-14（2-4药）备	冰箱	232311012	2025/6/25 17:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7119	7-14（2-4药）备	冰箱	232311012	2025/6/25 17:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

7120	7-14（2-4药）备	冰箱	232311012	2025/6/25 17:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7121	7-14（2-4药）备	冰箱	232311012	2025/6/25 17:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7122	7-14（2-4药）备	冰箱	232311012	2025/6/25 17:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7123	7-14（2-4药）备	冰箱	232311012	2025/6/25 17:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7124	7-14（2-4药）备	冰箱	232311012	2025/6/25 17:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7125	7-14（2-4药）备	冰箱	232311012	2025/6/25 17:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7126	7-14（2-4药）备	冰箱	232311012	2025/6/25 17:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7127	7-14（2-4药）备	冰箱	232311012	2025/6/25 17:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7128	7-14（2-4药）备	冰箱	232311012	2025/6/25 17:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7129	7-14（2-4药）备	冰箱	232311012	2025/6/25 18:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7130	7-14（2-4药）备	冰箱	232311012	2025/6/25 18:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7131	7-14（2-4药）备	冰箱	232311012	2025/6/25 18:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7132	7-14（2-4药）备	冰箱	232311012	2025/6/25 18:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7133	7-14（2-4药）备	冰箱	232311012	2025/6/25 18:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7134	7-14（2-4药）备	冰箱	232311012	2025/6/25 18:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7135	7-14（2-4药）备	冰箱	232311012	2025/6/25 18:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7136	7-14（2-4药）备	冰箱	232311012	2025/6/25 18:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7137	7-14（2-4药）备	冰箱	232311012	2025/6/25 18:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7138	7-14（2-4药）备	冰箱	232311012	2025/6/25 18:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7139	7-14（2-4药）备	冰箱	232311012	2025/6/25 18:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7140	7-14（2-4药）备	冰箱	232311012	2025/6/25 18:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7141	7-14（2-4药）备	冰箱	232311012	2025/6/25 19:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7142	7-14（2-4药）备	冰箱	232311012	2025/6/25 19:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7143	7-14（2-4药）备	冰箱	232311012	2025/6/25 19:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7144	7-14（2-4药）备	冰箱	232311012	2025/6/25 19:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7145	7-14（2-4药）备	冰箱	232311012	2025/6/25 19:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

7146	7-14（2-4药）备	冰箱	232311012	2025/6/25 19:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7147	7-14（2-4药）备	冰箱	232311012	2025/6/25 19:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7148	7-14（2-4药）备	冰箱	232311012	2025/6/25 19:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7149	7-14（2-4药）备	冰箱	232311012	2025/6/25 19:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7150	7-14（2-4药）备	冰箱	232311012	2025/6/25 19:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7151	7-14（2-4药）备	冰箱	232311012	2025/6/25 19:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7152	7-14（2-4药）备	冰箱	232311012	2025/6/25 19:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7153	7-14（2-4药）备	冰箱	232311012	2025/6/25 20:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7154	7-14（2-4药）备	冰箱	232311012	2025/6/25 20:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7155	7-14（2-4药）备	冰箱	232311012	2025/6/25 20:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7156	7-14（2-4药）备	冰箱	232311012	2025/6/25 20:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7157	7-14（2-4药）备	冰箱	232311012	2025/6/25 20:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7158	7-14（2-4药）备	冰箱	232311012	2025/6/25 20:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7159	7-14（2-4药）备	冰箱	232311012	2025/6/25 20:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
7160	7-14（2-4药）备	冰箱	232311012	2025/6/25 20:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7161	7-14（2-4药）备	冰箱	232311012	2025/6/25 20:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7162	7-14（2-4药）备	冰箱	232311012	2025/6/25 20:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7163	7-14（2-4药）备	冰箱	232311012	2025/6/25 20:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7164	7-14（2-4药）备	冰箱	232311012	2025/6/25 20:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7165	7-14（2-4药）备	冰箱	232311012	2025/6/25 21:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7166	7-14（2-4药）备	冰箱	232311012	2025/6/25 21:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7167	7-14（2-4药）备	冰箱	232311012	2025/6/25 21:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7168	7-14（2-4药）备	冰箱	232311012	2025/6/25 21:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7169	7-14（2-4药）备	冰箱	232311012	2025/6/25 21:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7170	7-14（2-4药）备	冰箱	232311012	2025/6/25 21:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7171	7-14（2-4药）备	冰箱	232311012	2025/6/25 21:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

7172	7-14（2-4药）备	冰箱	232311012	2025/6/25 21:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7173	7-14（2-4药）备	冰箱	232311012	2025/6/25 21:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7174	7-14（2-4药）备	冰箱	232311012	2025/6/25 21:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7175	7-14（2-4药）备	冰箱	232311012	2025/6/25 21:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7176	7-14（2-4药）备	冰箱	232311012	2025/6/25 21:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7177	7-14（2-4药）备	冰箱	232311012	2025/6/25 22:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7178	7-14（2-4药）备	冰箱	232311012	2025/6/25 22:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7179	7-14（2-4药）备	冰箱	232311012	2025/6/25 22:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7180	7-14（2-4药）备	冰箱	232311012	2025/6/25 22:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7181	7-14（2-4药）备	冰箱	232311012	2025/6/25 22:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7182	7-14（2-4药）备	冰箱	232311012	2025/6/25 22:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7183	7-14（2-4药）备	冰箱	232311012	2025/6/25 22:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7184	7-14（2-4药）备	冰箱	232311012	2025/6/25 22:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7185	7-14（2-4药）备	冰箱	232311012	2025/6/25 22:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7186	7-14（2-4药）备	冰箱	232311012	2025/6/25 22:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7187	7-14（2-4药）备	冰箱	232311012	2025/6/25 22:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7188	7-14（2-4药）备	冰箱	232311012	2025/6/25 22:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7189	7-14（2-4药）备	冰箱	232311012	2025/6/25 23:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7190	7-14（2-4药）备	冰箱	232311012	2025/6/25 23:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7191	7-14（2-4药）备	冰箱	232311012	2025/6/25 23:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7192	7-14（2-4药）备	冰箱	232311012	2025/6/25 23:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7193	7-14（2-4药）备	冰箱	232311012	2025/6/25 23:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7194	7-14（2-4药）备	冰箱	232311012	2025/6/25 23:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7195	7-14（2-4药）备	冰箱	232311012	2025/6/25 23:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7196	7-14（2-4药）备	冰箱	232311012	2025/6/25 23:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7197	7-14（2-4药）备	冰箱	232311012	2025/6/25 23:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,

7198	7-14（2-4药）备	冰箱	232311012	2025/6/25 23:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7199	7-14（2-4药）备	冰箱	232311012	2025/6/25 23:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7200	7-14（2-4药）备	冰箱	232311012	2025/6/25 23:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7201	7-14（2-4药）备	冰箱	232311012	2025/6/26 0:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7202	7-14（2-4药）备	冰箱	232311012	2025/6/26 0:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7203	7-14（2-4药）备	冰箱	232311012	2025/6/26 0:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7204	7-14（2-4药）备	冰箱	232311012	2025/6/26 0:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7205	7-14（2-4药）备	冰箱	232311012	2025/6/26 0:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7206	7-14（2-4药）备	冰箱	232311012	2025/6/26 0:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7207	7-14（2-4药）备	冰箱	232311012	2025/6/26 0:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7208	7-14（2-4药）备	冰箱	232311012	2025/6/26 0:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7209	7-14（2-4药）备	冰箱	232311012	2025/6/26 0:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7210	7-14（2-4药）备	冰箱	232311012	2025/6/26 0:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7211	7-14（2-4药）备	冰箱	232311012	2025/6/26 0:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7212	7-14（2-4药）备	冰箱	232311012	2025/6/26 0:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7213	7-14（2-4药）备	冰箱	232311012	2025/6/26 1:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7214	7-14（2-4药）备	冰箱	232311012	2025/6/26 1:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7215	7-14（2-4药）备	冰箱	232311012	2025/6/26 1:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7216	7-14（2-4药）备	冰箱	232311012	2025/6/26 1:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7217	7-14（2-4药）备	冰箱	232311012	2025/6/26 1:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7218	7-14（2-4药）备	冰箱	232311012	2025/6/26 1:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7219	7-14（2-4药）备	冰箱	232311012	2025/6/26 1:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7220	7-14（2-4药）备	冰箱	232311012	2025/6/26 1:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7221	7-14（2-4药）备	冰箱	232311012	2025/6/26 1:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7222	7-14（2-4药）备	冰箱	232311012	2025/6/26 1:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7223	7-14（2-4药）备	冰箱	232311012	2025/6/26 1:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

7224	7-14（2-4药）备	冰箱	232311012	2025/6/26 1:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7225	7-14（2-4药）备	冰箱	232311012	2025/6/26 2:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7226	7-14（2-4药）备	冰箱	232311012	2025/6/26 2:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7227	7-14（2-4药）备	冰箱	232311012	2025/6/26 2:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7228	7-14（2-4药）备	冰箱	232311012	2025/6/26 2:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7229	7-14（2-4药）备	冰箱	232311012	2025/6/26 2:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7230	7-14（2-4药）备	冰箱	232311012	2025/6/26 2:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7231	7-14（2-4药）备	冰箱	232311012	2025/6/26 2:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7232	7-14（2-4药）备	冰箱	232311012	2025/6/26 2:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7233	7-14（2-4药）备	冰箱	232311012	2025/6/26 2:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7234	7-14（2-4药）备	冰箱	232311012	2025/6/26 2:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7235	7-14（2-4药）备	冰箱	232311012	2025/6/26 2:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7236	7-14（2-4药）备	冰箱	232311012	2025/6/26 2:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7237	7-14（2-4药）备	冰箱	232311012	2025/6/26 3:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7238	7-14（2-4药）备	冰箱	232311012	2025/6/26 3:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7239	7-14（2-4药）备	冰箱	232311012	2025/6/26 3:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7240	7-14（2-4药）备	冰箱	232311012	2025/6/26 3:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7241	7-14（2-4药）备	冰箱	232311012	2025/6/26 3:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7242	7-14（2-4药）备	冰箱	232311012	2025/6/26 3:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7243	7-14（2-4药）备	冰箱	232311012	2025/6/26 3:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7244	7-14（2-4药）备	冰箱	232311012	2025/6/26 3:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7245	7-14（2-4药）备	冰箱	232311012	2025/6/26 3:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7246	7-14（2-4药）备	冰箱	232311012	2025/6/26 3:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7247	7-14（2-4药）备	冰箱	232311012	2025/6/26 3:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7248	7-14（2-4药）备	冰箱	232311012	2025/6/26 3:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7249	7-14（2-4药）备	冰箱	232311012	2025/6/26 4:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,

7250	7-14（2-4药）备	冰箱	232311012	2025/6/26 4:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7251	7-14（2-4药）备	冰箱	232311012	2025/6/26 4:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7252	7-14（2-4药）备	冰箱	232311012	2025/6/26 4:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7253	7-14（2-4药）备	冰箱	232311012	2025/6/26 4:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7254	7-14（2-4药）备	冰箱	232311012	2025/6/26 4:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7255	7-14（2-4药）备	冰箱	232311012	2025/6/26 4:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7256	7-14（2-4药）备	冰箱	232311012	2025/6/26 4:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7257	7-14（2-4药）备	冰箱	232311012	2025/6/26 4:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7258	7-14（2-4药）备	冰箱	232311012	2025/6/26 4:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7259	7-14（2-4药）备	冰箱	232311012	2025/6/26 4:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7260	7-14（2-4药）备	冰箱	232311012	2025/6/26 4:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7261	7-14（2-4药）备	冰箱	232311012	2025/6/26 5:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7262	7-14（2-4药）备	冰箱	232311012	2025/6/26 5:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7263	7-14（2-4药）备	冰箱	232311012	2025/6/26 5:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7264	7-14（2-4药）备	冰箱	232311012	2025/6/26 5:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7265	7-14（2-4药）备	冰箱	232311012	2025/6/26 5:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7266	7-14（2-4药）备	冰箱	232311012	2025/6/26 5:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7267	7-14（2-4药）备	冰箱	232311012	2025/6/26 5:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7268	7-14（2-4药）备	冰箱	232311012	2025/6/26 5:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7269	7-14（2-4药）备	冰箱	232311012	2025/6/26 5:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7270	7-14（2-4药）备	冰箱	232311012	2025/6/26 5:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7271	7-14（2-4药）备	冰箱	232311012	2025/6/26 5:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7272	7-14（2-4药）备	冰箱	232311012	2025/6/26 5:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7273	7-14（2-4药）备	冰箱	232311012	2025/6/26 6:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7274	7-14（2-4药）备	冰箱	232311012	2025/6/26 6:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7275	7-14（2-4药）备	冰箱	232311012	2025/6/26 6:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

7276	7-14（2-4药）备	冰箱	232311012	2025/6/26 6:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7277	7-14（2-4药）备	冰箱	232311012	2025/6/26 6:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7278	7-14（2-4药）备	冰箱	232311012	2025/6/26 6:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7279	7-14（2-4药）备	冰箱	232311012	2025/6/26 6:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7280	7-14（2-4药）备	冰箱	232311012	2025/6/26 6:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7281	7-14（2-4药）备	冰箱	232311012	2025/6/26 6:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7282	7-14（2-4药）备	冰箱	232311012	2025/6/26 6:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7283	7-14（2-4药）备	冰箱	232311012	2025/6/26 6:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7284	7-14（2-4药）备	冰箱	232311012	2025/6/26 6:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7285	7-14（2-4药）备	冰箱	232311012	2025/6/26 7:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7286	7-14（2-4药）备	冰箱	232311012	2025/6/26 7:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7287	7-14（2-4药）备	冰箱	232311012	2025/6/26 7:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7288	7-14（2-4药）备	冰箱	232311012	2025/6/26 7:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7289	7-14（2-4药）备	冰箱	232311012	2025/6/26 7:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7290	7-14（2-4药）备	冰箱	232311012	2025/6/26 7:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7291	7-14（2-4药）备	冰箱	232311012	2025/6/26 7:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7292	7-14（2-4药）备	冰箱	232311012	2025/6/26 7:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7293	7-14（2-4药）备	冰箱	232311012	2025/6/26 7:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7294	7-14（2-4药）备	冰箱	232311012	2025/6/26 7:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7295	7-14（2-4药）备	冰箱	232311012	2025/6/26 7:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7296	7-14（2-4药）备	冰箱	232311012	2025/6/26 7:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7297	7-14（2-4药）备	冰箱	232311012	2025/6/26 8:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7298	7-14（2-4药）备	冰箱	232311012	2025/6/26 8:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7299	7-14（2-4药）备	冰箱	232311012	2025/6/26 8:10:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7300	7-14（2-4药）备	冰箱	232311012	2025/6/26 8:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7301	7-14（2-4药）备	冰箱	232311012	2025/6/26 8:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,

7302	7-14（2-4药）备	冰箱	232311012	2025/6/26 8:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7303	7-14（2-4药）备	冰箱	232311012	2025/6/26 8:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7304	7-14（2-4药）备	冰箱	232311012	2025/6/26 8:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7305	7-14（2-4药）备	冰箱	232311012	2025/6/26 8:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7306	7-14（2-4药）备	冰箱	232311012	2025/6/26 8:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7307	7-14（2-4药）备	冰箱	232311012	2025/6/26 8:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7308	7-14（2-4药）备	冰箱	232311012	2025/6/26 8:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7309	7-14（2-4药）备	冰箱	232311012	2025/6/26 9:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7310	7-14（2-4药）备	冰箱	232311012	2025/6/26 9:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7311	7-14（2-4药）备	冰箱	232311012	2025/6/26 9:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7312	7-14（2-4药）备	冰箱	232311012	2025/6/26 9:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7313	7-14（2-4药）备	冰箱	232311012	2025/6/26 9:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7314	7-14（2-4药）备	冰箱	232311012	2025/6/26 9:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7315	7-14（2-4药）备	冰箱	232311012	2025/6/26 9:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7316	7-14（2-4药）备	冰箱	232311012	2025/6/26 9:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7317	7-14（2-4药）备	冰箱	232311012	2025/6/26 9:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7318	7-14（2-4药）备	冰箱	232311012	2025/6/26 9:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7319	7-14（2-4药）备	冰箱	232311012	2025/6/26 9:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7320	7-14（2-4药）备	冰箱	232311012	2025/6/26 9:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7321	7-14（2-4药）备	冰箱	232311012	2025/6/26 10:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7322	7-14（2-4药）备	冰箱	232311012	2025/6/26 10:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7323	7-14（2-4药）备	冰箱	232311012	2025/6/26 10:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7324	7-14（2-4药）备	冰箱	232311012	2025/6/26 10:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7325	7-14（2-4药）备	冰箱	232311012	2025/6/26 10:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7326	7-14（2-4药）备	冰箱	232311012	2025/6/26 10:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7327	7-14（2-4药）备	冰箱	232311012	2025/6/26 10:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

7328	7-14（2-4药）备	冰箱	232311012	2025/6/26 10:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7329	7-14（2-4药）备	冰箱	232311012	2025/6/26 10:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7330	7-14（2-4药）备	冰箱	232311012	2025/6/26 10:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7331	7-14（2-4药）备	冰箱	232311012	2025/6/26 10:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7332	7-14（2-4药）备	冰箱	232311012	2025/6/26 10:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7333	7-14（2-4药）备	冰箱	232311012	2025/6/26 11:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7334	7-14（2-4药）备	冰箱	232311012	2025/6/26 11:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7335	7-14（2-4药）备	冰箱	232311012	2025/6/26 11:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7336	7-14（2-4药）备	冰箱	232311012	2025/6/26 11:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7337	7-14（2-4药）备	冰箱	232311012	2025/6/26 11:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7338	7-14（2-4药）备	冰箱	232311012	2025/6/26 11:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7339	7-14（2-4药）备	冰箱	232311012	2025/6/26 11:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7340	7-14（2-4药）备	冰箱	232311012	2025/6/26 11:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7341	7-14（2-4药）备	冰箱	232311012	2025/6/26 11:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7342	7-14（2-4药）备	冰箱	232311012	2025/6/26 11:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7343	7-14（2-4药）备	冰箱	232311012	2025/6/26 11:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7344	7-14（2-4药）备	冰箱	232311012	2025/6/26 11:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7345	7-14（2-4药）备	冰箱	232311012	2025/6/26 12:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7346	7-14（2-4药）备	冰箱	232311012	2025/6/26 12:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7347	7-14（2-4药）备	冰箱	232311012	2025/6/26 12:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7348	7-14（2-4药）备	冰箱	232311012	2025/6/26 12:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7349	7-14（2-4药）备	冰箱	232311012	2025/6/26 12:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7350	7-14（2-4药）备	冰箱	232311012	2025/6/26 12:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7351	7-14（2-4药）备	冰箱	232311012	2025/6/26 12:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7352	7-14（2-4药）备	冰箱	232311012	2025/6/26 12:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7353	7-14（2-4药）备	冰箱	232311012	2025/6/26 12:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

7354	7-14（2-4药）备	冰箱	232311012	2025/6/26 12:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7355	7-14（2-4药）备	冰箱	232311012	2025/6/26 12:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7356	7-14（2-4药）备	冰箱	232311012	2025/6/26 12:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7357	7-14（2-4药）备	冰箱	232311012	2025/6/26 13:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7358	7-14（2-4药）备	冰箱	232311012	2025/6/26 13:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7359	7-14（2-4药）备	冰箱	232311012	2025/6/26 13:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7360	7-14（2-4药）备	冰箱	232311012	2025/6/26 13:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7361	7-14（2-4药）备	冰箱	232311012	2025/6/26 13:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7362	7-14（2-4药）备	冰箱	232311012	2025/6/26 13:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7363	7-14（2-4药）备	冰箱	232311012	2025/6/26 13:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7364	7-14（2-4药）备	冰箱	232311012	2025/6/26 13:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7365	7-14（2-4药）备	冰箱	232311012	2025/6/26 13:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7366	7-14（2-4药）备	冰箱	232311012	2025/6/26 13:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7367	7-14（2-4药）备	冰箱	232311012	2025/6/26 13:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7368	7-14（2-4药）备	冰箱	232311012	2025/6/26 13:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7369	7-14（2-4药）备	冰箱	232311012	2025/6/26 14:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7370	7-14（2-4药）备	冰箱	232311012	2025/6/26 14:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7371	7-14（2-4药）备	冰箱	232311012	2025/6/26 14:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7372	7-14（2-4药）备	冰箱	232311012	2025/6/26 14:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7373	7-14（2-4药）备	冰箱	232311012	2025/6/26 14:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7374	7-14（2-4药）备	冰箱	232311012	2025/6/26 14:25:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
7375	7-14（2-4药）备	冰箱	232311012	2025/6/26 14:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7376	7-14（2-4药）备	冰箱	232311012	2025/6/26 14:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7377	7-14（2-4药）备	冰箱	232311012	2025/6/26 14:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7378	7-14（2-4药）备	冰箱	232311012	2025/6/26 14:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7379	7-14（2-4药）备	冰箱	232311012	2025/6/26 14:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

7380	7-14（2-4药）备	冰箱	232311012	2025/6/26 14:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7381	7-14（2-4药）备	冰箱	232311012	2025/6/26 15:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7382	7-14（2-4药）备	冰箱	232311012	2025/6/26 15:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7383	7-14（2-4药）备	冰箱	232311012	2025/6/26 15:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7384	7-14（2-4药）备	冰箱	232311012	2025/6/26 15:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7385	7-14（2-4药）备	冰箱	232311012	2025/6/26 15:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7386	7-14（2-4药）备	冰箱	232311012	2025/6/26 15:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7387	7-14（2-4药）备	冰箱	232311012	2025/6/26 15:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7388	7-14（2-4药）备	冰箱	232311012	2025/6/26 15:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7389	7-14（2-4药）备	冰箱	232311012	2025/6/26 15:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7390	7-14（2-4药）备	冰箱	232311012	2025/6/26 15:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7391	7-14（2-4药）备	冰箱	232311012	2025/6/26 15:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7392	7-14（2-4药）备	冰箱	232311012	2025/6/26 15:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7393	7-14（2-4药）备	冰箱	232311012	2025/6/26 16:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7394	7-14（2-4药）备	冰箱	232311012	2025/6/26 16:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7395	7-14（2-4药）备	冰箱	232311012	2025/6/26 16:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7396	7-14（2-4药）备	冰箱	232311012	2025/6/26 16:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7397	7-14（2-4药）备	冰箱	232311012	2025/6/26 16:20:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
7398	7-14（2-4药）备	冰箱	232311012	2025/6/26 16:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7399	7-14（2-4药）备	冰箱	232311012	2025/6/26 16:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7400	7-14（2-4药）备	冰箱	232311012	2025/6/26 16:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7401	7-14（2-4药）备	冰箱	232311012	2025/6/26 16:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7402	7-14（2-4药）备	冰箱	232311012	2025/6/26 16:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7403	7-14（2-4药）备	冰箱	232311012	2025/6/26 16:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7404	7-14（2-4药）备	冰箱	232311012	2025/6/26 16:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7405	7-14（2-4药）备	冰箱	232311012	2025/6/26 17:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

7406	7-14（2-4药）备	冰箱	232311012	2025/6/26 17:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7407	7-14（2-4药）备	冰箱	232311012	2025/6/26 17:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7408	7-14（2-4药）备	冰箱	232311012	2025/6/26 17:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7409	7-14（2-4药）备	冰箱	232311012	2025/6/26 17:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7410	7-14（2-4药）备	冰箱	232311012	2025/6/26 17:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7411	7-14（2-4药）备	冰箱	232311012	2025/6/26 17:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7412	7-14（2-4药）备	冰箱	232311012	2025/6/26 17:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7413	7-14（2-4药）备	冰箱	232311012	2025/6/26 17:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7414	7-14（2-4药）备	冰箱	232311012	2025/6/26 17:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7415	7-14（2-4药）备	冰箱	232311012	2025/6/26 17:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7416	7-14（2-4药）备	冰箱	232311012	2025/6/26 17:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7417	7-14（2-4药）备	冰箱	232311012	2025/6/26 18:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7418	7-14（2-4药）备	冰箱	232311012	2025/6/26 18:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7419	7-14（2-4药）备	冰箱	232311012	2025/6/26 18:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7420	7-14（2-4药）备	冰箱	232311012	2025/6/26 18:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7421	7-14（2-4药）备	冰箱	232311012	2025/6/26 18:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7422	7-14（2-4药）备	冰箱	232311012	2025/6/26 18:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7423	7-14（2-4药）备	冰箱	232311012	2025/6/26 18:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7424	7-14（2-4药）备	冰箱	232311012	2025/6/26 18:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7425	7-14（2-4药）备	冰箱	232311012	2025/6/26 18:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7426	7-14（2-4药）备	冰箱	232311012	2025/6/26 18:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7427	7-14（2-4药）备	冰箱	232311012	2025/6/26 18:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7428	7-14（2-4药）备	冰箱	232311012	2025/6/26 18:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7429	7-14（2-4药）备	冰箱	232311012	2025/6/26 19:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7430	7-14（2-4药）备	冰箱	232311012	2025/6/26 19:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7431	7-14（2-4药）备	冰箱	232311012	2025/6/26 19:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

7432	7-14（2-4药）备	冰箱	232311012	2025/6/26 19:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7433	7-14（2-4药）备	冰箱	232311012	2025/6/26 19:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7434	7-14（2-4药）备	冰箱	232311012	2025/6/26 19:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7435	7-14（2-4药）备	冰箱	232311012	2025/6/26 19:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7436	7-14（2-4药）备	冰箱	232311012	2025/6/26 19:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7437	7-14（2-4药）备	冰箱	232311012	2025/6/26 19:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7438	7-14（2-4药）备	冰箱	232311012	2025/6/26 19:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7439	7-14（2-4药）备	冰箱	232311012	2025/6/26 19:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7440	7-14（2-4药）备	冰箱	232311012	2025/6/26 19:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7441	7-14（2-4药）备	冰箱	232311012	2025/6/26 20:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7442	7-14（2-4药）备	冰箱	232311012	2025/6/26 20:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7443	7-14（2-4药）备	冰箱	232311012	2025/6/26 20:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7444	7-14（2-4药）备	冰箱	232311012	2025/6/26 20:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7445	7-14（2-4药）备	冰箱	232311012	2025/6/26 20:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7446	7-14（2-4药）备	冰箱	232311012	2025/6/26 20:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7447	7-14（2-4药）备	冰箱	232311012	2025/6/26 20:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7448	7-14（2-4药）备	冰箱	232311012	2025/6/26 20:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7449	7-14（2-4药）备	冰箱	232311012	2025/6/26 20:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7450	7-14（2-4药）备	冰箱	232311012	2025/6/26 20:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7451	7-14（2-4药）备	冰箱	232311012	2025/6/26 20:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7452	7-14（2-4药）备	冰箱	232311012	2025/6/26 20:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7453	7-14（2-4药）备	冰箱	232311012	2025/6/26 21:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7454	7-14（2-4药）备	冰箱	232311012	2025/6/26 21:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7455	7-14（2-4药）备	冰箱	232311012	2025/6/26 21:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7456	7-14（2-4药）备	冰箱	232311012	2025/6/26 21:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7457	7-14（2-4药）备	冰箱	232311012	2025/6/26 21:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

7458	7-14（2-4药）备	冰箱	232311012	2025/6/26 21:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7459	7-14（2-4药）备	冰箱	232311012	2025/6/26 21:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7460	7-14（2-4药）备	冰箱	232311012	2025/6/26 21:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7461	7-14（2-4药）备	冰箱	232311012	2025/6/26 21:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7462	7-14（2-4药）备	冰箱	232311012	2025/6/26 21:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7463	7-14（2-4药）备	冰箱	232311012	2025/6/26 21:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7464	7-14（2-4药）备	冰箱	232311012	2025/6/26 21:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7465	7-14（2-4药）备	冰箱	232311012	2025/6/26 22:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7466	7-14（2-4药）备	冰箱	232311012	2025/6/26 22:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7467	7-14（2-4药）备	冰箱	232311012	2025/6/26 22:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7468	7-14（2-4药）备	冰箱	232311012	2025/6/26 22:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7469	7-14（2-4药）备	冰箱	232311012	2025/6/26 22:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7470	7-14（2-4药）备	冰箱	232311012	2025/6/26 22:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7471	7-14（2-4药）备	冰箱	232311012	2025/6/26 22:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7472	7-14（2-4药）备	冰箱	232311012	2025/6/26 22:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7473	7-14（2-4药）备	冰箱	232311012	2025/6/26 22:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7474	7-14（2-4药）备	冰箱	232311012	2025/6/26 22:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7475	7-14（2-4药）备	冰箱	232311012	2025/6/26 22:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7476	7-14（2-4药）备	冰箱	232311012	2025/6/26 22:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7477	7-14（2-4药）备	冰箱	232311012	2025/6/26 23:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7478	7-14（2-4药）备	冰箱	232311012	2025/6/26 23:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7479	7-14（2-4药）备	冰箱	232311012	2025/6/26 23:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7480	7-14（2-4药）备	冰箱	232311012	2025/6/26 23:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7481	7-14（2-4药）备	冰箱	232311012	2025/6/26 23:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7482	7-14（2-4药）备	冰箱	232311012	2025/6/26 23:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7483	7-14（2-4药）备	冰箱	232311012	2025/6/26 23:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

7484	7-14（2-4药）备	冰箱	232311012	2025/6/26 23:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7485	7-14（2-4药）备	冰箱	232311012	2025/6/26 23:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7486	7-14（2-4药）备	冰箱	232311012	2025/6/26 23:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7487	7-14（2-4药）备	冰箱	232311012	2025/6/26 23:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7488	7-14（2-4药）备	冰箱	232311012	2025/6/26 23:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7489	7-14（2-4药）备	冰箱	232311012	2025/6/27 0:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7490	7-14（2-4药）备	冰箱	232311012	2025/6/27 0:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7491	7-14（2-4药）备	冰箱	232311012	2025/6/27 0:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7492	7-14（2-4药）备	冰箱	232311012	2025/6/27 0:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7493	7-14（2-4药）备	冰箱	232311012	2025/6/27 0:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7494	7-14（2-4药）备	冰箱	232311012	2025/6/27 0:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7495	7-14（2-4药）备	冰箱	232311012	2025/6/27 0:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7496	7-14（2-4药）备	冰箱	232311012	2025/6/27 0:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7497	7-14（2-4药）备	冰箱	232311012	2025/6/27 0:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7498	7-14（2-4药）备	冰箱	232311012	2025/6/27 0:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7499	7-14（2-4药）备	冰箱	232311012	2025/6/27 0:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7500	7-14（2-4药）备	冰箱	232311012	2025/6/27 0:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7501	7-14（2-4药）备	冰箱	232311012	2025/6/27 1:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7502	7-14（2-4药）备	冰箱	232311012	2025/6/27 1:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7503	7-14（2-4药）备	冰箱	232311012	2025/6/27 1:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7504	7-14（2-4药）备	冰箱	232311012	2025/6/27 1:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7505	7-14（2-4药）备	冰箱	232311012	2025/6/27 1:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7506	7-14（2-4药）备	冰箱	232311012	2025/6/27 1:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7507	7-14（2-4药）备	冰箱	232311012	2025/6/27 1:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7508	7-14（2-4药）备	冰箱	232311012	2025/6/27 1:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7509	7-14（2-4药）备	冰箱	232311012	2025/6/27 1:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

7510	7-14（2-4药）备	冰箱	232311012	2025/6/27 1:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7511	7-14（2-4药）备	冰箱	232311012	2025/6/27 1:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7512	7-14（2-4药）备	冰箱	232311012	2025/6/27 1:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7513	7-14（2-4药）备	冰箱	232311012	2025/6/27 2:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7514	7-14（2-4药）备	冰箱	232311012	2025/6/27 2:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7515	7-14（2-4药）备	冰箱	232311012	2025/6/27 2:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7516	7-14（2-4药）备	冰箱	232311012	2025/6/27 2:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7517	7-14（2-4药）备	冰箱	232311012	2025/6/27 2:20:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
7518	7-14（2-4药）备	冰箱	232311012	2025/6/27 2:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7519	7-14（2-4药）备	冰箱	232311012	2025/6/27 2:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7520	7-14（2-4药）备	冰箱	232311012	2025/6/27 2:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7521	7-14（2-4药）备	冰箱	232311012	2025/6/27 2:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7522	7-14（2-4药）备	冰箱	232311012	2025/6/27 2:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7523	7-14（2-4药）备	冰箱	232311012	2025/6/27 2:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7524	7-14（2-4药）备	冰箱	232311012	2025/6/27 2:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7525	7-14（2-4药）备	冰箱	232311012	2025/6/27 3:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7526	7-14（2-4药）备	冰箱	232311012	2025/6/27 3:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7527	7-14（2-4药）备	冰箱	232311012	2025/6/27 3:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7528	7-14（2-4药）备	冰箱	232311012	2025/6/27 3:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7529	7-14（2-4药）备	冰箱	232311012	2025/6/27 3:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7530	7-14（2-4药）备	冰箱	232311012	2025/6/27 3:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7531	7-14（2-4药）备	冰箱	232311012	2025/6/27 3:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7532	7-14（2-4药）备	冰箱	232311012	2025/6/27 3:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7533	7-14（2-4药）备	冰箱	232311012	2025/6/27 3:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7534	7-14（2-4药）备	冰箱	232311012	2025/6/27 3:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7535	7-14（2-4药）备	冰箱	232311012	2025/6/27 3:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

7536	7-14（2-4药）备	冰箱	232311012	2025/6/27 3:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7537	7-14（2-4药）备	冰箱	232311012	2025/6/27 4:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7538	7-14（2-4药）备	冰箱	232311012	2025/6/27 4:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7539	7-14（2-4药）备	冰箱	232311012	2025/6/27 4:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7540	7-14（2-4药）备	冰箱	232311012	2025/6/27 4:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7541	7-14（2-4药）备	冰箱	232311012	2025/6/27 4:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7542	7-14（2-4药）备	冰箱	232311012	2025/6/27 4:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7543	7-14（2-4药）备	冰箱	232311012	2025/6/27 4:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7544	7-14（2-4药）备	冰箱	232311012	2025/6/27 4:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7545	7-14（2-4药）备	冰箱	232311012	2025/6/27 4:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7546	7-14（2-4药）备	冰箱	232311012	2025/6/27 4:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7547	7-14（2-4药）备	冰箱	232311012	2025/6/27 4:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7548	7-14（2-4药）备	冰箱	232311012	2025/6/27 5:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7549	7-14（2-4药）备	冰箱	232311012	2025/6/27 5:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7550	7-14（2-4药）备	冰箱	232311012	2025/6/27 5:10:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
7551	7-14（2-4药）备	冰箱	232311012	2025/6/27 5:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7552	7-14（2-4药）备	冰箱	232311012	2025/6/27 5:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7553	7-14（2-4药）备	冰箱	232311012	2025/6/27 5:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7554	7-14（2-4药）备	冰箱	232311012	2025/6/27 5:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7555	7-14（2-4药）备	冰箱	232311012	2025/6/27 5:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7556	7-14（2-4药）备	冰箱	232311012	2025/6/27 5:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7557	7-14（2-4药）备	冰箱	232311012	2025/6/27 5:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7558	7-14（2-4药）备	冰箱	232311012	2025/6/27 5:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7559	7-14（2-4药）备	冰箱	232311012	2025/6/27 5:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7560	7-14（2-4药）备	冰箱	232311012	2025/6/27 6:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7561	7-14（2-4药）备	冰箱	232311012	2025/6/27 6:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

7562	7-14（2-4药）备	冰箱	232311012	2025/6/27 6:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7563	7-14（2-4药）备	冰箱	232311012	2025/6/27 6:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7564	7-14（2-4药）备	冰箱	232311012	2025/6/27 6:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7565	7-14（2-4药）备	冰箱	232311012	2025/6/27 6:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7566	7-14（2-4药）备	冰箱	232311012	2025/6/27 6:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7567	7-14（2-4药）备	冰箱	232311012	2025/6/27 6:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7568	7-14（2-4药）备	冰箱	232311012	2025/6/27 6:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7569	7-14（2-4药）备	冰箱	232311012	2025/6/27 6:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7570	7-14（2-4药）备	冰箱	232311012	2025/6/27 6:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7571	7-14（2-4药）备	冰箱	232311012	2025/6/27 6:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7572	7-14（2-4药）备	冰箱	232311012	2025/6/27 7:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7573	7-14（2-4药）备	冰箱	232311012	2025/6/27 7:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7574	7-14（2-4药）备	冰箱	232311012	2025/6/27 7:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7575	7-14（2-4药）备	冰箱	232311012	2025/6/27 7:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7576	7-14（2-4药）备	冰箱	232311012	2025/6/27 7:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7577	7-14（2-4药）备	冰箱	232311012	2025/6/27 7:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7578	7-14（2-4药）备	冰箱	232311012	2025/6/27 7:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7579	7-14（2-4药）备	冰箱	232311012	2025/6/27 7:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7580	7-14（2-4药）备	冰箱	232311012	2025/6/27 7:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7581	7-14（2-4药）备	冰箱	232311012	2025/6/27 7:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7582	7-14（2-4药）备	冰箱	232311012	2025/6/27 7:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7583	7-14（2-4药）备	冰箱	232311012	2025/6/27 7:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7584	7-14（2-4药）备	冰箱	232311012	2025/6/27 8:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7585	7-14（2-4药）备	冰箱	232311012	2025/6/27 8:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7586	7-14（2-4药）备	冰箱	232311012	2025/6/27 8:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7587	7-14（2-4药）备	冰箱	232311012	2025/6/27 8:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

7588	7-14（2-4药）备	冰箱	232311012	2025/6/27 8:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7589	7-14（2-4药）备	冰箱	232311012	2025/6/27 8:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7590	7-14（2-4药）备	冰箱	232311012	2025/6/27 8:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7591	7-14（2-4药）备	冰箱	232311012	2025/6/27 8:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7592	7-14（2-4药）备	冰箱	232311012	2025/6/27 8:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7593	7-14（2-4药）备	冰箱	232311012	2025/6/27 8:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7594	7-14（2-4药）备	冰箱	232311012	2025/6/27 8:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7595	7-14（2-4药）备	冰箱	232311012	2025/6/27 8:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7596	7-14（2-4药）备	冰箱	232311012	2025/6/27 9:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7597	7-14（2-4药）备	冰箱	232311012	2025/6/27 9:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7598	7-14（2-4药）备	冰箱	232311012	2025/6/27 9:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7599	7-14（2-4药）备	冰箱	232311012	2025/6/27 9:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7600	7-14（2-4药）备	冰箱	232311012	2025/6/27 9:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7601	7-14（2-4药）备	冰箱	232311012	2025/6/27 9:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7602	7-14（2-4药）备	冰箱	232311012	2025/6/27 9:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7603	7-14（2-4药）备	冰箱	232311012	2025/6/27 9:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7604	7-14（2-4药）备	冰箱	232311012	2025/6/27 9:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7605	7-14（2-4药）备	冰箱	232311012	2025/6/27 9:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7606	7-14（2-4药）备	冰箱	232311012	2025/6/27 9:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7607	7-14（2-4药）备	冰箱	232311012	2025/6/27 9:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7608	7-14（2-4药）备	冰箱	232311012	2025/6/27 10:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7609	7-14（2-4药）备	冰箱	232311012	2025/6/27 10:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7610	7-14（2-4药）备	冰箱	232311012	2025/6/27 10:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7611	7-14（2-4药）备	冰箱	232311012	2025/6/27 10:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7612	7-14（2-4药）备	冰箱	232311012	2025/6/27 10:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7613	7-14（2-4药）备	冰箱	232311012	2025/6/27 10:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

7614	7-14（2-4药）备	冰箱	232311012	2025/6/27 10:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7615	7-14（2-4药）备	冰箱	232311012	2025/6/27 10:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7616	7-14（2-4药）备	冰箱	232311012	2025/6/27 10:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7617	7-14（2-4药）备	冰箱	232311012	2025/6/27 10:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7618	7-14（2-4药）备	冰箱	232311012	2025/6/27 10:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7619	7-14（2-4药）备	冰箱	232311012	2025/6/27 10:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7620	7-14（2-4药）备	冰箱	232311012	2025/6/27 11:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7621	7-14（2-4药）备	冰箱	232311012	2025/6/27 11:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7622	7-14（2-4药）备	冰箱	232311012	2025/6/27 11:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7623	7-14（2-4药）备	冰箱	232311012	2025/6/27 11:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7624	7-14（2-4药）备	冰箱	232311012	2025/6/27 11:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7625	7-14（2-4药）备	冰箱	232311012	2025/6/27 11:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7626	7-14（2-4药）备	冰箱	232311012	2025/6/27 11:30:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
7627	7-14（2-4药）备	冰箱	232311012	2025/6/27 11:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7628	7-14（2-4药）备	冰箱	232311012	2025/6/27 11:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7629	7-14（2-4药）备	冰箱	232311012	2025/6/27 11:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7630	7-14（2-4药）备	冰箱	232311012	2025/6/27 11:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7631	7-14（2-4药）备	冰箱	232311012	2025/6/27 11:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7632	7-14（2-4药）备	冰箱	232311012	2025/6/27 12:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7633	7-14（2-4药）备	冰箱	232311012	2025/6/27 12:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7634	7-14（2-4药）备	冰箱	232311012	2025/6/27 12:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7635	7-14（2-4药）备	冰箱	232311012	2025/6/27 12:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7636	7-14（2-4药）备	冰箱	232311012	2025/6/27 12:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7637	7-14（2-4药）备	冰箱	232311012	2025/6/27 12:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7638	7-14（2-4药）备	冰箱	232311012	2025/6/27 12:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7639	7-14（2-4药）备	冰箱	232311012	2025/6/27 12:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

7640	7-14（2-4药）备	冰箱	232311012	2025/6/27 12:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7641	7-14（2-4药）备	冰箱	232311012	2025/6/27 12:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7642	7-14（2-4药）备	冰箱	232311012	2025/6/27 12:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7643	7-14（2-4药）备	冰箱	232311012	2025/6/27 12:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7644	7-14（2-4药）备	冰箱	232311012	2025/6/27 13:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7645	7-14（2-4药）备	冰箱	232311012	2025/6/27 13:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7646	7-14（2-4药）备	冰箱	232311012	2025/6/27 13:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7647	7-14（2-4药）备	冰箱	232311012	2025/6/27 13:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7648	7-14（2-4药）备	冰箱	232311012	2025/6/27 13:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7649	7-14（2-4药）备	冰箱	232311012	2025/6/27 13:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7650	7-14（2-4药）备	冰箱	232311012	2025/6/27 13:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7651	7-14（2-4药）备	冰箱	232311012	2025/6/27 13:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7652	7-14（2-4药）备	冰箱	232311012	2025/6/27 13:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7653	7-14（2-4药）备	冰箱	232311012	2025/6/27 13:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7654	7-14（2-4药）备	冰箱	232311012	2025/6/27 13:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7655	7-14（2-4药）备	冰箱	232311012	2025/6/27 13:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7656	7-14（2-4药）备	冰箱	232311012	2025/6/27 14:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7657	7-14（2-4药）备	冰箱	232311012	2025/6/27 14:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7658	7-14（2-4药）备	冰箱	232311012	2025/6/27 14:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7659	7-14（2-4药）备	冰箱	232311012	2025/6/27 14:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7660	7-14（2-4药）备	冰箱	232311012	2025/6/27 14:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7661	7-14（2-4药）备	冰箱	232311012	2025/6/27 14:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7662	7-14（2-4药）备	冰箱	232311012	2025/6/27 14:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7663	7-14（2-4药）备	冰箱	232311012	2025/6/27 14:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7664	7-14（2-4药）备	冰箱	232311012	2025/6/27 14:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7665	7-14（2-4药）备	冰箱	232311012	2025/6/27 14:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,

7666	7-14（2-4药）备	冰箱	232311012	2025/6/27 14:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7667	7-14（2-4药）备	冰箱	232311012	2025/6/27 14:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7668	7-14（2-4药）备	冰箱	232311012	2025/6/27 15:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7669	7-14（2-4药）备	冰箱	232311012	2025/6/27 15:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7670	7-14（2-4药）备	冰箱	232311012	2025/6/27 15:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7671	7-14（2-4药）备	冰箱	232311012	2025/6/27 15:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7672	7-14（2-4药）备	冰箱	232311012	2025/6/27 15:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7673	7-14（2-4药）备	冰箱	232311012	2025/6/27 15:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7674	7-14（2-4药）备	冰箱	232311012	2025/6/27 15:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7675	7-14（2-4药）备	冰箱	232311012	2025/6/27 15:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7676	7-14（2-4药）备	冰箱	232311012	2025/6/27 15:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7677	7-14（2-4药）备	冰箱	232311012	2025/6/27 15:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7678	7-14（2-4药）备	冰箱	232311012	2025/6/27 15:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7679	7-14（2-4药）备	冰箱	232311012	2025/6/27 15:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7680	7-14（2-4药）备	冰箱	232311012	2025/6/27 16:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7681	7-14（2-4药）备	冰箱	232311012	2025/6/27 16:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7682	7-14（2-4药）备	冰箱	232311012	2025/6/27 16:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7683	7-14（2-4药）备	冰箱	232311012	2025/6/27 16:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7684	7-14（2-4药）备	冰箱	232311012	2025/6/27 16:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7685	7-14（2-4药）备	冰箱	232311012	2025/6/27 16:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7686	7-14（2-4药）备	冰箱	232311012	2025/6/27 16:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7687	7-14（2-4药）备	冰箱	232311012	2025/6/27 16:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7688	7-14（2-4药）备	冰箱	232311012	2025/6/27 16:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7689	7-14（2-4药）备	冰箱	232311012	2025/6/27 16:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7690	7-14（2-4药）备	冰箱	232311012	2025/6/27 16:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7691	7-14（2-4药）备	冰箱	232311012	2025/6/27 16:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

7692	7-14（2-4药）备	冰箱	232311012	2025/6/27 17:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7693	7-14（2-4药）备	冰箱	232311012	2025/6/27 17:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7694	7-14（2-4药）备	冰箱	232311012	2025/6/27 17:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7695	7-14（2-4药）备	冰箱	232311012	2025/6/27 17:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7696	7-14（2-4药）备	冰箱	232311012	2025/6/27 17:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7697	7-14（2-4药）备	冰箱	232311012	2025/6/27 17:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7698	7-14（2-4药）备	冰箱	232311012	2025/6/27 17:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7699	7-14（2-4药）备	冰箱	232311012	2025/6/27 17:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7700	7-14（2-4药）备	冰箱	232311012	2025/6/27 17:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7701	7-14（2-4药）备	冰箱	232311012	2025/6/27 17:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7702	7-14（2-4药）备	冰箱	232311012	2025/6/27 17:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7703	7-14（2-4药）备	冰箱	232311012	2025/6/27 17:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7704	7-14（2-4药）备	冰箱	232311012	2025/6/27 18:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7705	7-14（2-4药）备	冰箱	232311012	2025/6/27 18:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7706	7-14（2-4药）备	冰箱	232311012	2025/6/27 18:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7707	7-14（2-4药）备	冰箱	232311012	2025/6/27 18:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7708	7-14（2-4药）备	冰箱	232311012	2025/6/27 18:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7709	7-14（2-4药）备	冰箱	232311012	2025/6/27 18:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7710	7-14（2-4药）备	冰箱	232311012	2025/6/27 18:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7711	7-14（2-4药）备	冰箱	232311012	2025/6/27 18:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7712	7-14（2-4药）备	冰箱	232311012	2025/6/27 18:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7713	7-14（2-4药）备	冰箱	232311012	2025/6/27 18:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7714	7-14（2-4药）备	冰箱	232311012	2025/6/27 18:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7715	7-14（2-4药）备	冰箱	232311012	2025/6/27 18:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7716	7-14（2-4药）备	冰箱	232311012	2025/6/27 19:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7717	7-14（2-4药）备	冰箱	232311012	2025/6/27 19:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

7718	7-14（2-4药）备	冰箱	232311012	2025/6/27 19:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7719	7-14（2-4药）备	冰箱	232311012	2025/6/27 19:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7720	7-14（2-4药）备	冰箱	232311012	2025/6/27 19:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7721	7-14（2-4药）备	冰箱	232311012	2025/6/27 19:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7722	7-14（2-4药）备	冰箱	232311012	2025/6/27 19:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7723	7-14（2-4药）备	冰箱	232311012	2025/6/27 19:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7724	7-14（2-4药）备	冰箱	232311012	2025/6/27 19:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7725	7-14（2-4药）备	冰箱	232311012	2025/6/27 19:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7726	7-14（2-4药）备	冰箱	232311012	2025/6/27 19:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7727	7-14（2-4药）备	冰箱	232311012	2025/6/27 19:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7728	7-14（2-4药）备	冰箱	232311012	2025/6/27 20:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7729	7-14（2-4药）备	冰箱	232311012	2025/6/27 20:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7730	7-14（2-4药）备	冰箱	232311012	2025/6/27 20:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7731	7-14（2-4药）备	冰箱	232311012	2025/6/27 20:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7732	7-14（2-4药）备	冰箱	232311012	2025/6/27 20:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7733	7-14（2-4药）备	冰箱	232311012	2025/6/27 20:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7734	7-14（2-4药）备	冰箱	232311012	2025/6/27 20:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7735	7-14（2-4药）备	冰箱	232311012	2025/6/27 20:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7736	7-14（2-4药）备	冰箱	232311012	2025/6/27 20:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7737	7-14（2-4药）备	冰箱	232311012	2025/6/27 20:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7738	7-14（2-4药）备	冰箱	232311012	2025/6/27 20:50:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7739	7-14（2-4药）备	冰箱	232311012	2025/6/27 20:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7740	7-14（2-4药）备	冰箱	232311012	2025/6/27 21:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7741	7-14（2-4药）备	冰箱	232311012	2025/6/27 21:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7742	7-14（2-4药）备	冰箱	232311012	2025/6/27 21:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7743	7-14（2-4药）备	冰箱	232311012	2025/6/27 21:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

7744	7-14（2-4药）备	冰箱	232311012	2025/6/27 21:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7745	7-14（2-4药）备	冰箱	232311012	2025/6/27 21:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7746	7-14（2-4药）备	冰箱	232311012	2025/6/27 21:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7747	7-14（2-4药）备	冰箱	232311012	2025/6/27 21:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7748	7-14（2-4药）备	冰箱	232311012	2025/6/27 21:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7749	7-14（2-4药）备	冰箱	232311012	2025/6/27 21:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7750	7-14（2-4药）备	冰箱	232311012	2025/6/27 21:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7751	7-14（2-4药）备	冰箱	232311012	2025/6/27 21:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7752	7-14（2-4药）备	冰箱	232311012	2025/6/27 22:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7753	7-14（2-4药）备	冰箱	232311012	2025/6/27 22:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7754	7-14（2-4药）备	冰箱	232311012	2025/6/27 22:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7755	7-14（2-4药）备	冰箱	232311012	2025/6/27 22:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7756	7-14（2-4药）备	冰箱	232311012	2025/6/27 22:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7757	7-14（2-4药）备	冰箱	232311012	2025/6/27 22:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7758	7-14（2-4药）备	冰箱	232311012	2025/6/27 22:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7759	7-14（2-4药）备	冰箱	232311012	2025/6/27 22:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7760	7-14（2-4药）备	冰箱	232311012	2025/6/27 22:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7761	7-14（2-4药）备	冰箱	232311012	2025/6/27 22:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7762	7-14（2-4药）备	冰箱	232311012	2025/6/27 22:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7763	7-14（2-4药）备	冰箱	232311012	2025/6/27 22:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7764	7-14（2-4药）备	冰箱	232311012	2025/6/27 23:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7765	7-14（2-4药）备	冰箱	232311012	2025/6/27 23:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7766	7-14（2-4药）备	冰箱	232311012	2025/6/27 23:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7767	7-14（2-4药）备	冰箱	232311012	2025/6/27 23:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7768	7-14（2-4药）备	冰箱	232311012	2025/6/27 23:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7769	7-14（2-4药）备	冰箱	232311012	2025/6/27 23:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

7770	7-14（2-4药）备	冰箱	232311012	2025/6/27 23:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7771	7-14（2-4药）备	冰箱	232311012	2025/6/27 23:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7772	7-14（2-4药）备	冰箱	232311012	2025/6/27 23:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7773	7-14（2-4药）备	冰箱	232311012	2025/6/27 23:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7774	7-14（2-4药）备	冰箱	232311012	2025/6/27 23:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7775	7-14（2-4药）备	冰箱	232311012	2025/6/27 23:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7776	7-14（2-4药）备	冰箱	232311012	2025/6/28 0:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7777	7-14（2-4药）备	冰箱	232311012	2025/6/28 0:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7778	7-14（2-4药）备	冰箱	232311012	2025/6/28 0:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7779	7-14（2-4药）备	冰箱	232311012	2025/6/28 0:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7780	7-14（2-4药）备	冰箱	232311012	2025/6/28 0:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7781	7-14（2-4药）备	冰箱	232311012	2025/6/28 0:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7782	7-14（2-4药）备	冰箱	232311012	2025/6/28 0:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7783	7-14（2-4药）备	冰箱	232311012	2025/6/28 0:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7784	7-14（2-4药）备	冰箱	232311012	2025/6/28 0:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7785	7-14（2-4药）备	冰箱	232311012	2025/6/28 0:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7786	7-14（2-4药）备	冰箱	232311012	2025/6/28 0:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7787	7-14（2-4药）备	冰箱	232311012	2025/6/28 0:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7788	7-14（2-4药）备	冰箱	232311012	2025/6/28 1:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7789	7-14（2-4药）备	冰箱	232311012	2025/6/28 1:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7790	7-14（2-4药）备	冰箱	232311012	2025/6/28 1:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7791	7-14（2-4药）备	冰箱	232311012	2025/6/28 1:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7792	7-14（2-4药）备	冰箱	232311012	2025/6/28 1:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7793	7-14（2-4药）备	冰箱	232311012	2025/6/28 1:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7794	7-14（2-4药）备	冰箱	232311012	2025/6/28 1:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7795	7-14（2-4药）备	冰箱	232311012	2025/6/28 1:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

7796	7-14（2-4药）备	冰箱	232311012	2025/6/28 1:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7797	7-14（2-4药）备	冰箱	232311012	2025/6/28 1:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7798	7-14（2-4药）备	冰箱	232311012	2025/6/28 1:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7799	7-14（2-4药）备	冰箱	232311012	2025/6/28 1:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7800	7-14（2-4药）备	冰箱	232311012	2025/6/28 2:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7801	7-14（2-4药）备	冰箱	232311012	2025/6/28 2:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7802	7-14（2-4药）备	冰箱	232311012	2025/6/28 2:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7803	7-14（2-4药）备	冰箱	232311012	2025/6/28 2:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7804	7-14（2-4药）备	冰箱	232311012	2025/6/28 2:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7805	7-14（2-4药）备	冰箱	232311012	2025/6/28 2:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7806	7-14（2-4药）备	冰箱	232311012	2025/6/28 2:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7807	7-14（2-4药）备	冰箱	232311012	2025/6/28 2:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7808	7-14（2-4药）备	冰箱	232311012	2025/6/28 2:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7809	7-14（2-4药）备	冰箱	232311012	2025/6/28 2:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7810	7-14（2-4药）备	冰箱	232311012	2025/6/28 2:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7811	7-14（2-4药）备	冰箱	232311012	2025/6/28 2:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7812	7-14（2-4药）备	冰箱	232311012	2025/6/28 3:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7813	7-14（2-4药）备	冰箱	232311012	2025/6/28 3:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7814	7-14（2-4药）备	冰箱	232311012	2025/6/28 3:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7815	7-14（2-4药）备	冰箱	232311012	2025/6/28 3:15:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7816	7-14（2-4药）备	冰箱	232311012	2025/6/28 3:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7817	7-14（2-4药）备	冰箱	232311012	2025/6/28 3:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7818	7-14（2-4药）备	冰箱	232311012	2025/6/28 3:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7819	7-14（2-4药）备	冰箱	232311012	2025/6/28 3:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7820	7-14（2-4药）备	冰箱	232311012	2025/6/28 3:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7821	7-14（2-4药）备	冰箱	232311012	2025/6/28 3:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

7822	7-14（2-4药）备	冰箱	232311012	2025/6/28 3:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7823	7-14（2-4药）备	冰箱	232311012	2025/6/28 3:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7824	7-14（2-4药）备	冰箱	232311012	2025/6/28 4:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7825	7-14（2-4药）备	冰箱	232311012	2025/6/28 4:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7826	7-14（2-4药）备	冰箱	232311012	2025/6/28 4:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7827	7-14（2-4药）备	冰箱	232311012	2025/6/28 4:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7828	7-14（2-4药）备	冰箱	232311012	2025/6/28 4:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7829	7-14（2-4药）备	冰箱	232311012	2025/6/28 4:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7830	7-14（2-4药）备	冰箱	232311012	2025/6/28 4:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7831	7-14（2-4药）备	冰箱	232311012	2025/6/28 4:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7832	7-14（2-4药）备	冰箱	232311012	2025/6/28 4:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7833	7-14（2-4药）备	冰箱	232311012	2025/6/28 4:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7834	7-14（2-4药）备	冰箱	232311012	2025/6/28 4:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7835	7-14（2-4药）备	冰箱	232311012	2025/6/28 4:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7836	7-14（2-4药）备	冰箱	232311012	2025/6/28 5:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7837	7-14（2-4药）备	冰箱	232311012	2025/6/28 5:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7838	7-14（2-4药）备	冰箱	232311012	2025/6/28 5:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7839	7-14（2-4药）备	冰箱	232311012	2025/6/28 5:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7840	7-14（2-4药）备	冰箱	232311012	2025/6/28 5:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7841	7-14（2-4药）备	冰箱	232311012	2025/6/28 5:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7842	7-14（2-4药）备	冰箱	232311012	2025/6/28 5:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7843	7-14（2-4药）备	冰箱	232311012	2025/6/28 5:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7844	7-14（2-4药）备	冰箱	232311012	2025/6/28 5:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7845	7-14（2-4药）备	冰箱	232311012	2025/6/28 5:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7846	7-14（2-4药）备	冰箱	232311012	2025/6/28 5:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7847	7-14（2-4药）备	冰箱	232311012	2025/6/28 5:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

7848	7-14（2-4药）备	冰箱	232311012	2025/6/28 6:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7849	7-14（2-4药）备	冰箱	232311012	2025/6/28 6:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7850	7-14（2-4药）备	冰箱	232311012	2025/6/28 6:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7851	7-14（2-4药）备	冰箱	232311012	2025/6/28 6:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7852	7-14（2-4药）备	冰箱	232311012	2025/6/28 6:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7853	7-14（2-4药）备	冰箱	232311012	2025/6/28 6:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7854	7-14（2-4药）备	冰箱	232311012	2025/6/28 6:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7855	7-14（2-4药）备	冰箱	232311012	2025/6/28 6:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7856	7-14（2-4药）备	冰箱	232311012	2025/6/28 6:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7857	7-14（2-4药）备	冰箱	232311012	2025/6/28 6:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7858	7-14（2-4药）备	冰箱	232311012	2025/6/28 6:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7859	7-14（2-4药）备	冰箱	232311012	2025/6/28 6:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7860	7-14（2-4药）备	冰箱	232311012	2025/6/28 7:00:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7861	7-14（2-4药）备	冰箱	232311012	2025/6/28 7:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7862	7-14（2-4药）备	冰箱	232311012	2025/6/28 7:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7863	7-14（2-4药）备	冰箱	232311012	2025/6/28 7:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7864	7-14（2-4药）备	冰箱	232311012	2025/6/28 7:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7865	7-14（2-4药）备	冰箱	232311012	2025/6/28 7:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7866	7-14（2-4药）备	冰箱	232311012	2025/6/28 7:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7867	7-14（2-4药）备	冰箱	232311012	2025/6/28 7:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7868	7-14（2-4药）备	冰箱	232311012	2025/6/28 7:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7869	7-14（2-4药）备	冰箱	232311012	2025/6/28 7:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7870	7-14（2-4药）备	冰箱	232311012	2025/6/28 7:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7871	7-14（2-4药）备	冰箱	232311012	2025/6/28 7:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7872	7-14（2-4药）备	冰箱	232311012	2025/6/28 8:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7873	7-14（2-4药）备	冰箱	232311012	2025/6/28 8:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

7874	7-14（2-4药）备	冰箱	232311012	2025/6/28 8:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7875	7-14（2-4药）备	冰箱	232311012	2025/6/28 8:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7876	7-14（2-4药）备	冰箱	232311012	2025/6/28 8:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7877	7-14（2-4药）备	冰箱	232311012	2025/6/28 8:25:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
7878	7-14（2-4药）备	冰箱	232311012	2025/6/28 8:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7879	7-14（2-4药）备	冰箱	232311012	2025/6/28 8:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7880	7-14（2-4药）备	冰箱	232311012	2025/6/28 8:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7881	7-14（2-4药）备	冰箱	232311012	2025/6/28 8:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7882	7-14（2-4药）备	冰箱	232311012	2025/6/28 8:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7883	7-14（2-4药）备	冰箱	232311012	2025/6/28 8:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7884	7-14（2-4药）备	冰箱	232311012	2025/6/28 9:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7885	7-14（2-4药）备	冰箱	232311012	2025/6/28 9:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7886	7-14（2-4药）备	冰箱	232311012	2025/6/28 9:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7887	7-14（2-4药）备	冰箱	232311012	2025/6/28 9:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7888	7-14（2-4药）备	冰箱	232311012	2025/6/28 9:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7889	7-14（2-4药）备	冰箱	232311012	2025/6/28 9:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7890	7-14（2-4药）备	冰箱	232311012	2025/6/28 9:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7891	7-14（2-4药）备	冰箱	232311012	2025/6/28 9:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7892	7-14（2-4药）备	冰箱	232311012	2025/6/28 9:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7893	7-14（2-4药）备	冰箱	232311012	2025/6/28 9:45:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7894	7-14（2-4药）备	冰箱	232311012	2025/6/28 9:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7895	7-14（2-4药）备	冰箱	232311012	2025/6/28 9:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7896	7-14（2-4药）备	冰箱	232311012	2025/6/28 10:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7897	7-14（2-4药）备	冰箱	232311012	2025/6/28 10:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7898	7-14（2-4药）备	冰箱	232311012	2025/6/28 10:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7899	7-14（2-4药）备	冰箱	232311012	2025/6/28 10:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,

7900	7-14（2-4药）备	冰箱	232311012	2025/6/28 10:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7901	7-14（2-4药）备	冰箱	232311012	2025/6/28 10:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7902	7-14（2-4药）备	冰箱	232311012	2025/6/28 10:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7903	7-14（2-4药）备	冰箱	232311012	2025/6/28 10:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7904	7-14（2-4药）备	冰箱	232311012	2025/6/28 10:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7905	7-14（2-4药）备	冰箱	232311012	2025/6/28 10:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7906	7-14（2-4药）备	冰箱	232311012	2025/6/28 10:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7907	7-14（2-4药）备	冰箱	232311012	2025/6/28 10:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7908	7-14（2-4药）备	冰箱	232311012	2025/6/28 11:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7909	7-14（2-4药）备	冰箱	232311012	2025/6/28 11:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7910	7-14（2-4药）备	冰箱	232311012	2025/6/28 11:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7911	7-14（2-4药）备	冰箱	232311012	2025/6/28 11:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7912	7-14（2-4药）备	冰箱	232311012	2025/6/28 11:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7913	7-14（2-4药）备	冰箱	232311012	2025/6/28 11:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7914	7-14（2-4药）备	冰箱	232311012	2025/6/28 11:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7915	7-14（2-4药）备	冰箱	232311012	2025/6/28 11:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7916	7-14（2-4药）备	冰箱	232311012	2025/6/28 11:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7917	7-14（2-4药）备	冰箱	232311012	2025/6/28 11:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7918	7-14（2-4药）备	冰箱	232311012	2025/6/28 11:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7919	7-14（2-4药）备	冰箱	232311012	2025/6/28 11:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7920	7-14（2-4药）备	冰箱	232311012	2025/6/28 12:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7921	7-14（2-4药）备	冰箱	232311012	2025/6/28 12:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7922	7-14（2-4药）备	冰箱	232311012	2025/6/28 12:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7923	7-14（2-4药）备	冰箱	232311012	2025/6/28 12:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7924	7-14（2-4药）备	冰箱	232311012	2025/6/28 12:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7925	7-14（2-4药）备	冰箱	232311012	2025/6/28 12:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

7926	7-14（2-4药）备	冰箱	232311012	2025/6/28 12:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7927	7-14（2-4药）备	冰箱	232311012	2025/6/28 12:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7928	7-14（2-4药）备	冰箱	232311012	2025/6/28 12:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7929	7-14（2-4药）备	冰箱	232311012	2025/6/28 12:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7930	7-14（2-4药）备	冰箱	232311012	2025/6/28 12:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7931	7-14（2-4药）备	冰箱	232311012	2025/6/28 12:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7932	7-14（2-4药）备	冰箱	232311012	2025/6/28 13:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7933	7-14（2-4药）备	冰箱	232311012	2025/6/28 13:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7934	7-14（2-4药）备	冰箱	232311012	2025/6/28 13:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7935	7-14（2-4药）备	冰箱	232311012	2025/6/28 13:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7936	7-14（2-4药）备	冰箱	232311012	2025/6/28 13:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7937	7-14（2-4药）备	冰箱	232311012	2025/6/28 13:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7938	7-14（2-4药）备	冰箱	232311012	2025/6/28 13:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7939	7-14（2-4药）备	冰箱	232311012	2025/6/28 13:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7940	7-14（2-4药）备	冰箱	232311012	2025/6/28 13:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7941	7-14（2-4药）备	冰箱	232311012	2025/6/28 13:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7942	7-14（2-4药）备	冰箱	232311012	2025/6/28 13:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7943	7-14（2-4药）备	冰箱	232311012	2025/6/28 13:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7944	7-14（2-4药）备	冰箱	232311012	2025/6/28 14:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7945	7-14（2-4药）备	冰箱	232311012	2025/6/28 14:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7946	7-14（2-4药）备	冰箱	232311012	2025/6/28 14:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7947	7-14（2-4药）备	冰箱	232311012	2025/6/28 14:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7948	7-14（2-4药）备	冰箱	232311012	2025/6/28 14:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7949	7-14（2-4药）备	冰箱	232311012	2025/6/28 14:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7950	7-14（2-4药）备	冰箱	232311012	2025/6/28 14:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7951	7-14（2-4药）备	冰箱	232311012	2025/6/28 14:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

7952	7-14（2-4药）备	冰箱	232311012	2025/6/28 14:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7953	7-14（2-4药）备	冰箱	232311012	2025/6/28 14:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7954	7-14（2-4药）备	冰箱	232311012	2025/6/28 14:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7955	7-14（2-4药）备	冰箱	232311012	2025/6/28 14:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
7956	7-14（2-4药）备	冰箱	232311012	2025/6/28 15:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7957	7-14（2-4药）备	冰箱	232311012	2025/6/28 15:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7958	7-14（2-4药）备	冰箱	232311012	2025/6/28 15:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7959	7-14（2-4药）备	冰箱	232311012	2025/6/28 15:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7960	7-14（2-4药）备	冰箱	232311012	2025/6/28 15:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7961	7-14（2-4药）备	冰箱	232311012	2025/6/28 15:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7962	7-14（2-4药）备	冰箱	232311012	2025/6/28 15:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7963	7-14（2-4药）备	冰箱	232311012	2025/6/28 15:35:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
7964	7-14（2-4药）备	冰箱	232311012	2025/6/28 15:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7965	7-14（2-4药）备	冰箱	232311012	2025/6/28 15:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7966	7-14（2-4药）备	冰箱	232311012	2025/6/28 15:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7967	7-14（2-4药）备	冰箱	232311012	2025/6/28 15:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7968	7-14（2-4药）备	冰箱	232311012	2025/6/28 16:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7969	7-14（2-4药）备	冰箱	232311012	2025/6/28 16:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7970	7-14（2-4药）备	冰箱	232311012	2025/6/28 16:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7971	7-14（2-4药）备	冰箱	232311012	2025/6/28 16:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7972	7-14（2-4药）备	冰箱	232311012	2025/6/28 16:20:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7973	7-14（2-4药）备	冰箱	232311012	2025/6/28 16:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7974	7-14（2-4药）备	冰箱	232311012	2025/6/28 16:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
7975	7-14（2-4药）备	冰箱	232311012	2025/6/28 16:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7976	7-14（2-4药）备	冰箱	232311012	2025/6/28 16:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7977	7-14（2-4药）备	冰箱	232311012	2025/6/28 16:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,

7978	7-14（2-4药）备	冰箱	232311012	2025/6/28 16:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7979	7-14（2-4药）备	冰箱	232311012	2025/6/28 16:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
7980	7-14（2-4药）备	冰箱	232311012	2025/6/28 17:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7981	7-14（2-4药）备	冰箱	232311012	2025/6/28 17:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7982	7-14（2-4药）备	冰箱	232311012	2025/6/28 17:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7983	7-14（2-4药）备	冰箱	232311012	2025/6/28 17:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7984	7-14（2-4药）备	冰箱	232311012	2025/6/28 17:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7985	7-14（2-4药）备	冰箱	232311012	2025/6/28 17:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7986	7-14（2-4药）备	冰箱	232311012	2025/6/28 17:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7987	7-14（2-4药）备	冰箱	232311012	2025/6/28 17:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7988	7-14（2-4药）备	冰箱	232311012	2025/6/28 17:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
7989	7-14（2-4药）备	冰箱	232311012	2025/6/28 17:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7990	7-14（2-4药）备	冰箱	232311012	2025/6/28 17:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
7991	7-14（2-4药）备	冰箱	232311012	2025/6/28 17:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
7992	7-14（2-4药）备	冰箱	232311012	2025/6/28 18:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
7993	7-14（2-4药）备	冰箱	232311012	2025/6/28 18:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
7994	7-14（2-4药）备	冰箱	232311012	2025/6/28 18:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
7995	7-14（2-4药）备	冰箱	232311012	2025/6/28 18:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
7996	7-14（2-4药）备	冰箱	232311012	2025/6/28 18:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
7997	7-14（2-4药）备	冰箱	232311012	2025/6/28 18:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
7998	7-14（2-4药）备	冰箱	232311012	2025/6/28 18:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
7999	7-14（2-4药）备	冰箱	232311012	2025/6/28 18:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8000	7-14（2-4药）备	冰箱	232311012	2025/6/28 18:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8001	7-14（2-4药）备	冰箱	232311012	2025/6/28 18:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8002	7-14（2-4药）备	冰箱	232311012	2025/6/28 18:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8003	7-14（2-4药）备	冰箱	232311012	2025/6/28 18:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

8004	7-14（2-4药）备	冰箱	232311012	2025/6/28 19:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8005	7-14（2-4药）备	冰箱	232311012	2025/6/28 19:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8006	7-14（2-4药）备	冰箱	232311012	2025/6/28 19:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8007	7-14（2-4药）备	冰箱	232311012	2025/6/28 19:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8008	7-14（2-4药）备	冰箱	232311012	2025/6/28 19:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8009	7-14（2-4药）备	冰箱	232311012	2025/6/28 19:25:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8010	7-14（2-4药）备	冰箱	232311012	2025/6/28 19:30:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
8011	7-14（2-4药）备	冰箱	232311012	2025/6/28 19:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8012	7-14（2-4药）备	冰箱	232311012	2025/6/28 19:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8013	7-14（2-4药）备	冰箱	232311012	2025/6/28 19:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8014	7-14（2-4药）备	冰箱	232311012	2025/6/28 19:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8015	7-14（2-4药）备	冰箱	232311012	2025/6/28 19:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8016	7-14（2-4药）备	冰箱	232311012	2025/6/28 20:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8017	7-14（2-4药）备	冰箱	232311012	2025/6/28 20:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8018	7-14（2-4药）备	冰箱	232311012	2025/6/28 20:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8019	7-14（2-4药）备	冰箱	232311012	2025/6/28 20:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8020	7-14（2-4药）备	冰箱	232311012	2025/6/28 20:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8021	7-14（2-4药）备	冰箱	232311012	2025/6/28 20:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8022	7-14（2-4药）备	冰箱	232311012	2025/6/28 20:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8023	7-14（2-4药）备	冰箱	232311012	2025/6/28 20:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8024	7-14（2-4药）备	冰箱	232311012	2025/6/28 20:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8025	7-14（2-4药）备	冰箱	232311012	2025/6/28 20:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8026	7-14（2-4药）备	冰箱	232311012	2025/6/28 20:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8027	7-14（2-4药）备	冰箱	232311012	2025/6/28 20:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8028	7-14（2-4药）备	冰箱	232311012	2025/6/28 21:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8029	7-14（2-4药）备	冰箱	232311012	2025/6/28 21:05:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

8030	7-14（2-4药）备	冰箱	232311012	2025/6/28 21:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8031	7-14（2-4药）备	冰箱	232311012	2025/6/28 21:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8032	7-14（2-4药）备	冰箱	232311012	2025/6/28 21:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8033	7-14（2-4药）备	冰箱	232311012	2025/6/28 21:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8034	7-14（2-4药）备	冰箱	232311012	2025/6/28 21:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8035	7-14（2-4药）备	冰箱	232311012	2025/6/28 21:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8036	7-14（2-4药）备	冰箱	232311012	2025/6/28 21:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8037	7-14（2-4药）备	冰箱	232311012	2025/6/28 21:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8038	7-14（2-4药）备	冰箱	232311012	2025/6/28 21:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8039	7-14（2-4药）备	冰箱	232311012	2025/6/28 21:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8040	7-14（2-4药）备	冰箱	232311012	2025/6/28 22:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8041	7-14（2-4药）备	冰箱	232311012	2025/6/28 22:05:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8042	7-14（2-4药）备	冰箱	232311012	2025/6/28 22:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8043	7-14（2-4药）备	冰箱	232311012	2025/6/28 22:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8044	7-14（2-4药）备	冰箱	232311012	2025/6/28 22:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8045	7-14（2-4药）备	冰箱	232311012	2025/6/28 22:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8046	7-14（2-4药）备	冰箱	232311012	2025/6/28 22:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8047	7-14（2-4药）备	冰箱	232311012	2025/6/28 22:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8048	7-14（2-4药）备	冰箱	232311012	2025/6/28 22:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8049	7-14（2-4药）备	冰箱	232311012	2025/6/28 22:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8050	7-14（2-4药）备	冰箱	232311012	2025/6/28 22:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8051	7-14（2-4药）备	冰箱	232311012	2025/6/28 22:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8052	7-14（2-4药）备	冰箱	232311012	2025/6/28 23:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8053	7-14（2-4药）备	冰箱	232311012	2025/6/28 23:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8054	7-14（2-4药）备	冰箱	232311012	2025/6/28 23:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8055	7-14（2-4药）备	冰箱	232311012	2025/6/28 23:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,

8056	7-14（2-4药）备	冰箱	232311012	2025/6/28 23:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8057	7-14（2-4药）备	冰箱	232311012	2025/6/28 23:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8058	7-14（2-4药）备	冰箱	232311012	2025/6/28 23:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8059	7-14（2-4药）备	冰箱	232311012	2025/6/28 23:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8060	7-14（2-4药）备	冰箱	232311012	2025/6/28 23:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8061	7-14（2-4药）备	冰箱	232311012	2025/6/28 23:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8062	7-14（2-4药）备	冰箱	232311012	2025/6/28 23:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8063	7-14（2-4药）备	冰箱	232311012	2025/6/28 23:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8064	7-14（2-4药）备	冰箱	232311012	2025/6/29 0:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8065	7-14（2-4药）备	冰箱	232311012	2025/6/29 0:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8066	7-14（2-4药）备	冰箱	232311012	2025/6/29 0:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8067	7-14（2-4药）备	冰箱	232311012	2025/6/29 0:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8068	7-14（2-4药）备	冰箱	232311012	2025/6/29 0:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8069	7-14（2-4药）备	冰箱	232311012	2025/6/29 0:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8070	7-14（2-4药）备	冰箱	232311012	2025/6/29 0:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8071	7-14（2-4药）备	冰箱	232311012	2025/6/29 0:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8072	7-14（2-4药）备	冰箱	232311012	2025/6/29 0:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8073	7-14（2-4药）备	冰箱	232311012	2025/6/29 0:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8074	7-14（2-4药）备	冰箱	232311012	2025/6/29 0:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8075	7-14（2-4药）备	冰箱	232311012	2025/6/29 0:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8076	7-14（2-4药）备	冰箱	232311012	2025/6/29 1:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8077	7-14（2-4药）备	冰箱	232311012	2025/6/29 1:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8078	7-14（2-4药）备	冰箱	232311012	2025/6/29 1:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8079	7-14（2-4药）备	冰箱	232311012	2025/6/29 1:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8080	7-14（2-4药）备	冰箱	232311012	2025/6/29 1:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8081	7-14（2-4药）备	冰箱	232311012	2025/6/29 1:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

8082	7-14（2-4药）备	冰箱	232311012	2025/6/29 1:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8083	7-14（2-4药）备	冰箱	232311012	2025/6/29 1:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8084	7-14（2-4药）备	冰箱	232311012	2025/6/29 1:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8085	7-14（2-4药）备	冰箱	232311012	2025/6/29 1:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8086	7-14（2-4药）备	冰箱	232311012	2025/6/29 1:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8087	7-14（2-4药）备	冰箱	232311012	2025/6/29 1:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8088	7-14（2-4药）备	冰箱	232311012	2025/6/29 2:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8089	7-14（2-4药）备	冰箱	232311012	2025/6/29 2:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8090	7-14（2-4药）备	冰箱	232311012	2025/6/29 2:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8091	7-14（2-4药）备	冰箱	232311012	2025/6/29 2:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8092	7-14（2-4药）备	冰箱	232311012	2025/6/29 2:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8093	7-14（2-4药）备	冰箱	232311012	2025/6/29 2:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8094	7-14（2-4药）备	冰箱	232311012	2025/6/29 2:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8095	7-14（2-4药）备	冰箱	232311012	2025/6/29 2:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8096	7-14（2-4药）备	冰箱	232311012	2025/6/29 2:40:00	4.2℃	正常	2023/12/26 18:11:37:未储存药品,
8097	7-14（2-4药）备	冰箱	232311012	2025/6/29 2:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8098	7-14（2-4药）备	冰箱	232311012	2025/6/29 2:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8099	7-14（2-4药）备	冰箱	232311012	2025/6/29 2:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8100	7-14（2-4药）备	冰箱	232311012	2025/6/29 3:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8101	7-14（2-4药）备	冰箱	232311012	2025/6/29 3:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8102	7-14（2-4药）备	冰箱	232311012	2025/6/29 3:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8103	7-14（2-4药）备	冰箱	232311012	2025/6/29 3:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8104	7-14（2-4药）备	冰箱	232311012	2025/6/29 3:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8105	7-14（2-4药）备	冰箱	232311012	2025/6/29 3:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8106	7-14（2-4药）备	冰箱	232311012	2025/6/29 3:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8107	7-14（2-4药）备	冰箱	232311012	2025/6/29 3:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,

8108	7-14（2-4药）备	冰箱	232311012	2025/6/29 3:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8109	7-14（2-4药）备	冰箱	232311012	2025/6/29 3:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8110	7-14（2-4药）备	冰箱	232311012	2025/6/29 3:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8111	7-14（2-4药）备	冰箱	232311012	2025/6/29 3:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8112	7-14（2-4药）备	冰箱	232311012	2025/6/29 4:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8113	7-14（2-4药）备	冰箱	232311012	2025/6/29 4:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8114	7-14（2-4药）备	冰箱	232311012	2025/6/29 4:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8115	7-14（2-4药）备	冰箱	232311012	2025/6/29 4:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8116	7-14（2-4药）备	冰箱	232311012	2025/6/29 4:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8117	7-14（2-4药）备	冰箱	232311012	2025/6/29 4:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8118	7-14（2-4药）备	冰箱	232311012	2025/6/29 4:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8119	7-14（2-4药）备	冰箱	232311012	2025/6/29 4:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8120	7-14（2-4药）备	冰箱	232311012	2025/6/29 4:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8121	7-14（2-4药）备	冰箱	232311012	2025/6/29 4:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8122	7-14（2-4药）备	冰箱	232311012	2025/6/29 4:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8123	7-14（2-4药）备	冰箱	232311012	2025/6/29 4:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8124	7-14（2-4药）备	冰箱	232311012	2025/6/29 5:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8125	7-14（2-4药）备	冰箱	232311012	2025/6/29 5:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8126	7-14（2-4药）备	冰箱	232311012	2025/6/29 5:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8127	7-14（2-4药）备	冰箱	232311012	2025/6/29 5:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8128	7-14（2-4药）备	冰箱	232311012	2025/6/29 5:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8129	7-14（2-4药）备	冰箱	232311012	2025/6/29 5:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8130	7-14（2-4药）备	冰箱	232311012	2025/6/29 5:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8131	7-14（2-4药）备	冰箱	232311012	2025/6/29 5:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8132	7-14（2-4药）备	冰箱	232311012	2025/6/29 5:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8133	7-14（2-4药）备	冰箱	232311012	2025/6/29 5:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,

8134	7-14（2-4药）备	冰箱	232311012	2025/6/29 5:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8135	7-14（2-4药）备	冰箱	232311012	2025/6/29 5:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8136	7-14（2-4药）备	冰箱	232311012	2025/6/29 6:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8137	7-14（2-4药）备	冰箱	232311012	2025/6/29 6:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8138	7-14（2-4药）备	冰箱	232311012	2025/6/29 6:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8139	7-14（2-4药）备	冰箱	232311012	2025/6/29 6:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8140	7-14（2-4药）备	冰箱	232311012	2025/6/29 6:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8141	7-14（2-4药）备	冰箱	232311012	2025/6/29 6:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8142	7-14（2-4药）备	冰箱	232311012	2025/6/29 6:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8143	7-14（2-4药）备	冰箱	232311012	2025/6/29 6:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8144	7-14（2-4药）备	冰箱	232311012	2025/6/29 6:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8145	7-14（2-4药）备	冰箱	232311012	2025/6/29 6:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8146	7-14（2-4药）备	冰箱	232311012	2025/6/29 6:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8147	7-14（2-4药）备	冰箱	232311012	2025/6/29 6:55:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8148	7-14（2-4药）备	冰箱	232311012	2025/6/29 7:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8149	7-14（2-4药）备	冰箱	232311012	2025/6/29 7:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8150	7-14（2-4药）备	冰箱	232311012	2025/6/29 7:10:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8151	7-14（2-4药）备	冰箱	232311012	2025/6/29 7:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8152	7-14（2-4药）备	冰箱	232311012	2025/6/29 7:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8153	7-14（2-4药）备	冰箱	232311012	2025/6/29 7:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8154	7-14（2-4药）备	冰箱	232311012	2025/6/29 7:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8155	7-14（2-4药）备	冰箱	232311012	2025/6/29 7:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8156	7-14（2-4药）备	冰箱	232311012	2025/6/29 7:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8157	7-14（2-4药）备	冰箱	232311012	2025/6/29 7:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8158	7-14（2-4药）备	冰箱	232311012	2025/6/29 7:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8159	7-14（2-4药）备	冰箱	232311012	2025/6/29 7:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,

8160	7-14（2-4药）备	冰箱	232311012	2025/6/29 8:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8161	7-14（2-4药）备	冰箱	232311012	2025/6/29 8:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8162	7-14（2-4药）备	冰箱	232311012	2025/6/29 8:10:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8163	7-14（2-4药）备	冰箱	232311012	2025/6/29 8:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8164	7-14（2-4药）备	冰箱	232311012	2025/6/29 8:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8165	7-14（2-4药）备	冰箱	232311012	2025/6/29 8:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8166	7-14（2-4药）备	冰箱	232311012	2025/6/29 8:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8167	7-14（2-4药）备	冰箱	232311012	2025/6/29 8:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8168	7-14（2-4药）备	冰箱	232311012	2025/6/29 8:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8169	7-14（2-4药）备	冰箱	232311012	2025/6/29 8:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8170	7-14（2-4药）备	冰箱	232311012	2025/6/29 8:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8171	7-14（2-4药）备	冰箱	232311012	2025/6/29 8:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8172	7-14（2-4药）备	冰箱	232311012	2025/6/29 9:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8173	7-14（2-4药）备	冰箱	232311012	2025/6/29 9:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8174	7-14（2-4药）备	冰箱	232311012	2025/6/29 9:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8175	7-14（2-4药）备	冰箱	232311012	2025/6/29 9:15:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8176	7-14（2-4药）备	冰箱	232311012	2025/6/29 9:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8177	7-14（2-4药）备	冰箱	232311012	2025/6/29 9:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8178	7-14（2-4药）备	冰箱	232311012	2025/6/29 9:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8179	7-14（2-4药）备	冰箱	232311012	2025/6/29 9:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8180	7-14（2-4药）备	冰箱	232311012	2025/6/29 9:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8181	7-14（2-4药）备	冰箱	232311012	2025/6/29 9:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8182	7-14（2-4药）备	冰箱	232311012	2025/6/29 9:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8183	7-14（2-4药）备	冰箱	232311012	2025/6/29 9:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8184	7-14（2-4药）备	冰箱	232311012	2025/6/29 10:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8185	7-14（2-4药）备	冰箱	232311012	2025/6/29 10:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

8186	7-14（2-4药）备	冰箱	232311012	2025/6/29 10:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8187	7-14（2-4药）备	冰箱	232311012	2025/6/29 10:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8188	7-14（2-4药）备	冰箱	232311012	2025/6/29 10:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8189	7-14（2-4药）备	冰箱	232311012	2025/6/29 10:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8190	7-14（2-4药）备	冰箱	232311012	2025/6/29 10:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8191	7-14（2-4药）备	冰箱	232311012	2025/6/29 10:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8192	7-14（2-4药）备	冰箱	232311012	2025/6/29 10:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8193	7-14（2-4药）备	冰箱	232311012	2025/6/29 10:45:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8194	7-14（2-4药）备	冰箱	232311012	2025/6/29 10:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8195	7-14（2-4药）备	冰箱	232311012	2025/6/29 10:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8196	7-14（2-4药）备	冰箱	232311012	2025/6/29 11:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8197	7-14（2-4药）备	冰箱	232311012	2025/6/29 11:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8198	7-14（2-4药）备	冰箱	232311012	2025/6/29 11:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8199	7-14（2-4药）备	冰箱	232311012	2025/6/29 11:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8200	7-14（2-4药）备	冰箱	232311012	2025/6/29 11:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8201	7-14（2-4药）备	冰箱	232311012	2025/6/29 11:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8202	7-14（2-4药）备	冰箱	232311012	2025/6/29 11:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8203	7-14（2-4药）备	冰箱	232311012	2025/6/29 11:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8204	7-14（2-4药）备	冰箱	232311012	2025/6/29 11:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8205	7-14（2-4药）备	冰箱	232311012	2025/6/29 11:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8206	7-14（2-4药）备	冰箱	232311012	2025/6/29 11:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8207	7-14（2-4药）备	冰箱	232311012	2025/6/29 11:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8208	7-14（2-4药）备	冰箱	232311012	2025/6/29 12:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8209	7-14（2-4药）备	冰箱	232311012	2025/6/29 12:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8210	7-14（2-4药）备	冰箱	232311012	2025/6/29 12:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8211	7-14（2-4药）备	冰箱	232311012	2025/6/29 12:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

8212	7-14（2-4药）备	冰箱	232311012	2025/6/29 12:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8213	7-14（2-4药）备	冰箱	232311012	2025/6/29 12:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8214	7-14（2-4药）备	冰箱	232311012	2025/6/29 12:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8215	7-14（2-4药）备	冰箱	232311012	2025/6/29 12:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8216	7-14（2-4药）备	冰箱	232311012	2025/6/29 12:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8217	7-14（2-4药）备	冰箱	232311012	2025/6/29 12:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8218	7-14（2-4药）备	冰箱	232311012	2025/6/29 12:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8219	7-14（2-4药）备	冰箱	232311012	2025/6/29 12:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8220	7-14（2-4药）备	冰箱	232311012	2025/6/29 13:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8221	7-14（2-4药）备	冰箱	232311012	2025/6/29 13:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8222	7-14（2-4药）备	冰箱	232311012	2025/6/29 13:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8223	7-14（2-4药）备	冰箱	232311012	2025/6/29 13:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8224	7-14（2-4药）备	冰箱	232311012	2025/6/29 13:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8225	7-14（2-4药）备	冰箱	232311012	2025/6/29 13:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8226	7-14（2-4药）备	冰箱	232311012	2025/6/29 13:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8227	7-14（2-4药）备	冰箱	232311012	2025/6/29 13:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8228	7-14（2-4药）备	冰箱	232311012	2025/6/29 13:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8229	7-14（2-4药）备	冰箱	232311012	2025/6/29 13:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8230	7-14（2-4药）备	冰箱	232311012	2025/6/29 13:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8231	7-14（2-4药）备	冰箱	232311012	2025/6/29 13:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8232	7-14（2-4药）备	冰箱	232311012	2025/6/29 14:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8233	7-14（2-4药）备	冰箱	232311012	2025/6/29 14:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8234	7-14（2-4药）备	冰箱	232311012	2025/6/29 14:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8235	7-14（2-4药）备	冰箱	232311012	2025/6/29 14:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8236	7-14（2-4药）备	冰箱	232311012	2025/6/29 14:20:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8237	7-14（2-4药）备	冰箱	232311012	2025/6/29 14:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

8238	7-14（2-4药）备	冰箱	232311012	2025/6/29 14:30:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8239	7-14（2-4药）备	冰箱	232311012	2025/6/29 14:35:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8240	7-14（2-4药）备	冰箱	232311012	2025/6/29 14:40:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8241	7-14（2-4药）备	冰箱	232311012	2025/6/29 14:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8242	7-14（2-4药）备	冰箱	232311012	2025/6/29 14:50:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8243	7-14（2-4药）备	冰箱	232311012	2025/6/29 14:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8244	7-14（2-4药）备	冰箱	232311012	2025/6/29 15:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8245	7-14（2-4药）备	冰箱	232311012	2025/6/29 15:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8246	7-14（2-4药）备	冰箱	232311012	2025/6/29 15:10:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8247	7-14（2-4药）备	冰箱	232311012	2025/6/29 15:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8248	7-14（2-4药）备	冰箱	232311012	2025/6/29 15:20:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8249	7-14（2-4药）备	冰箱	232311012	2025/6/29 15:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8250	7-14（2-4药）备	冰箱	232311012	2025/6/29 15:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8251	7-14（2-4药）备	冰箱	232311012	2025/6/29 15:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8252	7-14（2-4药）备	冰箱	232311012	2025/6/29 15:40:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8253	7-14（2-4药）备	冰箱	232311012	2025/6/29 15:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8254	7-14（2-4药）备	冰箱	232311012	2025/6/29 15:50:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8255	7-14（2-4药）备	冰箱	232311012	2025/6/29 15:55:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8256	7-14（2-4药）备	冰箱	232311012	2025/6/29 16:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8257	7-14（2-4药）备	冰箱	232311012	2025/6/29 16:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8258	7-14（2-4药）备	冰箱	232311012	2025/6/29 16:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8259	7-14（2-4药）备	冰箱	232311012	2025/6/29 16:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8260	7-14（2-4药）备	冰箱	232311012	2025/6/29 16:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8261	7-14（2-4药）备	冰箱	232311012	2025/6/29 16:25:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8262	7-14（2-4药）备	冰箱	232311012	2025/6/29 16:30:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8263	7-14（2-4药）备	冰箱	232311012	2025/6/29 16:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

8264	7-14（2-4药）备	冰箱	232311012	2025/6/29 16:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8265	7-14（2-4药）备	冰箱	232311012	2025/6/29 16:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8266	7-14（2-4药）备	冰箱	232311012	2025/6/29 16:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8267	7-14（2-4药）备	冰箱	232311012	2025/6/29 16:55:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8268	7-14（2-4药）备	冰箱	232311012	2025/6/29 17:00:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8269	7-14（2-4药）备	冰箱	232311012	2025/6/29 17:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8270	7-14（2-4药）备	冰箱	232311012	2025/6/29 17:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8271	7-14（2-4药）备	冰箱	232311012	2025/6/29 17:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8272	7-14（2-4药）备	冰箱	232311012	2025/6/29 17:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8273	7-14（2-4药）备	冰箱	232311012	2025/6/29 17:25:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8274	7-14（2-4药）备	冰箱	232311012	2025/6/29 17:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8275	7-14（2-4药）备	冰箱	232311012	2025/6/29 17:35:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8276	7-14（2-4药）备	冰箱	232311012	2025/6/29 17:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8277	7-14（2-4药）备	冰箱	232311012	2025/6/29 17:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8278	7-14（2-4药）备	冰箱	232311012	2025/6/29 17:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8279	7-14（2-4药）备	冰箱	232311012	2025/6/29 17:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8280	7-14（2-4药）备	冰箱	232311012	2025/6/29 18:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8281	7-14（2-4药）备	冰箱	232311012	2025/6/29 18:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8282	7-14（2-4药）备	冰箱	232311012	2025/6/29 18:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8283	7-14（2-4药）备	冰箱	232311012	2025/6/29 18:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8284	7-14（2-4药）备	冰箱	232311012	2025/6/29 18:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8285	7-14（2-4药）备	冰箱	232311012	2025/6/29 18:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8286	7-14（2-4药）备	冰箱	232311012	2025/6/29 18:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8287	7-14（2-4药）备	冰箱	232311012	2025/6/29 18:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8288	7-14（2-4药）备	冰箱	232311012	2025/6/29 18:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8289	7-14（2-4药）备	冰箱	232311012	2025/6/29 18:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

8290	7-14（2-4药）备	冰箱	232311012	2025/6/29 18:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8291	7-14（2-4药）备	冰箱	232311012	2025/6/29 18:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8292	7-14（2-4药）备	冰箱	232311012	2025/6/29 19:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8293	7-14（2-4药）备	冰箱	232311012	2025/6/29 19:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8294	7-14（2-4药）备	冰箱	232311012	2025/6/29 19:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8295	7-14（2-4药）备	冰箱	232311012	2025/6/29 19:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8296	7-14（2-4药）备	冰箱	232311012	2025/6/29 19:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8297	7-14（2-4药）备	冰箱	232311012	2025/6/29 19:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8298	7-14（2-4药）备	冰箱	232311012	2025/6/29 19:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8299	7-14（2-4药）备	冰箱	232311012	2025/6/29 19:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8300	7-14（2-4药）备	冰箱	232311012	2025/6/29 19:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8301	7-14（2-4药）备	冰箱	232311012	2025/6/29 19:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8302	7-14（2-4药）备	冰箱	232311012	2025/6/29 19:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8303	7-14（2-4药）备	冰箱	232311012	2025/6/29 19:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8304	7-14（2-4药）备	冰箱	232311012	2025/6/29 20:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8305	7-14（2-4药）备	冰箱	232311012	2025/6/29 20:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8306	7-14（2-4药）备	冰箱	232311012	2025/6/29 20:10:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8307	7-14（2-4药）备	冰箱	232311012	2025/6/29 20:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8308	7-14（2-4药）备	冰箱	232311012	2025/6/29 20:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8309	7-14（2-4药）备	冰箱	232311012	2025/6/29 20:25:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8310	7-14（2-4药）备	冰箱	232311012	2025/6/29 20:30:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8311	7-14（2-4药）备	冰箱	232311012	2025/6/29 20:35:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8312	7-14（2-4药）备	冰箱	232311012	2025/6/29 20:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8313	7-14（2-4药）备	冰箱	232311012	2025/6/29 20:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8314	7-14（2-4药）备	冰箱	232311012	2025/6/29 20:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8315	7-14（2-4药）备	冰箱	232311012	2025/6/29 20:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

8316	7-14（2-4药）备	冰箱	232311012	2025/6/29 21:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8317	7-14（2-4药）备	冰箱	232311012	2025/6/29 21:05:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8318	7-14（2-4药）备	冰箱	232311012	2025/6/29 21:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8319	7-14（2-4药）备	冰箱	232311012	2025/6/29 21:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8320	7-14（2-4药）备	冰箱	232311012	2025/6/29 21:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8321	7-14（2-4药）备	冰箱	232311012	2025/6/29 21:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8322	7-14（2-4药）备	冰箱	232311012	2025/6/29 21:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8323	7-14（2-4药）备	冰箱	232311012	2025/6/29 21:35:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8324	7-14（2-4药）备	冰箱	232311012	2025/6/29 21:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8325	7-14（2-4药）备	冰箱	232311012	2025/6/29 21:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8326	7-14（2-4药）备	冰箱	232311012	2025/6/29 21:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8327	7-14（2-4药）备	冰箱	232311012	2025/6/29 21:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8328	7-14（2-4药）备	冰箱	232311012	2025/6/29 22:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8329	7-14（2-4药）备	冰箱	232311012	2025/6/29 22:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8330	7-14（2-4药）备	冰箱	232311012	2025/6/29 22:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8331	7-14（2-4药）备	冰箱	232311012	2025/6/29 22:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8332	7-14（2-4药）备	冰箱	232311012	2025/6/29 22:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8333	7-14（2-4药）备	冰箱	232311012	2025/6/29 22:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8334	7-14（2-4药）备	冰箱	232311012	2025/6/29 22:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8335	7-14（2-4药）备	冰箱	232311012	2025/6/29 22:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8336	7-14（2-4药）备	冰箱	232311012	2025/6/29 22:40:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8337	7-14（2-4药）备	冰箱	232311012	2025/6/29 22:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8338	7-14（2-4药）备	冰箱	232311012	2025/6/29 22:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8339	7-14（2-4药）备	冰箱	232311012	2025/6/29 22:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8340	7-14（2-4药）备	冰箱	232311012	2025/6/29 23:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8341	7-14（2-4药）备	冰箱	232311012	2025/6/29 23:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

8342	7-14（2-4药）备	冰箱	232311012	2025/6/29 23:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8343	7-14（2-4药）备	冰箱	232311012	2025/6/29 23:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8344	7-14（2-4药）备	冰箱	232311012	2025/6/29 23:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8345	7-14（2-4药）备	冰箱	232311012	2025/6/29 23:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8346	7-14（2-4药）备	冰箱	232311012	2025/6/29 23:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8347	7-14（2-4药）备	冰箱	232311012	2025/6/29 23:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8348	7-14（2-4药）备	冰箱	232311012	2025/6/29 23:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8349	7-14（2-4药）备	冰箱	232311012	2025/6/29 23:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8350	7-14（2-4药）备	冰箱	232311012	2025/6/29 23:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8351	7-14（2-4药）备	冰箱	232311012	2025/6/29 23:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8352	7-14（2-4药）备	冰箱	232311012	2025/6/30 0:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8353	7-14（2-4药）备	冰箱	232311012	2025/6/30 0:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8354	7-14（2-4药）备	冰箱	232311012	2025/6/30 0:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8355	7-14（2-4药）备	冰箱	232311012	2025/6/30 0:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8356	7-14（2-4药）备	冰箱	232311012	2025/6/30 0:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8357	7-14（2-4药）备	冰箱	232311012	2025/6/30 0:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8358	7-14（2-4药）备	冰箱	232311012	2025/6/30 0:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8359	7-14（2-4药）备	冰箱	232311012	2025/6/30 0:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8360	7-14（2-4药）备	冰箱	232311012	2025/6/30 0:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8361	7-14（2-4药）备	冰箱	232311012	2025/6/30 0:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8362	7-14（2-4药）备	冰箱	232311012	2025/6/30 0:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8363	7-14（2-4药）备	冰箱	232311012	2025/6/30 0:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8364	7-14（2-4药）备	冰箱	232311012	2025/6/30 1:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8365	7-14（2-4药）备	冰箱	232311012	2025/6/30 1:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8366	7-14（2-4药）备	冰箱	232311012	2025/6/30 1:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8367	7-14（2-4药）备	冰箱	232311012	2025/6/30 1:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

8368	7-14（2-4药）备	冰箱	232311012	2025/6/30 1:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8369	7-14（2-4药）备	冰箱	232311012	2025/6/30 1:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8370	7-14（2-4药）备	冰箱	232311012	2025/6/30 1:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8371	7-14（2-4药）备	冰箱	232311012	2025/6/30 1:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8372	7-14（2-4药）备	冰箱	232311012	2025/6/30 1:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8373	7-14（2-4药）备	冰箱	232311012	2025/6/30 1:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8374	7-14（2-4药）备	冰箱	232311012	2025/6/30 1:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8375	7-14（2-4药）备	冰箱	232311012	2025/6/30 1:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8376	7-14（2-4药）备	冰箱	232311012	2025/6/30 2:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8377	7-14（2-4药）备	冰箱	232311012	2025/6/30 2:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8378	7-14（2-4药）备	冰箱	232311012	2025/6/30 2:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8379	7-14（2-4药）备	冰箱	232311012	2025/6/30 2:15:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8380	7-14（2-4药）备	冰箱	232311012	2025/6/30 2:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8381	7-14（2-4药）备	冰箱	232311012	2025/6/30 2:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8382	7-14（2-4药）备	冰箱	232311012	2025/6/30 2:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8383	7-14（2-4药）备	冰箱	232311012	2025/6/30 2:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8384	7-14（2-4药）备	冰箱	232311012	2025/6/30 2:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8385	7-14（2-4药）备	冰箱	232311012	2025/6/30 2:45:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8386	7-14（2-4药）备	冰箱	232311012	2025/6/30 2:50:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8387	7-14（2-4药）备	冰箱	232311012	2025/6/30 2:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8388	7-14（2-4药）备	冰箱	232311012	2025/6/30 3:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8389	7-14（2-4药）备	冰箱	232311012	2025/6/30 3:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8390	7-14（2-4药）备	冰箱	232311012	2025/6/30 3:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8391	7-14（2-4药）备	冰箱	232311012	2025/6/30 3:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8392	7-14（2-4药）备	冰箱	232311012	2025/6/30 3:20:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8393	7-14（2-4药）备	冰箱	232311012	2025/6/30 3:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

8394	7-14（2-4药）备	冰箱	232311012	2025/6/30 3:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8395	7-14（2-4药）备	冰箱	232311012	2025/6/30 3:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8396	7-14（2-4药）备	冰箱	232311012	2025/6/30 3:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8397	7-14（2-4药）备	冰箱	232311012	2025/6/30 3:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8398	7-14（2-4药）备	冰箱	232311012	2025/6/30 3:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8399	7-14（2-4药）备	冰箱	232311012	2025/6/30 3:55:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8400	7-14（2-4药）备	冰箱	232311012	2025/6/30 4:00:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8401	7-14（2-4药）备	冰箱	232311012	2025/6/30 4:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8402	7-14（2-4药）备	冰箱	232311012	2025/6/30 4:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8403	7-14（2-4药）备	冰箱	232311012	2025/6/30 4:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8404	7-14（2-4药）备	冰箱	232311012	2025/6/30 4:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8405	7-14（2-4药）备	冰箱	232311012	2025/6/30 4:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8406	7-14（2-4药）备	冰箱	232311012	2025/6/30 4:30:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8407	7-14（2-4药）备	冰箱	232311012	2025/6/30 4:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8408	7-14（2-4药）备	冰箱	232311012	2025/6/30 4:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8409	7-14（2-4药）备	冰箱	232311012	2025/6/30 4:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8410	7-14（2-4药）备	冰箱	232311012	2025/6/30 4:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8411	7-14（2-4药）备	冰箱	232311012	2025/6/30 4:55:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8412	7-14（2-4药）备	冰箱	232311012	2025/6/30 5:00:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8413	7-14（2-4药）备	冰箱	232311012	2025/6/30 5:05:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8414	7-14（2-4药）备	冰箱	232311012	2025/6/30 5:10:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8415	7-14（2-4药）备	冰箱	232311012	2025/6/30 5:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8416	7-14（2-4药）备	冰箱	232311012	2025/6/30 5:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8417	7-14（2-4药）备	冰箱	232311012	2025/6/30 5:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8418	7-14（2-4药）备	冰箱	232311012	2025/6/30 5:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8419	7-14（2-4药）备	冰箱	232311012	2025/6/30 5:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

8420	7-14（2-4药）备	冰箱	232311012	2025/6/30 5:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8421	7-14（2-4药）备	冰箱	232311012	2025/6/30 5:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8422	7-14（2-4药）备	冰箱	232311012	2025/6/30 5:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8423	7-14（2-4药）备	冰箱	232311012	2025/6/30 5:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8424	7-14（2-4药）备	冰箱	232311012	2025/6/30 6:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8425	7-14（2-4药）备	冰箱	232311012	2025/6/30 6:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8426	7-14（2-4药）备	冰箱	232311012	2025/6/30 6:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8427	7-14（2-4药）备	冰箱	232311012	2025/6/30 6:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8428	7-14（2-4药）备	冰箱	232311012	2025/6/30 6:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8429	7-14（2-4药）备	冰箱	232311012	2025/6/30 6:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8430	7-14（2-4药）备	冰箱	232311012	2025/6/30 6:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8431	7-14（2-4药）备	冰箱	232311012	2025/6/30 6:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8432	7-14（2-4药）备	冰箱	232311012	2025/6/30 6:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8433	7-14（2-4药）备	冰箱	232311012	2025/6/30 6:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8434	7-14（2-4药）备	冰箱	232311012	2025/6/30 6:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8435	7-14（2-4药）备	冰箱	232311012	2025/6/30 6:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8436	7-14（2-4药）备	冰箱	232311012	2025/6/30 7:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8437	7-14（2-4药）备	冰箱	232311012	2025/6/30 7:05:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8438	7-14（2-4药）备	冰箱	232311012	2025/6/30 7:10:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8439	7-14（2-4药）备	冰箱	232311012	2025/6/30 7:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8440	7-14（2-4药）备	冰箱	232311012	2025/6/30 7:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8441	7-14（2-4药）备	冰箱	232311012	2025/6/30 7:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8442	7-14（2-4药）备	冰箱	232311012	2025/6/30 7:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8443	7-14（2-4药）备	冰箱	232311012	2025/6/30 7:35:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8444	7-14（2-4药）备	冰箱	232311012	2025/6/30 7:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8445	7-14（2-4药）备	冰箱	232311012	2025/6/30 7:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,

8446	7-14（2-4药）备	冰箱	232311012	2025/6/30 7:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8447	7-14（2-4药）备	冰箱	232311012	2025/6/30 7:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8448	7-14（2-4药）备	冰箱	232311012	2025/6/30 8:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8449	7-14（2-4药）备	冰箱	232311012	2025/6/30 8:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8450	7-14（2-4药）备	冰箱	232311012	2025/6/30 8:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8451	7-14（2-4药）备	冰箱	232311012	2025/6/30 8:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8452	7-14（2-4药）备	冰箱	232311012	2025/6/30 8:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8453	7-14（2-4药）备	冰箱	232311012	2025/6/30 8:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8454	7-14（2-4药）备	冰箱	232311012	2025/6/30 8:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8455	7-14（2-4药）备	冰箱	232311012	2025/6/30 8:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8456	7-14（2-4药）备	冰箱	232311012	2025/6/30 8:40:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8457	7-14（2-4药）备	冰箱	232311012	2025/6/30 8:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8458	7-14（2-4药）备	冰箱	232311012	2025/6/30 8:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8459	7-14（2-4药）备	冰箱	232311012	2025/6/30 8:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8460	7-14（2-4药）备	冰箱	232311012	2025/6/30 9:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8461	7-14（2-4药）备	冰箱	232311012	2025/6/30 9:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8462	7-14（2-4药）备	冰箱	232311012	2025/6/30 9:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8463	7-14（2-4药）备	冰箱	232311012	2025/6/30 9:15:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8464	7-14（2-4药）备	冰箱	232311012	2025/6/30 9:20:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8465	7-14（2-4药）备	冰箱	232311012	2025/6/30 9:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8466	7-14（2-4药）备	冰箱	232311012	2025/6/30 9:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8467	7-14（2-4药）备	冰箱	232311012	2025/6/30 9:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8468	7-14（2-4药）备	冰箱	232311012	2025/6/30 9:40:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8469	7-14（2-4药）备	冰箱	232311012	2025/6/30 9:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8470	7-14（2-4药）备	冰箱	232311012	2025/6/30 9:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8471	7-14（2-4药）备	冰箱	232311012	2025/6/30 9:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

8472	7-14（2-4药）备	冰箱	232311012	2025/6/30 10:00:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8473	7-14（2-4药）备	冰箱	232311012	2025/6/30 10:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8474	7-14（2-4药）备	冰箱	232311012	2025/6/30 10:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8475	7-14（2-4药）备	冰箱	232311012	2025/6/30 10:15:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8476	7-14（2-4药）备	冰箱	232311012	2025/6/30 10:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8477	7-14（2-4药）备	冰箱	232311012	2025/6/30 10:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8478	7-14（2-4药）备	冰箱	232311012	2025/6/30 10:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8479	7-14（2-4药）备	冰箱	232311012	2025/6/30 10:35:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8480	7-14（2-4药）备	冰箱	232311012	2025/6/30 10:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8481	7-14（2-4药）备	冰箱	232311012	2025/6/30 10:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8482	7-14（2-4药）备	冰箱	232311012	2025/6/30 10:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8483	7-14（2-4药）备	冰箱	232311012	2025/6/30 10:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8484	7-14（2-4药）备	冰箱	232311012	2025/6/30 11:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8485	7-14（2-4药）备	冰箱	232311012	2025/6/30 11:05:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8486	7-14（2-4药）备	冰箱	232311012	2025/6/30 11:10:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8487	7-14（2-4药）备	冰箱	232311012	2025/6/30 11:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8488	7-14（2-4药）备	冰箱	232311012	2025/6/30 11:20:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8489	7-14（2-4药）备	冰箱	232311012	2025/6/30 11:25:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8490	7-14（2-4药）备	冰箱	232311012	2025/6/30 11:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8491	7-14（2-4药）备	冰箱	232311012	2025/6/30 11:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8492	7-14（2-4药）备	冰箱	232311012	2025/6/30 11:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8493	7-14（2-4药）备	冰箱	232311012	2025/6/30 11:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8494	7-14（2-4药）备	冰箱	232311012	2025/6/30 11:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8495	7-14（2-4药）备	冰箱	232311012	2025/6/30 11:55:00	5.6℃	正常	2023/12/26 18:11:37:未储存药品,
8496	7-14（2-4药）备	冰箱	232311012	2025/6/30 12:00:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8497	7-14（2-4药）备	冰箱	232311012	2025/6/30 12:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

8498	7-14（2-4药）备	冰箱	232311012	2025/6/30 12:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8499	7-14（2-4药）备	冰箱	232311012	2025/6/30 12:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8500	7-14（2-4药）备	冰箱	232311012	2025/6/30 12:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8501	7-14（2-4药）备	冰箱	232311012	2025/6/30 12:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8502	7-14（2-4药）备	冰箱	232311012	2025/6/30 12:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8503	7-14（2-4药）备	冰箱	232311012	2025/6/30 12:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8504	7-14（2-4药）备	冰箱	232311012	2025/6/30 12:40:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8505	7-14（2-4药）备	冰箱	232311012	2025/6/30 12:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8506	7-14（2-4药）备	冰箱	232311012	2025/6/30 12:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8507	7-14（2-4药）备	冰箱	232311012	2025/6/30 12:55:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8508	7-14（2-4药）备	冰箱	232311012	2025/6/30 13:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8509	7-14（2-4药）备	冰箱	232311012	2025/6/30 13:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8510	7-14（2-4药）备	冰箱	232311012	2025/6/30 13:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8511	7-14（2-4药）备	冰箱	232311012	2025/6/30 13:15:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8512	7-14（2-4药）备	冰箱	232311012	2025/6/30 13:20:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8513	7-14（2-4药）备	冰箱	232311012	2025/6/30 13:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8514	7-14（2-4药）备	冰箱	232311012	2025/6/30 13:30:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8515	7-14（2-4药）备	冰箱	232311012	2025/6/30 13:35:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8516	7-14（2-4药）备	冰箱	232311012	2025/6/30 13:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8517	7-14（2-4药）备	冰箱	232311012	2025/6/30 13:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8518	7-14（2-4药）备	冰箱	232311012	2025/6/30 13:50:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8519	7-14（2-4药）备	冰箱	232311012	2025/6/30 13:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8520	7-14（2-4药）备	冰箱	232311012	2025/6/30 14:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8521	7-14（2-4药）备	冰箱	232311012	2025/6/30 14:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8522	7-14（2-4药）备	冰箱	232311012	2025/6/30 14:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8523	7-14（2-4药）备	冰箱	232311012	2025/6/30 14:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,

8524	7-14（2-4药）备	冰箱	232311012	2025/6/30 14:20:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8525	7-14（2-4药）备	冰箱	232311012	2025/6/30 14:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8526	7-14（2-4药）备	冰箱	232311012	2025/6/30 14:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8527	7-14（2-4药）备	冰箱	232311012	2025/6/30 14:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8528	7-14（2-4药）备	冰箱	232311012	2025/6/30 14:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8529	7-14（2-4药）备	冰箱	232311012	2025/6/30 14:45:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8530	7-14（2-4药）备	冰箱	232311012	2025/6/30 14:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8531	7-14（2-4药）备	冰箱	232311012	2025/6/30 14:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8532	7-14（2-4药）备	冰箱	232311012	2025/6/30 15:00:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8533	7-14（2-4药）备	冰箱	232311012	2025/6/30 15:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8534	7-14（2-4药）备	冰箱	232311012	2025/6/30 15:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8535	7-14（2-4药）备	冰箱	232311012	2025/6/30 15:15:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8536	7-14（2-4药）备	冰箱	232311012	2025/6/30 15:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8537	7-14（2-4药）备	冰箱	232311012	2025/6/30 15:25:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8538	7-14（2-4药）备	冰箱	232311012	2025/6/30 15:30:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8539	7-14（2-4药）备	冰箱	232311012	2025/6/30 15:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8540	7-14（2-4药）备	冰箱	232311012	2025/6/30 15:40:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8541	7-14（2-4药）备	冰箱	232311012	2025/6/30 15:45:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8542	7-14（2-4药）备	冰箱	232311012	2025/6/30 15:50:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8543	7-14（2-4药）备	冰箱	232311012	2025/6/30 15:55:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8544	7-14（2-4药）备	冰箱	232311012	2025/6/30 16:00:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8545	7-14（2-4药）备	冰箱	232311012	2025/6/30 16:05:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8546	7-14（2-4药）备	冰箱	232311012	2025/6/30 16:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8547	7-14（2-4药）备	冰箱	232311012	2025/6/30 16:15:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8548	7-14（2-4药）备	冰箱	232311012	2025/6/30 16:20:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8549	7-14（2-4药）备	冰箱	232311012	2025/6/30 16:25:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,

8550	7-14（2-4药）备	冰箱	232311012	2025/6/30 16:30:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8551	7-14（2-4药）备	冰箱	232311012	2025/6/30 16:35:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8552	7-14（2-4药）备	冰箱	232311012	2025/6/30 16:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8553	7-14（2-4药）备	冰箱	232311012	2025/6/30 16:45:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8554	7-14（2-4药）备	冰箱	232311012	2025/6/30 16:50:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8555	7-14（2-4药）备	冰箱	232311012	2025/6/30 16:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8556	7-14（2-4药）备	冰箱	232311012	2025/6/30 17:00:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8557	7-14（2-4药）备	冰箱	232311012	2025/6/30 17:05:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8558	7-14（2-4药）备	冰箱	232311012	2025/6/30 17:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8559	7-14（2-4药）备	冰箱	232311012	2025/6/30 17:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8560	7-14（2-4药）备	冰箱	232311012	2025/6/30 17:20:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8561	7-14（2-4药）备	冰箱	232311012	2025/6/30 17:25:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8562	7-14（2-4药）备	冰箱	232311012	2025/6/30 17:30:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8563	7-14（2-4药）备	冰箱	232311012	2025/6/30 17:35:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8564	7-14（2-4药）备	冰箱	232311012	2025/6/30 17:40:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8565	7-14（2-4药）备	冰箱	232311012	2025/6/30 17:45:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8566	7-14（2-4药）备	冰箱	232311012	2025/6/30 17:50:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8567	7-14（2-4药）备	冰箱	232311012	2025/6/30 17:55:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8568	7-14（2-4药）备	冰箱	232311012	2025/6/30 18:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8569	7-14（2-4药）备	冰箱	232311012	2025/6/30 18:05:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8570	7-14（2-4药）备	冰箱	232311012	2025/6/30 18:10:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8571	7-14（2-4药）备	冰箱	232311012	2025/6/30 18:15:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8572	7-14（2-4药）备	冰箱	232311012	2025/6/30 18:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8573	7-14（2-4药）备	冰箱	232311012	2025/6/30 18:25:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8574	7-14（2-4药）备	冰箱	232311012	2025/6/30 18:30:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8575	7-14（2-4药）备	冰箱	232311012	2025/6/30 18:35:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

8576	7-14（2-4药）备	冰箱	232311012	2025/6/30 18:40:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8577	7-14（2-4药）备	冰箱	232311012	2025/6/30 18:45:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8578	7-14（2-4药）备	冰箱	232311012	2025/6/30 18:50:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8579	7-14（2-4药）备	冰箱	232311012	2025/6/30 18:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8580	7-14（2-4药）备	冰箱	232311012	2025/6/30 19:00:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8581	7-14（2-4药）备	冰箱	232311012	2025/6/30 19:05:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8582	7-14（2-4药）备	冰箱	232311012	2025/6/30 19:10:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8583	7-14（2-4药）备	冰箱	232311012	2025/6/30 19:15:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8584	7-14（2-4药）备	冰箱	232311012	2025/6/30 19:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8585	7-14（2-4药）备	冰箱	232311012	2025/6/30 19:25:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8586	7-14（2-4药）备	冰箱	232311012	2025/6/30 19:30:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8587	7-14（2-4药）备	冰箱	232311012	2025/6/30 19:35:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8588	7-14（2-4药）备	冰箱	232311012	2025/6/30 19:40:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8589	7-14（2-4药）备	冰箱	232311012	2025/6/30 19:45:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8590	7-14（2-4药）备	冰箱	232311012	2025/6/30 19:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8591	7-14（2-4药）备	冰箱	232311012	2025/6/30 19:55:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8592	7-14（2-4药）备	冰箱	232311012	2025/6/30 20:00:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8593	7-14（2-4药）备	冰箱	232311012	2025/6/30 20:05:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8594	7-14（2-4药）备	冰箱	232311012	2025/6/30 20:10:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8595	7-14（2-4药）备	冰箱	232311012	2025/6/30 20:15:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8596	7-14（2-4药）备	冰箱	232311012	2025/6/30 20:20:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8597	7-14（2-4药）备	冰箱	232311012	2025/6/30 20:25:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8598	7-14（2-4药）备	冰箱	232311012	2025/6/30 20:30:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8599	7-14（2-4药）备	冰箱	232311012	2025/6/30 20:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8600	7-14（2-4药）备	冰箱	232311012	2025/6/30 20:40:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8601	7-14（2-4药）备	冰箱	232311012	2025/6/30 20:45:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,

8602	7-14（2-4药）备	冰箱	232311012	2025/6/30 20:50:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8603	7-14（2-4药）备	冰箱	232311012	2025/6/30 20:55:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8604	7-14（2-4药）备	冰箱	232311012	2025/6/30 21:00:00	4.5℃	正常	2023/12/26 18:11:37:未储存药品,
8605	7-14（2-4药）备	冰箱	232311012	2025/6/30 21:05:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8606	7-14（2-4药）备	冰箱	232311012	2025/6/30 21:10:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8607	7-14（2-4药）备	冰箱	232311012	2025/6/30 21:15:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8608	7-14（2-4药）备	冰箱	232311012	2025/6/30 21:20:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8609	7-14（2-4药）备	冰箱	232311012	2025/6/30 21:25:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8610	7-14（2-4药）备	冰箱	232311012	2025/6/30 21:30:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8611	7-14（2-4药）备	冰箱	232311012	2025/6/30 21:35:00	5.1℃	正常	2023/12/26 18:11:37:未储存药品,
8612	7-14（2-4药）备	冰箱	232311012	2025/6/30 21:40:00	5.0℃	正常	2023/12/26 18:11:37:未储存药品,
8613	7-14（2-4药）备	冰箱	232311012	2025/6/30 21:45:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8614	7-14（2-4药）备	冰箱	232311012	2025/6/30 21:50:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8615	7-14（2-4药）备	冰箱	232311012	2025/6/30 21:55:00	5.3℃	正常	2023/12/26 18:11:37:未储存药品,
8616	7-14（2-4药）备	冰箱	232311012	2025/6/30 22:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8617	7-14（2-4药）备	冰箱	232311012	2025/6/30 22:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8618	7-14（2-4药）备	冰箱	232311012	2025/6/30 22:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8619	7-14（2-4药）备	冰箱	232311012	2025/6/30 22:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8620	7-14（2-4药）备	冰箱	232311012	2025/6/30 22:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8621	7-14（2-4药）备	冰箱	232311012	2025/6/30 22:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8622	7-14（2-4药）备	冰箱	232311012	2025/6/30 22:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8623	7-14（2-4药）备	冰箱	232311012	2025/6/30 22:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8624	7-14（2-4药）备	冰箱	232311012	2025/6/30 22:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8625	7-14（2-4药）备	冰箱	232311012	2025/6/30 22:45:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8626	7-14（2-4药）备	冰箱	232311012	2025/6/30 22:50:00	4.7℃	正常	2023/12/26 18:11:37:未储存药品,
8627	7-14（2-4药）备	冰箱	232311012	2025/6/30 22:55:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,

8628	7-14（2-4药）备	冰箱	232311012	2025/6/30 23:00:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8629	7-14（2-4药）备	冰箱	232311012	2025/6/30 23:05:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8630	7-14（2-4药）备	冰箱	232311012	2025/6/30 23:10:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,
8631	7-14（2-4药）备	冰箱	232311012	2025/6/30 23:15:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8632	7-14（2-4药）备	冰箱	232311012	2025/6/30 23:20:00	4.4℃	正常	2023/12/26 18:11:37:未储存药品,
8633	7-14（2-4药）备	冰箱	232311012	2025/6/30 23:25:00	5.4℃	正常	2023/12/26 18:11:37:未储存药品,
8634	7-14（2-4药）备	冰箱	232311012	2025/6/30 23:30:00	4.8℃	正常	2023/12/26 18:11:37:未储存药品,
8635	7-14（2-4药）备	冰箱	232311012	2025/6/30 23:35:00	4.3℃	正常	2023/12/26 18:11:37:未储存药品,
8636	7-14（2-4药）备	冰箱	232311012	2025/6/30 23:40:00	5.2℃	正常	2023/12/26 18:11:37:未储存药品,
8637	7-14（2-4药）备	冰箱	232311012	2025/6/30 23:45:00	4.9℃	正常	2023/12/26 18:11:37:未储存药品,
8638	7-14（2-4药）备	冰箱	232311012	2025/6/30 23:50:00	4.6℃	正常	2023/12/26 18:11:37:未储存药品,
8639	7-14（2-4药）备	冰箱	232311012	2025/6/30 23:55:00	5.5℃	正常	2023/12/26 18:11:37:未储存药品,