

树兰（杭州）医院有限公司温湿度记录数据

2025-03-01 00:00---2025-03-31 23:59

设备_通道
242310258_温度2

最大值
7.2℃

最小值
3.8℃

平均值
4.39℃

序号	仪器名称	类别	SN	记录时间	通道1	设备状态	超标原因
1	7-4（2-1药）	冰箱	242310258	2025/3/1 0:00:00	4.4℃	正常	
2	7-4（2-1药）	冰箱	242310258	2025/3/1 0:05:00	4.1℃	正常	
3	7-4（2-1药）	冰箱	242310258	2025/3/1 0:10:00	4.4℃	正常	
4	7-4（2-1药）	冰箱	242310258	2025/3/1 0:15:00	4.3℃	正常	
5	7-4（2-1药）	冰箱	242310258	2025/3/1 0:20:00	4.2℃	正常	
6	7-4（2-1药）	冰箱	242310258	2025/3/1 0:25:00	4.5℃	正常	
7	7-4（2-1药）	冰箱	242310258	2025/3/1 0:30:00	4.0℃	正常	
8	7-4（2-1药）	冰箱	242310258	2025/3/1 0:35:00	4.5℃	正常	
9	7-4（2-1药）	冰箱	242310258	2025/3/1 0:40:00	3.9℃	正常	
10	7-4（2-1药）	冰箱	242310258	2025/3/1 0:45:00	4.5℃	正常	
11	7-4（2-1药）	冰箱	242310258	2025/3/1 0:50:00	4.0℃	正常	
12	7-4（2-1药）	冰箱	242310258	2025/3/1 0:55:00	4.5℃	正常	
13	7-4（2-1药）	冰箱	242310258	2025/3/1 1:00:00	4.1℃	正常	
14	7-4（2-1药）	冰箱	242310258	2025/3/1 1:05:00	4.4℃	正常	
15	7-4（2-1药）	冰箱	242310258	2025/3/1 1:10:00	4.3℃	正常	
16	7-4（2-1药）	冰箱	242310258	2025/3/1 1:15:00	4.3℃	正常	
17	7-4（2-1药）	冰箱	242310258	2025/3/1 1:20:00	4.4℃	正常	
18	7-4（2-1药）	冰箱	242310258	2025/3/1 1:25:00	4.1℃	正常	
19	7-4（2-1药）	冰箱	242310258	2025/3/1 1:30:00	4.6℃	正常	
20	7-4（2-1药）	冰箱	242310258	2025/3/1 1:35:00	3.9℃	正常	
21	7-4（2-1药）	冰箱	242310258	2025/3/1 1:40:00	4.5℃	正常	
22	7-4（2-1药）	冰箱	242310258	2025/3/1 1:45:00	3.9℃	正常	
23	7-4（2-1药）	冰箱	242310258	2025/3/1 1:50:00	4.5℃	正常	
24	7-4（2-1药）	冰箱	242310258	2025/3/1 1:55:00	4.0℃	正常	
25	7-4（2-1药）	冰箱	242310258	2025/3/1 2:00:00	4.4℃	正常	
26	7-4（2-1药）	冰箱	242310258	2025/3/1 2:05:00	4.2℃	正常	
27	7-4（2-1药）	冰箱	242310258	2025/3/1 2:10:00	4.3℃	正常	
28	7-4（2-1药）	冰箱	242310258	2025/3/1 2:15:00	4.4℃	正常	
29	7-4（2-1药）	冰箱	242310258	2025/3/1 2:20:00	4.1℃	正常	
30	7-4（2-1药）	冰箱	242310258	2025/3/1 2:25:00	4.5℃	正常	
31	7-4（2-1药）	冰箱	242310258	2025/3/1 2:30:00	3.9℃	正常	
32	7-4（2-1药）	冰箱	242310258	2025/3/1 2:35:00	4.6℃	正常	
33	7-4（2-1药）	冰箱	242310258	2025/3/1 2:40:00	3.9℃	正常	
34	7-4（2-1药）	冰箱	242310258	2025/3/1 2:45:00	4.5℃	正常	
35	7-4（2-1药）	冰箱	242310258	2025/3/1 2:50:00	4.0℃	正常	
36	7-4（2-1药）	冰箱	242310258	2025/3/1 2:55:00	4.4℃	正常	
37	7-4（2-1药）	冰箱	242310258	2025/3/1 3:00:00	4.2℃	正常	
38	7-4（2-1药）	冰箱	242310258	2025/3/1 3:05:00	4.3℃	正常	
39	7-4（2-1药）	冰箱	242310258	2025/3/1 3:10:00	4.3℃	正常	
40	7-4（2-1药）	冰箱	242310258	2025/3/1 3:15:00	4.2℃	正常	
41	7-4（2-1药）	冰箱	242310258	2025/3/1 3:20:00	4.5℃	正常	
42	7-4（2-1药）	冰箱	242310258	2025/3/1 3:25:00	4.0℃	正常	
43	7-4（2-1药）	冰箱	242310258	2025/3/1 3:30:00	4.6℃	正常	
44	7-4（2-1药）	冰箱	242310258	2025/3/1 3:35:00	3.9℃	正常	
45	7-4（2-1药）	冰箱	242310258	2025/3/1 3:40:00	4.5℃	正常	
46	7-4（2-1药）	冰箱	242310258	2025/3/1 3:45:00	4.0℃	正常	
47	7-4（2-1药）	冰箱	242310258	2025/3/1 3:50:00	4.5℃	正常	
48	7-4（2-1药）	冰箱	242310258	2025/3/1 3:55:00	4.1℃	正常	
49	7-4（2-1药）	冰箱	242310258	2025/3/1 4:00:00	4.3℃	正常	
50	7-4（2-1药）	冰箱	242310258	2025/3/1 4:05:00	4.4℃	正常	
51	7-4（2-1药）	冰箱	242310258	2025/3/1 4:10:00	4.2℃	正常	
52	7-4（2-1药）	冰箱	242310258	2025/3/1 4:15:00	4.5℃	正常	

53	7-4 (2-1药)	冰箱	242310258	2025/3/1 4:20:00	4.0℃	正常	
54	7-4 (2-1药)	冰箱	242310258	2025/3/1 4:25:00	4.5℃	正常	
55	7-4 (2-1药)	冰箱	242310258	2025/3/1 4:30:00	3.9℃	正常	
56	7-4 (2-1药)	冰箱	242310258	2025/3/1 4:35:00	4.5℃	正常	
57	7-4 (2-1药)	冰箱	242310258	2025/3/1 4:40:00	3.9℃	正常	
58	7-4 (2-1药)	冰箱	242310258	2025/3/1 4:45:00	4.4℃	正常	
59	7-4 (2-1药)	冰箱	242310258	2025/3/1 4:50:00	4.1℃	正常	
60	7-4 (2-1药)	冰箱	242310258	2025/3/1 4:55:00	4.3℃	正常	
61	7-4 (2-1药)	冰箱	242310258	2025/3/1 5:00:00	4.3℃	正常	
62	7-4 (2-1药)	冰箱	242310258	2025/3/1 5:05:00	4.1℃	正常	
63	7-4 (2-1药)	冰箱	242310258	2025/3/1 5:10:00	4.5℃	正常	
64	7-4 (2-1药)	冰箱	242310258	2025/3/1 5:15:00	4.0℃	正常	
65	7-4 (2-1药)	冰箱	242310258	2025/3/1 5:20:00	4.5℃	正常	
66	7-4 (2-1药)	冰箱	242310258	2025/3/1 5:25:00	3.9℃	正常	
67	7-4 (2-1药)	冰箱	242310258	2025/3/1 5:30:00	4.9℃	正常	
68	7-4 (2-1药)	冰箱	242310258	2025/3/1 5:35:00	4.3℃	正常	
69	7-4 (2-1药)	冰箱	242310258	2025/3/1 5:40:00	4.6℃	正常	
70	7-4 (2-1药)	冰箱	242310258	2025/3/1 5:45:00	4.0℃	正常	
71	7-4 (2-1药)	冰箱	242310258	2025/3/1 5:50:00	4.6℃	正常	
72	7-4 (2-1药)	冰箱	242310258	2025/3/1 5:55:00	3.9℃	正常	
73	7-4 (2-1药)	冰箱	242310258	2025/3/1 6:00:00	4.5℃	正常	
74	7-4 (2-1药)	冰箱	242310258	2025/3/1 6:05:00	4.0℃	正常	
75	7-4 (2-1药)	冰箱	242310258	2025/3/1 6:10:00	4.4℃	正常	
76	7-4 (2-1药)	冰箱	242310258	2025/3/1 6:15:00	4.2℃	正常	
77	7-4 (2-1药)	冰箱	242310258	2025/3/1 6:20:00	4.3℃	正常	
78	7-4 (2-1药)	冰箱	242310258	2025/3/1 6:25:00	4.3℃	正常	
79	7-4 (2-1药)	冰箱	242310258	2025/3/1 6:30:00	4.1℃	正常	
80	7-4 (2-1药)	冰箱	242310258	2025/3/1 6:35:00	4.5℃	正常	
81	7-4 (2-1药)	冰箱	242310258	2025/3/1 6:40:00	4.0℃	正常	
82	7-4 (2-1药)	冰箱	242310258	2025/3/1 6:45:00	4.5℃	正常	
83	7-4 (2-1药)	冰箱	242310258	2025/3/1 6:50:00	3.9℃	正常	
84	7-4 (2-1药)	冰箱	242310258	2025/3/1 6:55:00	4.4℃	正常	
85	7-4 (2-1药)	冰箱	242310258	2025/3/1 7:00:00	4.2℃	正常	
86	7-4 (2-1药)	冰箱	242310258	2025/3/1 7:05:00	4.3℃	正常	
87	7-4 (2-1药)	冰箱	242310258	2025/3/1 7:10:00	4.4℃	正常	
88	7-4 (2-1药)	冰箱	242310258	2025/3/1 7:15:00	4.1℃	正常	
89	7-4 (2-1药)	冰箱	242310258	2025/3/1 7:20:00	4.6℃	正常	
90	7-4 (2-1药)	冰箱	242310258	2025/3/1 7:25:00	3.9℃	正常	
91	7-4 (2-1药)	冰箱	242310258	2025/3/1 7:30:00	4.6℃	正常	
92	7-4 (2-1药)	冰箱	242310258	2025/3/1 7:35:00	3.9℃	正常	
93	7-4 (2-1药)	冰箱	242310258	2025/3/1 7:40:00	4.5℃	正常	
94	7-4 (2-1药)	冰箱	242310258	2025/3/1 7:45:00	4.0℃	正常	
95	7-4 (2-1药)	冰箱	242310258	2025/3/1 7:50:00	4.4℃	正常	
96	7-4 (2-1药)	冰箱	242310258	2025/3/1 7:55:00	4.3℃	正常	
97	7-4 (2-1药)	冰箱	242310258	2025/3/1 8:00:00	4.2℃	正常	
98	7-4 (2-1药)	冰箱	242310258	2025/3/1 8:05:00	4.5℃	正常	
99	7-4 (2-1药)	冰箱	242310258	2025/3/1 8:10:00	4.0℃	正常	
100	7-4 (2-1药)	冰箱	242310258	2025/3/1 8:15:00	4.6℃	正常	
101	7-4 (2-1药)	冰箱	242310258	2025/3/1 8:20:00	3.9℃	正常	
102	7-4 (2-1药)	冰箱	242310258	2025/3/1 8:25:00	4.6℃	正常	
103	7-4 (2-1药)	冰箱	242310258	2025/3/1 8:30:00	4.0℃	正常	
104	7-4 (2-1药)	冰箱	242310258	2025/3/1 8:35:00	4.5℃	正常	
105	7-4 (2-1药)	冰箱	242310258	2025/3/1 8:40:00	4.2℃	正常	
106	7-4 (2-1药)	冰箱	242310258	2025/3/1 8:45:00	4.3℃	正常	
107	7-4 (2-1药)	冰箱	242310258	2025/3/1 8:50:00	4.4℃	正常	
108	7-4 (2-1药)	冰箱	242310258	2025/3/1 8:55:00	4.1℃	正常	
109	7-4 (2-1药)	冰箱	242310258	2025/3/1 9:00:00	4.5℃	正常	
110	7-4 (2-1药)	冰箱	242310258	2025/3/1 9:05:00	3.9℃	正常	
111	7-4 (2-1药)	冰箱	242310258	2025/3/1 9:10:00	4.6℃	正常	
112	7-4 (2-1药)	冰箱	242310258	2025/3/1 9:15:00	3.9℃	正常	
113	7-4 (2-1药)	冰箱	242310258	2025/3/1 9:20:00	4.5℃	正常	
114	7-4 (2-1药)	冰箱	242310258	2025/3/1 9:25:00	4.0℃	正常	
115	7-4 (2-1药)	冰箱	242310258	2025/3/1 9:30:00	4.4℃	正常	
116	7-4 (2-1药)	冰箱	242310258	2025/3/1 9:35:00	4.2℃	正常	

117	7-4 (2-1药)	冰箱	242310258	2025/3/1 9:40:00	4.2℃	正常	
118	7-4 (2-1药)	冰箱	242310258	2025/3/1 9:45:00	4.5℃	正常	
119	7-4 (2-1药)	冰箱	242310258	2025/3/1 9:50:00	4.0℃	正常	
120	7-4 (2-1药)	冰箱	242310258	2025/3/1 9:55:00	4.6℃	正常	
121	7-4 (2-1药)	冰箱	242310258	2025/3/1 10:00:00	3.9℃	正常	
122	7-4 (2-1药)	冰箱	242310258	2025/3/1 10:05:00	4.6℃	正常	
123	7-4 (2-1药)	冰箱	242310258	2025/3/1 10:10:00	3.9℃	正常	
124	7-4 (2-1药)	冰箱	242310258	2025/3/1 10:15:00	4.5℃	正常	
125	7-4 (2-1药)	冰箱	242310258	2025/3/1 10:20:00	4.1℃	正常	
126	7-4 (2-1药)	冰箱	242310258	2025/3/1 10:25:00	4.3℃	正常	
127	7-4 (2-1药)	冰箱	242310258	2025/3/1 10:30:00	4.3℃	正常	
128	7-4 (2-1药)	冰箱	242310258	2025/3/1 10:35:00	4.1℃	正常	
129	7-4 (2-1药)	冰箱	242310258	2025/3/1 10:40:00	4.5℃	正常	
130	7-4 (2-1药)	冰箱	242310258	2025/3/1 10:45:00	4.0℃	正常	
131	7-4 (2-1药)	冰箱	242310258	2025/3/1 10:50:00	4.6℃	正常	
132	7-4 (2-1药)	冰箱	242310258	2025/3/1 10:55:00	3.9℃	正常	
133	7-4 (2-1药)	冰箱	242310258	2025/3/1 11:00:00	4.5℃	正常	
134	7-4 (2-1药)	冰箱	242310258	2025/3/1 11:05:00	4.0℃	正常	
135	7-4 (2-1药)	冰箱	242310258	2025/3/1 11:10:00	4.4℃	正常	
136	7-4 (2-1药)	冰箱	242310258	2025/3/1 11:15:00	4.2℃	正常	
137	7-4 (2-1药)	冰箱	242310258	2025/3/1 11:20:00	4.3℃	正常	
138	7-4 (2-1药)	冰箱	242310258	2025/3/1 11:25:00	4.4℃	正常	
139	7-4 (2-1药)	冰箱	242310258	2025/3/1 11:30:00	4.1℃	正常	
140	7-4 (2-1药)	冰箱	242310258	2025/3/1 11:35:00	4.6℃	正常	
141	7-4 (2-1药)	冰箱	242310258	2025/3/1 11:40:00	4.0℃	正常	
142	7-4 (2-1药)	冰箱	242310258	2025/3/1 11:45:00	4.6℃	正常	
143	7-4 (2-1药)	冰箱	242310258	2025/3/1 11:50:00	3.9℃	正常	
144	7-4 (2-1药)	冰箱	242310258	2025/3/1 11:55:00	4.5℃	正常	
145	7-4 (2-1药)	冰箱	242310258	2025/3/1 12:00:00	3.9℃	正常	
146	7-4 (2-1药)	冰箱	242310258	2025/3/1 12:05:00	4.4℃	正常	
147	7-4 (2-1药)	冰箱	242310258	2025/3/1 12:10:00	4.1℃	正常	
148	7-4 (2-1药)	冰箱	242310258	2025/3/1 12:15:00	4.3℃	正常	
149	7-4 (2-1药)	冰箱	242310258	2025/3/1 12:20:00	4.4℃	正常	
150	7-4 (2-1药)	冰箱	242310258	2025/3/1 12:25:00	4.1℃	正常	
151	7-4 (2-1药)	冰箱	242310258	2025/3/1 12:30:00	4.5℃	正常	
152	7-4 (2-1药)	冰箱	242310258	2025/3/1 12:35:00	4.0℃	正常	
153	7-4 (2-1药)	冰箱	242310258	2025/3/1 12:40:00	4.6℃	正常	
154	7-4 (2-1药)	冰箱	242310258	2025/3/1 12:45:00	3.9℃	正常	
155	7-4 (2-1药)	冰箱	242310258	2025/3/1 12:50:00	4.6℃	正常	
156	7-4 (2-1药)	冰箱	242310258	2025/3/1 12:55:00	4.0℃	正常	
157	7-4 (2-1药)	冰箱	242310258	2025/3/1 13:00:00	4.5℃	正常	
158	7-4 (2-1药)	冰箱	242310258	2025/3/1 13:05:00	4.1℃	正常	
159	7-4 (2-1药)	冰箱	242310258	2025/3/1 13:10:00	4.4℃	正常	
160	7-4 (2-1药)	冰箱	242310258	2025/3/1 13:15:00	4.2℃	正常	
161	7-4 (2-1药)	冰箱	242310258	2025/3/1 13:20:00	4.2℃	正常	
162	7-4 (2-1药)	冰箱	242310258	2025/3/1 13:25:00	4.4℃	正常	
163	7-4 (2-1药)	冰箱	242310258	2025/3/1 13:30:00	4.1℃	正常	
164	7-4 (2-1药)	冰箱	242310258	2025/3/1 13:35:00	4.6℃	正常	
165	7-4 (2-1药)	冰箱	242310258	2025/3/1 13:40:00	4.0℃	正常	
166	7-4 (2-1药)	冰箱	242310258	2025/3/1 13:45:00	4.5℃	正常	
167	7-4 (2-1药)	冰箱	242310258	2025/3/1 13:50:00	3.9℃	正常	
168	7-4 (2-1药)	冰箱	242310258	2025/3/1 13:55:00	4.5℃	正常	
169	7-4 (2-1药)	冰箱	242310258	2025/3/1 14:00:00	4.0℃	正常	
170	7-4 (2-1药)	冰箱	242310258	2025/3/1 14:05:00	4.4℃	正常	
171	7-4 (2-1药)	冰箱	242310258	2025/3/1 14:10:00	4.3℃	正常	
172	7-4 (2-1药)	冰箱	242310258	2025/3/1 14:15:00	4.2℃	正常	
173	7-4 (2-1药)	冰箱	242310258	2025/3/1 14:20:00	4.5℃	正常	
174	7-4 (2-1药)	冰箱	242310258	2025/3/1 14:25:00	4.0℃	正常	
175	7-4 (2-1药)	冰箱	242310258	2025/3/1 14:30:00	4.6℃	正常	
176	7-4 (2-1药)	冰箱	242310258	2025/3/1 14:35:00	3.9℃	正常	
177	7-4 (2-1药)	冰箱	242310258	2025/3/1 14:40:00	4.5℃	正常	
178	7-4 (2-1药)	冰箱	242310258	2025/3/1 14:45:00	3.9℃	正常	
179	7-4 (2-1药)	冰箱	242310258	2025/3/1 14:50:00	4.5℃	正常	
180	7-4 (2-1药)	冰箱	242310258	2025/3/1 14:55:00	4.0℃	正常	

181	7-4 (2-1药)	冰箱	242310258	2025/3/1 15:00:00	4.4℃	正常	
182	7-4 (2-1药)	冰箱	242310258	2025/3/1 15:05:00	4.2℃	正常	
183	7-4 (2-1药)	冰箱	242310258	2025/3/1 15:10:00	4.3℃	正常	
184	7-4 (2-1药)	冰箱	242310258	2025/3/1 15:15:00	4.4℃	正常	
185	7-4 (2-1药)	冰箱	242310258	2025/3/1 15:20:00	4.1℃	正常	
186	7-4 (2-1药)	冰箱	242310258	2025/3/1 15:25:00	4.5℃	正常	
187	7-4 (2-1药)	冰箱	242310258	2025/3/1 15:30:00	3.9℃	正常	
188	7-4 (2-1药)	冰箱	242310258	2025/3/1 15:35:00	4.5℃	正常	
189	7-4 (2-1药)	冰箱	242310258	2025/3/1 15:40:00	3.9℃	正常	
190	7-4 (2-1药)	冰箱	242310258	2025/3/1 15:45:00	4.5℃	正常	
191	7-4 (2-1药)	冰箱	242310258	2025/3/1 15:50:00	4.0℃	正常	
192	7-4 (2-1药)	冰箱	242310258	2025/3/1 15:55:00	4.4℃	正常	
193	7-4 (2-1药)	冰箱	242310258	2025/3/1 16:00:00	4.1℃	正常	
194	7-4 (2-1药)	冰箱	242310258	2025/3/1 16:05:00	4.3℃	正常	
195	7-4 (2-1药)	冰箱	242310258	2025/3/1 16:10:00	4.4℃	正常	
196	7-4 (2-1药)	冰箱	242310258	2025/3/1 16:15:00	4.2℃	正常	
197	7-4 (2-1药)	冰箱	242310258	2025/3/1 16:20:00	4.5℃	正常	
198	7-4 (2-1药)	冰箱	242310258	2025/3/1 16:25:00	4.1℃	正常	
199	7-4 (2-1药)	冰箱	242310258	2025/3/1 16:30:00	4.7℃	正常	
200	7-4 (2-1药)	冰箱	242310258	2025/3/1 16:35:00	4.4℃	正常	
201	7-4 (2-1药)	冰箱	242310258	2025/3/1 16:40:00	4.4℃	正常	
202	7-4 (2-1药)	冰箱	242310258	2025/3/1 16:45:00	4.2℃	正常	
203	7-4 (2-1药)	冰箱	242310258	2025/3/1 16:50:00	4.5℃	正常	
204	7-4 (2-1药)	冰箱	242310258	2025/3/1 16:55:00	4.0℃	正常	
205	7-4 (2-1药)	冰箱	242310258	2025/3/1 17:00:00	4.6℃	正常	
206	7-4 (2-1药)	冰箱	242310258	2025/3/1 17:05:00	3.9℃	正常	
207	7-4 (2-1药)	冰箱	242310258	2025/3/1 17:10:00	4.5℃	正常	
208	7-4 (2-1药)	冰箱	242310258	2025/3/1 17:15:00	4.0℃	正常	
209	7-4 (2-1药)	冰箱	242310258	2025/3/1 17:20:00	4.4℃	正常	
210	7-4 (2-1药)	冰箱	242310258	2025/3/1 17:25:00	4.2℃	正常	
211	7-4 (2-1药)	冰箱	242310258	2025/3/1 17:30:00	4.3℃	正常	
212	7-4 (2-1药)	冰箱	242310258	2025/3/1 17:35:00	4.4℃	正常	
213	7-4 (2-1药)	冰箱	242310258	2025/3/1 17:40:00	4.1℃	正常	
214	7-4 (2-1药)	冰箱	242310258	2025/3/1 17:45:00	4.6℃	正常	
215	7-4 (2-1药)	冰箱	242310258	2025/3/1 17:50:00	4.0℃	正常	
216	7-4 (2-1药)	冰箱	242310258	2025/3/1 17:55:00	4.6℃	正常	
217	7-4 (2-1药)	冰箱	242310258	2025/3/1 18:00:00	3.9℃	正常	
218	7-4 (2-1药)	冰箱	242310258	2025/3/1 18:05:00	4.5℃	正常	
219	7-4 (2-1药)	冰箱	242310258	2025/3/1 18:10:00	3.9℃	正常	
220	7-4 (2-1药)	冰箱	242310258	2025/3/1 18:15:00	4.5℃	正常	
221	7-4 (2-1药)	冰箱	242310258	2025/3/1 18:20:00	4.1℃	正常	
222	7-4 (2-1药)	冰箱	242310258	2025/3/1 18:25:00	4.3℃	正常	
223	7-4 (2-1药)	冰箱	242310258	2025/3/1 18:30:00	4.3℃	正常	
224	7-4 (2-1药)	冰箱	242310258	2025/3/1 18:35:00	4.2℃	正常	
225	7-4 (2-1药)	冰箱	242310258	2025/3/1 18:40:00	4.4℃	正常	
226	7-4 (2-1药)	冰箱	242310258	2025/3/1 18:45:00	4.0℃	正常	
227	7-4 (2-1药)	冰箱	242310258	2025/3/1 18:50:00	4.6℃	正常	
228	7-4 (2-1药)	冰箱	242310258	2025/3/1 18:55:00	4.0℃	正常	
229	7-4 (2-1药)	冰箱	242310258	2025/3/1 19:00:00	4.6℃	正常	
230	7-4 (2-1药)	冰箱	242310258	2025/3/1 19:05:00	3.9℃	正常	
231	7-4 (2-1药)	冰箱	242310258	2025/3/1 19:10:00	4.6℃	正常	
232	7-4 (2-1药)	冰箱	242310258	2025/3/1 19:15:00	3.9℃	正常	
233	7-4 (2-1药)	冰箱	242310258	2025/3/1 19:20:00	4.4℃	正常	
234	7-4 (2-1药)	冰箱	242310258	2025/3/1 19:25:00	4.1℃	正常	
235	7-4 (2-1药)	冰箱	242310258	2025/3/1 19:30:00	4.3℃	正常	
236	7-4 (2-1药)	冰箱	242310258	2025/3/1 19:35:00	4.3℃	正常	
237	7-4 (2-1药)	冰箱	242310258	2025/3/1 19:40:00	4.2℃	正常	
238	7-4 (2-1药)	冰箱	242310258	2025/3/1 19:45:00	4.5℃	正常	
239	7-4 (2-1药)	冰箱	242310258	2025/3/1 19:50:00	4.0℃	正常	
240	7-4 (2-1药)	冰箱	242310258	2025/3/1 19:55:00	4.6℃	正常	
241	7-4 (2-1药)	冰箱	242310258	2025/3/1 20:00:00	4.0℃	正常	
242	7-4 (2-1药)	冰箱	242310258	2025/3/1 20:05:00	4.5℃	正常	
243	7-4 (2-1药)	冰箱	242310258	2025/3/1 20:10:00	3.9℃	正常	
244	7-4 (2-1药)	冰箱	242310258	2025/3/1 20:15:00	4.5℃	正常	

245	7-4 (2-1药)	冰箱	242310258	2025/3/1 20:20:00	4.0℃	正常	
246	7-4 (2-1药)	冰箱	242310258	2025/3/1 20:25:00	4.4℃	正常	
247	7-4 (2-1药)	冰箱	242310258	2025/3/1 20:30:00	4.2℃	正常	
248	7-4 (2-1药)	冰箱	242310258	2025/3/1 20:35:00	4.3℃	正常	
249	7-4 (2-1药)	冰箱	242310258	2025/3/1 20:40:00	4.4℃	正常	
250	7-4 (2-1药)	冰箱	242310258	2025/3/1 20:45:00	4.2℃	正常	
251	7-4 (2-1药)	冰箱	242310258	2025/3/1 20:50:00	4.5℃	正常	
252	7-4 (2-1药)	冰箱	242310258	2025/3/1 20:55:00	4.0℃	正常	
253	7-4 (2-1药)	冰箱	242310258	2025/3/1 21:00:00	4.6℃	正常	
254	7-4 (2-1药)	冰箱	242310258	2025/3/1 21:05:00	3.9℃	正常	
255	7-4 (2-1药)	冰箱	242310258	2025/3/1 21:10:00	4.5℃	正常	
256	7-4 (2-1药)	冰箱	242310258	2025/3/1 21:15:00	4.0℃	正常	
257	7-4 (2-1药)	冰箱	242310258	2025/3/1 21:20:00	4.4℃	正常	
258	7-4 (2-1药)	冰箱	242310258	2025/3/1 21:25:00	4.2℃	正常	
259	7-4 (2-1药)	冰箱	242310258	2025/3/1 21:30:00	4.3℃	正常	
260	7-4 (2-1药)	冰箱	242310258	2025/3/1 21:35:00	4.3℃	正常	
261	7-4 (2-1药)	冰箱	242310258	2025/3/1 21:40:00	4.1℃	正常	
262	7-4 (2-1药)	冰箱	242310258	2025/3/1 21:45:00	4.5℃	正常	
263	7-4 (2-1药)	冰箱	242310258	2025/3/1 21:50:00	4.0℃	正常	
264	7-4 (2-1药)	冰箱	242310258	2025/3/1 21:55:00	4.6℃	正常	
265	7-4 (2-1药)	冰箱	242310258	2025/3/1 22:00:00	3.9℃	正常	
266	7-4 (2-1药)	冰箱	242310258	2025/3/1 22:05:00	4.6℃	正常	
267	7-4 (2-1药)	冰箱	242310258	2025/3/1 22:10:00	4.0℃	正常	
268	7-4 (2-1药)	冰箱	242310258	2025/3/1 22:15:00	4.5℃	正常	
269	7-4 (2-1药)	冰箱	242310258	2025/3/1 22:20:00	4.0℃	正常	
270	7-4 (2-1药)	冰箱	242310258	2025/3/1 22:25:00	4.4℃	正常	
271	7-4 (2-1药)	冰箱	242310258	2025/3/1 22:30:00	4.2℃	正常	
272	7-4 (2-1药)	冰箱	242310258	2025/3/1 22:35:00	4.3℃	正常	
273	7-4 (2-1药)	冰箱	242310258	2025/3/1 22:40:00	4.4℃	正常	
274	7-4 (2-1药)	冰箱	242310258	2025/3/1 22:45:00	4.1℃	正常	
275	7-4 (2-1药)	冰箱	242310258	2025/3/1 22:50:00	4.5℃	正常	
276	7-4 (2-1药)	冰箱	242310258	2025/3/1 22:55:00	4.0℃	正常	
277	7-4 (2-1药)	冰箱	242310258	2025/3/1 23:00:00	4.5℃	正常	
278	7-4 (2-1药)	冰箱	242310258	2025/3/1 23:05:00	3.9℃	正常	
279	7-4 (2-1药)	冰箱	242310258	2025/3/1 23:10:00	4.5℃	正常	
280	7-4 (2-1药)	冰箱	242310258	2025/3/1 23:15:00	4.0℃	正常	
281	7-4 (2-1药)	冰箱	242310258	2025/3/1 23:20:00	4.4℃	正常	
282	7-4 (2-1药)	冰箱	242310258	2025/3/1 23:25:00	4.2℃	正常	
283	7-4 (2-1药)	冰箱	242310258	2025/3/1 23:30:00	4.3℃	正常	
284	7-4 (2-1药)	冰箱	242310258	2025/3/1 23:35:00	4.4℃	正常	
285	7-4 (2-1药)	冰箱	242310258	2025/3/1 23:40:00	4.1℃	正常	
286	7-4 (2-1药)	冰箱	242310258	2025/3/1 23:45:00	4.5℃	正常	
287	7-4 (2-1药)	冰箱	242310258	2025/3/1 23:50:00	4.0℃	正常	
288	7-4 (2-1药)	冰箱	242310258	2025/3/1 23:55:00	4.6℃	正常	
289	7-4 (2-1药)	冰箱	242310258	2025/3/2 0:00:00	3.9℃	正常	
290	7-4 (2-1药)	冰箱	242310258	2025/3/2 0:05:00	4.5℃	正常	
291	7-4 (2-1药)	冰箱	242310258	2025/3/2 0:10:00	4.0℃	正常	
292	7-4 (2-1药)	冰箱	242310258	2025/3/2 0:15:00	4.5℃	正常	
293	7-4 (2-1药)	冰箱	242310258	2025/3/2 0:20:00	4.0℃	正常	
294	7-4 (2-1药)	冰箱	242310258	2025/3/2 0:25:00	4.4℃	正常	
295	7-4 (2-1药)	冰箱	242310258	2025/3/2 0:30:00	4.2℃	正常	
296	7-4 (2-1药)	冰箱	242310258	2025/3/2 0:35:00	4.3℃	正常	
297	7-4 (2-1药)	冰箱	242310258	2025/3/2 0:40:00	4.3℃	正常	
298	7-4 (2-1药)	冰箱	242310258	2025/3/2 0:45:00	4.2℃	正常	
299	7-4 (2-1药)	冰箱	242310258	2025/3/2 0:50:00	4.5℃	正常	
300	7-4 (2-1药)	冰箱	242310258	2025/3/2 0:55:00	4.1℃	正常	
301	7-4 (2-1药)	冰箱	242310258	2025/3/2 1:00:00	4.5℃	正常	
302	7-4 (2-1药)	冰箱	242310258	2025/3/2 1:05:00	3.9℃	正常	
303	7-4 (2-1药)	冰箱	242310258	2025/3/2 1:10:00	4.6℃	正常	
304	7-4 (2-1药)	冰箱	242310258	2025/3/2 1:15:00	3.9℃	正常	
305	7-4 (2-1药)	冰箱	242310258	2025/3/2 1:20:00	4.5℃	正常	
306	7-4 (2-1药)	冰箱	242310258	2025/3/2 1:25:00	4.0℃	正常	
307	7-4 (2-1药)	冰箱	242310258	2025/3/2 1:30:00	4.4℃	正常	
308	7-4 (2-1药)	冰箱	242310258	2025/3/2 1:35:00	4.2℃	正常	

309	7-4 (2-1药)	冰箱	242310258	2025/3/2 1:40:00	4.3℃	正常	
310	7-4 (2-1药)	冰箱	242310258	2025/3/2 1:45:00	4.4℃	正常	
311	7-4 (2-1药)	冰箱	242310258	2025/3/2 1:50:00	4.2℃	正常	
312	7-4 (2-1药)	冰箱	242310258	2025/3/2 1:55:00	4.4℃	正常	
313	7-4 (2-1药)	冰箱	242310258	2025/3/2 2:00:00	4.0℃	正常	
314	7-4 (2-1药)	冰箱	242310258	2025/3/2 2:05:00	4.6℃	正常	
315	7-4 (2-1药)	冰箱	242310258	2025/3/2 2:10:00	4.0℃	正常	
316	7-4 (2-1药)	冰箱	242310258	2025/3/2 2:15:00	4.6℃	正常	
317	7-4 (2-1药)	冰箱	242310258	2025/3/2 2:20:00	3.9℃	正常	
318	7-4 (2-1药)	冰箱	242310258	2025/3/2 2:25:00	4.5℃	正常	
319	7-4 (2-1药)	冰箱	242310258	2025/3/2 2:30:00	4.0℃	正常	
320	7-4 (2-1药)	冰箱	242310258	2025/3/2 2:35:00	4.4℃	正常	
321	7-4 (2-1药)	冰箱	242310258	2025/3/2 2:40:00	4.2℃	正常	
322	7-4 (2-1药)	冰箱	242310258	2025/3/2 2:45:00	4.3℃	正常	
323	7-4 (2-1药)	冰箱	242310258	2025/3/2 2:50:00	4.4℃	正常	
324	7-4 (2-1药)	冰箱	242310258	2025/3/2 2:55:00	4.1℃	正常	
325	7-4 (2-1药)	冰箱	242310258	2025/3/2 3:00:00	4.5℃	正常	
326	7-4 (2-1药)	冰箱	242310258	2025/3/2 3:05:00	4.0℃	正常	
327	7-4 (2-1药)	冰箱	242310258	2025/3/2 3:10:00	4.6℃	正常	
328	7-4 (2-1药)	冰箱	242310258	2025/3/2 3:15:00	3.9℃	正常	
329	7-4 (2-1药)	冰箱	242310258	2025/3/2 3:20:00	4.9℃	正常	
330	7-4 (2-1药)	冰箱	242310258	2025/3/2 3:25:00	4.2℃	正常	
331	7-4 (2-1药)	冰箱	242310258	2025/3/2 3:30:00	4.6℃	正常	
332	7-4 (2-1药)	冰箱	242310258	2025/3/2 3:35:00	4.0℃	正常	
333	7-4 (2-1药)	冰箱	242310258	2025/3/2 3:40:00	4.6℃	正常	
334	7-4 (2-1药)	冰箱	242310258	2025/3/2 3:45:00	3.9℃	正常	
335	7-4 (2-1药)	冰箱	242310258	2025/3/2 3:50:00	4.5℃	正常	
336	7-4 (2-1药)	冰箱	242310258	2025/3/2 3:55:00	3.9℃	正常	
337	7-4 (2-1药)	冰箱	242310258	2025/3/2 4:00:00	4.4℃	正常	
338	7-4 (2-1药)	冰箱	242310258	2025/3/2 4:05:00	4.0℃	正常	
339	7-4 (2-1药)	冰箱	242310258	2025/3/2 4:10:00	4.4℃	正常	
340	7-4 (2-1药)	冰箱	242310258	2025/3/2 4:15:00	4.2℃	正常	
341	7-4 (2-1药)	冰箱	242310258	2025/3/2 4:20:00	4.3℃	正常	
342	7-4 (2-1药)	冰箱	242310258	2025/3/2 4:25:00	4.4℃	正常	
343	7-4 (2-1药)	冰箱	242310258	2025/3/2 4:30:00	4.1℃	正常	
344	7-4 (2-1药)	冰箱	242310258	2025/3/2 4:35:00	4.5℃	正常	
345	7-4 (2-1药)	冰箱	242310258	2025/3/2 4:40:00	3.9℃	正常	
346	7-4 (2-1药)	冰箱	242310258	2025/3/2 4:45:00	4.6℃	正常	
347	7-4 (2-1药)	冰箱	242310258	2025/3/2 4:50:00	3.9℃	正常	
348	7-4 (2-1药)	冰箱	242310258	2025/3/2 4:55:00	4.5℃	正常	
349	7-4 (2-1药)	冰箱	242310258	2025/3/2 5:00:00	3.9℃	正常	
350	7-4 (2-1药)	冰箱	242310258	2025/3/2 5:05:00	4.4℃	正常	
351	7-4 (2-1药)	冰箱	242310258	2025/3/2 5:10:00	4.1℃	正常	
352	7-4 (2-1药)	冰箱	242310258	2025/3/2 5:15:00	4.3℃	正常	
353	7-4 (2-1药)	冰箱	242310258	2025/3/2 5:20:00	4.3℃	正常	
354	7-4 (2-1药)	冰箱	242310258	2025/3/2 5:25:00	4.2℃	正常	
355	7-4 (2-1药)	冰箱	242310258	2025/3/2 5:30:00	4.5℃	正常	
356	7-4 (2-1药)	冰箱	242310258	2025/3/2 5:35:00	4.0℃	正常	
357	7-4 (2-1药)	冰箱	242310258	2025/3/2 5:40:00	4.6℃	正常	
358	7-4 (2-1药)	冰箱	242310258	2025/3/2 5:45:00	3.9℃	正常	
359	7-4 (2-1药)	冰箱	242310258	2025/3/2 5:50:00	4.6℃	正常	
360	7-4 (2-1药)	冰箱	242310258	2025/3/2 5:55:00	3.9℃	正常	
361	7-4 (2-1药)	冰箱	242310258	2025/3/2 6:00:00	4.5℃	正常	
362	7-4 (2-1药)	冰箱	242310258	2025/3/2 6:05:00	3.9℃	正常	
363	7-4 (2-1药)	冰箱	242310258	2025/3/2 6:10:00	4.4℃	正常	
364	7-4 (2-1药)	冰箱	242310258	2025/3/2 6:15:00	4.1℃	正常	
365	7-4 (2-1药)	冰箱	242310258	2025/3/2 6:20:00	4.4℃	正常	
366	7-4 (2-1药)	冰箱	242310258	2025/3/2 6:25:00	4.3℃	正常	
367	7-4 (2-1药)	冰箱	242310258	2025/3/2 6:30:00	4.2℃	正常	
368	7-4 (2-1药)	冰箱	242310258	2025/3/2 6:35:00	4.4℃	正常	
369	7-4 (2-1药)	冰箱	242310258	2025/3/2 6:40:00	4.1℃	正常	
370	7-4 (2-1药)	冰箱	242310258	2025/3/2 6:45:00	4.5℃	正常	
371	7-4 (2-1药)	冰箱	242310258	2025/3/2 6:50:00	4.0℃	正常	
372	7-4 (2-1药)	冰箱	242310258	2025/3/2 6:55:00	4.6℃	正常	

373	7-4 (2-1药)	冰箱	242310258	2025/3/2 7:00:00	3.9℃	正常	
374	7-4 (2-1药)	冰箱	242310258	2025/3/2 7:05:00	4.5℃	正常	
375	7-4 (2-1药)	冰箱	242310258	2025/3/2 7:10:00	4.0℃	正常	
376	7-4 (2-1药)	冰箱	242310258	2025/3/2 7:15:00	4.4℃	正常	
377	7-4 (2-1药)	冰箱	242310258	2025/3/2 7:20:00	4.1℃	正常	
378	7-4 (2-1药)	冰箱	242310258	2025/3/2 7:25:00	4.3℃	正常	
379	7-4 (2-1药)	冰箱	242310258	2025/3/2 7:30:00	4.4℃	正常	
380	7-4 (2-1药)	冰箱	242310258	2025/3/2 7:35:00	4.2℃	正常	
381	7-4 (2-1药)	冰箱	242310258	2025/3/2 7:40:00	4.5℃	正常	
382	7-4 (2-1药)	冰箱	242310258	2025/3/2 7:45:00	4.0℃	正常	
383	7-4 (2-1药)	冰箱	242310258	2025/3/2 7:50:00	4.6℃	正常	
384	7-4 (2-1药)	冰箱	242310258	2025/3/2 7:55:00	3.9℃	正常	
385	7-4 (2-1药)	冰箱	242310258	2025/3/2 8:00:00	4.6℃	正常	
386	7-4 (2-1药)	冰箱	242310258	2025/3/2 8:05:00	3.9℃	正常	
387	7-4 (2-1药)	冰箱	242310258	2025/3/2 8:10:00	4.5℃	正常	
388	7-4 (2-1药)	冰箱	242310258	2025/3/2 8:15:00	4.0℃	正常	
389	7-4 (2-1药)	冰箱	242310258	2025/3/2 8:20:00	4.4℃	正常	
390	7-4 (2-1药)	冰箱	242310258	2025/3/2 8:25:00	4.3℃	正常	
391	7-4 (2-1药)	冰箱	242310258	2025/3/2 8:30:00	4.2℃	正常	
392	7-4 (2-1药)	冰箱	242310258	2025/3/2 8:35:00	4.5℃	正常	
393	7-4 (2-1药)	冰箱	242310258	2025/3/2 8:40:00	4.1℃	正常	
394	7-4 (2-1药)	冰箱	242310258	2025/3/2 8:45:00	4.6℃	正常	
395	7-4 (2-1药)	冰箱	242310258	2025/3/2 8:50:00	4.0℃	正常	
396	7-4 (2-1药)	冰箱	242310258	2025/3/2 8:55:00	4.6℃	正常	
397	7-4 (2-1药)	冰箱	242310258	2025/3/2 9:00:00	3.9℃	正常	
398	7-4 (2-1药)	冰箱	242310258	2025/3/2 9:05:00	4.5℃	正常	
399	7-4 (2-1药)	冰箱	242310258	2025/3/2 9:10:00	4.0℃	正常	
400	7-4 (2-1药)	冰箱	242310258	2025/3/2 9:15:00	4.4℃	正常	
401	7-4 (2-1药)	冰箱	242310258	2025/3/2 9:20:00	4.2℃	正常	
402	7-4 (2-1药)	冰箱	242310258	2025/3/2 9:25:00	4.3℃	正常	
403	7-4 (2-1药)	冰箱	242310258	2025/3/2 9:30:00	4.5℃	正常	
404	7-4 (2-1药)	冰箱	242310258	2025/3/2 9:35:00	4.1℃	正常	
405	7-4 (2-1药)	冰箱	242310258	2025/3/2 9:40:00	4.5℃	正常	
406	7-4 (2-1药)	冰箱	242310258	2025/3/2 9:45:00	4.0℃	正常	
407	7-4 (2-1药)	冰箱	242310258	2025/3/2 9:50:00	4.6℃	正常	
408	7-4 (2-1药)	冰箱	242310258	2025/3/2 9:55:00	3.9℃	正常	
409	7-4 (2-1药)	冰箱	242310258	2025/3/2 10:00:00	4.6℃	正常	
410	7-4 (2-1药)	冰箱	242310258	2025/3/2 10:05:00	3.9℃	正常	
411	7-4 (2-1药)	冰箱	242310258	2025/3/2 10:10:00	4.5℃	正常	
412	7-4 (2-1药)	冰箱	242310258	2025/3/2 10:15:00	4.1℃	正常	
413	7-4 (2-1药)	冰箱	242310258	2025/3/2 10:20:00	4.4℃	正常	
414	7-4 (2-1药)	冰箱	242310258	2025/3/2 10:25:00	4.3℃	正常	
415	7-4 (2-1药)	冰箱	242310258	2025/3/2 10:30:00	4.2℃	正常	
416	7-4 (2-1药)	冰箱	242310258	2025/3/2 10:35:00	4.4℃	正常	
417	7-4 (2-1药)	冰箱	242310258	2025/3/2 10:40:00	4.1℃	正常	
418	7-4 (2-1药)	冰箱	242310258	2025/3/2 10:45:00	4.6℃	正常	
419	7-4 (2-1药)	冰箱	242310258	2025/3/2 10:50:00	3.9℃	正常	
420	7-4 (2-1药)	冰箱	242310258	2025/3/2 10:55:00	4.5℃	正常	
421	7-4 (2-1药)	冰箱	242310258	2025/3/2 11:00:00	3.9℃	正常	
422	7-4 (2-1药)	冰箱	242310258	2025/3/2 11:05:00	4.4℃	正常	
423	7-4 (2-1药)	冰箱	242310258	2025/3/2 11:10:00	4.0℃	正常	
424	7-4 (2-1药)	冰箱	242310258	2025/3/2 11:15:00	4.4℃	正常	
425	7-4 (2-1药)	冰箱	242310258	2025/3/2 11:20:00	4.3℃	正常	
426	7-4 (2-1药)	冰箱	242310258	2025/3/2 11:25:00	4.2℃	正常	
427	7-4 (2-1药)	冰箱	242310258	2025/3/2 11:30:00	4.5℃	正常	
428	7-4 (2-1药)	冰箱	242310258	2025/3/2 11:35:00	4.1℃	正常	
429	7-4 (2-1药)	冰箱	242310258	2025/3/2 11:40:00	4.6℃	正常	
430	7-4 (2-1药)	冰箱	242310258	2025/3/2 11:45:00	4.0℃	正常	
431	7-4 (2-1药)	冰箱	242310258	2025/3/2 11:50:00	4.6℃	正常	
432	7-4 (2-1药)	冰箱	242310258	2025/3/2 11:55:00	3.9℃	正常	
433	7-4 (2-1药)	冰箱	242310258	2025/3/2 12:00:00	4.5℃	正常	
434	7-4 (2-1药)	冰箱	242310258	2025/3/2 12:05:00	4.0℃	正常	
435	7-4 (2-1药)	冰箱	242310258	2025/3/2 12:10:00	4.5℃	正常	
436	7-4 (2-1药)	冰箱	242310258	2025/3/2 12:15:00	4.1℃	正常	

437	7-4 (2-1药)	冰箱	242310258	2025/3/2 12:20:00	4.3℃	正常	
438	7-4 (2-1药)	冰箱	242310258	2025/3/2 12:25:00	4.3℃	正常	
439	7-4 (2-1药)	冰箱	242310258	2025/3/2 12:30:00	4.1℃	正常	
440	7-4 (2-1药)	冰箱	242310258	2025/3/2 12:35:00	4.4℃	正常	
441	7-4 (2-1药)	冰箱	242310258	2025/3/2 12:40:00	4.1℃	正常	
442	7-4 (2-1药)	冰箱	242310258	2025/3/2 12:45:00	4.6℃	正常	
443	7-4 (2-1药)	冰箱	242310258	2025/3/2 12:50:00	3.9℃	正常	
444	7-4 (2-1药)	冰箱	242310258	2025/3/2 12:55:00	4.6℃	正常	
445	7-4 (2-1药)	冰箱	242310258	2025/3/2 13:00:00	3.9℃	正常	
446	7-4 (2-1药)	冰箱	242310258	2025/3/2 13:05:00	4.5℃	正常	
447	7-4 (2-1药)	冰箱	242310258	2025/3/2 13:10:00	3.9℃	正常	
448	7-4 (2-1药)	冰箱	242310258	2025/3/2 13:15:00	4.5℃	正常	
449	7-4 (2-1药)	冰箱	242310258	2025/3/2 13:20:00	4.1℃	正常	
450	7-4 (2-1药)	冰箱	242310258	2025/3/2 13:25:00	4.4℃	正常	
451	7-4 (2-1药)	冰箱	242310258	2025/3/2 13:30:00	4.2℃	正常	
452	7-4 (2-1药)	冰箱	242310258	2025/3/2 13:35:00	4.2℃	正常	
453	7-4 (2-1药)	冰箱	242310258	2025/3/2 13:40:00	4.4℃	正常	
454	7-4 (2-1药)	冰箱	242310258	2025/3/2 13:45:00	4.1℃	正常	
455	7-4 (2-1药)	冰箱	242310258	2025/3/2 13:50:00	4.5℃	正常	
456	7-4 (2-1药)	冰箱	242310258	2025/3/2 13:55:00	3.9℃	正常	
457	7-4 (2-1药)	冰箱	242310258	2025/3/2 14:00:00	4.6℃	正常	
458	7-4 (2-1药)	冰箱	242310258	2025/3/2 14:05:00	3.9℃	正常	
459	7-4 (2-1药)	冰箱	242310258	2025/3/2 14:10:00	4.9℃	正常	
460	7-4 (2-1药)	冰箱	242310258	2025/3/2 14:15:00	4.3℃	正常	
461	7-4 (2-1药)	冰箱	242310258	2025/3/2 14:20:00	4.5℃	正常	
462	7-4 (2-1药)	冰箱	242310258	2025/3/2 14:25:00	4.0℃	正常	
463	7-4 (2-1药)	冰箱	242310258	2025/3/2 14:30:00	4.6℃	正常	
464	7-4 (2-1药)	冰箱	242310258	2025/3/2 14:35:00	4.0℃	正常	
465	7-4 (2-1药)	冰箱	242310258	2025/3/2 14:40:00	4.6℃	正常	
466	7-4 (2-1药)	冰箱	242310258	2025/3/2 14:45:00	3.9℃	正常	
467	7-4 (2-1药)	冰箱	242310258	2025/3/2 14:50:00	4.5℃	正常	
468	7-4 (2-1药)	冰箱	242310258	2025/3/2 14:55:00	3.9℃	正常	
469	7-4 (2-1药)	冰箱	242310258	2025/3/2 15:00:00	4.5℃	正常	
470	7-4 (2-1药)	冰箱	242310258	2025/3/2 15:05:00	3.9℃	正常	
471	7-4 (2-1药)	冰箱	242310258	2025/3/2 15:10:00	4.4℃	正常	
472	7-4 (2-1药)	冰箱	242310258	2025/3/2 15:15:00	4.1℃	正常	
473	7-4 (2-1药)	冰箱	242310258	2025/3/2 15:20:00	4.3℃	正常	
474	7-4 (2-1药)	冰箱	242310258	2025/3/2 15:25:00	4.3℃	正常	
475	7-4 (2-1药)	冰箱	242310258	2025/3/2 15:30:00	4.2℃	正常	
476	7-4 (2-1药)	冰箱	242310258	2025/3/2 15:35:00	4.4℃	正常	
477	7-4 (2-1药)	冰箱	242310258	2025/3/2 15:40:00	4.1℃	正常	
478	7-4 (2-1药)	冰箱	242310258	2025/3/2 15:45:00	4.5℃	正常	
479	7-4 (2-1药)	冰箱	242310258	2025/3/2 15:50:00	4.0℃	正常	
480	7-4 (2-1药)	冰箱	242310258	2025/3/2 15:55:00	4.6℃	正常	
481	7-4 (2-1药)	冰箱	242310258	2025/3/2 16:00:00	4.0℃	正常	
482	7-4 (2-1药)	冰箱	242310258	2025/3/2 16:05:00	4.6℃	正常	
483	7-4 (2-1药)	冰箱	242310258	2025/3/2 16:10:00	3.9℃	正常	
484	7-4 (2-1药)	冰箱	242310258	2025/3/2 16:15:00	4.5℃	正常	
485	7-4 (2-1药)	冰箱	242310258	2025/3/2 16:20:00	3.9℃	正常	
486	7-4 (2-1药)	冰箱	242310258	2025/3/2 16:25:00	4.5℃	正常	
487	7-4 (2-1药)	冰箱	242310258	2025/3/2 16:30:00	3.9℃	正常	
488	7-4 (2-1药)	冰箱	242310258	2025/3/2 16:35:00	4.5℃	正常	
489	7-4 (2-1药)	冰箱	242310258	2025/3/2 16:40:00	4.1℃	正常	
490	7-4 (2-1药)	冰箱	242310258	2025/3/2 16:45:00	4.4℃	正常	
491	7-4 (2-1药)	冰箱	242310258	2025/3/2 16:50:00	4.2℃	正常	
492	7-4 (2-1药)	冰箱	242310258	2025/3/2 16:55:00	4.3℃	正常	
493	7-4 (2-1药)	冰箱	242310258	2025/3/2 17:00:00	4.4℃	正常	
494	7-4 (2-1药)	冰箱	242310258	2025/3/2 17:05:00	4.2℃	正常	
495	7-4 (2-1药)	冰箱	242310258	2025/3/2 17:10:00	4.5℃	正常	
496	7-4 (2-1药)	冰箱	242310258	2025/3/2 17:15:00	4.1℃	正常	
497	7-4 (2-1药)	冰箱	242310258	2025/3/2 17:20:00	4.6℃	正常	
498	7-4 (2-1药)	冰箱	242310258	2025/3/2 17:25:00	4.0℃	正常	
499	7-4 (2-1药)	冰箱	242310258	2025/3/2 17:30:00	4.6℃	正常	
500	7-4 (2-1药)	冰箱	242310258	2025/3/2 17:35:00	3.9℃	正常	

501	7-4 (2-1药)	冰箱	242310258	2025/3/2 17:40:00	4.5℃	正常	
502	7-4 (2-1药)	冰箱	242310258	2025/3/2 17:45:00	3.9℃	正常	
503	7-4 (2-1药)	冰箱	242310258	2025/3/2 17:50:00	4.5℃	正常	
504	7-4 (2-1药)	冰箱	242310258	2025/3/2 17:55:00	3.9℃	正常	
505	7-4 (2-1药)	冰箱	242310258	2025/3/2 18:00:00	4.5℃	正常	
506	7-4 (2-1药)	冰箱	242310258	2025/3/2 18:05:00	4.1℃	正常	
507	7-4 (2-1药)	冰箱	242310258	2025/3/2 18:10:00	4.3℃	正常	
508	7-4 (2-1药)	冰箱	242310258	2025/3/2 18:15:00	4.3℃	正常	
509	7-4 (2-1药)	冰箱	242310258	2025/3/2 18:20:00	4.3℃	正常	
510	7-4 (2-1药)	冰箱	242310258	2025/3/2 18:25:00	4.4℃	正常	
511	7-4 (2-1药)	冰箱	242310258	2025/3/2 18:30:00	4.1℃	正常	
512	7-4 (2-1药)	冰箱	242310258	2025/3/2 18:35:00	4.5℃	正常	
513	7-4 (2-1药)	冰箱	242310258	2025/3/2 18:40:00	4.0℃	正常	
514	7-4 (2-1药)	冰箱	242310258	2025/3/2 18:45:00	4.6℃	正常	
515	7-4 (2-1药)	冰箱	242310258	2025/3/2 18:50:00	3.9℃	正常	
516	7-4 (2-1药)	冰箱	242310258	2025/3/2 18:55:00	4.5℃	正常	
517	7-4 (2-1药)	冰箱	242310258	2025/3/2 19:00:00	3.9℃	正常	
518	7-4 (2-1药)	冰箱	242310258	2025/3/2 19:05:00	4.5℃	正常	
519	7-4 (2-1药)	冰箱	242310258	2025/3/2 19:10:00	4.0℃	正常	
520	7-4 (2-1药)	冰箱	242310258	2025/3/2 19:15:00	4.4℃	正常	
521	7-4 (2-1药)	冰箱	242310258	2025/3/2 19:20:00	4.2℃	正常	
522	7-4 (2-1药)	冰箱	242310258	2025/3/2 19:25:00	4.3℃	正常	
523	7-4 (2-1药)	冰箱	242310258	2025/3/2 19:30:00	4.3℃	正常	
524	7-4 (2-1药)	冰箱	242310258	2025/3/2 19:35:00	4.2℃	正常	
525	7-4 (2-1药)	冰箱	242310258	2025/3/2 19:40:00	4.5℃	正常	
526	7-4 (2-1药)	冰箱	242310258	2025/3/2 19:45:00	4.1℃	正常	
527	7-4 (2-1药)	冰箱	242310258	2025/3/2 19:50:00	4.5℃	正常	
528	7-4 (2-1药)	冰箱	242310258	2025/3/2 19:55:00	3.9℃	正常	
529	7-4 (2-1药)	冰箱	242310258	2025/3/2 20:00:00	4.5℃	正常	
530	7-4 (2-1药)	冰箱	242310258	2025/3/2 20:05:00	3.9℃	正常	
531	7-4 (2-1药)	冰箱	242310258	2025/3/2 20:10:00	4.5℃	正常	
532	7-4 (2-1药)	冰箱	242310258	2025/3/2 20:15:00	4.0℃	正常	
533	7-4 (2-1药)	冰箱	242310258	2025/3/2 20:20:00	4.4℃	正常	
534	7-4 (2-1药)	冰箱	242310258	2025/3/2 20:25:00	4.2℃	正常	
535	7-4 (2-1药)	冰箱	242310258	2025/3/2 20:30:00	4.2℃	正常	
536	7-4 (2-1药)	冰箱	242310258	2025/3/2 20:35:00	4.4℃	正常	
537	7-4 (2-1药)	冰箱	242310258	2025/3/2 20:40:00	4.1℃	正常	
538	7-4 (2-1药)	冰箱	242310258	2025/3/2 20:45:00	4.5℃	正常	
539	7-4 (2-1药)	冰箱	242310258	2025/3/2 20:50:00	4.0℃	正常	
540	7-4 (2-1药)	冰箱	242310258	2025/3/2 20:55:00	4.6℃	正常	
541	7-4 (2-1药)	冰箱	242310258	2025/3/2 21:00:00	3.9℃	正常	
542	7-4 (2-1药)	冰箱	242310258	2025/3/2 21:05:00	4.5℃	正常	
543	7-4 (2-1药)	冰箱	242310258	2025/3/2 21:10:00	3.9℃	正常	
544	7-4 (2-1药)	冰箱	242310258	2025/3/2 21:15:00	4.5℃	正常	
545	7-4 (2-1药)	冰箱	242310258	2025/3/2 21:20:00	4.0℃	正常	
546	7-4 (2-1药)	冰箱	242310258	2025/3/2 21:25:00	4.4℃	正常	
547	7-4 (2-1药)	冰箱	242310258	2025/3/2 21:30:00	4.1℃	正常	
548	7-4 (2-1药)	冰箱	242310258	2025/3/2 21:35:00	4.4℃	正常	
549	7-4 (2-1药)	冰箱	242310258	2025/3/2 21:40:00	4.3℃	正常	
550	7-4 (2-1药)	冰箱	242310258	2025/3/2 21:45:00	4.2℃	正常	
551	7-4 (2-1药)	冰箱	242310258	2025/3/2 21:50:00	4.4℃	正常	
552	7-4 (2-1药)	冰箱	242310258	2025/3/2 21:55:00	4.1℃	正常	
553	7-4 (2-1药)	冰箱	242310258	2025/3/2 22:00:00	4.5℃	正常	
554	7-4 (2-1药)	冰箱	242310258	2025/3/2 22:05:00	4.0℃	正常	
555	7-4 (2-1药)	冰箱	242310258	2025/3/2 22:10:00	4.6℃	正常	
556	7-4 (2-1药)	冰箱	242310258	2025/3/2 22:15:00	3.9℃	正常	
557	7-4 (2-1药)	冰箱	242310258	2025/3/2 22:20:00	4.6℃	正常	
558	7-4 (2-1药)	冰箱	242310258	2025/3/2 22:25:00	3.9℃	正常	
559	7-4 (2-1药)	冰箱	242310258	2025/3/2 22:30:00	4.5℃	正常	
560	7-4 (2-1药)	冰箱	242310258	2025/3/2 22:35:00	4.0℃	正常	
561	7-4 (2-1药)	冰箱	242310258	2025/3/2 22:40:00	4.4℃	正常	
562	7-4 (2-1药)	冰箱	242310258	2025/3/2 22:45:00	4.1℃	正常	
563	7-4 (2-1药)	冰箱	242310258	2025/3/2 22:50:00	4.3℃	正常	
564	7-4 (2-1药)	冰箱	242310258	2025/3/2 22:55:00	4.3℃	正常	

565	7-4 (2-1药)	冰箱	242310258	2025/3/2 23:00:00	4.1℃	正常	
566	7-4 (2-1药)	冰箱	242310258	2025/3/2 23:05:00	4.5℃	正常	
567	7-4 (2-1药)	冰箱	242310258	2025/3/2 23:10:00	4.1℃	正常	
568	7-4 (2-1药)	冰箱	242310258	2025/3/2 23:15:00	4.5℃	正常	
569	7-4 (2-1药)	冰箱	242310258	2025/3/2 23:20:00	4.0℃	正常	
570	7-4 (2-1药)	冰箱	242310258	2025/3/2 23:25:00	4.6℃	正常	
571	7-4 (2-1药)	冰箱	242310258	2025/3/2 23:30:00	3.9℃	正常	
572	7-4 (2-1药)	冰箱	242310258	2025/3/2 23:35:00	4.6℃	正常	
573	7-4 (2-1药)	冰箱	242310258	2025/3/2 23:40:00	3.9℃	正常	
574	7-4 (2-1药)	冰箱	242310258	2025/3/2 23:45:00	4.5℃	正常	
575	7-4 (2-1药)	冰箱	242310258	2025/3/2 23:50:00	4.0℃	正常	
576	7-4 (2-1药)	冰箱	242310258	2025/3/2 23:55:00	4.4℃	正常	
577	7-4 (2-1药)	冰箱	242310258	2025/3/3 0:00:00	4.2℃	正常	
578	7-4 (2-1药)	冰箱	242310258	2025/3/3 0:05:00	4.3℃	正常	
579	7-4 (2-1药)	冰箱	242310258	2025/3/3 0:10:00	4.3℃	正常	
580	7-4 (2-1药)	冰箱	242310258	2025/3/3 0:15:00	4.1℃	正常	
581	7-4 (2-1药)	冰箱	242310258	2025/3/3 0:20:00	4.5℃	正常	
582	7-4 (2-1药)	冰箱	242310258	2025/3/3 0:25:00	4.0℃	正常	
583	7-4 (2-1药)	冰箱	242310258	2025/3/3 0:30:00	4.5℃	正常	
584	7-4 (2-1药)	冰箱	242310258	2025/3/3 0:35:00	3.9℃	正常	
585	7-4 (2-1药)	冰箱	242310258	2025/3/3 0:40:00	4.6℃	正常	
586	7-4 (2-1药)	冰箱	242310258	2025/3/3 0:45:00	3.9℃	正常	
587	7-4 (2-1药)	冰箱	242310258	2025/3/3 0:50:00	5.0℃	正常	
588	7-4 (2-1药)	冰箱	242310258	2025/3/3 0:55:00	4.3℃	正常	
589	7-4 (2-1药)	冰箱	242310258	2025/3/3 1:00:00	4.6℃	正常	
590	7-4 (2-1药)	冰箱	242310258	2025/3/3 1:05:00	4.0℃	正常	
591	7-4 (2-1药)	冰箱	242310258	2025/3/3 1:10:00	4.6℃	正常	
592	7-4 (2-1药)	冰箱	242310258	2025/3/3 1:15:00	3.9℃	正常	
593	7-4 (2-1药)	冰箱	242310258	2025/3/3 1:20:00	4.6℃	正常	
594	7-4 (2-1药)	冰箱	242310258	2025/3/3 1:25:00	3.9℃	正常	
595	7-4 (2-1药)	冰箱	242310258	2025/3/3 1:30:00	4.5℃	正常	
596	7-4 (2-1药)	冰箱	242310258	2025/3/3 1:35:00	4.0℃	正常	
597	7-4 (2-1药)	冰箱	242310258	2025/3/3 1:40:00	4.4℃	正常	
598	7-4 (2-1药)	冰箱	242310258	2025/3/3 1:45:00	4.3℃	正常	
599	7-4 (2-1药)	冰箱	242310258	2025/3/3 1:50:00	4.4℃	正常	
600	7-4 (2-1药)	冰箱	242310258	2025/3/3 1:55:00	4.3℃	正常	
601	7-4 (2-1药)	冰箱	242310258	2025/3/3 2:00:00	4.2℃	正常	
602	7-4 (2-1药)	冰箱	242310258	2025/3/3 2:05:00	4.5℃	正常	
603	7-4 (2-1药)	冰箱	242310258	2025/3/3 2:10:00	4.0℃	正常	
604	7-4 (2-1药)	冰箱	242310258	2025/3/3 2:15:00	4.6℃	正常	
605	7-4 (2-1药)	冰箱	242310258	2025/3/3 2:20:00	3.9℃	正常	
606	7-4 (2-1药)	冰箱	242310258	2025/3/3 2:25:00	4.6℃	正常	
607	7-4 (2-1药)	冰箱	242310258	2025/3/3 2:30:00	3.9℃	正常	
608	7-4 (2-1药)	冰箱	242310258	2025/3/3 2:35:00	4.5℃	正常	
609	7-4 (2-1药)	冰箱	242310258	2025/3/3 2:40:00	4.0℃	正常	
610	7-4 (2-1药)	冰箱	242310258	2025/3/3 2:45:00	4.4℃	正常	
611	7-4 (2-1药)	冰箱	242310258	2025/3/3 2:50:00	4.3℃	正常	
612	7-4 (2-1药)	冰箱	242310258	2025/3/3 2:55:00	4.2℃	正常	
613	7-4 (2-1药)	冰箱	242310258	2025/3/3 3:00:00	4.4℃	正常	
614	7-4 (2-1药)	冰箱	242310258	2025/3/3 3:05:00	4.1℃	正常	
615	7-4 (2-1药)	冰箱	242310258	2025/3/3 3:10:00	4.6℃	正常	
616	7-4 (2-1药)	冰箱	242310258	2025/3/3 3:15:00	4.0℃	正常	
617	7-4 (2-1药)	冰箱	242310258	2025/3/3 3:20:00	4.6℃	正常	
618	7-4 (2-1药)	冰箱	242310258	2025/3/3 3:25:00	3.9℃	正常	
619	7-4 (2-1药)	冰箱	242310258	2025/3/3 3:30:00	4.5℃	正常	
620	7-4 (2-1药)	冰箱	242310258	2025/3/3 3:35:00	4.0℃	正常	
621	7-4 (2-1药)	冰箱	242310258	2025/3/3 3:40:00	4.5℃	正常	
622	7-4 (2-1药)	冰箱	242310258	2025/3/3 3:45:00	4.2℃	正常	
623	7-4 (2-1药)	冰箱	242310258	2025/3/3 3:50:00	4.4℃	正常	
624	7-4 (2-1药)	冰箱	242310258	2025/3/3 3:55:00	4.3℃	正常	
625	7-4 (2-1药)	冰箱	242310258	2025/3/3 4:00:00	4.2℃	正常	
626	7-4 (2-1药)	冰箱	242310258	2025/3/3 4:05:00	4.5℃	正常	
627	7-4 (2-1药)	冰箱	242310258	2025/3/3 4:10:00	4.1℃	正常	
628	7-4 (2-1药)	冰箱	242310258	2025/3/3 4:15:00	4.6℃	正常	

629	7-4 (2-1药)	冰箱	242310258	2025/3/3 4:20:00	3.9℃	正常	
630	7-4 (2-1药)	冰箱	242310258	2025/3/3 4:25:00	4.5℃	正常	
631	7-4 (2-1药)	冰箱	242310258	2025/3/3 4:30:00	4.0℃	正常	
632	7-4 (2-1药)	冰箱	242310258	2025/3/3 4:35:00	4.4℃	正常	
633	7-4 (2-1药)	冰箱	242310258	2025/3/3 4:40:00	4.2℃	正常	
634	7-4 (2-1药)	冰箱	242310258	2025/3/3 4:45:00	4.3℃	正常	
635	7-4 (2-1药)	冰箱	242310258	2025/3/3 4:50:00	4.4℃	正常	
636	7-4 (2-1药)	冰箱	242310258	2025/3/3 4:55:00	4.1℃	正常	
637	7-4 (2-1药)	冰箱	242310258	2025/3/3 5:00:00	4.6℃	正常	
638	7-4 (2-1药)	冰箱	242310258	2025/3/3 5:05:00	4.0℃	正常	
639	7-4 (2-1药)	冰箱	242310258	2025/3/3 5:10:00	4.5℃	正常	
640	7-4 (2-1药)	冰箱	242310258	2025/3/3 5:15:00	3.9℃	正常	
641	7-4 (2-1药)	冰箱	242310258	2025/3/3 5:20:00	4.5℃	正常	
642	7-4 (2-1药)	冰箱	242310258	2025/3/3 5:25:00	4.0℃	正常	
643	7-4 (2-1药)	冰箱	242310258	2025/3/3 5:30:00	4.3℃	正常	
644	7-4 (2-1药)	冰箱	242310258	2025/3/3 5:35:00	4.3℃	正常	
645	7-4 (2-1药)	冰箱	242310258	2025/3/3 5:40:00	4.2℃	正常	
646	7-4 (2-1药)	冰箱	242310258	2025/3/3 5:45:00	4.4℃	正常	
647	7-4 (2-1药)	冰箱	242310258	2025/3/3 5:50:00	4.0℃	正常	
648	7-4 (2-1药)	冰箱	242310258	2025/3/3 5:55:00	4.6℃	正常	
649	7-4 (2-1药)	冰箱	242310258	2025/3/3 6:00:00	3.9℃	正常	
650	7-4 (2-1药)	冰箱	242310258	2025/3/3 6:05:00	4.5℃	正常	
651	7-4 (2-1药)	冰箱	242310258	2025/3/3 6:10:00	4.0℃	正常	
652	7-4 (2-1药)	冰箱	242310258	2025/3/3 6:15:00	4.5℃	正常	
653	7-4 (2-1药)	冰箱	242310258	2025/3/3 6:20:00	4.2℃	正常	
654	7-4 (2-1药)	冰箱	242310258	2025/3/3 6:25:00	4.3℃	正常	
655	7-4 (2-1药)	冰箱	242310258	2025/3/3 6:30:00	4.4℃	正常	
656	7-4 (2-1药)	冰箱	242310258	2025/3/3 6:35:00	4.2℃	正常	
657	7-4 (2-1药)	冰箱	242310258	2025/3/3 6:40:00	4.5℃	正常	
658	7-4 (2-1药)	冰箱	242310258	2025/3/3 6:45:00	4.0℃	正常	
659	7-4 (2-1药)	冰箱	242310258	2025/3/3 6:50:00	4.6℃	正常	
660	7-4 (2-1药)	冰箱	242310258	2025/3/3 6:55:00	3.9℃	正常	
661	7-4 (2-1药)	冰箱	242310258	2025/3/3 7:00:00	4.5℃	正常	
662	7-4 (2-1药)	冰箱	242310258	2025/3/3 7:05:00	4.0℃	正常	
663	7-4 (2-1药)	冰箱	242310258	2025/3/3 7:10:00	4.4℃	正常	
664	7-4 (2-1药)	冰箱	242310258	2025/3/3 7:15:00	4.2℃	正常	
665	7-4 (2-1药)	冰箱	242310258	2025/3/3 7:20:00	4.2℃	正常	
666	7-4 (2-1药)	冰箱	242310258	2025/3/3 7:25:00	4.4℃	正常	
667	7-4 (2-1药)	冰箱	242310258	2025/3/3 7:30:00	4.1℃	正常	
668	7-4 (2-1药)	冰箱	242310258	2025/3/3 7:35:00	4.5℃	正常	
669	7-4 (2-1药)	冰箱	242310258	2025/3/3 7:40:00	4.0℃	正常	
670	7-4 (2-1药)	冰箱	242310258	2025/3/3 7:45:00	4.6℃	正常	
671	7-4 (2-1药)	冰箱	242310258	2025/3/3 7:50:00	3.9℃	正常	
672	7-4 (2-1药)	冰箱	242310258	2025/3/3 7:55:00	4.5℃	正常	
673	7-4 (2-1药)	冰箱	242310258	2025/3/3 8:00:00	4.1℃	正常	
674	7-4 (2-1药)	冰箱	242310258	2025/3/3 8:05:00	4.4℃	正常	
675	7-4 (2-1药)	冰箱	242310258	2025/3/3 8:10:00	4.4℃	正常	
676	7-4 (2-1药)	冰箱	242310258	2025/3/3 8:15:00	4.2℃	正常	
677	7-4 (2-1药)	冰箱	242310258	2025/3/3 8:20:00	4.5℃	正常	
678	7-4 (2-1药)	冰箱	242310258	2025/3/3 8:25:00	4.0℃	正常	
679	7-4 (2-1药)	冰箱	242310258	2025/3/3 8:30:00	4.6℃	正常	
680	7-4 (2-1药)	冰箱	242310258	2025/3/3 8:35:00	4.0℃	正常	
681	7-4 (2-1药)	冰箱	242310258	2025/3/3 8:40:00	4.6℃	正常	
682	7-4 (2-1药)	冰箱	242310258	2025/3/3 8:45:00	4.0℃	正常	
683	7-4 (2-1药)	冰箱	242310258	2025/3/3 8:50:00	4.5℃	正常	
684	7-4 (2-1药)	冰箱	242310258	2025/3/3 8:55:00	4.1℃	正常	
685	7-4 (2-1药)	冰箱	242310258	2025/3/3 9:00:00	4.4℃	正常	
686	7-4 (2-1药)	冰箱	242310258	2025/3/3 9:05:00	4.3℃	正常	
687	7-4 (2-1药)	冰箱	242310258	2025/3/3 9:10:00	4.2℃	正常	
688	7-4 (2-1药)	冰箱	242310258	2025/3/3 9:15:00	4.5℃	正常	
689	7-4 (2-1药)	冰箱	242310258	2025/3/3 9:20:00	4.0℃	正常	
690	7-4 (2-1药)	冰箱	242310258	2025/3/3 9:25:00	4.6℃	正常	
691	7-4 (2-1药)	冰箱	242310258	2025/3/3 9:30:00	3.9℃	正常	
692	7-4 (2-1药)	冰箱	242310258	2025/3/3 9:35:00	4.5℃	正常	

693	7-4 (2-1药)	冰箱	242310258	2025/3/3 9:40:00	4.0℃	正常	
694	7-4 (2-1药)	冰箱	242310258	2025/3/3 9:45:00	4.4℃	正常	
695	7-4 (2-1药)	冰箱	242310258	2025/3/3 9:50:00	4.2℃	正常	
696	7-4 (2-1药)	冰箱	242310258	2025/3/3 9:55:00	4.3℃	正常	
697	7-4 (2-1药)	冰箱	242310258	2025/3/3 10:00:00	4.5℃	正常	
698	7-4 (2-1药)	冰箱	242310258	2025/3/3 10:05:00	4.2℃	正常	
699	7-4 (2-1药)	冰箱	242310258	2025/3/3 10:10:00	4.6℃	正常	
700	7-4 (2-1药)	冰箱	242310258	2025/3/3 10:15:00	4.0℃	正常	
701	7-4 (2-1药)	冰箱	242310258	2025/3/3 10:20:00	4.6℃	正常	
702	7-4 (2-1药)	冰箱	242310258	2025/3/3 10:25:00	3.9℃	正常	
703	7-4 (2-1药)	冰箱	242310258	2025/3/3 10:30:00	4.5℃	正常	
704	7-4 (2-1药)	冰箱	242310258	2025/3/3 10:35:00	4.0℃	正常	
705	7-4 (2-1药)	冰箱	242310258	2025/3/3 10:40:00	4.4℃	正常	
706	7-4 (2-1药)	冰箱	242310258	2025/3/3 10:45:00	4.3℃	正常	
707	7-4 (2-1药)	冰箱	242310258	2025/3/3 10:50:00	4.3℃	正常	
708	7-4 (2-1药)	冰箱	242310258	2025/3/3 10:55:00	4.5℃	正常	
709	7-4 (2-1药)	冰箱	242310258	2025/3/3 11:00:00	4.1℃	正常	
710	7-4 (2-1药)	冰箱	242310258	2025/3/3 11:05:00	4.5℃	正常	
711	7-4 (2-1药)	冰箱	242310258	2025/3/3 11:10:00	4.0℃	正常	
712	7-4 (2-1药)	冰箱	242310258	2025/3/3 11:15:00	4.6℃	正常	
713	7-4 (2-1药)	冰箱	242310258	2025/3/3 11:20:00	4.0℃	正常	
714	7-4 (2-1药)	冰箱	242310258	2025/3/3 11:25:00	4.5℃	正常	
715	7-4 (2-1药)	冰箱	242310258	2025/3/3 11:30:00	4.1℃	正常	
716	7-4 (2-1药)	冰箱	242310258	2025/3/3 11:35:00	4.4℃	正常	
717	7-4 (2-1药)	冰箱	242310258	2025/3/3 11:40:00	4.3℃	正常	
718	7-4 (2-1药)	冰箱	242310258	2025/3/3 11:45:00	4.7℃	正常	
719	7-4 (2-1药)	冰箱	242310258	2025/3/3 11:50:00	4.1℃	正常	
720	7-4 (2-1药)	冰箱	242310258	2025/3/3 11:55:00	4.5℃	正常	
721	7-4 (2-1药)	冰箱	242310258	2025/3/3 12:00:00	4.3℃	正常	
722	7-4 (2-1药)	冰箱	242310258	2025/3/3 12:05:00	4.3℃	正常	
723	7-4 (2-1药)	冰箱	242310258	2025/3/3 12:10:00	4.5℃	正常	
724	7-4 (2-1药)	冰箱	242310258	2025/3/3 12:15:00	4.1℃	正常	
725	7-4 (2-1药)	冰箱	242310258	2025/3/3 12:20:00	4.6℃	正常	
726	7-4 (2-1药)	冰箱	242310258	2025/3/3 12:25:00	4.0℃	正常	
727	7-4 (2-1药)	冰箱	242310258	2025/3/3 12:30:00	4.6℃	正常	
728	7-4 (2-1药)	冰箱	242310258	2025/3/3 12:35:00	4.0℃	正常	
729	7-4 (2-1药)	冰箱	242310258	2025/3/3 12:40:00	4.5℃	正常	
730	7-4 (2-1药)	冰箱	242310258	2025/3/3 12:45:00	4.0℃	正常	
731	7-4 (2-1药)	冰箱	242310258	2025/3/3 12:50:00	4.4℃	正常	
732	7-4 (2-1药)	冰箱	242310258	2025/3/3 12:55:00	4.3℃	正常	
733	7-4 (2-1药)	冰箱	242310258	2025/3/3 13:00:00	4.3℃	正常	
734	7-4 (2-1药)	冰箱	242310258	2025/3/3 13:05:00	4.4℃	正常	
735	7-4 (2-1药)	冰箱	242310258	2025/3/3 13:10:00	4.0℃	正常	
736	7-4 (2-1药)	冰箱	242310258	2025/3/3 13:15:00	4.6℃	正常	
737	7-4 (2-1药)	冰箱	242310258	2025/3/3 13:20:00	4.0℃	正常	
738	7-4 (2-1药)	冰箱	242310258	2025/3/3 13:25:00	4.6℃	正常	
739	7-4 (2-1药)	冰箱	242310258	2025/3/3 13:30:00	4.0℃	正常	
740	7-4 (2-1药)	冰箱	242310258	2025/3/3 13:35:00	4.5℃	正常	
741	7-4 (2-1药)	冰箱	242310258	2025/3/3 13:40:00	4.1℃	正常	
742	7-4 (2-1药)	冰箱	242310258	2025/3/3 13:45:00	4.4℃	正常	
743	7-4 (2-1药)	冰箱	242310258	2025/3/3 13:50:00	4.4℃	正常	
744	7-4 (2-1药)	冰箱	242310258	2025/3/3 13:55:00	4.2℃	正常	
745	7-4 (2-1药)	冰箱	242310258	2025/3/3 14:00:00	4.5℃	正常	
746	7-4 (2-1药)	冰箱	242310258	2025/3/3 14:05:00	4.0℃	正常	
747	7-4 (2-1药)	冰箱	242310258	2025/3/3 14:10:00	4.6℃	正常	
748	7-4 (2-1药)	冰箱	242310258	2025/3/3 14:15:00	3.9℃	正常	
749	7-4 (2-1药)	冰箱	242310258	2025/3/3 14:20:00	4.5℃	正常	
750	7-4 (2-1药)	冰箱	242310258	2025/3/3 14:25:00	4.0℃	正常	
751	7-4 (2-1药)	冰箱	242310258	2025/3/3 14:30:00	4.4℃	正常	
752	7-4 (2-1药)	冰箱	242310258	2025/3/3 14:35:00	4.2℃	正常	
753	7-4 (2-1药)	冰箱	242310258	2025/3/3 14:40:00	4.2℃	正常	
754	7-4 (2-1药)	冰箱	242310258	2025/3/3 14:45:00	4.5℃	正常	
755	7-4 (2-1药)	冰箱	242310258	2025/3/3 14:50:00	4.1℃	正常	
756	7-4 (2-1药)	冰箱	242310258	2025/3/3 14:55:00	4.6℃	正常	

757	7-4 (2-1药)	冰箱	242310258	2025/3/3 15:00:00	4.0℃	正常	
758	7-4 (2-1药)	冰箱	242310258	2025/3/3 15:05:00	4.6℃	正常	
759	7-4 (2-1药)	冰箱	242310258	2025/3/3 15:10:00	3.9℃	正常	
760	7-4 (2-1药)	冰箱	242310258	2025/3/3 15:15:00	4.5℃	正常	
761	7-4 (2-1药)	冰箱	242310258	2025/3/3 15:20:00	4.0℃	正常	
762	7-4 (2-1药)	冰箱	242310258	2025/3/3 15:25:00	4.4℃	正常	
763	7-4 (2-1药)	冰箱	242310258	2025/3/3 15:30:00	4.2℃	正常	
764	7-4 (2-1药)	冰箱	242310258	2025/3/3 15:35:00	4.3℃	正常	
765	7-4 (2-1药)	冰箱	242310258	2025/3/3 15:40:00	4.4℃	正常	
766	7-4 (2-1药)	冰箱	242310258	2025/3/3 15:45:00	4.1℃	正常	
767	7-4 (2-1药)	冰箱	242310258	2025/3/3 15:50:00	4.6℃	正常	
768	7-4 (2-1药)	冰箱	242310258	2025/3/3 15:55:00	4.0℃	正常	
769	7-4 (2-1药)	冰箱	242310258	2025/3/3 16:00:00	4.5℃	正常	
770	7-4 (2-1药)	冰箱	242310258	2025/3/3 16:05:00	4.0℃	正常	
771	7-4 (2-1药)	冰箱	242310258	2025/3/3 16:10:00	4.5℃	正常	
772	7-4 (2-1药)	冰箱	242310258	2025/3/3 16:15:00	4.1℃	正常	
773	7-4 (2-1药)	冰箱	242310258	2025/3/3 16:20:00	4.3℃	正常	
774	7-4 (2-1药)	冰箱	242310258	2025/3/3 16:25:00	4.4℃	正常	
775	7-4 (2-1药)	冰箱	242310258	2025/3/3 16:30:00	4.1℃	正常	
776	7-4 (2-1药)	冰箱	242310258	2025/3/3 16:35:00	4.5℃	正常	
777	7-4 (2-1药)	冰箱	242310258	2025/3/3 16:40:00	4.0℃	正常	
778	7-4 (2-1药)	冰箱	242310258	2025/3/3 16:45:00	4.6℃	正常	
779	7-4 (2-1药)	冰箱	242310258	2025/3/3 16:50:00	3.9℃	正常	
780	7-4 (2-1药)	冰箱	242310258	2025/3/3 16:55:00	4.5℃	正常	
781	7-4 (2-1药)	冰箱	242310258	2025/3/3 17:00:00	4.1℃	正常	
782	7-4 (2-1药)	冰箱	242310258	2025/3/3 17:05:00	4.4℃	正常	
783	7-4 (2-1药)	冰箱	242310258	2025/3/3 17:10:00	4.4℃	正常	
784	7-4 (2-1药)	冰箱	242310258	2025/3/3 17:15:00	4.2℃	正常	
785	7-4 (2-1药)	冰箱	242310258	2025/3/3 17:20:00	4.5℃	正常	
786	7-4 (2-1药)	冰箱	242310258	2025/3/3 17:25:00	4.0℃	正常	
787	7-4 (2-1药)	冰箱	242310258	2025/3/3 17:30:00	4.6℃	正常	
788	7-4 (2-1药)	冰箱	242310258	2025/3/3 17:35:00	3.9℃	正常	
789	7-4 (2-1药)	冰箱	242310258	2025/3/3 17:40:00	4.5℃	正常	
790	7-4 (2-1药)	冰箱	242310258	2025/3/3 17:45:00	4.0℃	正常	
791	7-4 (2-1药)	冰箱	242310258	2025/3/3 17:50:00	4.4℃	正常	
792	7-4 (2-1药)	冰箱	242310258	2025/3/3 17:55:00	4.2℃	正常	
793	7-4 (2-1药)	冰箱	242310258	2025/3/3 18:00:00	4.2℃	正常	
794	7-4 (2-1药)	冰箱	242310258	2025/3/3 18:05:00	4.4℃	正常	
795	7-4 (2-1药)	冰箱	242310258	2025/3/3 18:10:00	4.1℃	正常	
796	7-4 (2-1药)	冰箱	242310258	2025/3/3 18:15:00	4.5℃	正常	
797	7-4 (2-1药)	冰箱	242310258	2025/3/3 18:20:00	3.9℃	正常	
798	7-4 (2-1药)	冰箱	242310258	2025/3/3 18:25:00	4.6℃	正常	
799	7-4 (2-1药)	冰箱	242310258	2025/3/3 18:30:00	4.0℃	正常	
800	7-4 (2-1药)	冰箱	242310258	2025/3/3 18:35:00	4.5℃	正常	
801	7-4 (2-1药)	冰箱	242310258	2025/3/3 18:40:00	4.0℃	正常	
802	7-4 (2-1药)	冰箱	242310258	2025/3/3 18:45:00	4.4℃	正常	
803	7-4 (2-1药)	冰箱	242310258	2025/3/3 18:50:00	4.3℃	正常	
804	7-4 (2-1药)	冰箱	242310258	2025/3/3 18:55:00	4.3℃	正常	
805	7-4 (2-1药)	冰箱	242310258	2025/3/3 19:00:00	4.5℃	正常	
806	7-4 (2-1药)	冰箱	242310258	2025/3/3 19:05:00	4.1℃	正常	
807	7-4 (2-1药)	冰箱	242310258	2025/3/3 19:10:00	4.6℃	正常	
808	7-4 (2-1药)	冰箱	242310258	2025/3/3 19:15:00	4.0℃	正常	
809	7-4 (2-1药)	冰箱	242310258	2025/3/3 19:20:00	4.6℃	正常	
810	7-4 (2-1药)	冰箱	242310258	2025/3/3 19:25:00	3.9℃	正常	
811	7-4 (2-1药)	冰箱	242310258	2025/3/3 19:30:00	4.5℃	正常	
812	7-4 (2-1药)	冰箱	242310258	2025/3/3 19:35:00	4.1℃	正常	
813	7-4 (2-1药)	冰箱	242310258	2025/3/3 19:40:00	4.3℃	正常	
814	7-4 (2-1药)	冰箱	242310258	2025/3/3 19:45:00	4.4℃	正常	
815	7-4 (2-1药)	冰箱	242310258	2025/3/3 19:50:00	4.1℃	正常	
816	7-4 (2-1药)	冰箱	242310258	2025/3/3 19:55:00	4.5℃	正常	
817	7-4 (2-1药)	冰箱	242310258	2025/3/3 20:00:00	4.0℃	正常	
818	7-4 (2-1药)	冰箱	242310258	2025/3/3 20:05:00	4.6℃	正常	
819	7-4 (2-1药)	冰箱	242310258	2025/3/3 20:10:00	3.9℃	正常	
820	7-4 (2-1药)	冰箱	242310258	2025/3/3 20:15:00	4.5℃	正常	

821	7-4 (2-1药)	冰箱	242310258	2025/3/3 20:20:00	4.1℃	正常	
822	7-4 (2-1药)	冰箱	242310258	2025/3/3 20:25:00	4.4℃	正常	
823	7-4 (2-1药)	冰箱	242310258	2025/3/3 20:30:00	4.2℃	正常	
824	7-4 (2-1药)	冰箱	242310258	2025/3/3 20:35:00	4.2℃	正常	
825	7-4 (2-1药)	冰箱	242310258	2025/3/3 20:40:00	4.5℃	正常	
826	7-4 (2-1药)	冰箱	242310258	2025/3/3 20:45:00	4.0℃	正常	
827	7-4 (2-1药)	冰箱	242310258	2025/3/3 20:50:00	4.6℃	正常	
828	7-4 (2-1药)	冰箱	242310258	2025/3/3 20:55:00	3.9℃	正常	
829	7-4 (2-1药)	冰箱	242310258	2025/3/3 21:00:00	4.5℃	正常	
830	7-4 (2-1药)	冰箱	242310258	2025/3/3 21:05:00	4.0℃	正常	
831	7-4 (2-1药)	冰箱	242310258	2025/3/3 21:10:00	4.4℃	正常	
832	7-4 (2-1药)	冰箱	242310258	2025/3/3 21:15:00	4.1℃	正常	
833	7-4 (2-1药)	冰箱	242310258	2025/3/3 21:20:00	4.3℃	正常	
834	7-4 (2-1药)	冰箱	242310258	2025/3/3 21:25:00	4.4℃	正常	
835	7-4 (2-1药)	冰箱	242310258	2025/3/3 21:30:00	4.1℃	正常	
836	7-4 (2-1药)	冰箱	242310258	2025/3/3 21:35:00	4.5℃	正常	
837	7-4 (2-1药)	冰箱	242310258	2025/3/3 21:40:00	4.0℃	正常	
838	7-4 (2-1药)	冰箱	242310258	2025/3/3 21:45:00	4.6℃	正常	
839	7-4 (2-1药)	冰箱	242310258	2025/3/3 21:50:00	3.9℃	正常	
840	7-4 (2-1药)	冰箱	242310258	2025/3/3 21:55:00	4.5℃	正常	
841	7-4 (2-1药)	冰箱	242310258	2025/3/3 22:00:00	4.1℃	正常	
842	7-4 (2-1药)	冰箱	242310258	2025/3/3 22:05:00	4.4℃	正常	
843	7-4 (2-1药)	冰箱	242310258	2025/3/3 22:10:00	4.3℃	正常	
844	7-4 (2-1药)	冰箱	242310258	2025/3/3 22:15:00	4.2℃	正常	
845	7-4 (2-1药)	冰箱	242310258	2025/3/3 22:20:00	4.5℃	正常	
846	7-4 (2-1药)	冰箱	242310258	2025/3/3 22:25:00	4.0℃	正常	
847	7-4 (2-1药)	冰箱	242310258	2025/3/3 22:30:00	4.5℃	正常	
848	7-4 (2-1药)	冰箱	242310258	2025/3/3 22:35:00	3.9℃	正常	
849	7-4 (2-1药)	冰箱	242310258	2025/3/3 22:40:00	4.8℃	正常	
850	7-4 (2-1药)	冰箱	242310258	2025/3/3 22:45:00	4.1℃	正常	
851	7-4 (2-1药)	冰箱	242310258	2025/3/3 22:50:00	4.6℃	正常	
852	7-4 (2-1药)	冰箱	242310258	2025/3/3 22:55:00	3.9℃	正常	
853	7-4 (2-1药)	冰箱	242310258	2025/3/3 23:00:00	4.6℃	正常	
854	7-4 (2-1药)	冰箱	242310258	2025/3/3 23:05:00	4.0℃	正常	
855	7-4 (2-1药)	冰箱	242310258	2025/3/3 23:10:00	4.5℃	正常	
856	7-4 (2-1药)	冰箱	242310258	2025/3/3 23:15:00	4.1℃	正常	
857	7-4 (2-1药)	冰箱	242310258	2025/3/3 23:20:00	4.3℃	正常	
858	7-4 (2-1药)	冰箱	242310258	2025/3/3 23:25:00	4.3℃	正常	
859	7-4 (2-1药)	冰箱	242310258	2025/3/3 23:30:00	4.2℃	正常	
860	7-4 (2-1药)	冰箱	242310258	2025/3/3 23:35:00	4.5℃	正常	
861	7-4 (2-1药)	冰箱	242310258	2025/3/3 23:40:00	4.1℃	正常	
862	7-4 (2-1药)	冰箱	242310258	2025/3/3 23:45:00	4.6℃	正常	
863	7-4 (2-1药)	冰箱	242310258	2025/3/3 23:50:00	3.9℃	正常	
864	7-4 (2-1药)	冰箱	242310258	2025/3/3 23:55:00	4.5℃	正常	
865	7-4 (2-1药)	冰箱	242310258	2025/3/4 0:00:00	4.0℃	正常	
866	7-4 (2-1药)	冰箱	242310258	2025/3/4 0:05:00	4.4℃	正常	
867	7-4 (2-1药)	冰箱	242310258	2025/3/4 0:10:00	4.2℃	正常	
868	7-4 (2-1药)	冰箱	242310258	2025/3/4 0:15:00	4.2℃	正常	
869	7-4 (2-1药)	冰箱	242310258	2025/3/4 0:20:00	4.5℃	正常	
870	7-4 (2-1药)	冰箱	242310258	2025/3/4 0:25:00	4.0℃	正常	
871	7-4 (2-1药)	冰箱	242310258	2025/3/4 0:30:00	4.6℃	正常	
872	7-4 (2-1药)	冰箱	242310258	2025/3/4 0:35:00	3.9℃	正常	
873	7-4 (2-1药)	冰箱	242310258	2025/3/4 0:40:00	4.6℃	正常	
874	7-4 (2-1药)	冰箱	242310258	2025/3/4 0:45:00	3.9℃	正常	
875	7-4 (2-1药)	冰箱	242310258	2025/3/4 0:50:00	4.5℃	正常	
876	7-4 (2-1药)	冰箱	242310258	2025/3/4 0:55:00	4.1℃	正常	
877	7-4 (2-1药)	冰箱	242310258	2025/3/4 1:00:00	4.3℃	正常	
878	7-4 (2-1药)	冰箱	242310258	2025/3/4 1:05:00	4.3℃	正常	
879	7-4 (2-1药)	冰箱	242310258	2025/3/4 1:10:00	4.1℃	正常	
880	7-4 (2-1药)	冰箱	242310258	2025/3/4 1:15:00	4.5℃	正常	
881	7-4 (2-1药)	冰箱	242310258	2025/3/4 1:20:00	4.0℃	正常	
882	7-4 (2-1药)	冰箱	242310258	2025/3/4 1:25:00	4.6℃	正常	
883	7-4 (2-1药)	冰箱	242310258	2025/3/4 1:30:00	3.9℃	正常	
884	7-4 (2-1药)	冰箱	242310258	2025/3/4 1:35:00	4.5℃	正常	

885	7-4 (2-1药)	冰箱	242310258	2025/3/4 1:40:00	4.1℃	正常	
886	7-4 (2-1药)	冰箱	242310258	2025/3/4 1:45:00	4.4℃	正常	
887	7-4 (2-1药)	冰箱	242310258	2025/3/4 1:50:00	4.3℃	正常	
888	7-4 (2-1药)	冰箱	242310258	2025/3/4 1:55:00	4.3℃	正常	
889	7-4 (2-1药)	冰箱	242310258	2025/3/4 2:00:00	4.4℃	正常	
890	7-4 (2-1药)	冰箱	242310258	2025/3/4 2:05:00	4.0℃	正常	
891	7-4 (2-1药)	冰箱	242310258	2025/3/4 2:10:00	4.5℃	正常	
892	7-4 (2-1药)	冰箱	242310258	2025/3/4 2:15:00	4.0℃	正常	
893	7-4 (2-1药)	冰箱	242310258	2025/3/4 2:20:00	4.6℃	正常	
894	7-4 (2-1药)	冰箱	242310258	2025/3/4 2:25:00	3.9℃	正常	
895	7-4 (2-1药)	冰箱	242310258	2025/3/4 2:30:00	4.5℃	正常	
896	7-4 (2-1药)	冰箱	242310258	2025/3/4 2:35:00	4.1℃	正常	
897	7-4 (2-1药)	冰箱	242310258	2025/3/4 2:40:00	4.4℃	正常	
898	7-4 (2-1药)	冰箱	242310258	2025/3/4 2:45:00	4.3℃	正常	
899	7-4 (2-1药)	冰箱	242310258	2025/3/4 2:50:00	4.2℃	正常	
900	7-4 (2-1药)	冰箱	242310258	2025/3/4 2:55:00	4.5℃	正常	
901	7-4 (2-1药)	冰箱	242310258	2025/3/4 3:00:00	4.0℃	正常	
902	7-4 (2-1药)	冰箱	242310258	2025/3/4 3:05:00	4.5℃	正常	
903	7-4 (2-1药)	冰箱	242310258	2025/3/4 3:10:00	3.9℃	正常	
904	7-4 (2-1药)	冰箱	242310258	2025/3/4 3:15:00	4.5℃	正常	
905	7-4 (2-1药)	冰箱	242310258	2025/3/4 3:20:00	4.0℃	正常	
906	7-4 (2-1药)	冰箱	242310258	2025/3/4 3:25:00	4.4℃	正常	
907	7-4 (2-1药)	冰箱	242310258	2025/3/4 3:30:00	4.3℃	正常	
908	7-4 (2-1药)	冰箱	242310258	2025/3/4 3:35:00	4.3℃	正常	
909	7-4 (2-1药)	冰箱	242310258	2025/3/4 3:40:00	4.5℃	正常	
910	7-4 (2-1药)	冰箱	242310258	2025/3/4 3:45:00	4.1℃	正常	
911	7-4 (2-1药)	冰箱	242310258	2025/3/4 3:50:00	4.6℃	正常	
912	7-4 (2-1药)	冰箱	242310258	2025/3/4 3:55:00	3.9℃	正常	
913	7-4 (2-1药)	冰箱	242310258	2025/3/4 4:00:00	4.5℃	正常	
914	7-4 (2-1药)	冰箱	242310258	2025/3/4 4:05:00	4.0℃	正常	
915	7-4 (2-1药)	冰箱	242310258	2025/3/4 4:10:00	4.5℃	正常	
916	7-4 (2-1药)	冰箱	242310258	2025/3/4 4:15:00	4.1℃	正常	
917	7-4 (2-1药)	冰箱	242310258	2025/3/4 4:20:00	4.3℃	正常	
918	7-4 (2-1药)	冰箱	242310258	2025/3/4 4:25:00	4.3℃	正常	
919	7-4 (2-1药)	冰箱	242310258	2025/3/4 4:30:00	4.1℃	正常	
920	7-4 (2-1药)	冰箱	242310258	2025/3/4 4:35:00	4.6℃	正常	
921	7-4 (2-1药)	冰箱	242310258	2025/3/4 4:40:00	4.0℃	正常	
922	7-4 (2-1药)	冰箱	242310258	2025/3/4 4:45:00	4.5℃	正常	
923	7-4 (2-1药)	冰箱	242310258	2025/3/4 4:50:00	3.9℃	正常	
924	7-4 (2-1药)	冰箱	242310258	2025/3/4 4:55:00	4.5℃	正常	
925	7-4 (2-1药)	冰箱	242310258	2025/3/4 5:00:00	4.0℃	正常	
926	7-4 (2-1药)	冰箱	242310258	2025/3/4 5:05:00	4.4℃	正常	
927	7-4 (2-1药)	冰箱	242310258	2025/3/4 5:10:00	4.1℃	正常	
928	7-4 (2-1药)	冰箱	242310258	2025/3/4 5:15:00	4.2℃	正常	
929	7-4 (2-1药)	冰箱	242310258	2025/3/4 5:20:00	4.4℃	正常	
930	7-4 (2-1药)	冰箱	242310258	2025/3/4 5:25:00	4.1℃	正常	
931	7-4 (2-1药)	冰箱	242310258	2025/3/4 5:30:00	4.6℃	正常	
932	7-4 (2-1药)	冰箱	242310258	2025/3/4 5:35:00	3.9℃	正常	
933	7-4 (2-1药)	冰箱	242310258	2025/3/4 5:40:00	4.5℃	正常	
934	7-4 (2-1药)	冰箱	242310258	2025/3/4 5:45:00	4.0℃	正常	
935	7-4 (2-1药)	冰箱	242310258	2025/3/4 5:50:00	4.4℃	正常	
936	7-4 (2-1药)	冰箱	242310258	2025/3/4 5:55:00	4.2℃	正常	
937	7-4 (2-1药)	冰箱	242310258	2025/3/4 6:00:00	4.3℃	正常	
938	7-4 (2-1药)	冰箱	242310258	2025/3/4 6:05:00	4.4℃	正常	
939	7-4 (2-1药)	冰箱	242310258	2025/3/4 6:10:00	4.1℃	正常	
940	7-4 (2-1药)	冰箱	242310258	2025/3/4 6:15:00	4.6℃	正常	
941	7-4 (2-1药)	冰箱	242310258	2025/3/4 6:20:00	3.9℃	正常	
942	7-4 (2-1药)	冰箱	242310258	2025/3/4 6:25:00	4.6℃	正常	
943	7-4 (2-1药)	冰箱	242310258	2025/3/4 6:30:00	3.9℃	正常	
944	7-4 (2-1药)	冰箱	242310258	2025/3/4 6:35:00	4.4℃	正常	
945	7-4 (2-1药)	冰箱	242310258	2025/3/4 6:40:00	4.2℃	正常	
946	7-4 (2-1药)	冰箱	242310258	2025/3/4 6:45:00	4.3℃	正常	
947	7-4 (2-1药)	冰箱	242310258	2025/3/4 6:50:00	4.5℃	正常	
948	7-4 (2-1药)	冰箱	242310258	2025/3/4 6:55:00	4.1℃	正常	

949	7-4 (2-1药)	冰箱	242310258	2025/3/4 7:00:00	4.5℃	正常	
950	7-4 (2-1药)	冰箱	242310258	2025/3/4 7:05:00	3.9℃	正常	
951	7-4 (2-1药)	冰箱	242310258	2025/3/4 7:10:00	4.5℃	正常	
952	7-4 (2-1药)	冰箱	242310258	2025/3/4 7:15:00	4.0℃	正常	
953	7-4 (2-1药)	冰箱	242310258	2025/3/4 7:20:00	4.4℃	正常	
954	7-4 (2-1药)	冰箱	242310258	2025/3/4 7:25:00	4.2℃	正常	
955	7-4 (2-1药)	冰箱	242310258	2025/3/4 7:30:00	4.2℃	正常	
956	7-4 (2-1药)	冰箱	242310258	2025/3/4 7:35:00	4.4℃	正常	
957	7-4 (2-1药)	冰箱	242310258	2025/3/4 7:40:00	4.0℃	正常	
958	7-4 (2-1药)	冰箱	242310258	2025/3/4 7:45:00	4.6℃	正常	
959	7-4 (2-1药)	冰箱	242310258	2025/3/4 7:50:00	3.9℃	正常	
960	7-4 (2-1药)	冰箱	242310258	2025/3/4 7:55:00	4.5℃	正常	
961	7-4 (2-1药)	冰箱	242310258	2025/3/4 8:00:00	4.1℃	正常	
962	7-4 (2-1药)	冰箱	242310258	2025/3/4 8:05:00	4.3℃	正常	
963	7-4 (2-1药)	冰箱	242310258	2025/3/4 8:10:00	4.4℃	正常	
964	7-4 (2-1药)	冰箱	242310258	2025/3/4 8:15:00	4.1℃	正常	
965	7-4 (2-1药)	冰箱	242310258	2025/3/4 8:20:00	4.5℃	正常	
966	7-4 (2-1药)	冰箱	242310258	2025/3/4 8:25:00	4.0℃	正常	
967	7-4 (2-1药)	冰箱	242310258	2025/3/4 8:30:00	4.6℃	正常	
968	7-4 (2-1药)	冰箱	242310258	2025/3/4 8:35:00	4.0℃	正常	
969	7-4 (2-1药)	冰箱	242310258	2025/3/4 8:40:00	4.5℃	正常	
970	7-4 (2-1药)	冰箱	242310258	2025/3/4 8:45:00	4.1℃	正常	
971	7-4 (2-1药)	冰箱	242310258	2025/3/4 8:50:00	4.3℃	正常	
972	7-4 (2-1药)	冰箱	242310258	2025/3/4 8:55:00	4.4℃	正常	
973	7-4 (2-1药)	冰箱	242310258	2025/3/4 9:00:00	4.1℃	正常	
974	7-4 (2-1药)	冰箱	242310258	2025/3/4 9:05:00	4.6℃	正常	
975	7-4 (2-1药)	冰箱	242310258	2025/3/4 9:10:00	3.9℃	正常	
976	7-4 (2-1药)	冰箱	242310258	2025/3/4 9:15:00	4.6℃	正常	
977	7-4 (2-1药)	冰箱	242310258	2025/3/4 9:20:00	4.0℃	正常	
978	7-4 (2-1药)	冰箱	242310258	2025/3/4 9:25:00	4.4℃	正常	
979	7-4 (2-1药)	冰箱	242310258	2025/3/4 9:30:00	4.3℃	正常	
980	7-4 (2-1药)	冰箱	242310258	2025/3/4 9:35:00	4.2℃	正常	
981	7-4 (2-1药)	冰箱	242310258	2025/3/4 9:40:00	4.6℃	正常	
982	7-4 (2-1药)	冰箱	242310258	2025/3/4 9:45:00	4.5℃	正常	
983	7-4 (2-1药)	冰箱	242310258	2025/3/4 9:50:00	4.4℃	正常	
984	7-4 (2-1药)	冰箱	242310258	2025/3/4 9:55:00	4.2℃	正常	
985	7-4 (2-1药)	冰箱	242310258	2025/3/4 10:00:00	4.6℃	正常	
986	7-4 (2-1药)	冰箱	242310258	2025/3/4 10:05:00	4.0℃	正常	
987	7-4 (2-1药)	冰箱	242310258	2025/3/4 10:10:00	4.6℃	正常	
988	7-4 (2-1药)	冰箱	242310258	2025/3/4 10:15:00	4.0℃	正常	
989	7-4 (2-1药)	冰箱	242310258	2025/3/4 10:20:00	4.5℃	正常	
990	7-4 (2-1药)	冰箱	242310258	2025/3/4 10:25:00	4.2℃	正常	
991	7-4 (2-1药)	冰箱	242310258	2025/3/4 10:30:00	4.3℃	正常	
992	7-4 (2-1药)	冰箱	242310258	2025/3/4 10:35:00	4.4℃	正常	
993	7-4 (2-1药)	冰箱	242310258	2025/3/4 10:40:00	4.1℃	正常	
994	7-4 (2-1药)	冰箱	242310258	2025/3/4 10:45:00	4.5℃	正常	
995	7-4 (2-1药)	冰箱	242310258	2025/3/4 10:50:00	3.9℃	正常	
996	7-4 (2-1药)	冰箱	242310258	2025/3/4 10:55:00	4.6℃	正常	
997	7-4 (2-1药)	冰箱	242310258	2025/3/4 11:00:00	4.0℃	正常	
998	7-4 (2-1药)	冰箱	242310258	2025/3/4 11:05:00	4.5℃	正常	
999	7-4 (2-1药)	冰箱	242310258	2025/3/4 11:10:00	4.2℃	正常	
1000	7-4 (2-1药)	冰箱	242310258	2025/3/4 11:15:00	4.3℃	正常	
1001	7-4 (2-1药)	冰箱	242310258	2025/3/4 11:20:00	4.4℃	正常	
1002	7-4 (2-1药)	冰箱	242310258	2025/3/4 11:25:00	4.0℃	正常	
1003	7-4 (2-1药)	冰箱	242310258	2025/3/4 11:30:00	4.6℃	正常	
1004	7-4 (2-1药)	冰箱	242310258	2025/3/4 11:35:00	3.9℃	正常	
1005	7-4 (2-1药)	冰箱	242310258	2025/3/4 11:40:00	4.5℃	正常	
1006	7-4 (2-1药)	冰箱	242310258	2025/3/4 11:45:00	4.0℃	正常	
1007	7-4 (2-1药)	冰箱	242310258	2025/3/4 11:50:00	4.4℃	正常	
1008	7-4 (2-1药)	冰箱	242310258	2025/3/4 11:55:00	4.3℃	正常	
1009	7-4 (2-1药)	冰箱	242310258	2025/3/4 12:00:00	4.3℃	正常	
1010	7-4 (2-1药)	冰箱	242310258	2025/3/4 12:05:00	4.4℃	正常	
1011	7-4 (2-1药)	冰箱	242310258	2025/3/4 12:10:00	4.0℃	正常	
1012	7-4 (2-1药)	冰箱	242310258	2025/3/4 12:15:00	4.6℃	正常	

1013	7-4 (2-1药)	冰箱	242310258	2025/3/4 12:20:00	3.9℃	正常	
1014	7-4 (2-1药)	冰箱	242310258	2025/3/4 12:25:00	4.6℃	正常	
1015	7-4 (2-1药)	冰箱	242310258	2025/3/4 12:30:00	4.0℃	正常	
1016	7-4 (2-1药)	冰箱	242310258	2025/3/4 12:35:00	4.4℃	正常	
1017	7-4 (2-1药)	冰箱	242310258	2025/3/4 12:40:00	4.2℃	正常	
1018	7-4 (2-1药)	冰箱	242310258	2025/3/4 12:45:00	4.2℃	正常	
1019	7-4 (2-1药)	冰箱	242310258	2025/3/4 12:50:00	4.5℃	正常	
1020	7-4 (2-1药)	冰箱	242310258	2025/3/4 12:55:00	4.1℃	正常	
1021	7-4 (2-1药)	冰箱	242310258	2025/3/4 13:00:00	4.5℃	正常	
1022	7-4 (2-1药)	冰箱	242310258	2025/3/4 13:05:00	3.9℃	正常	
1023	7-4 (2-1药)	冰箱	242310258	2025/3/4 13:10:00	4.5℃	正常	
1024	7-4 (2-1药)	冰箱	242310258	2025/3/4 13:15:00	4.1℃	正常	
1025	7-4 (2-1药)	冰箱	242310258	2025/3/4 13:20:00	4.4℃	正常	
1026	7-4 (2-1药)	冰箱	242310258	2025/3/4 13:25:00	4.3℃	正常	
1027	7-4 (2-1药)	冰箱	242310258	2025/3/4 13:30:00	4.1℃	正常	
1028	7-4 (2-1药)	冰箱	242310258	2025/3/4 13:35:00	4.5℃	正常	
1029	7-4 (2-1药)	冰箱	242310258	2025/3/4 13:40:00	4.0℃	正常	
1030	7-4 (2-1药)	冰箱	242310258	2025/3/4 13:45:00	4.6℃	正常	
1031	7-4 (2-1药)	冰箱	242310258	2025/3/4 13:50:00	3.9℃	正常	
1032	7-4 (2-1药)	冰箱	242310258	2025/3/4 13:55:00	4.5℃	正常	
1033	7-4 (2-1药)	冰箱	242310258	2025/3/4 14:00:00	4.1℃	正常	
1034	7-4 (2-1药)	冰箱	242310258	2025/3/4 14:05:00	4.3℃	正常	
1035	7-4 (2-1药)	冰箱	242310258	2025/3/4 14:10:00	4.4℃	正常	
1036	7-4 (2-1药)	冰箱	242310258	2025/3/4 14:15:00	4.3℃	正常	
1037	7-4 (2-1药)	冰箱	242310258	2025/3/4 14:20:00	4.5℃	正常	
1038	7-4 (2-1药)	冰箱	242310258	2025/3/4 14:25:00	4.0℃	正常	
1039	7-4 (2-1药)	冰箱	242310258	2025/3/4 14:30:00	4.6℃	正常	
1040	7-4 (2-1药)	冰箱	242310258	2025/3/4 14:35:00	3.9℃	正常	
1041	7-4 (2-1药)	冰箱	242310258	2025/3/4 14:40:00	4.5℃	正常	
1042	7-4 (2-1药)	冰箱	242310258	2025/3/4 14:45:00	4.0℃	正常	
1043	7-4 (2-1药)	冰箱	242310258	2025/3/4 14:50:00	4.5℃	正常	
1044	7-4 (2-1药)	冰箱	242310258	2025/3/4 14:55:00	4.2℃	正常	
1045	7-4 (2-1药)	冰箱	242310258	2025/3/4 15:00:00	4.3℃	正常	
1046	7-4 (2-1药)	冰箱	242310258	2025/3/4 15:05:00	4.4℃	正常	
1047	7-4 (2-1药)	冰箱	242310258	2025/3/4 15:10:00	4.1℃	正常	
1048	7-4 (2-1药)	冰箱	242310258	2025/3/4 15:15:00	4.5℃	正常	
1049	7-4 (2-1药)	冰箱	242310258	2025/3/4 15:20:00	3.9℃	正常	
1050	7-4 (2-1药)	冰箱	242310258	2025/3/4 15:25:00	4.6℃	正常	
1051	7-4 (2-1药)	冰箱	242310258	2025/3/4 15:30:00	3.9℃	正常	
1052	7-4 (2-1药)	冰箱	242310258	2025/3/4 15:35:00	4.5℃	正常	
1053	7-4 (2-1药)	冰箱	242310258	2025/3/4 15:40:00	4.1℃	正常	
1054	7-4 (2-1药)	冰箱	242310258	2025/3/4 15:45:00	4.3℃	正常	
1055	7-4 (2-1药)	冰箱	242310258	2025/3/4 15:50:00	4.4℃	正常	
1056	7-4 (2-1药)	冰箱	242310258	2025/3/4 15:55:00	4.1℃	正常	
1057	7-4 (2-1药)	冰箱	242310258	2025/3/4 16:00:00	4.6℃	正常	
1058	7-4 (2-1药)	冰箱	242310258	2025/3/4 16:05:00	4.0℃	正常	
1059	7-4 (2-1药)	冰箱	242310258	2025/3/4 16:10:00	4.5℃	正常	
1060	7-4 (2-1药)	冰箱	242310258	2025/3/4 16:15:00	4.0℃	正常	
1061	7-4 (2-1药)	冰箱	242310258	2025/3/4 16:20:00	4.5℃	正常	
1062	7-4 (2-1药)	冰箱	242310258	2025/3/4 16:25:00	4.2℃	正常	
1063	7-4 (2-1药)	冰箱	242310258	2025/3/4 16:30:00	4.3℃	正常	
1064	7-4 (2-1药)	冰箱	242310258	2025/3/4 16:35:00	4.3℃	正常	
1065	7-4 (2-1药)	冰箱	242310258	2025/3/4 16:40:00	4.2℃	正常	
1066	7-4 (2-1药)	冰箱	242310258	2025/3/4 16:45:00	4.5℃	正常	
1067	7-4 (2-1药)	冰箱	242310258	2025/3/4 16:50:00	4.0℃	正常	
1068	7-4 (2-1药)	冰箱	242310258	2025/3/4 16:55:00	4.6℃	正常	
1069	7-4 (2-1药)	冰箱	242310258	2025/3/4 17:00:00	3.9℃	正常	
1070	7-4 (2-1药)	冰箱	242310258	2025/3/4 17:05:00	4.5℃	正常	
1071	7-4 (2-1药)	冰箱	242310258	2025/3/4 17:10:00	4.1℃	正常	
1072	7-4 (2-1药)	冰箱	242310258	2025/3/4 17:15:00	4.4℃	正常	
1073	7-4 (2-1药)	冰箱	242310258	2025/3/4 17:20:00	4.3℃	正常	
1074	7-4 (2-1药)	冰箱	242310258	2025/3/4 17:25:00	4.2℃	正常	
1075	7-4 (2-1药)	冰箱	242310258	2025/3/4 17:30:00	4.5℃	正常	
1076	7-4 (2-1药)	冰箱	242310258	2025/3/4 17:35:00	3.9℃	正常	

1077	7-4 (2-1药)	冰箱	242310258	2025/3/4 17:40:00	4.6℃	正常	
1078	7-4 (2-1药)	冰箱	242310258	2025/3/4 17:45:00	3.9℃	正常	
1079	7-4 (2-1药)	冰箱	242310258	2025/3/4 17:50:00	4.5℃	正常	
1080	7-4 (2-1药)	冰箱	242310258	2025/3/4 17:55:00	4.0℃	正常	
1081	7-4 (2-1药)	冰箱	242310258	2025/3/4 18:00:00	4.4℃	正常	
1082	7-4 (2-1药)	冰箱	242310258	2025/3/4 18:05:00	4.3℃	正常	
1083	7-4 (2-1药)	冰箱	242310258	2025/3/4 18:10:00	4.2℃	正常	
1084	7-4 (2-1药)	冰箱	242310258	2025/3/4 18:15:00	4.5℃	正常	
1085	7-4 (2-1药)	冰箱	242310258	2025/3/4 18:20:00	4.1℃	正常	
1086	7-4 (2-1药)	冰箱	242310258	2025/3/4 18:25:00	4.5℃	正常	
1087	7-4 (2-1药)	冰箱	242310258	2025/3/4 18:30:00	3.9℃	正常	
1088	7-4 (2-1药)	冰箱	242310258	2025/3/4 18:35:00	4.5℃	正常	
1089	7-4 (2-1药)	冰箱	242310258	2025/3/4 18:40:00	4.0℃	正常	
1090	7-4 (2-1药)	冰箱	242310258	2025/3/4 18:45:00	4.4℃	正常	
1091	7-4 (2-1药)	冰箱	242310258	2025/3/4 18:50:00	4.2℃	正常	
1092	7-4 (2-1药)	冰箱	242310258	2025/3/4 18:55:00	4.2℃	正常	
1093	7-4 (2-1药)	冰箱	242310258	2025/3/4 19:00:00	4.5℃	正常	
1094	7-4 (2-1药)	冰箱	242310258	2025/3/4 19:05:00	4.0℃	正常	
1095	7-4 (2-1药)	冰箱	242310258	2025/3/4 19:10:00	4.6℃	正常	
1096	7-4 (2-1药)	冰箱	242310258	2025/3/4 19:15:00	3.9℃	正常	
1097	7-4 (2-1药)	冰箱	242310258	2025/3/4 19:20:00	4.5℃	正常	
1098	7-4 (2-1药)	冰箱	242310258	2025/3/4 19:25:00	4.1℃	正常	
1099	7-4 (2-1药)	冰箱	242310258	2025/3/4 19:30:00	4.3℃	正常	
1100	7-4 (2-1药)	冰箱	242310258	2025/3/4 19:35:00	4.4℃	正常	
1101	7-4 (2-1药)	冰箱	242310258	2025/3/4 19:40:00	4.1℃	正常	
1102	7-4 (2-1药)	冰箱	242310258	2025/3/4 19:45:00	4.5℃	正常	
1103	7-4 (2-1药)	冰箱	242310258	2025/3/4 19:50:00	3.9℃	正常	
1104	7-4 (2-1药)	冰箱	242310258	2025/3/4 19:55:00	4.6℃	正常	
1105	7-4 (2-1药)	冰箱	242310258	2025/3/4 20:00:00	3.9℃	正常	
1106	7-4 (2-1药)	冰箱	242310258	2025/3/4 20:05:00	4.5℃	正常	
1107	7-4 (2-1药)	冰箱	242310258	2025/3/4 20:10:00	4.0℃	正常	
1108	7-4 (2-1药)	冰箱	242310258	2025/3/4 20:15:00	4.4℃	正常	
1109	7-4 (2-1药)	冰箱	242310258	2025/3/4 20:20:00	4.3℃	正常	
1110	7-4 (2-1药)	冰箱	242310258	2025/3/4 20:25:00	4.2℃	正常	
1111	7-4 (2-1药)	冰箱	242310258	2025/3/4 20:30:00	4.5℃	正常	
1112	7-4 (2-1药)	冰箱	242310258	2025/3/4 20:35:00	4.0℃	正常	
1113	7-4 (2-1药)	冰箱	242310258	2025/3/4 20:40:00	4.7℃	正常	
1114	7-4 (2-1药)	冰箱	242310258	2025/3/4 20:45:00	4.4℃	正常	
1115	7-4 (2-1药)	冰箱	242310258	2025/3/4 20:50:00	4.5℃	正常	
1116	7-4 (2-1药)	冰箱	242310258	2025/3/4 20:55:00	4.1℃	正常	
1117	7-4 (2-1药)	冰箱	242310258	2025/3/4 21:00:00	4.6℃	正常	
1118	7-4 (2-1药)	冰箱	242310258	2025/3/4 21:05:00	4.0℃	正常	
1119	7-4 (2-1药)	冰箱	242310258	2025/3/4 21:10:00	4.6℃	正常	
1120	7-4 (2-1药)	冰箱	242310258	2025/3/4 21:15:00	4.0℃	正常	
1121	7-4 (2-1药)	冰箱	242310258	2025/3/4 21:20:00	4.4℃	正常	
1122	7-4 (2-1药)	冰箱	242310258	2025/3/4 21:25:00	4.2℃	正常	
1123	7-4 (2-1药)	冰箱	242310258	2025/3/4 21:30:00	4.3℃	正常	
1124	7-4 (2-1药)	冰箱	242310258	2025/3/4 21:35:00	4.4℃	正常	
1125	7-4 (2-1药)	冰箱	242310258	2025/3/4 21:40:00	4.0℃	正常	
1126	7-4 (2-1药)	冰箱	242310258	2025/3/4 21:45:00	4.6℃	正常	
1127	7-4 (2-1药)	冰箱	242310258	2025/3/4 21:50:00	3.9℃	正常	
1128	7-4 (2-1药)	冰箱	242310258	2025/3/4 21:55:00	4.5℃	正常	
1129	7-4 (2-1药)	冰箱	242310258	2025/3/4 22:00:00	4.0℃	正常	
1130	7-4 (2-1药)	冰箱	242310258	2025/3/4 22:05:00	4.5℃	正常	
1131	7-4 (2-1药)	冰箱	242310258	2025/3/4 22:10:00	4.2℃	正常	
1132	7-4 (2-1药)	冰箱	242310258	2025/3/4 22:15:00	4.2℃	正常	
1133	7-4 (2-1药)	冰箱	242310258	2025/3/4 22:20:00	4.5℃	正常	
1134	7-4 (2-1药)	冰箱	242310258	2025/3/4 22:25:00	4.1℃	正常	
1135	7-4 (2-1药)	冰箱	242310258	2025/3/4 22:30:00	4.5℃	正常	
1136	7-4 (2-1药)	冰箱	242310258	2025/3/4 22:35:00	3.9℃	正常	
1137	7-4 (2-1药)	冰箱	242310258	2025/3/4 22:40:00	4.5℃	正常	
1138	7-4 (2-1药)	冰箱	242310258	2025/3/4 22:45:00	4.0℃	正常	
1139	7-4 (2-1药)	冰箱	242310258	2025/3/4 22:50:00	4.4℃	正常	
1140	7-4 (2-1药)	冰箱	242310258	2025/3/4 22:55:00	4.3℃	正常	

1141	7-4 (2-1药)	冰箱	242310258	2025/3/4 23:00:00	4.2℃	正常	
1142	7-4 (2-1药)	冰箱	242310258	2025/3/4 23:05:00	4.5℃	正常	
1143	7-4 (2-1药)	冰箱	242310258	2025/3/4 23:10:00	4.0℃	正常	
1144	7-4 (2-1药)	冰箱	242310258	2025/3/4 23:15:00	4.6℃	正常	
1145	7-4 (2-1药)	冰箱	242310258	2025/3/4 23:20:00	3.9℃	正常	
1146	7-4 (2-1药)	冰箱	242310258	2025/3/4 23:25:00	4.5℃	正常	
1147	7-4 (2-1药)	冰箱	242310258	2025/3/4 23:30:00	4.0℃	正常	
1148	7-4 (2-1药)	冰箱	242310258	2025/3/4 23:35:00	4.4℃	正常	
1149	7-4 (2-1药)	冰箱	242310258	2025/3/4 23:40:00	4.2℃	正常	
1150	7-4 (2-1药)	冰箱	242310258	2025/3/4 23:45:00	4.2℃	正常	
1151	7-4 (2-1药)	冰箱	242310258	2025/3/4 23:50:00	4.4℃	正常	
1152	7-4 (2-1药)	冰箱	242310258	2025/3/4 23:55:00	4.0℃	正常	
1153	7-4 (2-1药)	冰箱	242310258	2025/3/5 0:00:00	4.6℃	正常	
1154	7-4 (2-1药)	冰箱	242310258	2025/3/5 0:05:00	4.0℃	正常	
1155	7-4 (2-1药)	冰箱	242310258	2025/3/5 0:10:00	4.5℃	正常	
1156	7-4 (2-1药)	冰箱	242310258	2025/3/5 0:15:00	4.0℃	正常	
1157	7-4 (2-1药)	冰箱	242310258	2025/3/5 0:20:00	4.4℃	正常	
1158	7-4 (2-1药)	冰箱	242310258	2025/3/5 0:25:00	4.2℃	正常	
1159	7-4 (2-1药)	冰箱	242310258	2025/3/5 0:30:00	4.3℃	正常	
1160	7-4 (2-1药)	冰箱	242310258	2025/3/5 0:35:00	4.4℃	正常	
1161	7-4 (2-1药)	冰箱	242310258	2025/3/5 0:40:00	4.0℃	正常	
1162	7-4 (2-1药)	冰箱	242310258	2025/3/5 0:45:00	4.6℃	正常	
1163	7-4 (2-1药)	冰箱	242310258	2025/3/5 0:50:00	3.9℃	正常	
1164	7-4 (2-1药)	冰箱	242310258	2025/3/5 0:55:00	4.5℃	正常	
1165	7-4 (2-1药)	冰箱	242310258	2025/3/5 1:00:00	4.0℃	正常	
1166	7-4 (2-1药)	冰箱	242310258	2025/3/5 1:05:00	4.3℃	正常	
1167	7-4 (2-1药)	冰箱	242310258	2025/3/5 1:10:00	4.3℃	正常	
1168	7-4 (2-1药)	冰箱	242310258	2025/3/5 1:15:00	4.1℃	正常	
1169	7-4 (2-1药)	冰箱	242310258	2025/3/5 1:20:00	4.6℃	正常	
1170	7-4 (2-1药)	冰箱	242310258	2025/3/5 1:25:00	4.0℃	正常	
1171	7-4 (2-1药)	冰箱	242310258	2025/3/5 1:30:00	4.5℃	正常	
1172	7-4 (2-1药)	冰箱	242310258	2025/3/5 1:35:00	3.9℃	正常	
1173	7-4 (2-1药)	冰箱	242310258	2025/3/5 1:40:00	4.4℃	正常	
1174	7-4 (2-1药)	冰箱	242310258	2025/3/5 1:45:00	4.2℃	正常	
1175	7-4 (2-1药)	冰箱	242310258	2025/3/5 1:50:00	4.3℃	正常	
1176	7-4 (2-1药)	冰箱	242310258	2025/3/5 1:55:00	4.4℃	正常	
1177	7-4 (2-1药)	冰箱	242310258	2025/3/5 2:00:00	4.0℃	正常	
1178	7-4 (2-1药)	冰箱	242310258	2025/3/5 2:05:00	4.6℃	正常	
1179	7-4 (2-1药)	冰箱	242310258	2025/3/5 2:10:00	3.9℃	正常	
1180	7-4 (2-1药)	冰箱	242310258	2025/3/5 2:15:00	4.5℃	正常	
1181	7-4 (2-1药)	冰箱	242310258	2025/3/5 2:20:00	4.0℃	正常	
1182	7-4 (2-1药)	冰箱	242310258	2025/3/5 2:25:00	4.4℃	正常	
1183	7-4 (2-1药)	冰箱	242310258	2025/3/5 2:30:00	4.3℃	正常	
1184	7-4 (2-1药)	冰箱	242310258	2025/3/5 2:35:00	4.2℃	正常	
1185	7-4 (2-1药)	冰箱	242310258	2025/3/5 2:40:00	4.5℃	正常	
1186	7-4 (2-1药)	冰箱	242310258	2025/3/5 2:45:00	4.0℃	正常	
1187	7-4 (2-1药)	冰箱	242310258	2025/3/5 2:50:00	4.6℃	正常	
1188	7-4 (2-1药)	冰箱	242310258	2025/3/5 2:55:00	3.9℃	正常	
1189	7-4 (2-1药)	冰箱	242310258	2025/3/5 3:00:00	4.5℃	正常	
1190	7-4 (2-1药)	冰箱	242310258	2025/3/5 3:05:00	4.1℃	正常	
1191	7-4 (2-1药)	冰箱	242310258	2025/3/5 3:10:00	4.3℃	正常	
1192	7-4 (2-1药)	冰箱	242310258	2025/3/5 3:15:00	4.3℃	正常	
1193	7-4 (2-1药)	冰箱	242310258	2025/3/5 3:20:00	4.1℃	正常	
1194	7-4 (2-1药)	冰箱	242310258	2025/3/5 3:25:00	4.5℃	正常	
1195	7-4 (2-1药)	冰箱	242310258	2025/3/5 3:30:00	3.9℃	正常	
1196	7-4 (2-1药)	冰箱	242310258	2025/3/5 3:35:00	4.6℃	正常	
1197	7-4 (2-1药)	冰箱	242310258	2025/3/5 3:40:00	3.9℃	正常	
1198	7-4 (2-1药)	冰箱	242310258	2025/3/5 3:45:00	4.4℃	正常	
1199	7-4 (2-1药)	冰箱	242310258	2025/3/5 3:50:00	4.2℃	正常	
1200	7-4 (2-1药)	冰箱	242310258	2025/3/5 3:55:00	4.2℃	正常	
1201	7-4 (2-1药)	冰箱	242310258	2025/3/5 4:00:00	4.5℃	正常	
1202	7-4 (2-1药)	冰箱	242310258	2025/3/5 4:05:00	4.1℃	正常	
1203	7-4 (2-1药)	冰箱	242310258	2025/3/5 4:10:00	4.5℃	正常	
1204	7-4 (2-1药)	冰箱	242310258	2025/3/5 4:15:00	3.9℃	正常	

1205	7-4 (2-1药)	冰箱	242310258	2025/3/5 4:20:00	4.5℃	正常	
1206	7-4 (2-1药)	冰箱	242310258	2025/3/5 4:25:00	4.1℃	正常	
1207	7-4 (2-1药)	冰箱	242310258	2025/3/5 4:30:00	4.4℃	正常	
1208	7-4 (2-1药)	冰箱	242310258	2025/3/5 4:35:00	4.3℃	正常	
1209	7-4 (2-1药)	冰箱	242310258	2025/3/5 4:40:00	4.1℃	正常	
1210	7-4 (2-1药)	冰箱	242310258	2025/3/5 4:45:00	4.5℃	正常	
1211	7-4 (2-1药)	冰箱	242310258	2025/3/5 4:50:00	3.9℃	正常	
1212	7-4 (2-1药)	冰箱	242310258	2025/3/5 4:55:00	4.5℃	正常	
1213	7-4 (2-1药)	冰箱	242310258	2025/3/5 5:00:00	4.0℃	正常	
1214	7-4 (2-1药)	冰箱	242310258	2025/3/5 5:05:00	4.4℃	正常	
1215	7-4 (2-1药)	冰箱	242310258	2025/3/5 5:10:00	4.2℃	正常	
1216	7-4 (2-1药)	冰箱	242310258	2025/3/5 5:15:00	4.2℃	正常	
1217	7-4 (2-1药)	冰箱	242310258	2025/3/5 5:20:00	4.5℃	正常	
1218	7-4 (2-1药)	冰箱	242310258	2025/3/5 5:25:00	4.0℃	正常	
1219	7-4 (2-1药)	冰箱	242310258	2025/3/5 5:30:00	4.6℃	正常	
1220	7-4 (2-1药)	冰箱	242310258	2025/3/5 5:35:00	3.9℃	正常	
1221	7-4 (2-1药)	冰箱	242310258	2025/3/5 5:40:00	4.5℃	正常	
1222	7-4 (2-1药)	冰箱	242310258	2025/3/5 5:45:00	4.1℃	正常	
1223	7-4 (2-1药)	冰箱	242310258	2025/3/5 5:50:00	4.3℃	正常	
1224	7-4 (2-1药)	冰箱	242310258	2025/3/5 5:55:00	4.3℃	正常	
1225	7-4 (2-1药)	冰箱	242310258	2025/3/5 6:00:00	4.1℃	正常	
1226	7-4 (2-1药)	冰箱	242310258	2025/3/5 6:05:00	4.5℃	正常	
1227	7-4 (2-1药)	冰箱	242310258	2025/3/5 6:10:00	3.9℃	正常	
1228	7-4 (2-1药)	冰箱	242310258	2025/3/5 6:15:00	4.6℃	正常	
1229	7-4 (2-1药)	冰箱	242310258	2025/3/5 6:20:00	3.9℃	正常	
1230	7-4 (2-1药)	冰箱	242310258	2025/3/5 6:25:00	4.5℃	正常	
1231	7-4 (2-1药)	冰箱	242310258	2025/3/5 6:30:00	4.1℃	正常	
1232	7-4 (2-1药)	冰箱	242310258	2025/3/5 6:35:00	4.3℃	正常	
1233	7-4 (2-1药)	冰箱	242310258	2025/3/5 6:40:00	4.4℃	正常	
1234	7-4 (2-1药)	冰箱	242310258	2025/3/5 6:45:00	4.1℃	正常	
1235	7-4 (2-1药)	冰箱	242310258	2025/3/5 6:50:00	4.6℃	正常	
1236	7-4 (2-1药)	冰箱	242310258	2025/3/5 6:55:00	3.9℃	正常	
1237	7-4 (2-1药)	冰箱	242310258	2025/3/5 7:00:00	4.6℃	正常	
1238	7-4 (2-1药)	冰箱	242310258	2025/3/5 7:05:00	4.0℃	正常	
1239	7-4 (2-1药)	冰箱	242310258	2025/3/5 7:10:00	4.4℃	正常	
1240	7-4 (2-1药)	冰箱	242310258	2025/3/5 7:15:00	4.2℃	正常	
1241	7-4 (2-1药)	冰箱	242310258	2025/3/5 7:20:00	4.2℃	正常	
1242	7-4 (2-1药)	冰箱	242310258	2025/3/5 7:25:00	4.5℃	正常	
1243	7-4 (2-1药)	冰箱	242310258	2025/3/5 7:30:00	4.1℃	正常	
1244	7-4 (2-1药)	冰箱	242310258	2025/3/5 7:35:00	4.6℃	正常	
1245	7-4 (2-1药)	冰箱	242310258	2025/3/5 7:40:00	3.9℃	正常	
1246	7-4 (2-1药)	冰箱	242310258	2025/3/5 7:45:00	4.8℃	正常	
1247	7-4 (2-1药)	冰箱	242310258	2025/3/5 7:50:00	4.2℃	正常	
1248	7-4 (2-1药)	冰箱	242310258	2025/3/5 7:55:00	4.6℃	正常	
1249	7-4 (2-1药)	冰箱	242310258	2025/3/5 8:00:00	4.0℃	正常	
1250	7-4 (2-1药)	冰箱	242310258	2025/3/5 8:05:00	4.5℃	正常	
1251	7-4 (2-1药)	冰箱	242310258	2025/3/5 8:10:00	4.0℃	正常	
1252	7-4 (2-1药)	冰箱	242310258	2025/3/5 8:15:00	4.4℃	正常	
1253	7-4 (2-1药)	冰箱	242310258	2025/3/5 8:20:00	4.3℃	正常	
1254	7-4 (2-1药)	冰箱	242310258	2025/3/5 8:25:00	4.2℃	正常	
1255	7-4 (2-1药)	冰箱	242310258	2025/3/5 8:30:00	4.5℃	正常	
1256	7-4 (2-1药)	冰箱	242310258	2025/3/5 8:35:00	3.9℃	正常	
1257	7-4 (2-1药)	冰箱	242310258	2025/3/5 8:40:00	4.5℃	正常	
1258	7-4 (2-1药)	冰箱	242310258	2025/3/5 8:45:00	4.0℃	正常	
1259	7-4 (2-1药)	冰箱	242310258	2025/3/5 8:50:00	4.5℃	正常	
1260	7-4 (2-1药)	冰箱	242310258	2025/3/5 8:55:00	4.2℃	正常	
1261	7-4 (2-1药)	冰箱	242310258	2025/3/5 9:00:00	4.3℃	正常	
1262	7-4 (2-1药)	冰箱	242310258	2025/3/5 9:05:00	4.5℃	正常	
1263	7-4 (2-1药)	冰箱	242310258	2025/3/5 9:10:00	4.0℃	正常	
1264	7-4 (2-1药)	冰箱	242310258	2025/3/5 9:15:00	4.6℃	正常	
1265	7-4 (2-1药)	冰箱	242310258	2025/3/5 9:20:00	4.0℃	正常	
1266	7-4 (2-1药)	冰箱	242310258	2025/3/5 9:25:00	4.5℃	正常	
1267	7-4 (2-1药)	冰箱	242310258	2025/3/5 9:30:00	4.1℃	正常	
1268	7-4 (2-1药)	冰箱	242310258	2025/3/5 9:35:00	4.3℃	正常	

1269	7-4 (2-1药)	冰箱	242310258	2025/3/5 9:40:00	4.4℃	正常	
1270	7-4 (2-1药)	冰箱	242310258	2025/3/5 9:45:00	4.1℃	正常	
1271	7-4 (2-1药)	冰箱	242310258	2025/3/5 9:50:00	4.6℃	正常	
1272	7-4 (2-1药)	冰箱	242310258	2025/3/5 9:55:00	4.0℃	正常	
1273	7-4 (2-1药)	冰箱	242310258	2025/3/5 10:00:00	4.6℃	正常	
1274	7-4 (2-1药)	冰箱	242310258	2025/3/5 10:05:00	4.0℃	正常	
1275	7-4 (2-1药)	冰箱	242310258	2025/3/5 10:10:00	4.4℃	正常	
1276	7-4 (2-1药)	冰箱	242310258	2025/3/5 10:15:00	4.3℃	正常	
1277	7-4 (2-1药)	冰箱	242310258	2025/3/5 10:20:00	4.2℃	正常	
1278	7-4 (2-1药)	冰箱	242310258	2025/3/5 10:25:00	4.5℃	正常	
1279	7-4 (2-1药)	冰箱	242310258	2025/3/5 10:30:00	4.0℃	正常	
1280	7-4 (2-1药)	冰箱	242310258	2025/3/5 10:35:00	4.6℃	正常	
1281	7-4 (2-1药)	冰箱	242310258	2025/3/5 10:40:00	4.0℃	正常	
1282	7-4 (2-1药)	冰箱	242310258	2025/3/5 10:45:00	4.5℃	正常	
1283	7-4 (2-1药)	冰箱	242310258	2025/3/5 10:50:00	4.1℃	正常	
1284	7-4 (2-1药)	冰箱	242310258	2025/3/5 10:55:00	4.3℃	正常	
1285	7-4 (2-1药)	冰箱	242310258	2025/3/5 11:00:00	4.4℃	正常	
1286	7-4 (2-1药)	冰箱	242310258	2025/3/5 11:05:00	4.1℃	正常	
1287	7-4 (2-1药)	冰箱	242310258	2025/3/5 11:10:00	4.6℃	正常	
1288	7-4 (2-1药)	冰箱	242310258	2025/3/5 11:15:00	3.9℃	正常	
1289	7-4 (2-1药)	冰箱	242310258	2025/3/5 11:20:00	5.0℃	正常	
1290	7-4 (2-1药)	冰箱	242310258	2025/3/5 11:25:00	4.0℃	正常	
1291	7-4 (2-1药)	冰箱	242310258	2025/3/5 11:30:00	4.6℃	正常	
1292	7-4 (2-1药)	冰箱	242310258	2025/3/5 11:35:00	4.1℃	正常	
1293	7-4 (2-1药)	冰箱	242310258	2025/3/5 11:40:00	4.3℃	正常	
1294	7-4 (2-1药)	冰箱	242310258	2025/3/5 11:45:00	4.3℃	正常	
1295	7-4 (2-1药)	冰箱	242310258	2025/3/5 11:50:00	4.1℃	正常	
1296	7-4 (2-1药)	冰箱	242310258	2025/3/5 11:55:00	4.6℃	正常	
1297	7-4 (2-1药)	冰箱	242310258	2025/3/5 12:00:00	4.0℃	正常	
1298	7-4 (2-1药)	冰箱	242310258	2025/3/5 12:05:00	4.6℃	正常	
1299	7-4 (2-1药)	冰箱	242310258	2025/3/5 12:10:00	3.9℃	正常	
1300	7-4 (2-1药)	冰箱	242310258	2025/3/5 12:15:00	4.5℃	正常	
1301	7-4 (2-1药)	冰箱	242310258	2025/3/5 12:20:00	4.1℃	正常	
1302	7-4 (2-1药)	冰箱	242310258	2025/3/5 12:25:00	4.3℃	正常	
1303	7-4 (2-1药)	冰箱	242310258	2025/3/5 12:30:00	4.4℃	正常	
1304	7-4 (2-1药)	冰箱	242310258	2025/3/5 12:35:00	4.0℃	正常	
1305	7-4 (2-1药)	冰箱	242310258	2025/3/5 12:40:00	4.6℃	正常	
1306	7-4 (2-1药)	冰箱	242310258	2025/3/5 12:45:00	3.9℃	正常	
1307	7-4 (2-1药)	冰箱	242310258	2025/3/5 12:50:00	4.5℃	正常	
1308	7-4 (2-1药)	冰箱	242310258	2025/3/5 12:55:00	4.0℃	正常	
1309	7-4 (2-1药)	冰箱	242310258	2025/3/5 13:00:00	4.4℃	正常	
1310	7-4 (2-1药)	冰箱	242310258	2025/3/5 13:05:00	4.2℃	正常	
1311	7-4 (2-1药)	冰箱	242310258	2025/3/5 13:10:00	4.3℃	正常	
1312	7-4 (2-1药)	冰箱	242310258	2025/3/5 13:15:00	4.4℃	正常	
1313	7-4 (2-1药)	冰箱	242310258	2025/3/5 13:20:00	4.1℃	正常	
1314	7-4 (2-1药)	冰箱	242310258	2025/3/5 13:25:00	4.5℃	正常	
1315	7-4 (2-1药)	冰箱	242310258	2025/3/5 13:30:00	3.9℃	正常	
1316	7-4 (2-1药)	冰箱	242310258	2025/3/5 13:35:00	4.5℃	正常	
1317	7-4 (2-1药)	冰箱	242310258	2025/3/5 13:40:00	4.0℃	正常	
1318	7-4 (2-1药)	冰箱	242310258	2025/3/5 13:45:00	4.4℃	正常	
1319	7-4 (2-1药)	冰箱	242310258	2025/3/5 13:50:00	4.1℃	正常	
1320	7-4 (2-1药)	冰箱	242310258	2025/3/5 13:55:00	4.3℃	正常	
1321	7-4 (2-1药)	冰箱	242310258	2025/3/5 14:00:00	4.4℃	正常	
1322	7-4 (2-1药)	冰箱	242310258	2025/3/5 14:05:00	4.1℃	正常	
1323	7-4 (2-1药)	冰箱	242310258	2025/3/5 14:10:00	4.6℃	正常	
1324	7-4 (2-1药)	冰箱	242310258	2025/3/5 14:15:00	3.9℃	正常	
1325	7-4 (2-1药)	冰箱	242310258	2025/3/5 14:20:00	4.6℃	正常	
1326	7-4 (2-1药)	冰箱	242310258	2025/3/5 14:25:00	3.9℃	正常	
1327	7-4 (2-1药)	冰箱	242310258	2025/3/5 14:30:00	4.5℃	正常	
1328	7-4 (2-1药)	冰箱	242310258	2025/3/5 14:35:00	4.0℃	正常	
1329	7-4 (2-1药)	冰箱	242310258	2025/3/5 14:40:00	4.3℃	正常	
1330	7-4 (2-1药)	冰箱	242310258	2025/3/5 14:45:00	4.3℃	正常	
1331	7-4 (2-1药)	冰箱	242310258	2025/3/5 14:50:00	4.2℃	正常	
1332	7-4 (2-1药)	冰箱	242310258	2025/3/5 14:55:00	4.5℃	正常	

1333	7-4 (2-1药)	冰箱	242310258	2025/3/5 15:00:00	3.9℃	正常	
1334	7-4 (2-1药)	冰箱	242310258	2025/3/5 15:05:00	4.5℃	正常	
1335	7-4 (2-1药)	冰箱	242310258	2025/3/5 15:10:00	3.9℃	正常	
1336	7-4 (2-1药)	冰箱	242310258	2025/3/5 15:15:00	4.5℃	正常	
1337	7-4 (2-1药)	冰箱	242310258	2025/3/5 15:20:00	4.0℃	正常	
1338	7-4 (2-1药)	冰箱	242310258	2025/3/5 15:25:00	4.4℃	正常	
1339	7-4 (2-1药)	冰箱	242310258	2025/3/5 15:30:00	4.2℃	正常	
1340	7-4 (2-1药)	冰箱	242310258	2025/3/5 15:35:00	4.2℃	正常	
1341	7-4 (2-1药)	冰箱	242310258	2025/3/5 15:40:00	4.5℃	正常	
1342	7-4 (2-1药)	冰箱	242310258	2025/3/5 15:45:00	4.0℃	正常	
1343	7-4 (2-1药)	冰箱	242310258	2025/3/5 15:50:00	4.6℃	正常	
1344	7-4 (2-1药)	冰箱	242310258	2025/3/5 15:55:00	3.9℃	正常	
1345	7-4 (2-1药)	冰箱	242310258	2025/3/5 16:00:00	4.5℃	正常	
1346	7-4 (2-1药)	冰箱	242310258	2025/3/5 16:05:00	4.0℃	正常	
1347	7-4 (2-1药)	冰箱	242310258	2025/3/5 16:10:00	4.4℃	正常	
1348	7-4 (2-1药)	冰箱	242310258	2025/3/5 16:15:00	4.3℃	正常	
1349	7-4 (2-1药)	冰箱	242310258	2025/3/5 16:20:00	4.3℃	正常	
1350	7-4 (2-1药)	冰箱	242310258	2025/3/5 16:25:00	4.4℃	正常	
1351	7-4 (2-1药)	冰箱	242310258	2025/3/5 16:30:00	4.0℃	正常	
1352	7-4 (2-1药)	冰箱	242310258	2025/3/5 16:35:00	4.6℃	正常	
1353	7-4 (2-1药)	冰箱	242310258	2025/3/5 16:40:00	3.9℃	正常	
1354	7-4 (2-1药)	冰箱	242310258	2025/3/5 16:45:00	4.5℃	正常	
1355	7-4 (2-1药)	冰箱	242310258	2025/3/5 16:50:00	3.9℃	正常	
1356	7-4 (2-1药)	冰箱	242310258	2025/3/5 16:55:00	4.4℃	正常	
1357	7-4 (2-1药)	冰箱	242310258	2025/3/5 17:00:00	4.2℃	正常	
1358	7-4 (2-1药)	冰箱	242310258	2025/3/5 17:05:00	4.2℃	正常	
1359	7-4 (2-1药)	冰箱	242310258	2025/3/5 17:10:00	4.4℃	正常	
1360	7-4 (2-1药)	冰箱	242310258	2025/3/5 17:15:00	4.1℃	正常	
1361	7-4 (2-1药)	冰箱	242310258	2025/3/5 17:20:00	4.5℃	正常	
1362	7-4 (2-1药)	冰箱	242310258	2025/3/5 17:25:00	3.9℃	正常	
1363	7-4 (2-1药)	冰箱	242310258	2025/3/5 17:30:00	4.5℃	正常	
1364	7-4 (2-1药)	冰箱	242310258	2025/3/5 17:35:00	4.0℃	正常	
1365	7-4 (2-1药)	冰箱	242310258	2025/3/5 17:40:00	4.5℃	正常	
1366	7-4 (2-1药)	冰箱	242310258	2025/3/5 17:45:00	4.0℃	正常	
1367	7-4 (2-1药)	冰箱	242310258	2025/3/5 17:50:00	4.3℃	正常	
1368	7-4 (2-1药)	冰箱	242310258	2025/3/5 17:55:00	4.3℃	正常	
1369	7-4 (2-1药)	冰箱	242310258	2025/3/5 18:00:00	4.1℃	正常	
1370	7-4 (2-1药)	冰箱	242310258	2025/3/5 18:05:00	4.5℃	正常	
1371	7-4 (2-1药)	冰箱	242310258	2025/3/5 18:10:00	3.9℃	正常	
1372	7-4 (2-1药)	冰箱	242310258	2025/3/5 18:15:00	4.5℃	正常	
1373	7-4 (2-1药)	冰箱	242310258	2025/3/5 18:20:00	3.9℃	正常	
1374	7-4 (2-1药)	冰箱	242310258	2025/3/5 18:25:00	4.5℃	正常	
1375	7-4 (2-1药)	冰箱	242310258	2025/3/5 18:30:00	4.1℃	正常	
1376	7-4 (2-1药)	冰箱	242310258	2025/3/5 18:35:00	4.3℃	正常	
1377	7-4 (2-1药)	冰箱	242310258	2025/3/5 18:40:00	4.3℃	正常	
1378	7-4 (2-1药)	冰箱	242310258	2025/3/5 18:45:00	4.2℃	正常	
1379	7-4 (2-1药)	冰箱	242310258	2025/3/5 18:50:00	4.5℃	正常	
1380	7-4 (2-1药)	冰箱	242310258	2025/3/5 18:55:00	4.5℃	正常	
1381	7-4 (2-1药)	冰箱	242310258	2025/3/5 19:00:00	4.3℃	正常	
1382	7-4 (2-1药)	冰箱	242310258	2025/3/5 19:05:00	4.2℃	正常	
1383	7-4 (2-1药)	冰箱	242310258	2025/3/5 19:10:00	4.5℃	正常	
1384	7-4 (2-1药)	冰箱	242310258	2025/3/5 19:15:00	4.0℃	正常	
1385	7-4 (2-1药)	冰箱	242310258	2025/3/5 19:20:00	4.6℃	正常	
1386	7-4 (2-1药)	冰箱	242310258	2025/3/5 19:25:00	3.9℃	正常	
1387	7-4 (2-1药)	冰箱	242310258	2025/3/5 19:30:00	4.6℃	正常	
1388	7-4 (2-1药)	冰箱	242310258	2025/3/5 19:35:00	3.9℃	正常	
1389	7-4 (2-1药)	冰箱	242310258	2025/3/5 19:40:00	4.5℃	正常	
1390	7-4 (2-1药)	冰箱	242310258	2025/3/5 19:45:00	4.1℃	正常	
1391	7-4 (2-1药)	冰箱	242310258	2025/3/5 19:50:00	4.4℃	正常	
1392	7-4 (2-1药)	冰箱	242310258	2025/3/5 19:55:00	4.2℃	正常	
1393	7-4 (2-1药)	冰箱	242310258	2025/3/5 20:00:00	4.2℃	正常	
1394	7-4 (2-1药)	冰箱	242310258	2025/3/5 20:05:00	4.5℃	正常	
1395	7-4 (2-1药)	冰箱	242310258	2025/3/5 20:10:00	4.1℃	正常	
1396	7-4 (2-1药)	冰箱	242310258	2025/3/5 20:15:00	4.5℃	正常	

1397	7-4 (2-1药)	冰箱	242310258	2025/3/5 20:20:00	3.9℃	正常	
1398	7-4 (2-1药)	冰箱	242310258	2025/3/5 20:25:00	4.5℃	正常	
1399	7-4 (2-1药)	冰箱	242310258	2025/3/5 20:30:00	3.9℃	正常	
1400	7-4 (2-1药)	冰箱	242310258	2025/3/5 20:35:00	4.4℃	正常	
1401	7-4 (2-1药)	冰箱	242310258	2025/3/5 20:40:00	4.2℃	正常	
1402	7-4 (2-1药)	冰箱	242310258	2025/3/5 20:45:00	4.2℃	正常	
1403	7-4 (2-1药)	冰箱	242310258	2025/3/5 20:50:00	4.4℃	正常	
1404	7-4 (2-1药)	冰箱	242310258	2025/3/5 20:55:00	4.0℃	正常	
1405	7-4 (2-1药)	冰箱	242310258	2025/3/5 21:00:00	4.6℃	正常	
1406	7-4 (2-1药)	冰箱	242310258	2025/3/5 21:05:00	3.9℃	正常	
1407	7-4 (2-1药)	冰箱	242310258	2025/3/5 21:10:00	4.5℃	正常	
1408	7-4 (2-1药)	冰箱	242310258	2025/3/5 21:15:00	3.9℃	正常	
1409	7-4 (2-1药)	冰箱	242310258	2025/3/5 21:20:00	4.5℃	正常	
1410	7-4 (2-1药)	冰箱	242310258	2025/3/5 21:25:00	4.1℃	正常	
1411	7-4 (2-1药)	冰箱	242310258	2025/3/5 21:30:00	4.3℃	正常	
1412	7-4 (2-1药)	冰箱	242310258	2025/3/5 21:35:00	4.3℃	正常	
1413	7-4 (2-1药)	冰箱	242310258	2025/3/5 21:40:00	4.1℃	正常	
1414	7-4 (2-1药)	冰箱	242310258	2025/3/5 21:45:00	4.5℃	正常	
1415	7-4 (2-1药)	冰箱	242310258	2025/3/5 21:50:00	3.9℃	正常	
1416	7-4 (2-1药)	冰箱	242310258	2025/3/5 21:55:00	4.6℃	正常	
1417	7-4 (2-1药)	冰箱	242310258	2025/3/5 22:00:00	3.9℃	正常	
1418	7-4 (2-1药)	冰箱	242310258	2025/3/5 22:05:00	4.5℃	正常	
1419	7-4 (2-1药)	冰箱	242310258	2025/3/5 22:10:00	4.0℃	正常	
1420	7-4 (2-1药)	冰箱	242310258	2025/3/5 22:15:00	4.3℃	正常	
1421	7-4 (2-1药)	冰箱	242310258	2025/3/5 22:20:00	4.3℃	正常	
1422	7-4 (2-1药)	冰箱	242310258	2025/3/5 22:25:00	4.2℃	正常	
1423	7-4 (2-1药)	冰箱	242310258	2025/3/5 22:30:00	4.5℃	正常	
1424	7-4 (2-1药)	冰箱	242310258	2025/3/5 22:35:00	4.0℃	正常	
1425	7-4 (2-1药)	冰箱	242310258	2025/3/5 22:40:00	4.5℃	正常	
1426	7-4 (2-1药)	冰箱	242310258	2025/3/5 22:45:00	3.9℃	正常	
1427	7-4 (2-1药)	冰箱	242310258	2025/3/5 22:50:00	4.5℃	正常	
1428	7-4 (2-1药)	冰箱	242310258	2025/3/5 22:55:00	4.0℃	正常	
1429	7-4 (2-1药)	冰箱	242310258	2025/3/5 23:00:00	4.4℃	正常	
1430	7-4 (2-1药)	冰箱	242310258	2025/3/5 23:05:00	4.3℃	正常	
1431	7-4 (2-1药)	冰箱	242310258	2025/3/5 23:10:00	4.2℃	正常	
1432	7-4 (2-1药)	冰箱	242310258	2025/3/5 23:15:00	4.4℃	正常	
1433	7-4 (2-1药)	冰箱	242310258	2025/3/5 23:20:00	4.0℃	正常	
1434	7-4 (2-1药)	冰箱	242310258	2025/3/5 23:25:00	4.5℃	正常	
1435	7-4 (2-1药)	冰箱	242310258	2025/3/5 23:30:00	3.9℃	正常	
1436	7-4 (2-1药)	冰箱	242310258	2025/3/5 23:35:00	4.5℃	正常	
1437	7-4 (2-1药)	冰箱	242310258	2025/3/5 23:40:00	3.9℃	正常	
1438	7-4 (2-1药)	冰箱	242310258	2025/3/5 23:45:00	4.4℃	正常	
1439	7-4 (2-1药)	冰箱	242310258	2025/3/5 23:50:00	4.1℃	正常	
1440	7-4 (2-1药)	冰箱	242310258	2025/3/5 23:55:00	4.3℃	正常	
1441	7-4 (2-1药)	冰箱	242310258	2025/3/6 0:00:00	4.4℃	正常	
1442	7-4 (2-1药)	冰箱	242310258	2025/3/6 0:05:00	4.2℃	正常	
1443	7-4 (2-1药)	冰箱	242310258	2025/3/6 0:10:00	4.5℃	正常	
1444	7-4 (2-1药)	冰箱	242310258	2025/3/6 0:15:00	3.9℃	正常	
1445	7-4 (2-1药)	冰箱	242310258	2025/3/6 0:20:00	4.6℃	正常	
1446	7-4 (2-1药)	冰箱	242310258	2025/3/6 0:25:00	3.9℃	正常	
1447	7-4 (2-1药)	冰箱	242310258	2025/3/6 0:30:00	4.5℃	正常	
1448	7-4 (2-1药)	冰箱	242310258	2025/3/6 0:35:00	4.0℃	正常	
1449	7-4 (2-1药)	冰箱	242310258	2025/3/6 0:40:00	4.4℃	正常	
1450	7-4 (2-1药)	冰箱	242310258	2025/3/6 0:45:00	4.3℃	正常	
1451	7-4 (2-1药)	冰箱	242310258	2025/3/6 0:50:00	4.2℃	正常	
1452	7-4 (2-1药)	冰箱	242310258	2025/3/6 0:55:00	4.5℃	正常	
1453	7-4 (2-1药)	冰箱	242310258	2025/3/6 1:00:00	4.0℃	正常	
1454	7-4 (2-1药)	冰箱	242310258	2025/3/6 1:05:00	4.5℃	正常	
1455	7-4 (2-1药)	冰箱	242310258	2025/3/6 1:10:00	3.9℃	正常	
1456	7-4 (2-1药)	冰箱	242310258	2025/3/6 1:15:00	4.5℃	正常	
1457	7-4 (2-1药)	冰箱	242310258	2025/3/6 1:20:00	4.0℃	正常	
1458	7-4 (2-1药)	冰箱	242310258	2025/3/6 1:25:00	4.4℃	正常	
1459	7-4 (2-1药)	冰箱	242310258	2025/3/6 1:30:00	4.3℃	正常	
1460	7-4 (2-1药)	冰箱	242310258	2025/3/6 1:35:00	4.2℃	正常	

1461	7-4 (2-1药)	冰箱	242310258	2025/3/6 1:40:00	4.5℃	正常	
1462	7-4 (2-1药)	冰箱	242310258	2025/3/6 1:45:00	3.9℃	正常	
1463	7-4 (2-1药)	冰箱	242310258	2025/3/6 1:50:00	4.6℃	正常	
1464	7-4 (2-1药)	冰箱	242310258	2025/3/6 1:55:00	3.9℃	正常	
1465	7-4 (2-1药)	冰箱	242310258	2025/3/6 2:00:00	4.5℃	正常	
1466	7-4 (2-1药)	冰箱	242310258	2025/3/6 2:05:00	4.0℃	正常	
1467	7-4 (2-1药)	冰箱	242310258	2025/3/6 2:10:00	4.4℃	正常	
1468	7-4 (2-1药)	冰箱	242310258	2025/3/6 2:15:00	4.3℃	正常	
1469	7-4 (2-1药)	冰箱	242310258	2025/3/6 2:20:00	4.2℃	正常	
1470	7-4 (2-1药)	冰箱	242310258	2025/3/6 2:25:00	4.5℃	正常	
1471	7-4 (2-1药)	冰箱	242310258	2025/3/6 2:30:00	3.9℃	正常	
1472	7-4 (2-1药)	冰箱	242310258	2025/3/6 2:35:00	4.6℃	正常	
1473	7-4 (2-1药)	冰箱	242310258	2025/3/6 2:40:00	3.9℃	正常	
1474	7-4 (2-1药)	冰箱	242310258	2025/3/6 2:45:00	4.5℃	正常	
1475	7-4 (2-1药)	冰箱	242310258	2025/3/6 2:50:00	4.0℃	正常	
1476	7-4 (2-1药)	冰箱	242310258	2025/3/6 2:55:00	4.4℃	正常	
1477	7-4 (2-1药)	冰箱	242310258	2025/3/6 3:00:00	4.3℃	正常	
1478	7-4 (2-1药)	冰箱	242310258	2025/3/6 3:05:00	4.3℃	正常	
1479	7-4 (2-1药)	冰箱	242310258	2025/3/6 3:10:00	4.4℃	正常	
1480	7-4 (2-1药)	冰箱	242310258	2025/3/6 3:15:00	4.1℃	正常	
1481	7-4 (2-1药)	冰箱	242310258	2025/3/6 3:20:00	4.6℃	正常	
1482	7-4 (2-1药)	冰箱	242310258	2025/3/6 3:25:00	3.9℃	正常	
1483	7-4 (2-1药)	冰箱	242310258	2025/3/6 3:30:00	4.5℃	正常	
1484	7-4 (2-1药)	冰箱	242310258	2025/3/6 3:35:00	3.9℃	正常	
1485	7-4 (2-1药)	冰箱	242310258	2025/3/6 3:40:00	4.4℃	正常	
1486	7-4 (2-1药)	冰箱	242310258	2025/3/6 3:45:00	4.2℃	正常	
1487	7-4 (2-1药)	冰箱	242310258	2025/3/6 3:50:00	4.3℃	正常	
1488	7-4 (2-1药)	冰箱	242310258	2025/3/6 3:55:00	4.4℃	正常	
1489	7-4 (2-1药)	冰箱	242310258	2025/3/6 4:00:00	4.1℃	正常	
1490	7-4 (2-1药)	冰箱	242310258	2025/3/6 4:05:00	4.5℃	正常	
1491	7-4 (2-1药)	冰箱	242310258	2025/3/6 4:10:00	4.0℃	正常	
1492	7-4 (2-1药)	冰箱	242310258	2025/3/6 4:15:00	4.6℃	正常	
1493	7-4 (2-1药)	冰箱	242310258	2025/3/6 4:20:00	3.9℃	正常	
1494	7-4 (2-1药)	冰箱	242310258	2025/3/6 4:25:00	4.5℃	正常	
1495	7-4 (2-1药)	冰箱	242310258	2025/3/6 4:30:00	4.0℃	正常	
1496	7-4 (2-1药)	冰箱	242310258	2025/3/6 4:35:00	4.3℃	正常	
1497	7-4 (2-1药)	冰箱	242310258	2025/3/6 4:40:00	4.3℃	正常	
1498	7-4 (2-1药)	冰箱	242310258	2025/3/6 4:45:00	4.2℃	正常	
1499	7-4 (2-1药)	冰箱	242310258	2025/3/6 4:50:00	4.5℃	正常	
1500	7-4 (2-1药)	冰箱	242310258	2025/3/6 4:55:00	4.0℃	正常	
1501	7-4 (2-1药)	冰箱	242310258	2025/3/6 5:00:00	4.6℃	正常	
1502	7-4 (2-1药)	冰箱	242310258	2025/3/6 5:05:00	3.9℃	正常	
1503	7-4 (2-1药)	冰箱	242310258	2025/3/6 5:10:00	4.5℃	正常	
1504	7-4 (2-1药)	冰箱	242310258	2025/3/6 5:15:00	3.9℃	正常	
1505	7-4 (2-1药)	冰箱	242310258	2025/3/6 5:20:00	4.4℃	正常	
1506	7-4 (2-1药)	冰箱	242310258	2025/3/6 5:25:00	4.2℃	正常	
1507	7-4 (2-1药)	冰箱	242310258	2025/3/6 5:30:00	4.3℃	正常	
1508	7-4 (2-1药)	冰箱	242310258	2025/3/6 5:35:00	4.4℃	正常	
1509	7-4 (2-1药)	冰箱	242310258	2025/3/6 5:40:00	4.1℃	正常	
1510	7-4 (2-1药)	冰箱	242310258	2025/3/6 5:45:00	4.6℃	正常	
1511	7-4 (2-1药)	冰箱	242310258	2025/3/6 5:50:00	3.9℃	正常	
1512	7-4 (2-1药)	冰箱	242310258	2025/3/6 5:55:00	4.8℃	正常	
1513	7-4 (2-1药)	冰箱	242310258	2025/3/6 6:00:00	4.2℃	正常	
1514	7-4 (2-1药)	冰箱	242310258	2025/3/6 6:05:00	4.5℃	正常	
1515	7-4 (2-1药)	冰箱	242310258	2025/3/6 6:10:00	4.0℃	正常	
1516	7-4 (2-1药)	冰箱	242310258	2025/3/6 6:15:00	4.6℃	正常	
1517	7-4 (2-1药)	冰箱	242310258	2025/3/6 6:20:00	3.9℃	正常	
1518	7-4 (2-1药)	冰箱	242310258	2025/3/6 6:25:00	4.5℃	正常	
1519	7-4 (2-1药)	冰箱	242310258	2025/3/6 6:30:00	4.0℃	正常	
1520	7-4 (2-1药)	冰箱	242310258	2025/3/6 6:35:00	4.3℃	正常	
1521	7-4 (2-1药)	冰箱	242310258	2025/3/6 6:40:00	4.3℃	正常	
1522	7-4 (2-1药)	冰箱	242310258	2025/3/6 6:45:00	4.1℃	正常	
1523	7-4 (2-1药)	冰箱	242310258	2025/3/6 6:50:00	4.5℃	正常	
1524	7-4 (2-1药)	冰箱	242310258	2025/3/6 6:55:00	4.0℃	正常	

1525	7-4 (2-1药)	冰箱	242310258	2025/3/6 7:00:00	4.6℃	正常	
1526	7-4 (2-1药)	冰箱	242310258	2025/3/6 7:05:00	3.9℃	正常	
1527	7-4 (2-1药)	冰箱	242310258	2025/3/6 7:10:00	4.5℃	正常	
1528	7-4 (2-1药)	冰箱	242310258	2025/3/6 7:15:00	4.1℃	正常	
1529	7-4 (2-1药)	冰箱	242310258	2025/3/6 7:20:00	4.4℃	正常	
1530	7-4 (2-1药)	冰箱	242310258	2025/3/6 7:25:00	4.3℃	正常	
1531	7-4 (2-1药)	冰箱	242310258	2025/3/6 7:30:00	4.2℃	正常	
1532	7-4 (2-1药)	冰箱	242310258	2025/3/6 7:35:00	4.5℃	正常	
1533	7-4 (2-1药)	冰箱	242310258	2025/3/6 7:40:00	4.0℃	正常	
1534	7-4 (2-1药)	冰箱	242310258	2025/3/6 7:45:00	4.6℃	正常	
1535	7-4 (2-1药)	冰箱	242310258	2025/3/6 7:50:00	3.9℃	正常	
1536	7-4 (2-1药)	冰箱	242310258	2025/3/6 7:55:00	4.6℃	正常	
1537	7-4 (2-1药)	冰箱	242310258	2025/3/6 8:00:00	3.9℃	正常	
1538	7-4 (2-1药)	冰箱	242310258	2025/3/6 8:05:00	4.4℃	正常	
1539	7-4 (2-1药)	冰箱	242310258	2025/3/6 8:10:00	4.3℃	正常	
1540	7-4 (2-1药)	冰箱	242310258	2025/3/6 8:15:00	4.2℃	正常	
1541	7-4 (2-1药)	冰箱	242310258	2025/3/6 8:20:00	4.5℃	正常	
1542	7-4 (2-1药)	冰箱	242310258	2025/3/6 8:25:00	4.0℃	正常	
1543	7-4 (2-1药)	冰箱	242310258	2025/3/6 8:30:00	4.6℃	正常	
1544	7-4 (2-1药)	冰箱	242310258	2025/3/6 8:35:00	3.9℃	正常	
1545	7-4 (2-1药)	冰箱	242310258	2025/3/6 8:40:00	4.5℃	正常	
1546	7-4 (2-1药)	冰箱	242310258	2025/3/6 8:45:00	4.0℃	正常	
1547	7-4 (2-1药)	冰箱	242310258	2025/3/6 8:50:00	4.4℃	正常	
1548	7-4 (2-1药)	冰箱	242310258	2025/3/6 8:55:00	4.3℃	正常	
1549	7-4 (2-1药)	冰箱	242310258	2025/3/6 9:00:00	4.2℃	正常	
1550	7-4 (2-1药)	冰箱	242310258	2025/3/6 9:05:00	4.4℃	正常	
1551	7-4 (2-1药)	冰箱	242310258	2025/3/6 9:10:00	4.0℃	正常	
1552	7-4 (2-1药)	冰箱	242310258	2025/3/6 9:15:00	4.6℃	正常	
1553	7-4 (2-1药)	冰箱	242310258	2025/3/6 9:20:00	3.9℃	正常	
1554	7-4 (2-1药)	冰箱	242310258	2025/3/6 9:25:00	4.5℃	正常	
1555	7-4 (2-1药)	冰箱	242310258	2025/3/6 9:30:00	4.0℃	正常	
1556	7-4 (2-1药)	冰箱	242310258	2025/3/6 9:35:00	4.3℃	正常	
1557	7-4 (2-1药)	冰箱	242310258	2025/3/6 9:40:00	4.3℃	正常	
1558	7-4 (2-1药)	冰箱	242310258	2025/3/6 9:45:00	4.2℃	正常	
1559	7-4 (2-1药)	冰箱	242310258	2025/3/6 9:50:00	4.6℃	正常	
1560	7-4 (2-1药)	冰箱	242310258	2025/3/6 9:55:00	4.0℃	正常	
1561	7-4 (2-1药)	冰箱	242310258	2025/3/6 10:00:00	4.6℃	正常	
1562	7-4 (2-1药)	冰箱	242310258	2025/3/6 10:05:00	3.9℃	正常	
1563	7-4 (2-1药)	冰箱	242310258	2025/3/6 10:10:00	4.5℃	正常	
1564	7-4 (2-1药)	冰箱	242310258	2025/3/6 10:15:00	4.0℃	正常	
1565	7-4 (2-1药)	冰箱	242310258	2025/3/6 10:20:00	4.3℃	正常	
1566	7-4 (2-1药)	冰箱	242310258	2025/3/6 10:25:00	4.3℃	正常	
1567	7-4 (2-1药)	冰箱	242310258	2025/3/6 10:30:00	4.2℃	正常	
1568	7-4 (2-1药)	冰箱	242310258	2025/3/6 10:35:00	4.5℃	正常	
1569	7-4 (2-1药)	冰箱	242310258	2025/3/6 10:40:00	4.0℃	正常	
1570	7-4 (2-1药)	冰箱	242310258	2025/3/6 10:45:00	4.6℃	正常	
1571	7-4 (2-1药)	冰箱	242310258	2025/3/6 10:50:00	3.9℃	正常	
1572	7-4 (2-1药)	冰箱	242310258	2025/3/6 10:55:00	4.5℃	正常	
1573	7-4 (2-1药)	冰箱	242310258	2025/3/6 11:00:00	4.0℃	正常	
1574	7-4 (2-1药)	冰箱	242310258	2025/3/6 11:05:00	4.4℃	正常	
1575	7-4 (2-1药)	冰箱	242310258	2025/3/6 11:10:00	4.2℃	正常	
1576	7-4 (2-1药)	冰箱	242310258	2025/3/6 11:15:00	4.2℃	正常	
1577	7-4 (2-1药)	冰箱	242310258	2025/3/6 11:20:00	4.5℃	正常	
1578	7-4 (2-1药)	冰箱	242310258	2025/3/6 11:25:00	4.0℃	正常	
1579	7-4 (2-1药)	冰箱	242310258	2025/3/6 11:30:00	4.5℃	正常	
1580	7-4 (2-1药)	冰箱	242310258	2025/3/6 11:35:00	3.9℃	正常	
1581	7-4 (2-1药)	冰箱	242310258	2025/3/6 11:40:00	4.5℃	正常	
1582	7-4 (2-1药)	冰箱	242310258	2025/3/6 11:45:00	4.1℃	正常	
1583	7-4 (2-1药)	冰箱	242310258	2025/3/6 11:50:00	4.3℃	正常	
1584	7-4 (2-1药)	冰箱	242310258	2025/3/6 11:55:00	4.3℃	正常	
1585	7-4 (2-1药)	冰箱	242310258	2025/3/6 12:00:00	4.1℃	正常	
1586	7-4 (2-1药)	冰箱	242310258	2025/3/6 12:05:00	4.6℃	正常	
1587	7-4 (2-1药)	冰箱	242310258	2025/3/6 12:10:00	3.9℃	正常	
1588	7-4 (2-1药)	冰箱	242310258	2025/3/6 12:15:00	4.5℃	正常	

1589	7-4 (2-1药)	冰箱	242310258	2025/3/6 12:20:00	4.0℃	正常	
1590	7-4 (2-1药)	冰箱	242310258	2025/3/6 12:25:00	4.4℃	正常	
1591	7-4 (2-1药)	冰箱	242310258	2025/3/6 12:30:00	4.2℃	正常	
1592	7-4 (2-1药)	冰箱	242310258	2025/3/6 12:35:00	4.2℃	正常	
1593	7-4 (2-1药)	冰箱	242310258	2025/3/6 12:40:00	4.5℃	正常	
1594	7-4 (2-1药)	冰箱	242310258	2025/3/6 12:45:00	4.0℃	正常	
1595	7-4 (2-1药)	冰箱	242310258	2025/3/6 12:50:00	4.6℃	正常	
1596	7-4 (2-1药)	冰箱	242310258	2025/3/6 12:55:00	3.9℃	正常	
1597	7-4 (2-1药)	冰箱	242310258	2025/3/6 13:00:00	4.5℃	正常	
1598	7-4 (2-1药)	冰箱	242310258	2025/3/6 13:05:00	4.0℃	正常	
1599	7-4 (2-1药)	冰箱	242310258	2025/3/6 13:10:00	4.5℃	正常	
1600	7-4 (2-1药)	冰箱	242310258	2025/3/6 13:15:00	4.2℃	正常	
1601	7-4 (2-1药)	冰箱	242310258	2025/3/6 13:20:00	4.2℃	正常	
1602	7-4 (2-1药)	冰箱	242310258	2025/3/6 13:25:00	4.5℃	正常	
1603	7-4 (2-1药)	冰箱	242310258	2025/3/6 13:30:00	4.0℃	正常	
1604	7-4 (2-1药)	冰箱	242310258	2025/3/6 13:35:00	4.6℃	正常	
1605	7-4 (2-1药)	冰箱	242310258	2025/3/6 13:40:00	3.9℃	正常	
1606	7-4 (2-1药)	冰箱	242310258	2025/3/6 13:45:00	4.5℃	正常	
1607	7-4 (2-1药)	冰箱	242310258	2025/3/6 13:50:00	4.0℃	正常	
1608	7-4 (2-1药)	冰箱	242310258	2025/3/6 13:55:00	4.4℃	正常	
1609	7-4 (2-1药)	冰箱	242310258	2025/3/6 14:00:00	4.2℃	正常	
1610	7-4 (2-1药)	冰箱	242310258	2025/3/6 14:05:00	4.3℃	正常	
1611	7-4 (2-1药)	冰箱	242310258	2025/3/6 14:10:00	4.4℃	正常	
1612	7-4 (2-1药)	冰箱	242310258	2025/3/6 14:15:00	4.0℃	正常	
1613	7-4 (2-1药)	冰箱	242310258	2025/3/6 14:20:00	4.6℃	正常	
1614	7-4 (2-1药)	冰箱	242310258	2025/3/6 14:25:00	3.9℃	正常	
1615	7-4 (2-1药)	冰箱	242310258	2025/3/6 14:30:00	4.6℃	正常	
1616	7-4 (2-1药)	冰箱	242310258	2025/3/6 14:35:00	3.9℃	正常	
1617	7-4 (2-1药)	冰箱	242310258	2025/3/6 14:40:00	4.5℃	正常	
1618	7-4 (2-1药)	冰箱	242310258	2025/3/6 14:45:00	4.1℃	正常	
1619	7-4 (2-1药)	冰箱	242310258	2025/3/6 14:50:00	4.3℃	正常	
1620	7-4 (2-1药)	冰箱	242310258	2025/3/6 14:55:00	4.4℃	正常	
1621	7-4 (2-1药)	冰箱	242310258	2025/3/6 15:00:00	4.1℃	正常	
1622	7-4 (2-1药)	冰箱	242310258	2025/3/6 15:05:00	4.6℃	正常	
1623	7-4 (2-1药)	冰箱	242310258	2025/3/6 15:10:00	3.9℃	正常	
1624	7-4 (2-1药)	冰箱	242310258	2025/3/6 15:15:00	4.5℃	正常	
1625	7-4 (2-1药)	冰箱	242310258	2025/3/6 15:20:00	3.9℃	正常	
1626	7-4 (2-1药)	冰箱	242310258	2025/3/6 15:25:00	4.4℃	正常	
1627	7-4 (2-1药)	冰箱	242310258	2025/3/6 15:30:00	4.1℃	正常	
1628	7-4 (2-1药)	冰箱	242310258	2025/3/6 15:35:00	4.3℃	正常	
1629	7-4 (2-1药)	冰箱	242310258	2025/3/6 15:40:00	4.3℃	正常	
1630	7-4 (2-1药)	冰箱	242310258	2025/3/6 15:45:00	4.1℃	正常	
1631	7-4 (2-1药)	冰箱	242310258	2025/3/6 15:50:00	4.5℃	正常	
1632	7-4 (2-1药)	冰箱	242310258	2025/3/6 15:55:00	3.9℃	正常	
1633	7-4 (2-1药)	冰箱	242310258	2025/3/6 16:00:00	4.6℃	正常	
1634	7-4 (2-1药)	冰箱	242310258	2025/3/6 16:05:00	3.9℃	正常	
1635	7-4 (2-1药)	冰箱	242310258	2025/3/6 16:10:00	4.5℃	正常	
1636	7-4 (2-1药)	冰箱	242310258	2025/3/6 16:15:00	4.2℃	正常	
1637	7-4 (2-1药)	冰箱	242310258	2025/3/6 16:20:00	4.2℃	正常	
1638	7-4 (2-1药)	冰箱	242310258	2025/3/6 16:25:00	4.4℃	正常	
1639	7-4 (2-1药)	冰箱	242310258	2025/3/6 16:30:00	4.0℃	正常	
1640	7-4 (2-1药)	冰箱	242310258	2025/3/6 16:35:00	4.6℃	正常	
1641	7-4 (2-1药)	冰箱	242310258	2025/3/6 16:40:00	3.9℃	正常	
1642	7-4 (2-1药)	冰箱	242310258	2025/3/6 16:45:00	4.5℃	正常	
1643	7-4 (2-1药)	冰箱	242310258	2025/3/6 16:50:00	4.1℃	正常	
1644	7-4 (2-1药)	冰箱	242310258	2025/3/6 16:55:00	4.3℃	正常	
1645	7-4 (2-1药)	冰箱	242310258	2025/3/6 17:00:00	4.3℃	正常	
1646	7-4 (2-1药)	冰箱	242310258	2025/3/6 17:05:00	4.7℃	正常	
1647	7-4 (2-1药)	冰箱	242310258	2025/3/6 17:10:00	4.2℃	正常	
1648	7-4 (2-1药)	冰箱	242310258	2025/3/6 17:15:00	4.4℃	正常	
1649	7-4 (2-1药)	冰箱	242310258	2025/3/6 17:20:00	4.3℃	正常	
1650	7-4 (2-1药)	冰箱	242310258	2025/3/6 17:25:00	4.2℃	正常	
1651	7-4 (2-1药)	冰箱	242310258	2025/3/6 17:30:00	4.5℃	正常	
1652	7-4 (2-1药)	冰箱	242310258	2025/3/6 17:35:00	4.0℃	正常	

1653	7-4 (2-1药)	冰箱	242310258	2025/3/6 17:40:00	4.6℃	正常	
1654	7-4 (2-1药)	冰箱	242310258	2025/3/6 17:45:00	3.9℃	正常	
1655	7-4 (2-1药)	冰箱	242310258	2025/3/6 17:50:00	4.5℃	正常	
1656	7-4 (2-1药)	冰箱	242310258	2025/3/6 17:55:00	4.0℃	正常	
1657	7-4 (2-1药)	冰箱	242310258	2025/3/6 18:00:00	4.3℃	正常	
1658	7-4 (2-1药)	冰箱	242310258	2025/3/6 18:05:00	4.3℃	正常	
1659	7-4 (2-1药)	冰箱	242310258	2025/3/6 18:10:00	4.1℃	正常	
1660	7-4 (2-1药)	冰箱	242310258	2025/3/6 18:15:00	4.5℃	正常	
1661	7-4 (2-1药)	冰箱	242310258	2025/3/6 18:20:00	3.9℃	正常	
1662	7-4 (2-1药)	冰箱	242310258	2025/3/6 18:25:00	4.6℃	正常	
1663	7-4 (2-1药)	冰箱	242310258	2025/3/6 18:30:00	3.9℃	正常	
1664	7-4 (2-1药)	冰箱	242310258	2025/3/6 18:35:00	4.5℃	正常	
1665	7-4 (2-1药)	冰箱	242310258	2025/3/6 18:40:00	4.0℃	正常	
1666	7-4 (2-1药)	冰箱	242310258	2025/3/6 18:45:00	4.4℃	正常	
1667	7-4 (2-1药)	冰箱	242310258	2025/3/6 18:50:00	4.2℃	正常	
1668	7-4 (2-1药)	冰箱	242310258	2025/3/6 18:55:00	4.1℃	正常	
1669	7-4 (2-1药)	冰箱	242310258	2025/3/6 19:00:00	4.5℃	正常	
1670	7-4 (2-1药)	冰箱	242310258	2025/3/6 19:05:00	4.0℃	正常	
1671	7-4 (2-1药)	冰箱	242310258	2025/3/6 19:10:00	4.6℃	正常	
1672	7-4 (2-1药)	冰箱	242310258	2025/3/6 19:15:00	3.9℃	正常	
1673	7-4 (2-1药)	冰箱	242310258	2025/3/6 19:20:00	4.5℃	正常	
1674	7-4 (2-1药)	冰箱	242310258	2025/3/6 19:25:00	4.0℃	正常	
1675	7-4 (2-1药)	冰箱	242310258	2025/3/6 19:30:00	4.4℃	正常	
1676	7-4 (2-1药)	冰箱	242310258	2025/3/6 19:35:00	4.3℃	正常	
1677	7-4 (2-1药)	冰箱	242310258	2025/3/6 19:40:00	4.2℃	正常	
1678	7-4 (2-1药)	冰箱	242310258	2025/3/6 19:45:00	4.4℃	正常	
1679	7-4 (2-1药)	冰箱	242310258	2025/3/6 19:50:00	4.0℃	正常	
1680	7-4 (2-1药)	冰箱	242310258	2025/3/6 19:55:00	4.6℃	正常	
1681	7-4 (2-1药)	冰箱	242310258	2025/3/6 20:00:00	3.9℃	正常	
1682	7-4 (2-1药)	冰箱	242310258	2025/3/6 20:05:00	4.6℃	正常	
1683	7-4 (2-1药)	冰箱	242310258	2025/3/6 20:10:00	3.9℃	正常	
1684	7-4 (2-1药)	冰箱	242310258	2025/3/6 20:15:00	4.5℃	正常	
1685	7-4 (2-1药)	冰箱	242310258	2025/3/6 20:20:00	4.2℃	正常	
1686	7-4 (2-1药)	冰箱	242310258	2025/3/6 20:25:00	4.3℃	正常	
1687	7-4 (2-1药)	冰箱	242310258	2025/3/6 20:30:00	4.4℃	正常	
1688	7-4 (2-1药)	冰箱	242310258	2025/3/6 20:35:00	4.1℃	正常	
1689	7-4 (2-1药)	冰箱	242310258	2025/3/6 20:40:00	4.6℃	正常	
1690	7-4 (2-1药)	冰箱	242310258	2025/3/6 20:45:00	3.9℃	正常	
1691	7-4 (2-1药)	冰箱	242310258	2025/3/6 20:50:00	4.5℃	正常	
1692	7-4 (2-1药)	冰箱	242310258	2025/3/6 20:55:00	4.0℃	正常	
1693	7-4 (2-1药)	冰箱	242310258	2025/3/6 21:00:00	4.4℃	正常	
1694	7-4 (2-1药)	冰箱	242310258	2025/3/6 21:05:00	4.2℃	正常	
1695	7-4 (2-1药)	冰箱	242310258	2025/3/6 21:10:00	4.2℃	正常	
1696	7-4 (2-1药)	冰箱	242310258	2025/3/6 21:15:00	4.5℃	正常	
1697	7-4 (2-1药)	冰箱	242310258	2025/3/6 21:20:00	4.1℃	正常	
1698	7-4 (2-1药)	冰箱	242310258	2025/3/6 21:25:00	4.5℃	正常	
1699	7-4 (2-1药)	冰箱	242310258	2025/3/6 21:30:00	3.9℃	正常	
1700	7-4 (2-1药)	冰箱	242310258	2025/3/6 21:35:00	4.5℃	正常	
1701	7-4 (2-1药)	冰箱	242310258	2025/3/6 21:40:00	4.0℃	正常	
1702	7-4 (2-1药)	冰箱	242310258	2025/3/6 21:45:00	4.5℃	正常	
1703	7-4 (2-1药)	冰箱	242310258	2025/3/6 21:50:00	4.1℃	正常	
1704	7-4 (2-1药)	冰箱	242310258	2025/3/6 21:55:00	4.3℃	正常	
1705	7-4 (2-1药)	冰箱	242310258	2025/3/6 22:00:00	4.4℃	正常	
1706	7-4 (2-1药)	冰箱	242310258	2025/3/6 22:05:00	4.1℃	正常	
1707	7-4 (2-1药)	冰箱	242310258	2025/3/6 22:10:00	4.6℃	正常	
1708	7-4 (2-1药)	冰箱	242310258	2025/3/6 22:15:00	3.9℃	正常	
1709	7-4 (2-1药)	冰箱	242310258	2025/3/6 22:20:00	4.5℃	正常	
1710	7-4 (2-1药)	冰箱	242310258	2025/3/6 22:25:00	4.0℃	正常	
1711	7-4 (2-1药)	冰箱	242310258	2025/3/6 22:30:00	4.4℃	正常	
1712	7-4 (2-1药)	冰箱	242310258	2025/3/6 22:35:00	4.2℃	正常	
1713	7-4 (2-1药)	冰箱	242310258	2025/3/6 22:40:00	4.2℃	正常	
1714	7-4 (2-1药)	冰箱	242310258	2025/3/6 22:45:00	4.5℃	正常	
1715	7-4 (2-1药)	冰箱	242310258	2025/3/6 22:50:00	4.0℃	正常	
1716	7-4 (2-1药)	冰箱	242310258	2025/3/6 22:55:00	4.6℃	正常	

1717	7-4 (2-1药)	冰箱	242310258	2025/3/6 23:00:00	3.9℃	正常	
1718	7-4 (2-1药)	冰箱	242310258	2025/3/6 23:05:00	4.5℃	正常	
1719	7-4 (2-1药)	冰箱	242310258	2025/3/6 23:10:00	4.0℃	正常	
1720	7-4 (2-1药)	冰箱	242310258	2025/3/6 23:15:00	4.3℃	正常	
1721	7-4 (2-1药)	冰箱	242310258	2025/3/6 23:20:00	4.3℃	正常	
1722	7-4 (2-1药)	冰箱	242310258	2025/3/6 23:25:00	4.3℃	正常	
1723	7-4 (2-1药)	冰箱	242310258	2025/3/6 23:30:00	4.4℃	正常	
1724	7-4 (2-1药)	冰箱	242310258	2025/3/6 23:35:00	4.0℃	正常	
1725	7-4 (2-1药)	冰箱	242310258	2025/3/6 23:40:00	4.6℃	正常	
1726	7-4 (2-1药)	冰箱	242310258	2025/3/6 23:45:00	3.9℃	正常	
1727	7-4 (2-1药)	冰箱	242310258	2025/3/6 23:50:00	4.5℃	正常	
1728	7-4 (2-1药)	冰箱	242310258	2025/3/6 23:55:00	4.0℃	正常	
1729	7-4 (2-1药)	冰箱	242310258	2025/3/7 0:00:00	4.4℃	正常	
1730	7-4 (2-1药)	冰箱	242310258	2025/3/7 0:05:00	4.2℃	正常	
1731	7-4 (2-1药)	冰箱	242310258	2025/3/7 0:10:00	4.2℃	正常	
1732	7-4 (2-1药)	冰箱	242310258	2025/3/7 0:15:00	4.4℃	正常	
1733	7-4 (2-1药)	冰箱	242310258	2025/3/7 0:20:00	3.9℃	正常	
1734	7-4 (2-1药)	冰箱	242310258	2025/3/7 0:25:00	4.6℃	正常	
1735	7-4 (2-1药)	冰箱	242310258	2025/3/7 0:30:00	3.9℃	正常	
1736	7-4 (2-1药)	冰箱	242310258	2025/3/7 0:35:00	4.5℃	正常	
1737	7-4 (2-1药)	冰箱	242310258	2025/3/7 0:40:00	4.1℃	正常	
1738	7-4 (2-1药)	冰箱	242310258	2025/3/7 0:45:00	4.3℃	正常	
1739	7-4 (2-1药)	冰箱	242310258	2025/3/7 0:50:00	4.4℃	正常	
1740	7-4 (2-1药)	冰箱	242310258	2025/3/7 0:55:00	4.1℃	正常	
1741	7-4 (2-1药)	冰箱	242310258	2025/3/7 1:00:00	4.5℃	正常	
1742	7-4 (2-1药)	冰箱	242310258	2025/3/7 1:05:00	3.9℃	正常	
1743	7-4 (2-1药)	冰箱	242310258	2025/3/7 1:10:00	4.5℃	正常	
1744	7-4 (2-1药)	冰箱	242310258	2025/3/7 1:15:00	3.9℃	正常	
1745	7-4 (2-1药)	冰箱	242310258	2025/3/7 1:20:00	4.5℃	正常	
1746	7-4 (2-1药)	冰箱	242310258	2025/3/7 1:25:00	4.1℃	正常	
1747	7-4 (2-1药)	冰箱	242310258	2025/3/7 1:30:00	4.2℃	正常	
1748	7-4 (2-1药)	冰箱	242310258	2025/3/7 1:35:00	4.4℃	正常	
1749	7-4 (2-1药)	冰箱	242310258	2025/3/7 1:40:00	4.0℃	正常	
1750	7-4 (2-1药)	冰箱	242310258	2025/3/7 1:45:00	4.5℃	正常	
1751	7-4 (2-1药)	冰箱	242310258	2025/3/7 1:50:00	3.9℃	正常	
1752	7-4 (2-1药)	冰箱	242310258	2025/3/7 1:55:00	4.5℃	正常	
1753	7-4 (2-1药)	冰箱	242310258	2025/3/7 2:00:00	4.0℃	正常	
1754	7-4 (2-1药)	冰箱	242310258	2025/3/7 2:05:00	4.4℃	正常	
1755	7-4 (2-1药)	冰箱	242310258	2025/3/7 2:10:00	4.2℃	正常	
1756	7-4 (2-1药)	冰箱	242310258	2025/3/7 2:15:00	4.2℃	正常	
1757	7-4 (2-1药)	冰箱	242310258	2025/3/7 2:20:00	4.5℃	正常	
1758	7-4 (2-1药)	冰箱	242310258	2025/3/7 2:25:00	4.0℃	正常	
1759	7-4 (2-1药)	冰箱	242310258	2025/3/7 2:30:00	4.6℃	正常	
1760	7-4 (2-1药)	冰箱	242310258	2025/3/7 2:35:00	3.9℃	正常	
1761	7-4 (2-1药)	冰箱	242310258	2025/3/7 2:40:00	4.5℃	正常	
1762	7-4 (2-1药)	冰箱	242310258	2025/3/7 2:45:00	4.0℃	正常	
1763	7-4 (2-1药)	冰箱	242310258	2025/3/7 2:50:00	4.4℃	正常	
1764	7-4 (2-1药)	冰箱	242310258	2025/3/7 2:55:00	4.2℃	正常	
1765	7-4 (2-1药)	冰箱	242310258	2025/3/7 3:00:00	4.2℃	正常	
1766	7-4 (2-1药)	冰箱	242310258	2025/3/7 3:05:00	4.4℃	正常	
1767	7-4 (2-1药)	冰箱	242310258	2025/3/7 3:10:00	4.0℃	正常	
1768	7-4 (2-1药)	冰箱	242310258	2025/3/7 3:15:00	4.5℃	正常	
1769	7-4 (2-1药)	冰箱	242310258	2025/3/7 3:20:00	3.9℃	正常	
1770	7-4 (2-1药)	冰箱	242310258	2025/3/7 3:25:00	4.5℃	正常	
1771	7-4 (2-1药)	冰箱	242310258	2025/3/7 3:30:00	3.9℃	正常	
1772	7-4 (2-1药)	冰箱	242310258	2025/3/7 3:35:00	4.5℃	正常	
1773	7-4 (2-1药)	冰箱	242310258	2025/3/7 3:40:00	4.1℃	正常	
1774	7-4 (2-1药)	冰箱	242310258	2025/3/7 3:45:00	4.2℃	正常	
1775	7-4 (2-1药)	冰箱	242310258	2025/3/7 3:50:00	4.5℃	正常	
1776	7-4 (2-1药)	冰箱	242310258	2025/3/7 3:55:00	4.0℃	正常	
1777	7-4 (2-1药)	冰箱	242310258	2025/3/7 4:00:00	4.7℃	正常	
1778	7-4 (2-1药)	冰箱	242310258	2025/3/7 4:05:00	4.4℃	正常	
1779	7-4 (2-1药)	冰箱	242310258	2025/3/7 4:10:00	4.4℃	正常	
1780	7-4 (2-1药)	冰箱	242310258	2025/3/7 4:15:00	4.1℃	正常	

1781	7-4 (2-1药)	冰箱	242310258	2025/3/7 4:20:00	4.5℃	正常	
1782	7-4 (2-1药)	冰箱	242310258	2025/3/7 4:25:00	4.0℃	正常	
1783	7-4 (2-1药)	冰箱	242310258	2025/3/7 4:30:00	4.6℃	正常	
1784	7-4 (2-1药)	冰箱	242310258	2025/3/7 4:35:00	3.9℃	正常	
1785	7-4 (2-1药)	冰箱	242310258	2025/3/7 4:40:00	4.5℃	正常	
1786	7-4 (2-1药)	冰箱	242310258	2025/3/7 4:45:00	4.1℃	正常	
1787	7-4 (2-1药)	冰箱	242310258	2025/3/7 4:50:00	4.3℃	正常	
1788	7-4 (2-1药)	冰箱	242310258	2025/3/7 4:55:00	4.3℃	正常	
1789	7-4 (2-1药)	冰箱	242310258	2025/3/7 5:00:00	4.2℃	正常	
1790	7-4 (2-1药)	冰箱	242310258	2025/3/7 5:05:00	4.5℃	正常	
1791	7-4 (2-1药)	冰箱	242310258	2025/3/7 5:10:00	4.0℃	正常	
1792	7-4 (2-1药)	冰箱	242310258	2025/3/7 5:15:00	4.6℃	正常	
1793	7-4 (2-1药)	冰箱	242310258	2025/3/7 5:20:00	3.9℃	正常	
1794	7-4 (2-1药)	冰箱	242310258	2025/3/7 5:25:00	4.5℃	正常	
1795	7-4 (2-1药)	冰箱	242310258	2025/3/7 5:30:00	4.1℃	正常	
1796	7-4 (2-1药)	冰箱	242310258	2025/3/7 5:35:00	4.3℃	正常	
1797	7-4 (2-1药)	冰箱	242310258	2025/3/7 5:40:00	4.3℃	正常	
1798	7-4 (2-1药)	冰箱	242310258	2025/3/7 5:45:00	4.0℃	正常	
1799	7-4 (2-1药)	冰箱	242310258	2025/3/7 5:50:00	4.5℃	正常	
1800	7-4 (2-1药)	冰箱	242310258	2025/3/7 5:55:00	3.9℃	正常	
1801	7-4 (2-1药)	冰箱	242310258	2025/3/7 6:00:00	4.6℃	正常	
1802	7-4 (2-1药)	冰箱	242310258	2025/3/7 6:05:00	3.9℃	正常	
1803	7-4 (2-1药)	冰箱	242310258	2025/3/7 6:10:00	4.4℃	正常	
1804	7-4 (2-1药)	冰箱	242310258	2025/3/7 6:15:00	4.1℃	正常	
1805	7-4 (2-1药)	冰箱	242310258	2025/3/7 6:20:00	4.3℃	正常	
1806	7-4 (2-1药)	冰箱	242310258	2025/3/7 6:25:00	4.4℃	正常	
1807	7-4 (2-1药)	冰箱	242310258	2025/3/7 6:30:00	4.1℃	正常	
1808	7-4 (2-1药)	冰箱	242310258	2025/3/7 6:35:00	4.5℃	正常	
1809	7-4 (2-1药)	冰箱	242310258	2025/3/7 6:40:00	3.9℃	正常	
1810	7-4 (2-1药)	冰箱	242310258	2025/3/7 6:45:00	4.6℃	正常	
1811	7-4 (2-1药)	冰箱	242310258	2025/3/7 6:50:00	3.9℃	正常	
1812	7-4 (2-1药)	冰箱	242310258	2025/3/7 6:55:00	4.5℃	正常	
1813	7-4 (2-1药)	冰箱	242310258	2025/3/7 7:00:00	4.1℃	正常	
1814	7-4 (2-1药)	冰箱	242310258	2025/3/7 7:05:00	4.3℃	正常	
1815	7-4 (2-1药)	冰箱	242310258	2025/3/7 7:10:00	4.4℃	正常	
1816	7-4 (2-1药)	冰箱	242310258	2025/3/7 7:15:00	4.1℃	正常	
1817	7-4 (2-1药)	冰箱	242310258	2025/3/7 7:20:00	4.6℃	正常	
1818	7-4 (2-1药)	冰箱	242310258	2025/3/7 7:25:00	3.9℃	正常	
1819	7-4 (2-1药)	冰箱	242310258	2025/3/7 7:30:00	4.6℃	正常	
1820	7-4 (2-1药)	冰箱	242310258	2025/3/7 7:35:00	3.9℃	正常	
1821	7-4 (2-1药)	冰箱	242310258	2025/3/7 7:40:00	4.4℃	正常	
1822	7-4 (2-1药)	冰箱	242310258	2025/3/7 7:45:00	4.1℃	正常	
1823	7-4 (2-1药)	冰箱	242310258	2025/3/7 7:50:00	4.3℃	正常	
1824	7-4 (2-1药)	冰箱	242310258	2025/3/7 7:55:00	4.5℃	正常	
1825	7-4 (2-1药)	冰箱	242310258	2025/3/7 8:00:00	4.0℃	正常	
1826	7-4 (2-1药)	冰箱	242310258	2025/3/7 8:05:00	4.6℃	正常	
1827	7-4 (2-1药)	冰箱	242310258	2025/3/7 8:10:00	3.9℃	正常	
1828	7-4 (2-1药)	冰箱	242310258	2025/3/7 8:15:00	4.6℃	正常	
1829	7-4 (2-1药)	冰箱	242310258	2025/3/7 8:20:00	4.0℃	正常	
1830	7-4 (2-1药)	冰箱	242310258	2025/3/7 8:25:00	4.4℃	正常	
1831	7-4 (2-1药)	冰箱	242310258	2025/3/7 8:30:00	4.3℃	正常	
1832	7-4 (2-1药)	冰箱	242310258	2025/3/7 8:35:00	4.3℃	正常	
1833	7-4 (2-1药)	冰箱	242310258	2025/3/7 8:40:00	4.4℃	正常	
1834	7-4 (2-1药)	冰箱	242310258	2025/3/7 8:45:00	4.0℃	正常	
1835	7-4 (2-1药)	冰箱	242310258	2025/3/7 8:50:00	4.6℃	正常	
1836	7-4 (2-1药)	冰箱	242310258	2025/3/7 8:55:00	3.9℃	正常	
1837	7-4 (2-1药)	冰箱	242310258	2025/3/7 9:00:00	4.5℃	正常	
1838	7-4 (2-1药)	冰箱	242310258	2025/3/7 9:05:00	4.1℃	正常	
1839	7-4 (2-1药)	冰箱	242310258	2025/3/7 9:10:00	4.3℃	正常	
1840	7-4 (2-1药)	冰箱	242310258	2025/3/7 9:15:00	4.4℃	正常	
1841	7-4 (2-1药)	冰箱	242310258	2025/3/7 9:20:00	4.1℃	正常	
1842	7-4 (2-1药)	冰箱	242310258	2025/3/7 9:25:00	4.6℃	正常	
1843	7-4 (2-1药)	冰箱	242310258	2025/3/7 9:30:00	3.9℃	正常	
1844	7-4 (2-1药)	冰箱	242310258	2025/3/7 9:35:00	4.6℃	正常	

1845	7-4 (2-1药)	冰箱	242310258	2025/3/7 9:40:00	3.9℃	正常	
1846	7-4 (2-1药)	冰箱	242310258	2025/3/7 9:45:00	4.5℃	正常	
1847	7-4 (2-1药)	冰箱	242310258	2025/3/7 9:50:00	4.1℃	正常	
1848	7-4 (2-1药)	冰箱	242310258	2025/3/7 9:55:00	4.3℃	正常	
1849	7-4 (2-1药)	冰箱	242310258	2025/3/7 10:00:00	4.4℃	正常	
1850	7-4 (2-1药)	冰箱	242310258	2025/3/7 10:05:00	4.0℃	正常	
1851	7-4 (2-1药)	冰箱	242310258	2025/3/7 10:10:00	4.6℃	正常	
1852	7-4 (2-1药)	冰箱	242310258	2025/3/7 10:15:00	3.9℃	正常	
1853	7-4 (2-1药)	冰箱	242310258	2025/3/7 10:20:00	4.5℃	正常	
1854	7-4 (2-1药)	冰箱	242310258	2025/3/7 10:25:00	4.0℃	正常	
1855	7-4 (2-1药)	冰箱	242310258	2025/3/7 10:30:00	4.4℃	正常	
1856	7-4 (2-1药)	冰箱	242310258	2025/3/7 10:35:00	4.4℃	正常	
1857	7-4 (2-1药)	冰箱	242310258	2025/3/7 10:40:00	4.1℃	正常	
1858	7-4 (2-1药)	冰箱	242310258	2025/3/7 10:45:00	4.5℃	正常	
1859	7-4 (2-1药)	冰箱	242310258	2025/3/7 10:50:00	3.9℃	正常	
1860	7-4 (2-1药)	冰箱	242310258	2025/3/7 10:55:00	4.5℃	正常	
1861	7-4 (2-1药)	冰箱	242310258	2025/3/7 11:00:00	3.9℃	正常	
1862	7-4 (2-1药)	冰箱	242310258	2025/3/7 11:05:00	4.5℃	正常	
1863	7-4 (2-1药)	冰箱	242310258	2025/3/7 11:10:00	4.1℃	正常	
1864	7-4 (2-1药)	冰箱	242310258	2025/3/7 11:15:00	4.3℃	正常	
1865	7-4 (2-1药)	冰箱	242310258	2025/3/7 11:20:00	4.4℃	正常	
1866	7-4 (2-1药)	冰箱	242310258	2025/3/7 11:25:00	4.1℃	正常	
1867	7-4 (2-1药)	冰箱	242310258	2025/3/7 11:30:00	4.5℃	正常	
1868	7-4 (2-1药)	冰箱	242310258	2025/3/7 11:35:00	4.0℃	正常	
1869	7-4 (2-1药)	冰箱	242310258	2025/3/7 11:40:00	4.6℃	正常	
1870	7-4 (2-1药)	冰箱	242310258	2025/3/7 11:45:00	3.9℃	正常	
1871	7-4 (2-1药)	冰箱	242310258	2025/3/7 11:50:00	4.5℃	正常	
1872	7-4 (2-1药)	冰箱	242310258	2025/3/7 11:55:00	4.0℃	正常	
1873	7-4 (2-1药)	冰箱	242310258	2025/3/7 12:00:00	4.4℃	正常	
1874	7-4 (2-1药)	冰箱	242310258	2025/3/7 12:05:00	4.2℃	正常	
1875	7-4 (2-1药)	冰箱	242310258	2025/3/7 12:10:00	4.2℃	正常	
1876	7-4 (2-1药)	冰箱	242310258	2025/3/7 12:15:00	4.5℃	正常	
1877	7-4 (2-1药)	冰箱	242310258	2025/3/7 12:20:00	4.0℃	正常	
1878	7-4 (2-1药)	冰箱	242310258	2025/3/7 12:25:00	4.6℃	正常	
1879	7-4 (2-1药)	冰箱	242310258	2025/3/7 12:30:00	3.9℃	正常	
1880	7-4 (2-1药)	冰箱	242310258	2025/3/7 12:35:00	4.5℃	正常	
1881	7-4 (2-1药)	冰箱	242310258	2025/3/7 12:40:00	4.1℃	正常	
1882	7-4 (2-1药)	冰箱	242310258	2025/3/7 12:45:00	4.3℃	正常	
1883	7-4 (2-1药)	冰箱	242310258	2025/3/7 12:50:00	4.4℃	正常	
1884	7-4 (2-1药)	冰箱	242310258	2025/3/7 12:55:00	4.0℃	正常	
1885	7-4 (2-1药)	冰箱	242310258	2025/3/7 13:00:00	4.6℃	正常	
1886	7-4 (2-1药)	冰箱	242310258	2025/3/7 13:05:00	3.9℃	正常	
1887	7-4 (2-1药)	冰箱	242310258	2025/3/7 13:10:00	4.5℃	正常	
1888	7-4 (2-1药)	冰箱	242310258	2025/3/7 13:15:00	4.1℃	正常	
1889	7-4 (2-1药)	冰箱	242310258	2025/3/7 13:20:00	4.3℃	正常	
1890	7-4 (2-1药)	冰箱	242310258	2025/3/7 13:25:00	4.4℃	正常	
1891	7-4 (2-1药)	冰箱	242310258	2025/3/7 13:30:00	4.1℃	正常	
1892	7-4 (2-1药)	冰箱	242310258	2025/3/7 13:35:00	4.5℃	正常	
1893	7-4 (2-1药)	冰箱	242310258	2025/3/7 13:40:00	3.9℃	正常	
1894	7-4 (2-1药)	冰箱	242310258	2025/3/7 13:45:00	4.6℃	正常	
1895	7-4 (2-1药)	冰箱	242310258	2025/3/7 13:50:00	3.9℃	正常	
1896	7-4 (2-1药)	冰箱	242310258	2025/3/7 13:55:00	4.4℃	正常	
1897	7-4 (2-1药)	冰箱	242310258	2025/3/7 14:00:00	4.1℃	正常	
1898	7-4 (2-1药)	冰箱	242310258	2025/3/7 14:05:00	4.3℃	正常	
1899	7-4 (2-1药)	冰箱	242310258	2025/3/7 14:10:00	4.4℃	正常	
1900	7-4 (2-1药)	冰箱	242310258	2025/3/7 14:15:00	4.1℃	正常	
1901	7-4 (2-1药)	冰箱	242310258	2025/3/7 14:20:00	4.5℃	正常	
1902	7-4 (2-1药)	冰箱	242310258	2025/3/7 14:25:00	3.9℃	正常	
1903	7-4 (2-1药)	冰箱	242310258	2025/3/7 14:30:00	4.5℃	正常	
1904	7-4 (2-1药)	冰箱	242310258	2025/3/7 14:35:00	3.9℃	正常	
1905	7-4 (2-1药)	冰箱	242310258	2025/3/7 14:40:00	5.0℃	正常	
1906	7-4 (2-1药)	冰箱	242310258	2025/3/7 14:45:00	4.0℃	正常	
1907	7-4 (2-1药)	冰箱	242310258	2025/3/7 14:50:00	4.6℃	正常	
1908	7-4 (2-1药)	冰箱	242310258	2025/3/7 14:55:00	3.9℃	正常	

1909	7-4 (2-1药)	冰箱	242310258	2025/3/7 15:00:00	4.9℃	正常	
1910	7-4 (2-1药)	冰箱	242310258	2025/3/7 15:05:00	4.2℃	正常	
1911	7-4 (2-1药)	冰箱	242310258	2025/3/7 15:10:00	4.5℃	正常	
1912	7-4 (2-1药)	冰箱	242310258	2025/3/7 15:15:00	3.9℃	正常	
1913	7-4 (2-1药)	冰箱	242310258	2025/3/7 15:20:00	4.5℃	正常	
1914	7-4 (2-1药)	冰箱	242310258	2025/3/7 15:25:00	3.9℃	正常	
1915	7-4 (2-1药)	冰箱	242310258	2025/3/7 15:30:00	4.3℃	正常	
1916	7-4 (2-1药)	冰箱	242310258	2025/3/7 15:35:00	4.2℃	正常	
1917	7-4 (2-1药)	冰箱	242310258	2025/3/7 15:40:00	4.2℃	正常	
1918	7-4 (2-1药)	冰箱	242310258	2025/3/7 15:45:00	4.4℃	正常	
1919	7-4 (2-1药)	冰箱	242310258	2025/3/7 15:50:00	4.0℃	正常	
1920	7-4 (2-1药)	冰箱	242310258	2025/3/7 15:55:00	4.8℃	正常	
1921	7-4 (2-1药)	冰箱	242310258	2025/3/7 16:00:00	3.9℃	正常	
1922	7-4 (2-1药)	冰箱	242310258	2025/3/7 16:05:00	4.5℃	正常	
1923	7-4 (2-1药)	冰箱	242310258	2025/3/7 16:10:00	4.0℃	正常	
1924	7-4 (2-1药)	冰箱	242310258	2025/3/7 16:15:00	4.3℃	正常	
1925	7-4 (2-1药)	冰箱	242310258	2025/3/7 16:20:00	4.2℃	正常	
1926	7-4 (2-1药)	冰箱	242310258	2025/3/7 16:25:00	4.1℃	正常	
1927	7-4 (2-1药)	冰箱	242310258	2025/3/7 16:30:00	4.5℃	正常	
1928	7-4 (2-1药)	冰箱	242310258	2025/3/7 16:35:00	3.9℃	正常	
1929	7-4 (2-1药)	冰箱	242310258	2025/3/7 16:40:00	4.5℃	正常	
1930	7-4 (2-1药)	冰箱	242310258	2025/3/7 16:45:00	3.9℃	正常	
1931	7-4 (2-1药)	冰箱	242310258	2025/3/7 16:50:00	4.4℃	正常	
1932	7-4 (2-1药)	冰箱	242310258	2025/3/7 16:55:00	4.1℃	正常	
1933	7-4 (2-1药)	冰箱	242310258	2025/3/7 17:00:00	4.2℃	正常	
1934	7-4 (2-1药)	冰箱	242310258	2025/3/7 17:05:00	4.3℃	正常	
1935	7-4 (2-1药)	冰箱	242310258	2025/3/7 17:10:00	4.1℃	正常	
1936	7-4 (2-1药)	冰箱	242310258	2025/3/7 17:15:00	4.6℃	正常	
1937	7-4 (2-1药)	冰箱	242310258	2025/3/7 17:20:00	3.9℃	正常	
1938	7-4 (2-1药)	冰箱	242310258	2025/3/7 17:25:00	4.5℃	正常	
1939	7-4 (2-1药)	冰箱	242310258	2025/3/7 17:30:00	3.9℃	正常	
1940	7-4 (2-1药)	冰箱	242310258	2025/3/7 17:35:00	4.4℃	正常	
1941	7-4 (2-1药)	冰箱	242310258	2025/3/7 17:40:00	4.2℃	正常	
1942	7-4 (2-1药)	冰箱	242310258	2025/3/7 17:45:00	4.2℃	正常	
1943	7-4 (2-1药)	冰箱	242310258	2025/3/7 17:50:00	4.4℃	正常	
1944	7-4 (2-1药)	冰箱	242310258	2025/3/7 17:55:00	4.0℃	正常	
1945	7-4 (2-1药)	冰箱	242310258	2025/3/7 18:00:00	4.5℃	正常	
1946	7-4 (2-1药)	冰箱	242310258	2025/3/7 18:05:00	3.9℃	正常	
1947	7-4 (2-1药)	冰箱	242310258	2025/3/7 18:10:00	4.5℃	正常	
1948	7-4 (2-1药)	冰箱	242310258	2025/3/7 18:15:00	3.9℃	正常	
1949	7-4 (2-1药)	冰箱	242310258	2025/3/7 18:20:00	4.4℃	正常	
1950	7-4 (2-1药)	冰箱	242310258	2025/3/7 18:25:00	4.2℃	正常	
1951	7-4 (2-1药)	冰箱	242310258	2025/3/7 18:30:00	4.2℃	正常	
1952	7-4 (2-1药)	冰箱	242310258	2025/3/7 18:35:00	4.4℃	正常	
1953	7-4 (2-1药)	冰箱	242310258	2025/3/7 18:40:00	4.0℃	正常	
1954	7-4 (2-1药)	冰箱	242310258	2025/3/7 18:45:00	4.6℃	正常	
1955	7-4 (2-1药)	冰箱	242310258	2025/3/7 18:50:00	3.9℃	正常	
1956	7-4 (2-1药)	冰箱	242310258	2025/3/7 18:55:00	4.5℃	正常	
1957	7-4 (2-1药)	冰箱	242310258	2025/3/7 19:00:00	3.9℃	正常	
1958	7-4 (2-1药)	冰箱	242310258	2025/3/7 19:05:00	4.4℃	正常	
1959	7-4 (2-1药)	冰箱	242310258	2025/3/7 19:10:00	4.1℃	正常	
1960	7-4 (2-1药)	冰箱	242310258	2025/3/7 19:15:00	4.2℃	正常	
1961	7-4 (2-1药)	冰箱	242310258	2025/3/7 19:20:00	4.4℃	正常	
1962	7-4 (2-1药)	冰箱	242310258	2025/3/7 19:25:00	4.0℃	正常	
1963	7-4 (2-1药)	冰箱	242310258	2025/3/7 19:30:00	4.6℃	正常	
1964	7-4 (2-1药)	冰箱	242310258	2025/3/7 19:35:00	3.9℃	正常	
1965	7-4 (2-1药)	冰箱	242310258	2025/3/7 19:40:00	4.5℃	正常	
1966	7-4 (2-1药)	冰箱	242310258	2025/3/7 19:45:00	4.0℃	正常	
1967	7-4 (2-1药)	冰箱	242310258	2025/3/7 19:50:00	4.4℃	正常	
1968	7-4 (2-1药)	冰箱	242310258	2025/3/7 19:55:00	4.3℃	正常	
1969	7-4 (2-1药)	冰箱	242310258	2025/3/7 20:00:00	4.2℃	正常	
1970	7-4 (2-1药)	冰箱	242310258	2025/3/7 20:05:00	4.5℃	正常	
1971	7-4 (2-1药)	冰箱	242310258	2025/3/7 20:10:00	4.1℃	正常	
1972	7-4 (2-1药)	冰箱	242310258	2025/3/7 20:15:00	4.6℃	正常	

1973	7-4 (2-1药)	冰箱	242310258	2025/3/7 20:20:00	3.9℃	正常	
1974	7-4 (2-1药)	冰箱	242310258	2025/3/7 20:25:00	4.5℃	正常	
1975	7-4 (2-1药)	冰箱	242310258	2025/3/7 20:30:00	4.0℃	正常	
1976	7-4 (2-1药)	冰箱	242310258	2025/3/7 20:35:00	4.3℃	正常	
1977	7-4 (2-1药)	冰箱	242310258	2025/3/7 20:40:00	4.3℃	正常	
1978	7-4 (2-1药)	冰箱	242310258	2025/3/7 20:45:00	4.2℃	正常	
1979	7-4 (2-1药)	冰箱	242310258	2025/3/7 20:50:00	4.5℃	正常	
1980	7-4 (2-1药)	冰箱	242310258	2025/3/7 20:55:00	4.0℃	正常	
1981	7-4 (2-1药)	冰箱	242310258	2025/3/7 21:00:00	4.5℃	正常	
1982	7-4 (2-1药)	冰箱	242310258	2025/3/7 21:05:00	3.9℃	正常	
1983	7-4 (2-1药)	冰箱	242310258	2025/3/7 21:10:00	4.4℃	正常	
1984	7-4 (2-1药)	冰箱	242310258	2025/3/7 21:15:00	4.2℃	正常	
1985	7-4 (2-1药)	冰箱	242310258	2025/3/7 21:20:00	4.2℃	正常	
1986	7-4 (2-1药)	冰箱	242310258	2025/3/7 21:25:00	4.4℃	正常	
1987	7-4 (2-1药)	冰箱	242310258	2025/3/7 21:30:00	4.0℃	正常	
1988	7-4 (2-1药)	冰箱	242310258	2025/3/7 21:35:00	4.5℃	正常	
1989	7-4 (2-1药)	冰箱	242310258	2025/3/7 21:40:00	3.9℃	正常	
1990	7-4 (2-1药)	冰箱	242310258	2025/3/7 21:45:00	4.5℃	正常	
1991	7-4 (2-1药)	冰箱	242310258	2025/3/7 21:50:00	4.0℃	正常	
1992	7-4 (2-1药)	冰箱	242310258	2025/3/7 21:55:00	4.3℃	正常	
1993	7-4 (2-1药)	冰箱	242310258	2025/3/7 22:00:00	4.3℃	正常	
1994	7-4 (2-1药)	冰箱	242310258	2025/3/7 22:05:00	4.2℃	正常	
1995	7-4 (2-1药)	冰箱	242310258	2025/3/7 22:10:00	4.5℃	正常	
1996	7-4 (2-1药)	冰箱	242310258	2025/3/7 22:15:00	3.9℃	正常	
1997	7-4 (2-1药)	冰箱	242310258	2025/3/7 22:20:00	4.5℃	正常	
1998	7-4 (2-1药)	冰箱	242310258	2025/3/7 22:25:00	3.9℃	正常	
1999	7-4 (2-1药)	冰箱	242310258	2025/3/7 22:30:00	4.5℃	正常	
2000	7-4 (2-1药)	冰箱	242310258	2025/3/7 22:35:00	4.1℃	正常	
2001	7-4 (2-1药)	冰箱	242310258	2025/3/7 22:40:00	4.2℃	正常	
2002	7-4 (2-1药)	冰箱	242310258	2025/3/7 22:45:00	4.4℃	正常	
2003	7-4 (2-1药)	冰箱	242310258	2025/3/7 22:50:00	4.0℃	正常	
2004	7-4 (2-1药)	冰箱	242310258	2025/3/7 22:55:00	4.5℃	正常	
2005	7-4 (2-1药)	冰箱	242310258	2025/3/7 23:00:00	3.9℃	正常	
2006	7-4 (2-1药)	冰箱	242310258	2025/3/7 23:05:00	4.5℃	正常	
2007	7-4 (2-1药)	冰箱	242310258	2025/3/7 23:10:00	3.9℃	正常	
2008	7-4 (2-1药)	冰箱	242310258	2025/3/7 23:15:00	4.4℃	正常	
2009	7-4 (2-1药)	冰箱	242310258	2025/3/7 23:20:00	4.2℃	正常	
2010	7-4 (2-1药)	冰箱	242310258	2025/3/7 23:25:00	4.2℃	正常	
2011	7-4 (2-1药)	冰箱	242310258	2025/3/7 23:30:00	4.4℃	正常	
2012	7-4 (2-1药)	冰箱	242310258	2025/3/7 23:35:00	4.0℃	正常	
2013	7-4 (2-1药)	冰箱	242310258	2025/3/7 23:40:00	4.6℃	正常	
2014	7-4 (2-1药)	冰箱	242310258	2025/3/7 23:45:00	3.9℃	正常	
2015	7-4 (2-1药)	冰箱	242310258	2025/3/7 23:50:00	4.5℃	正常	
2016	7-4 (2-1药)	冰箱	242310258	2025/3/7 23:55:00	3.9℃	正常	
2017	7-4 (2-1药)	冰箱	242310258	2025/3/8 0:00:00	4.4℃	正常	
2018	7-4 (2-1药)	冰箱	242310258	2025/3/8 0:05:00	4.3℃	正常	
2019	7-4 (2-1药)	冰箱	242310258	2025/3/8 0:10:00	4.2℃	正常	
2020	7-4 (2-1药)	冰箱	242310258	2025/3/8 0:15:00	4.5℃	正常	
2021	7-4 (2-1药)	冰箱	242310258	2025/3/8 0:20:00	4.0℃	正常	
2022	7-4 (2-1药)	冰箱	242310258	2025/3/8 0:25:00	4.5℃	正常	
2023	7-4 (2-1药)	冰箱	242310258	2025/3/8 0:30:00	3.8℃	正常	
2024	7-4 (2-1药)	冰箱	242310258	2025/3/8 0:35:00	4.5℃	正常	
2025	7-4 (2-1药)	冰箱	242310258	2025/3/8 0:40:00	4.0℃	正常	
2026	7-4 (2-1药)	冰箱	242310258	2025/3/8 0:45:00	4.3℃	正常	
2027	7-4 (2-1药)	冰箱	242310258	2025/3/8 0:50:00	4.3℃	正常	
2028	7-4 (2-1药)	冰箱	242310258	2025/3/8 0:55:00	4.1℃	正常	
2029	7-4 (2-1药)	冰箱	242310258	2025/3/8 1:00:00	4.5℃	正常	
2030	7-4 (2-1药)	冰箱	242310258	2025/3/8 1:05:00	3.9℃	正常	
2031	7-4 (2-1药)	冰箱	242310258	2025/3/8 1:10:00	4.5℃	正常	
2032	7-4 (2-1药)	冰箱	242310258	2025/3/8 1:15:00	3.9℃	正常	
2033	7-4 (2-1药)	冰箱	242310258	2025/3/8 1:20:00	4.4℃	正常	
2034	7-4 (2-1药)	冰箱	242310258	2025/3/8 1:25:00	4.2℃	正常	
2035	7-4 (2-1药)	冰箱	242310258	2025/3/8 1:30:00	4.2℃	正常	
2036	7-4 (2-1药)	冰箱	242310258	2025/3/8 1:35:00	4.5℃	正常	

2037	7-4 (2-1药)	冰箱	242310258	2025/3/8 1:40:00	4.0℃	正常	
2038	7-4 (2-1药)	冰箱	242310258	2025/3/8 1:45:00	4.5℃	正常	
2039	7-4 (2-1药)	冰箱	242310258	2025/3/8 1:50:00	3.9℃	正常	
2040	7-4 (2-1药)	冰箱	242310258	2025/3/8 1:55:00	4.5℃	正常	
2041	7-4 (2-1药)	冰箱	242310258	2025/3/8 2:00:00	4.0℃	正常	
2042	7-4 (2-1药)	冰箱	242310258	2025/3/8 2:05:00	4.8℃	正常	
2043	7-4 (2-1药)	冰箱	242310258	2025/3/8 2:10:00	4.0℃	正常	
2044	7-4 (2-1药)	冰箱	242310258	2025/3/8 2:15:00	4.5℃	正常	
2045	7-4 (2-1药)	冰箱	242310258	2025/3/8 2:20:00	4.0℃	正常	
2046	7-4 (2-1药)	冰箱	242310258	2025/3/8 2:25:00	4.3℃	正常	
2047	7-4 (2-1药)	冰箱	242310258	2025/3/8 2:30:00	4.3℃	正常	
2048	7-4 (2-1药)	冰箱	242310258	2025/3/8 2:35:00	4.2℃	正常	
2049	7-4 (2-1药)	冰箱	242310258	2025/3/8 2:40:00	4.5℃	正常	
2050	7-4 (2-1药)	冰箱	242310258	2025/3/8 2:45:00	3.9℃	正常	
2051	7-4 (2-1药)	冰箱	242310258	2025/3/8 2:50:00	4.5℃	正常	
2052	7-4 (2-1药)	冰箱	242310258	2025/3/8 2:55:00	3.9℃	正常	
2053	7-4 (2-1药)	冰箱	242310258	2025/3/8 3:00:00	4.5℃	正常	
2054	7-4 (2-1药)	冰箱	242310258	2025/3/8 3:05:00	4.0℃	正常	
2055	7-4 (2-1药)	冰箱	242310258	2025/3/8 3:10:00	4.3℃	正常	
2056	7-4 (2-1药)	冰箱	242310258	2025/3/8 3:15:00	4.3℃	正常	
2057	7-4 (2-1药)	冰箱	242310258	2025/3/8 3:20:00	4.1℃	正常	
2058	7-4 (2-1药)	冰箱	242310258	2025/3/8 3:25:00	4.5℃	正常	
2059	7-4 (2-1药)	冰箱	242310258	2025/3/8 3:30:00	3.9℃	正常	
2060	7-4 (2-1药)	冰箱	242310258	2025/3/8 3:35:00	4.5℃	正常	
2061	7-4 (2-1药)	冰箱	242310258	2025/3/8 3:40:00	3.9℃	正常	
2062	7-4 (2-1药)	冰箱	242310258	2025/3/8 3:45:00	4.4℃	正常	
2063	7-4 (2-1药)	冰箱	242310258	2025/3/8 3:50:00	4.1℃	正常	
2064	7-4 (2-1药)	冰箱	242310258	2025/3/8 3:55:00	4.2℃	正常	
2065	7-4 (2-1药)	冰箱	242310258	2025/3/8 4:00:00	4.5℃	正常	
2066	7-4 (2-1药)	冰箱	242310258	2025/3/8 4:05:00	4.0℃	正常	
2067	7-4 (2-1药)	冰箱	242310258	2025/3/8 4:10:00	4.5℃	正常	
2068	7-4 (2-1药)	冰箱	242310258	2025/3/8 4:15:00	3.9℃	正常	
2069	7-4 (2-1药)	冰箱	242310258	2025/3/8 4:20:00	4.5℃	正常	
2070	7-4 (2-1药)	冰箱	242310258	2025/3/8 4:25:00	4.0℃	正常	
2071	7-4 (2-1药)	冰箱	242310258	2025/3/8 4:30:00	4.3℃	正常	
2072	7-4 (2-1药)	冰箱	242310258	2025/3/8 4:35:00	4.3℃	正常	
2073	7-4 (2-1药)	冰箱	242310258	2025/3/8 4:40:00	4.2℃	正常	
2074	7-4 (2-1药)	冰箱	242310258	2025/3/8 4:45:00	4.5℃	正常	
2075	7-4 (2-1药)	冰箱	242310258	2025/3/8 4:50:00	4.0℃	正常	
2076	7-4 (2-1药)	冰箱	242310258	2025/3/8 4:55:00	4.5℃	正常	
2077	7-4 (2-1药)	冰箱	242310258	2025/3/8 5:00:00	3.9℃	正常	
2078	7-4 (2-1药)	冰箱	242310258	2025/3/8 5:05:00	4.5℃	正常	
2079	7-4 (2-1药)	冰箱	242310258	2025/3/8 5:10:00	4.0℃	正常	
2080	7-4 (2-1药)	冰箱	242310258	2025/3/8 5:15:00	4.3℃	正常	
2081	7-4 (2-1药)	冰箱	242310258	2025/3/8 5:20:00	4.3℃	正常	
2082	7-4 (2-1药)	冰箱	242310258	2025/3/8 5:25:00	4.1℃	正常	
2083	7-4 (2-1药)	冰箱	242310258	2025/3/8 5:30:00	4.6℃	正常	
2084	7-4 (2-1药)	冰箱	242310258	2025/3/8 5:35:00	3.9℃	正常	
2085	7-4 (2-1药)	冰箱	242310258	2025/3/8 5:40:00	4.5℃	正常	
2086	7-4 (2-1药)	冰箱	242310258	2025/3/8 5:45:00	3.9℃	正常	
2087	7-4 (2-1药)	冰箱	242310258	2025/3/8 5:50:00	4.4℃	正常	
2088	7-4 (2-1药)	冰箱	242310258	2025/3/8 5:55:00	4.2℃	正常	
2089	7-4 (2-1药)	冰箱	242310258	2025/3/8 6:00:00	4.2℃	正常	
2090	7-4 (2-1药)	冰箱	242310258	2025/3/8 6:05:00	4.4℃	正常	
2091	7-4 (2-1药)	冰箱	242310258	2025/3/8 6:10:00	4.0℃	正常	
2092	7-4 (2-1药)	冰箱	242310258	2025/3/8 6:15:00	4.5℃	正常	
2093	7-4 (2-1药)	冰箱	242310258	2025/3/8 6:20:00	3.9℃	正常	
2094	7-4 (2-1药)	冰箱	242310258	2025/3/8 6:25:00	4.5℃	正常	
2095	7-4 (2-1药)	冰箱	242310258	2025/3/8 6:30:00	4.0℃	正常	
2096	7-4 (2-1药)	冰箱	242310258	2025/3/8 6:35:00	4.4℃	正常	
2097	7-4 (2-1药)	冰箱	242310258	2025/3/8 6:40:00	4.2℃	正常	
2098	7-4 (2-1药)	冰箱	242310258	2025/3/8 6:45:00	4.3℃	正常	
2099	7-4 (2-1药)	冰箱	242310258	2025/3/8 6:50:00	4.3℃	正常	
2100	7-4 (2-1药)	冰箱	242310258	2025/3/8 6:55:00	4.0℃	正常	

2101	7-4 (2-1药)	冰箱	242310258	2025/3/8 7:00:00	4.5℃	正常	
2102	7-4 (2-1药)	冰箱	242310258	2025/3/8 7:05:00	3.9℃	正常	
2103	7-4 (2-1药)	冰箱	242310258	2025/3/8 7:10:00	4.5℃	正常	
2104	7-4 (2-1药)	冰箱	242310258	2025/3/8 7:15:00	4.0℃	正常	
2105	7-4 (2-1药)	冰箱	242310258	2025/3/8 7:20:00	4.3℃	正常	
2106	7-4 (2-1药)	冰箱	242310258	2025/3/8 7:25:00	4.3℃	正常	
2107	7-4 (2-1药)	冰箱	242310258	2025/3/8 7:30:00	4.1℃	正常	
2108	7-4 (2-1药)	冰箱	242310258	2025/3/8 7:35:00	4.5℃	正常	
2109	7-4 (2-1药)	冰箱	242310258	2025/3/8 7:40:00	3.9℃	正常	
2110	7-4 (2-1药)	冰箱	242310258	2025/3/8 7:45:00	4.5℃	正常	
2111	7-4 (2-1药)	冰箱	242310258	2025/3/8 7:50:00	3.9℃	正常	
2112	7-4 (2-1药)	冰箱	242310258	2025/3/8 7:55:00	4.3℃	正常	
2113	7-4 (2-1药)	冰箱	242310258	2025/3/8 8:00:00	4.2℃	正常	
2114	7-4 (2-1药)	冰箱	242310258	2025/3/8 8:05:00	4.2℃	正常	
2115	7-4 (2-1药)	冰箱	242310258	2025/3/8 8:10:00	4.5℃	正常	
2116	7-4 (2-1药)	冰箱	242310258	2025/3/8 8:15:00	4.0℃	正常	
2117	7-4 (2-1药)	冰箱	242310258	2025/3/8 8:20:00	4.5℃	正常	
2118	7-4 (2-1药)	冰箱	242310258	2025/3/8 8:25:00	3.9℃	正常	
2119	7-4 (2-1药)	冰箱	242310258	2025/3/8 8:30:00	4.5℃	正常	
2120	7-4 (2-1药)	冰箱	242310258	2025/3/8 8:35:00	4.1℃	正常	
2121	7-4 (2-1药)	冰箱	242310258	2025/3/8 8:40:00	4.3℃	正常	
2122	7-4 (2-1药)	冰箱	242310258	2025/3/8 8:45:00	4.4℃	正常	
2123	7-4 (2-1药)	冰箱	242310258	2025/3/8 8:50:00	4.0℃	正常	
2124	7-4 (2-1药)	冰箱	242310258	2025/3/8 8:55:00	4.5℃	正常	
2125	7-4 (2-1药)	冰箱	242310258	2025/3/8 9:00:00	3.9℃	正常	
2126	7-4 (2-1药)	冰箱	242310258	2025/3/8 9:05:00	4.5℃	正常	
2127	7-4 (2-1药)	冰箱	242310258	2025/3/8 9:10:00	4.0℃	正常	
2128	7-4 (2-1药)	冰箱	242310258	2025/3/8 9:15:00	4.4℃	正常	
2129	7-4 (2-1药)	冰箱	242310258	2025/3/8 9:20:00	4.2℃	正常	
2130	7-4 (2-1药)	冰箱	242310258	2025/3/8 9:25:00	4.2℃	正常	
2131	7-4 (2-1药)	冰箱	242310258	2025/3/8 9:30:00	4.5℃	正常	
2132	7-4 (2-1药)	冰箱	242310258	2025/3/8 9:35:00	4.0℃	正常	
2133	7-4 (2-1药)	冰箱	242310258	2025/3/8 9:40:00	4.6℃	正常	
2134	7-4 (2-1药)	冰箱	242310258	2025/3/8 9:45:00	3.9℃	正常	
2135	7-4 (2-1药)	冰箱	242310258	2025/3/8 9:50:00	4.4℃	正常	
2136	7-4 (2-1药)	冰箱	242310258	2025/3/8 9:55:00	4.1℃	正常	
2137	7-4 (2-1药)	冰箱	242310258	2025/3/8 10:00:00	4.3℃	正常	
2138	7-4 (2-1药)	冰箱	242310258	2025/3/8 10:05:00	4.3℃	正常	
2139	7-4 (2-1药)	冰箱	242310258	2025/3/8 10:10:00	4.1℃	正常	
2140	7-4 (2-1药)	冰箱	242310258	2025/3/8 10:15:00	4.5℃	正常	
2141	7-4 (2-1药)	冰箱	242310258	2025/3/8 10:20:00	3.9℃	正常	
2142	7-4 (2-1药)	冰箱	242310258	2025/3/8 10:25:00	4.6℃	正常	
2143	7-4 (2-1药)	冰箱	242310258	2025/3/8 10:30:00	3.9℃	正常	
2144	7-4 (2-1药)	冰箱	242310258	2025/3/8 10:35:00	4.4℃	正常	
2145	7-4 (2-1药)	冰箱	242310258	2025/3/8 10:40:00	4.1℃	正常	
2146	7-4 (2-1药)	冰箱	242310258	2025/3/8 10:45:00	4.2℃	正常	
2147	7-4 (2-1药)	冰箱	242310258	2025/3/8 10:50:00	4.4℃	正常	
2148	7-4 (2-1药)	冰箱	242310258	2025/3/8 10:55:00	4.0℃	正常	
2149	7-4 (2-1药)	冰箱	242310258	2025/3/8 11:00:00	4.5℃	正常	
2150	7-4 (2-1药)	冰箱	242310258	2025/3/8 11:05:00	3.9℃	正常	
2151	7-4 (2-1药)	冰箱	242310258	2025/3/8 11:10:00	4.5℃	正常	
2152	7-4 (2-1药)	冰箱	242310258	2025/3/8 11:15:00	4.0℃	正常	
2153	7-4 (2-1药)	冰箱	242310258	2025/3/8 11:20:00	4.4℃	正常	
2154	7-4 (2-1药)	冰箱	242310258	2025/3/8 11:25:00	4.3℃	正常	
2155	7-4 (2-1药)	冰箱	242310258	2025/3/8 11:30:00	4.2℃	正常	
2156	7-4 (2-1药)	冰箱	242310258	2025/3/8 11:35:00	4.5℃	正常	
2157	7-4 (2-1药)	冰箱	242310258	2025/3/8 11:40:00	3.9℃	正常	
2158	7-4 (2-1药)	冰箱	242310258	2025/3/8 11:45:00	4.5℃	正常	
2159	7-4 (2-1药)	冰箱	242310258	2025/3/8 11:50:00	3.9℃	正常	
2160	7-4 (2-1药)	冰箱	242310258	2025/3/8 11:55:00	4.4℃	正常	
2161	7-4 (2-1药)	冰箱	242310258	2025/3/8 12:00:00	4.1℃	正常	
2162	7-4 (2-1药)	冰箱	242310258	2025/3/8 12:05:00	4.2℃	正常	
2163	7-4 (2-1药)	冰箱	242310258	2025/3/8 12:10:00	4.4℃	正常	
2164	7-4 (2-1药)	冰箱	242310258	2025/3/8 12:15:00	4.1℃	正常	

2165	7-4 (2-1药)	冰箱	242310258	2025/3/8 12:20:00	4.5℃	正常	
2166	7-4 (2-1药)	冰箱	242310258	2025/3/8 12:25:00	3.9℃	正常	
2167	7-4 (2-1药)	冰箱	242310258	2025/3/8 12:30:00	4.5℃	正常	
2168	7-4 (2-1药)	冰箱	242310258	2025/3/8 12:35:00	3.9℃	正常	
2169	7-4 (2-1药)	冰箱	242310258	2025/3/8 12:40:00	4.5℃	正常	
2170	7-4 (2-1药)	冰箱	242310258	2025/3/8 12:45:00	4.1℃	正常	
2171	7-4 (2-1药)	冰箱	242310258	2025/3/8 12:50:00	4.3℃	正常	
2172	7-4 (2-1药)	冰箱	242310258	2025/3/8 12:55:00	4.4℃	正常	
2173	7-4 (2-1药)	冰箱	242310258	2025/3/8 13:00:00	4.0℃	正常	
2174	7-4 (2-1药)	冰箱	242310258	2025/3/8 13:05:00	4.7℃	正常	
2175	7-4 (2-1药)	冰箱	242310258	2025/3/8 13:10:00	4.4℃	正常	
2176	7-4 (2-1药)	冰箱	242310258	2025/3/8 13:15:00	4.4℃	正常	
2177	7-4 (2-1药)	冰箱	242310258	2025/3/8 13:20:00	4.1℃	正常	
2178	7-4 (2-1药)	冰箱	242310258	2025/3/8 13:25:00	4.6℃	正常	
2179	7-4 (2-1药)	冰箱	242310258	2025/3/8 13:30:00	4.0℃	正常	
2180	7-4 (2-1药)	冰箱	242310258	2025/3/8 13:35:00	4.6℃	正常	
2181	7-4 (2-1药)	冰箱	242310258	2025/3/8 13:40:00	3.9℃	正常	
2182	7-4 (2-1药)	冰箱	242310258	2025/3/8 13:45:00	4.4℃	正常	
2183	7-4 (2-1药)	冰箱	242310258	2025/3/8 13:50:00	4.1℃	正常	
2184	7-4 (2-1药)	冰箱	242310258	2025/3/8 13:55:00	4.2℃	正常	
2185	7-4 (2-1药)	冰箱	242310258	2025/3/8 14:00:00	4.4℃	正常	
2186	7-4 (2-1药)	冰箱	242310258	2025/3/8 14:05:00	4.1℃	正常	
2187	7-4 (2-1药)	冰箱	242310258	2025/3/8 14:10:00	4.5℃	正常	
2188	7-4 (2-1药)	冰箱	242310258	2025/3/8 14:15:00	3.9℃	正常	
2189	7-4 (2-1药)	冰箱	242310258	2025/3/8 14:20:00	4.5℃	正常	
2190	7-4 (2-1药)	冰箱	242310258	2025/3/8 14:25:00	4.0℃	正常	
2191	7-4 (2-1药)	冰箱	242310258	2025/3/8 14:30:00	4.4℃	正常	
2192	7-4 (2-1药)	冰箱	242310258	2025/3/8 14:35:00	4.2℃	正常	
2193	7-4 (2-1药)	冰箱	242310258	2025/3/8 14:40:00	4.1℃	正常	
2194	7-4 (2-1药)	冰箱	242310258	2025/3/8 14:45:00	4.5℃	正常	
2195	7-4 (2-1药)	冰箱	242310258	2025/3/8 14:50:00	3.9℃	正常	
2196	7-4 (2-1药)	冰箱	242310258	2025/3/8 14:55:00	4.5℃	正常	
2197	7-4 (2-1药)	冰箱	242310258	2025/3/8 15:00:00	3.9℃	正常	
2198	7-4 (2-1药)	冰箱	242310258	2025/3/8 15:05:00	4.4℃	正常	
2199	7-4 (2-1药)	冰箱	242310258	2025/3/8 15:10:00	4.0℃	正常	
2200	7-4 (2-1药)	冰箱	242310258	2025/3/8 15:15:00	4.3℃	正常	
2201	7-4 (2-1药)	冰箱	242310258	2025/3/8 15:20:00	4.4℃	正常	
2202	7-4 (2-1药)	冰箱	242310258	2025/3/8 15:25:00	4.1℃	正常	
2203	7-4 (2-1药)	冰箱	242310258	2025/3/8 15:30:00	4.5℃	正常	
2204	7-4 (2-1药)	冰箱	242310258	2025/3/8 15:35:00	3.9℃	正常	
2205	7-4 (2-1药)	冰箱	242310258	2025/3/8 15:40:00	4.5℃	正常	
2206	7-4 (2-1药)	冰箱	242310258	2025/3/8 15:45:00	3.9℃	正常	
2207	7-4 (2-1药)	冰箱	242310258	2025/3/8 15:50:00	4.4℃	正常	
2208	7-4 (2-1药)	冰箱	242310258	2025/3/8 15:55:00	4.1℃	正常	
2209	7-4 (2-1药)	冰箱	242310258	2025/3/8 16:00:00	4.2℃	正常	
2210	7-4 (2-1药)	冰箱	242310258	2025/3/8 16:05:00	4.4℃	正常	
2211	7-4 (2-1药)	冰箱	242310258	2025/3/8 16:10:00	4.0℃	正常	
2212	7-4 (2-1药)	冰箱	242310258	2025/3/8 16:15:00	4.6℃	正常	
2213	7-4 (2-1药)	冰箱	242310258	2025/3/8 16:20:00	3.9℃	正常	
2214	7-4 (2-1药)	冰箱	242310258	2025/3/8 16:25:00	4.5℃	正常	
2215	7-4 (2-1药)	冰箱	242310258	2025/3/8 16:30:00	4.0℃	正常	
2216	7-4 (2-1药)	冰箱	242310258	2025/3/8 16:35:00	4.3℃	正常	
2217	7-4 (2-1药)	冰箱	242310258	2025/3/8 16:40:00	4.3℃	正常	
2218	7-4 (2-1药)	冰箱	242310258	2025/3/8 16:45:00	4.1℃	正常	
2219	7-4 (2-1药)	冰箱	242310258	2025/3/8 16:50:00	4.5℃	正常	
2220	7-4 (2-1药)	冰箱	242310258	2025/3/8 16:55:00	4.0℃	正常	
2221	7-4 (2-1药)	冰箱	242310258	2025/3/8 17:00:00	4.5℃	正常	
2222	7-4 (2-1药)	冰箱	242310258	2025/3/8 17:05:00	3.9℃	正常	
2223	7-4 (2-1药)	冰箱	242310258	2025/3/8 17:10:00	4.4℃	正常	
2224	7-4 (2-1药)	冰箱	242310258	2025/3/8 17:15:00	4.2℃	正常	
2225	7-4 (2-1药)	冰箱	242310258	2025/3/8 17:20:00	4.2℃	正常	
2226	7-4 (2-1药)	冰箱	242310258	2025/3/8 17:25:00	4.4℃	正常	
2227	7-4 (2-1药)	冰箱	242310258	2025/3/8 17:30:00	4.0℃	正常	
2228	7-4 (2-1药)	冰箱	242310258	2025/3/8 17:35:00	4.5℃	正常	

2229	7-4 (2-1药)	冰箱	242310258	2025/3/8 17:40:00	3.9℃	正常	
2230	7-4 (2-1药)	冰箱	242310258	2025/3/8 17:45:00	4.5℃	正常	
2231	7-4 (2-1药)	冰箱	242310258	2025/3/8 17:50:00	4.0℃	正常	
2232	7-4 (2-1药)	冰箱	242310258	2025/3/8 17:55:00	4.4℃	正常	
2233	7-4 (2-1药)	冰箱	242310258	2025/3/8 18:00:00	4.2℃	正常	
2234	7-4 (2-1药)	冰箱	242310258	2025/3/8 18:05:00	4.2℃	正常	
2235	7-4 (2-1药)	冰箱	242310258	2025/3/8 18:10:00	4.4℃	正常	
2236	7-4 (2-1药)	冰箱	242310258	2025/3/8 18:15:00	4.0℃	正常	
2237	7-4 (2-1药)	冰箱	242310258	2025/3/8 18:20:00	4.6℃	正常	
2238	7-4 (2-1药)	冰箱	242310258	2025/3/8 18:25:00	3.9℃	正常	
2239	7-4 (2-1药)	冰箱	242310258	2025/3/8 18:30:00	4.5℃	正常	
2240	7-4 (2-1药)	冰箱	242310258	2025/3/8 18:35:00	3.9℃	正常	
2241	7-4 (2-1药)	冰箱	242310258	2025/3/8 18:40:00	4.4℃	正常	
2242	7-4 (2-1药)	冰箱	242310258	2025/3/8 18:45:00	4.2℃	正常	
2243	7-4 (2-1药)	冰箱	242310258	2025/3/8 18:50:00	4.2℃	正常	
2244	7-4 (2-1药)	冰箱	242310258	2025/3/8 18:55:00	4.3℃	正常	
2245	7-4 (2-1药)	冰箱	242310258	2025/3/8 19:00:00	4.0℃	正常	
2246	7-4 (2-1药)	冰箱	242310258	2025/3/8 19:05:00	4.5℃	正常	
2247	7-4 (2-1药)	冰箱	242310258	2025/3/8 19:10:00	3.9℃	正常	
2248	7-4 (2-1药)	冰箱	242310258	2025/3/8 19:15:00	4.5℃	正常	
2249	7-4 (2-1药)	冰箱	242310258	2025/3/8 19:20:00	3.9℃	正常	
2250	7-4 (2-1药)	冰箱	242310258	2025/3/8 19:25:00	4.4℃	正常	
2251	7-4 (2-1药)	冰箱	242310258	2025/3/8 19:30:00	4.2℃	正常	
2252	7-4 (2-1药)	冰箱	242310258	2025/3/8 19:35:00	4.2℃	正常	
2253	7-4 (2-1药)	冰箱	242310258	2025/3/8 19:40:00	4.4℃	正常	
2254	7-4 (2-1药)	冰箱	242310258	2025/3/8 19:45:00	4.0℃	正常	
2255	7-4 (2-1药)	冰箱	242310258	2025/3/8 19:50:00	4.6℃	正常	
2256	7-4 (2-1药)	冰箱	242310258	2025/3/8 19:55:00	3.9℃	正常	
2257	7-4 (2-1药)	冰箱	242310258	2025/3/8 20:00:00	4.4℃	正常	
2258	7-4 (2-1药)	冰箱	242310258	2025/3/8 20:05:00	4.0℃	正常	
2259	7-4 (2-1药)	冰箱	242310258	2025/3/8 20:10:00	4.3℃	正常	
2260	7-4 (2-1药)	冰箱	242310258	2025/3/8 20:15:00	4.4℃	正常	
2261	7-4 (2-1药)	冰箱	242310258	2025/3/8 20:20:00	4.1℃	正常	
2262	7-4 (2-1药)	冰箱	242310258	2025/3/8 20:25:00	4.5℃	正常	
2263	7-4 (2-1药)	冰箱	242310258	2025/3/8 20:30:00	3.9℃	正常	
2264	7-4 (2-1药)	冰箱	242310258	2025/3/8 20:35:00	4.5℃	正常	
2265	7-4 (2-1药)	冰箱	242310258	2025/3/8 20:40:00	4.0℃	正常	
2266	7-4 (2-1药)	冰箱	242310258	2025/3/8 20:45:00	4.4℃	正常	
2267	7-4 (2-1药)	冰箱	242310258	2025/3/8 20:50:00	4.3℃	正常	
2268	7-4 (2-1药)	冰箱	242310258	2025/3/8 20:55:00	4.1℃	正常	
2269	7-4 (2-1药)	冰箱	242310258	2025/3/8 21:00:00	4.5℃	正常	
2270	7-4 (2-1药)	冰箱	242310258	2025/3/8 21:05:00	3.9℃	正常	
2271	7-4 (2-1药)	冰箱	242310258	2025/3/8 21:10:00	4.5℃	正常	
2272	7-4 (2-1药)	冰箱	242310258	2025/3/8 21:15:00	3.9℃	正常	
2273	7-4 (2-1药)	冰箱	242310258	2025/3/8 21:20:00	4.4℃	正常	
2274	7-4 (2-1药)	冰箱	242310258	2025/3/8 21:25:00	4.1℃	正常	
2275	7-4 (2-1药)	冰箱	242310258	2025/3/8 21:30:00	4.3℃	正常	
2276	7-4 (2-1药)	冰箱	242310258	2025/3/8 21:35:00	4.3℃	正常	
2277	7-4 (2-1药)	冰箱	242310258	2025/3/8 21:40:00	4.0℃	正常	
2278	7-4 (2-1药)	冰箱	242310258	2025/3/8 21:45:00	4.5℃	正常	
2279	7-4 (2-1药)	冰箱	242310258	2025/3/8 21:50:00	3.9℃	正常	
2280	7-4 (2-1药)	冰箱	242310258	2025/3/8 21:55:00	4.5℃	正常	
2281	7-4 (2-1药)	冰箱	242310258	2025/3/8 22:00:00	4.0℃	正常	
2282	7-4 (2-1药)	冰箱	242310258	2025/3/8 22:05:00	4.4℃	正常	
2283	7-4 (2-1药)	冰箱	242310258	2025/3/8 22:10:00	4.3℃	正常	
2284	7-4 (2-1药)	冰箱	242310258	2025/3/8 22:15:00	4.2℃	正常	
2285	7-4 (2-1药)	冰箱	242310258	2025/3/8 22:20:00	4.5℃	正常	
2286	7-4 (2-1药)	冰箱	242310258	2025/3/8 22:25:00	3.9℃	正常	
2287	7-4 (2-1药)	冰箱	242310258	2025/3/8 22:30:00	4.5℃	正常	
2288	7-4 (2-1药)	冰箱	242310258	2025/3/8 22:35:00	3.9℃	正常	
2289	7-4 (2-1药)	冰箱	242310258	2025/3/8 22:40:00	4.5℃	正常	
2290	7-4 (2-1药)	冰箱	242310258	2025/3/8 22:45:00	4.0℃	正常	
2291	7-4 (2-1药)	冰箱	242310258	2025/3/8 22:50:00	4.3℃	正常	
2292	7-4 (2-1药)	冰箱	242310258	2025/3/8 22:55:00	4.4℃	正常	

2293	7-4 (2-1药)	冰箱	242310258	2025/3/8 23:00:00	4.1℃	正常	
2294	7-4 (2-1药)	冰箱	242310258	2025/3/8 23:05:00	4.5℃	正常	
2295	7-4 (2-1药)	冰箱	242310258	2025/3/8 23:10:00	3.9℃	正常	
2296	7-4 (2-1药)	冰箱	242310258	2025/3/8 23:15:00	4.5℃	正常	
2297	7-4 (2-1药)	冰箱	242310258	2025/3/8 23:20:00	4.0℃	正常	
2298	7-4 (2-1药)	冰箱	242310258	2025/3/8 23:25:00	4.4℃	正常	
2299	7-4 (2-1药)	冰箱	242310258	2025/3/8 23:30:00	4.2℃	正常	
2300	7-4 (2-1药)	冰箱	242310258	2025/3/8 23:35:00	4.1℃	正常	
2301	7-4 (2-1药)	冰箱	242310258	2025/3/8 23:40:00	4.5℃	正常	
2302	7-4 (2-1药)	冰箱	242310258	2025/3/8 23:45:00	3.9℃	正常	
2303	7-4 (2-1药)	冰箱	242310258	2025/3/8 23:50:00	4.5℃	正常	
2304	7-4 (2-1药)	冰箱	242310258	2025/3/8 23:55:00	3.9℃	正常	
2305	7-4 (2-1药)	冰箱	242310258	2025/3/9 0:00:00	4.4℃	正常	
2306	7-4 (2-1药)	冰箱	242310258	2025/3/9 0:05:00	4.1℃	正常	
2307	7-4 (2-1药)	冰箱	242310258	2025/3/9 0:10:00	4.8℃	正常	
2308	7-4 (2-1药)	冰箱	242310258	2025/3/9 0:15:00	4.0℃	正常	
2309	7-4 (2-1药)	冰箱	242310258	2025/3/9 0:20:00	4.5℃	正常	
2310	7-4 (2-1药)	冰箱	242310258	2025/3/9 0:25:00	4.2℃	正常	
2311	7-4 (2-1药)	冰箱	242310258	2025/3/9 0:30:00	4.2℃	正常	
2312	7-4 (2-1药)	冰箱	242310258	2025/3/9 0:35:00	4.4℃	正常	
2313	7-4 (2-1药)	冰箱	242310258	2025/3/9 0:40:00	4.0℃	正常	
2314	7-4 (2-1药)	冰箱	242310258	2025/3/9 0:45:00	4.6℃	正常	
2315	7-4 (2-1药)	冰箱	242310258	2025/3/9 0:50:00	3.9℃	正常	
2316	7-4 (2-1药)	冰箱	242310258	2025/3/9 0:55:00	4.5℃	正常	
2317	7-4 (2-1药)	冰箱	242310258	2025/3/9 1:00:00	4.0℃	正常	
2318	7-4 (2-1药)	冰箱	242310258	2025/3/9 1:05:00	4.3℃	正常	
2319	7-4 (2-1药)	冰箱	242310258	2025/3/9 1:10:00	4.3℃	正常	
2320	7-4 (2-1药)	冰箱	242310258	2025/3/9 1:15:00	4.1℃	正常	
2321	7-4 (2-1药)	冰箱	242310258	2025/3/9 1:20:00	4.5℃	正常	
2322	7-4 (2-1药)	冰箱	242310258	2025/3/9 1:25:00	3.9℃	正常	
2323	7-4 (2-1药)	冰箱	242310258	2025/3/9 1:30:00	4.5℃	正常	
2324	7-4 (2-1药)	冰箱	242310258	2025/3/9 1:35:00	3.9℃	正常	
2325	7-4 (2-1药)	冰箱	242310258	2025/3/9 1:40:00	4.4℃	正常	
2326	7-4 (2-1药)	冰箱	242310258	2025/3/9 1:45:00	4.1℃	正常	
2327	7-4 (2-1药)	冰箱	242310258	2025/3/9 1:50:00	4.2℃	正常	
2328	7-4 (2-1药)	冰箱	242310258	2025/3/9 1:55:00	4.4℃	正常	
2329	7-4 (2-1药)	冰箱	242310258	2025/3/9 2:00:00	4.0℃	正常	
2330	7-4 (2-1药)	冰箱	242310258	2025/3/9 2:05:00	4.6℃	正常	
2331	7-4 (2-1药)	冰箱	242310258	2025/3/9 2:10:00	3.9℃	正常	
2332	7-4 (2-1药)	冰箱	242310258	2025/3/9 2:15:00	4.5℃	正常	
2333	7-4 (2-1药)	冰箱	242310258	2025/3/9 2:20:00	4.0℃	正常	
2334	7-4 (2-1药)	冰箱	242310258	2025/3/9 2:25:00	4.4℃	正常	
2335	7-4 (2-1药)	冰箱	242310258	2025/3/9 2:30:00	4.2℃	正常	
2336	7-4 (2-1药)	冰箱	242310258	2025/3/9 2:35:00	4.1℃	正常	
2337	7-4 (2-1药)	冰箱	242310258	2025/3/9 2:40:00	4.5℃	正常	
2338	7-4 (2-1药)	冰箱	242310258	2025/3/9 2:45:00	3.9℃	正常	
2339	7-4 (2-1药)	冰箱	242310258	2025/3/9 2:50:00	4.5℃	正常	
2340	7-4 (2-1药)	冰箱	242310258	2025/3/9 2:55:00	3.9℃	正常	
2341	7-4 (2-1药)	冰箱	242310258	2025/3/9 3:00:00	4.4℃	正常	
2342	7-4 (2-1药)	冰箱	242310258	2025/3/9 3:05:00	4.1℃	正常	
2343	7-4 (2-1药)	冰箱	242310258	2025/3/9 3:10:00	4.3℃	正常	
2344	7-4 (2-1药)	冰箱	242310258	2025/3/9 3:15:00	4.4℃	正常	
2345	7-4 (2-1药)	冰箱	242310258	2025/3/9 3:20:00	4.0℃	正常	
2346	7-4 (2-1药)	冰箱	242310258	2025/3/9 3:25:00	4.5℃	正常	
2347	7-4 (2-1药)	冰箱	242310258	2025/3/9 3:30:00	3.9℃	正常	
2348	7-4 (2-1药)	冰箱	242310258	2025/3/9 3:35:00	4.5℃	正常	
2349	7-4 (2-1药)	冰箱	242310258	2025/3/9 3:40:00	4.1℃	正常	
2350	7-4 (2-1药)	冰箱	242310258	2025/3/9 3:45:00	4.3℃	正常	
2351	7-4 (2-1药)	冰箱	242310258	2025/3/9 3:50:00	4.4℃	正常	
2352	7-4 (2-1药)	冰箱	242310258	2025/3/9 3:55:00	4.1℃	正常	
2353	7-4 (2-1药)	冰箱	242310258	2025/3/9 4:00:00	4.5℃	正常	
2354	7-4 (2-1药)	冰箱	242310258	2025/3/9 4:05:00	3.9℃	正常	
2355	7-4 (2-1药)	冰箱	242310258	2025/3/9 4:10:00	4.5℃	正常	
2356	7-4 (2-1药)	冰箱	242310258	2025/3/9 4:15:00	3.9℃	正常	

2357	7-4 (2-1药)	冰箱	242310258	2025/3/9 4:20:00	4.5℃	正常	
2358	7-4 (2-1药)	冰箱	242310258	2025/3/9 4:25:00	4.0℃	正常	
2359	7-4 (2-1药)	冰箱	242310258	2025/3/9 4:30:00	4.3℃	正常	
2360	7-4 (2-1药)	冰箱	242310258	2025/3/9 4:35:00	4.3℃	正常	
2361	7-4 (2-1药)	冰箱	242310258	2025/3/9 4:40:00	4.2℃	正常	
2362	7-4 (2-1药)	冰箱	242310258	2025/3/9 4:45:00	4.5℃	正常	
2363	7-4 (2-1药)	冰箱	242310258	2025/3/9 4:50:00	3.9℃	正常	
2364	7-4 (2-1药)	冰箱	242310258	2025/3/9 4:55:00	4.5℃	正常	
2365	7-4 (2-1药)	冰箱	242310258	2025/3/9 5:00:00	3.9℃	正常	
2366	7-4 (2-1药)	冰箱	242310258	2025/3/9 5:05:00	4.5℃	正常	
2367	7-4 (2-1药)	冰箱	242310258	2025/3/9 5:10:00	4.0℃	正常	
2368	7-4 (2-1药)	冰箱	242310258	2025/3/9 5:15:00	4.3℃	正常	
2369	7-4 (2-1药)	冰箱	242310258	2025/3/9 5:20:00	4.3℃	正常	
2370	7-4 (2-1药)	冰箱	242310258	2025/3/9 5:25:00	4.1℃	正常	
2371	7-4 (2-1药)	冰箱	242310258	2025/3/9 5:30:00	4.5℃	正常	
2372	7-4 (2-1药)	冰箱	242310258	2025/3/9 5:35:00	3.9℃	正常	
2373	7-4 (2-1药)	冰箱	242310258	2025/3/9 5:40:00	4.5℃	正常	
2374	7-4 (2-1药)	冰箱	242310258	2025/3/9 5:45:00	4.0℃	正常	
2375	7-4 (2-1药)	冰箱	242310258	2025/3/9 5:50:00	4.4℃	正常	
2376	7-4 (2-1药)	冰箱	242310258	2025/3/9 5:55:00	4.1℃	正常	
2377	7-4 (2-1药)	冰箱	242310258	2025/3/9 6:00:00	4.2℃	正常	
2378	7-4 (2-1药)	冰箱	242310258	2025/3/9 6:05:00	4.5℃	正常	
2379	7-4 (2-1药)	冰箱	242310258	2025/3/9 6:10:00	3.9℃	正常	
2380	7-4 (2-1药)	冰箱	242310258	2025/3/9 6:15:00	4.5℃	正常	
2381	7-4 (2-1药)	冰箱	242310258	2025/3/9 6:20:00	3.9℃	正常	
2382	7-4 (2-1药)	冰箱	242310258	2025/3/9 6:25:00	4.4℃	正常	
2383	7-4 (2-1药)	冰箱	242310258	2025/3/9 6:30:00	4.0℃	正常	
2384	7-4 (2-1药)	冰箱	242310258	2025/3/9 6:35:00	4.4℃	正常	
2385	7-4 (2-1药)	冰箱	242310258	2025/3/9 6:40:00	4.3℃	正常	
2386	7-4 (2-1药)	冰箱	242310258	2025/3/9 6:45:00	4.1℃	正常	
2387	7-4 (2-1药)	冰箱	242310258	2025/3/9 6:50:00	4.5℃	正常	
2388	7-4 (2-1药)	冰箱	242310258	2025/3/9 6:55:00	3.9℃	正常	
2389	7-4 (2-1药)	冰箱	242310258	2025/3/9 7:00:00	4.5℃	正常	
2390	7-4 (2-1药)	冰箱	242310258	2025/3/9 7:05:00	3.9℃	正常	
2391	7-4 (2-1药)	冰箱	242310258	2025/3/9 7:10:00	4.4℃	正常	
2392	7-4 (2-1药)	冰箱	242310258	2025/3/9 7:15:00	4.2℃	正常	
2393	7-4 (2-1药)	冰箱	242310258	2025/3/9 7:20:00	4.1℃	正常	
2394	7-4 (2-1药)	冰箱	242310258	2025/3/9 7:25:00	4.5℃	正常	
2395	7-4 (2-1药)	冰箱	242310258	2025/3/9 7:30:00	3.9℃	正常	
2396	7-4 (2-1药)	冰箱	242310258	2025/3/9 7:35:00	4.5℃	正常	
2397	7-4 (2-1药)	冰箱	242310258	2025/3/9 7:40:00	3.9℃	正常	
2398	7-4 (2-1药)	冰箱	242310258	2025/3/9 7:45:00	4.4℃	正常	
2399	7-4 (2-1药)	冰箱	242310258	2025/3/9 7:50:00	4.1℃	正常	
2400	7-4 (2-1药)	冰箱	242310258	2025/3/9 7:55:00	4.2℃	正常	
2401	7-4 (2-1药)	冰箱	242310258	2025/3/9 8:00:00	4.4℃	正常	
2402	7-4 (2-1药)	冰箱	242310258	2025/3/9 8:05:00	4.0℃	正常	
2403	7-4 (2-1药)	冰箱	242310258	2025/3/9 8:10:00	4.6℃	正常	
2404	7-4 (2-1药)	冰箱	242310258	2025/3/9 8:15:00	3.9℃	正常	
2405	7-4 (2-1药)	冰箱	242310258	2025/3/9 8:20:00	4.5℃	正常	
2406	7-4 (2-1药)	冰箱	242310258	2025/3/9 8:25:00	4.0℃	正常	
2407	7-4 (2-1药)	冰箱	242310258	2025/3/9 8:30:00	4.4℃	正常	
2408	7-4 (2-1药)	冰箱	242310258	2025/3/9 8:35:00	4.3℃	正常	
2409	7-4 (2-1药)	冰箱	242310258	2025/3/9 8:40:00	4.2℃	正常	
2410	7-4 (2-1药)	冰箱	242310258	2025/3/9 8:45:00	4.4℃	正常	
2411	7-4 (2-1药)	冰箱	242310258	2025/3/9 8:50:00	4.0℃	正常	
2412	7-4 (2-1药)	冰箱	242310258	2025/3/9 8:55:00	4.6℃	正常	
2413	7-4 (2-1药)	冰箱	242310258	2025/3/9 9:00:00	3.9℃	正常	
2414	7-4 (2-1药)	冰箱	242310258	2025/3/9 9:05:00	4.5℃	正常	
2415	7-4 (2-1药)	冰箱	242310258	2025/3/9 9:10:00	4.1℃	正常	
2416	7-4 (2-1药)	冰箱	242310258	2025/3/9 9:15:00	4.3℃	正常	
2417	7-4 (2-1药)	冰箱	242310258	2025/3/9 9:20:00	4.4℃	正常	
2418	7-4 (2-1药)	冰箱	242310258	2025/3/9 9:25:00	4.1℃	正常	
2419	7-4 (2-1药)	冰箱	242310258	2025/3/9 9:30:00	4.5℃	正常	
2420	7-4 (2-1药)	冰箱	242310258	2025/3/9 9:35:00	3.9℃	正常	

2421	7-4 (2-1药)	冰箱	242310258	2025/3/9 9:40:00	4.6℃	正常	
2422	7-4 (2-1药)	冰箱	242310258	2025/3/9 9:45:00	3.9℃	正常	
2423	7-4 (2-1药)	冰箱	242310258	2025/3/9 9:50:00	4.4℃	正常	
2424	7-4 (2-1药)	冰箱	242310258	2025/3/9 9:55:00	4.2℃	正常	
2425	7-4 (2-1药)	冰箱	242310258	2025/3/9 10:00:00	4.2℃	正常	
2426	7-4 (2-1药)	冰箱	242310258	2025/3/9 10:05:00	4.5℃	正常	
2427	7-4 (2-1药)	冰箱	242310258	2025/3/9 10:10:00	4.0℃	正常	
2428	7-4 (2-1药)	冰箱	242310258	2025/3/9 10:15:00	4.5℃	正常	
2429	7-4 (2-1药)	冰箱	242310258	2025/3/9 10:20:00	3.9℃	正常	
2430	7-4 (2-1药)	冰箱	242310258	2025/3/9 10:25:00	4.4℃	正常	
2431	7-4 (2-1药)	冰箱	242310258	2025/3/9 10:30:00	4.1℃	正常	
2432	7-4 (2-1药)	冰箱	242310258	2025/3/9 10:35:00	4.2℃	正常	
2433	7-4 (2-1药)	冰箱	242310258	2025/3/9 10:40:00	4.4℃	正常	
2434	7-4 (2-1药)	冰箱	242310258	2025/3/9 10:45:00	4.0℃	正常	
2435	7-4 (2-1药)	冰箱	242310258	2025/3/9 10:50:00	4.6℃	正常	
2436	7-4 (2-1药)	冰箱	242310258	2025/3/9 10:55:00	3.9℃	正常	
2437	7-4 (2-1药)	冰箱	242310258	2025/3/9 11:00:00	4.5℃	正常	
2438	7-4 (2-1药)	冰箱	242310258	2025/3/9 11:05:00	4.0℃	正常	
2439	7-4 (2-1药)	冰箱	242310258	2025/3/9 11:10:00	4.8℃	正常	
2440	7-4 (2-1药)	冰箱	242310258	2025/3/9 11:15:00	4.0℃	正常	
2441	7-4 (2-1药)	冰箱	242310258	2025/3/9 11:20:00	4.6℃	正常	
2442	7-4 (2-1药)	冰箱	242310258	2025/3/9 11:25:00	4.0℃	正常	
2443	7-4 (2-1药)	冰箱	242310258	2025/3/9 11:30:00	4.4℃	正常	
2444	7-4 (2-1药)	冰箱	242310258	2025/3/9 11:35:00	4.3℃	正常	
2445	7-4 (2-1药)	冰箱	242310258	2025/3/9 11:40:00	4.2℃	正常	
2446	7-4 (2-1药)	冰箱	242310258	2025/3/9 11:45:00	4.5℃	正常	
2447	7-4 (2-1药)	冰箱	242310258	2025/3/9 11:50:00	4.0℃	正常	
2448	7-4 (2-1药)	冰箱	242310258	2025/3/9 11:55:00	4.5℃	正常	
2449	7-4 (2-1药)	冰箱	242310258	2025/3/9 12:00:00	3.9℃	正常	
2450	7-4 (2-1药)	冰箱	242310258	2025/3/9 12:05:00	4.4℃	正常	
2451	7-4 (2-1药)	冰箱	242310258	2025/3/9 12:10:00	4.2℃	正常	
2452	7-4 (2-1药)	冰箱	242310258	2025/3/9 12:15:00	4.2℃	正常	
2453	7-4 (2-1药)	冰箱	242310258	2025/3/9 12:20:00	4.5℃	正常	
2454	7-4 (2-1药)	冰箱	242310258	2025/3/9 12:25:00	4.0℃	正常	
2455	7-4 (2-1药)	冰箱	242310258	2025/3/9 12:30:00	4.6℃	正常	
2456	7-4 (2-1药)	冰箱	242310258	2025/3/9 12:35:00	3.9℃	正常	
2457	7-4 (2-1药)	冰箱	242310258	2025/3/9 12:40:00	4.5℃	正常	
2458	7-4 (2-1药)	冰箱	242310258	2025/3/9 12:45:00	4.1℃	正常	
2459	7-4 (2-1药)	冰箱	242310258	2025/3/9 12:50:00	4.3℃	正常	
2460	7-4 (2-1药)	冰箱	242310258	2025/3/9 12:55:00	4.3℃	正常	
2461	7-4 (2-1药)	冰箱	242310258	2025/3/9 13:00:00	4.1℃	正常	
2462	7-4 (2-1药)	冰箱	242310258	2025/3/9 13:05:00	4.5℃	正常	
2463	7-4 (2-1药)	冰箱	242310258	2025/3/9 13:10:00	3.9℃	正常	
2464	7-4 (2-1药)	冰箱	242310258	2025/3/9 13:15:00	4.5℃	正常	
2465	7-4 (2-1药)	冰箱	242310258	2025/3/9 13:20:00	3.9℃	正常	
2466	7-4 (2-1药)	冰箱	242310258	2025/3/9 13:25:00	4.4℃	正常	
2467	7-4 (2-1药)	冰箱	242310258	2025/3/9 13:30:00	4.1℃	正常	
2468	7-4 (2-1药)	冰箱	242310258	2025/3/9 13:35:00	4.3℃	正常	
2469	7-4 (2-1药)	冰箱	242310258	2025/3/9 13:40:00	4.3℃	正常	
2470	7-4 (2-1药)	冰箱	242310258	2025/3/9 13:45:00	4.1℃	正常	
2471	7-4 (2-1药)	冰箱	242310258	2025/3/9 13:50:00	4.5℃	正常	
2472	7-4 (2-1药)	冰箱	242310258	2025/3/9 13:55:00	3.9℃	正常	
2473	7-4 (2-1药)	冰箱	242310258	2025/3/9 14:00:00	4.5℃	正常	
2474	7-4 (2-1药)	冰箱	242310258	2025/3/9 14:05:00	3.9℃	正常	
2475	7-4 (2-1药)	冰箱	242310258	2025/3/9 14:10:00	4.4℃	正常	
2476	7-4 (2-1药)	冰箱	242310258	2025/3/9 14:15:00	4.2℃	正常	
2477	7-4 (2-1药)	冰箱	242310258	2025/3/9 14:20:00	4.3℃	正常	
2478	7-4 (2-1药)	冰箱	242310258	2025/3/9 14:25:00	4.4℃	正常	
2479	7-4 (2-1药)	冰箱	242310258	2025/3/9 14:30:00	4.0℃	正常	
2480	7-4 (2-1药)	冰箱	242310258	2025/3/9 14:35:00	4.5℃	正常	
2481	7-4 (2-1药)	冰箱	242310258	2025/3/9 14:40:00	3.9℃	正常	
2482	7-4 (2-1药)	冰箱	242310258	2025/3/9 14:45:00	4.5℃	正常	
2483	7-4 (2-1药)	冰箱	242310258	2025/3/9 14:50:00	3.9℃	正常	
2484	7-4 (2-1药)	冰箱	242310258	2025/3/9 14:55:00	4.4℃	正常	

2485	7-4 (2-1药)	冰箱	242310258	2025/3/9 15:00:00	4.2℃	正常	
2486	7-4 (2-1药)	冰箱	242310258	2025/3/9 15:05:00	4.2℃	正常	
2487	7-4 (2-1药)	冰箱	242310258	2025/3/9 15:10:00	4.4℃	正常	
2488	7-4 (2-1药)	冰箱	242310258	2025/3/9 15:15:00	3.9℃	正常	
2489	7-4 (2-1药)	冰箱	242310258	2025/3/9 15:20:00	4.5℃	正常	
2490	7-4 (2-1药)	冰箱	242310258	2025/3/9 15:25:00	3.9℃	正常	
2491	7-4 (2-1药)	冰箱	242310258	2025/3/9 15:30:00	4.5℃	正常	
2492	7-4 (2-1药)	冰箱	242310258	2025/3/9 15:35:00	3.9℃	正常	
2493	7-4 (2-1药)	冰箱	242310258	2025/3/9 15:40:00	4.3℃	正常	
2494	7-4 (2-1药)	冰箱	242310258	2025/3/9 15:45:00	4.3℃	正常	
2495	7-4 (2-1药)	冰箱	242310258	2025/3/9 15:50:00	4.2℃	正常	
2496	7-4 (2-1药)	冰箱	242310258	2025/3/9 15:55:00	4.4℃	正常	
2497	7-4 (2-1药)	冰箱	242310258	2025/3/9 16:00:00	4.0℃	正常	
2498	7-4 (2-1药)	冰箱	242310258	2025/3/9 16:05:00	4.6℃	正常	
2499	7-4 (2-1药)	冰箱	242310258	2025/3/9 16:10:00	3.9℃	正常	
2500	7-4 (2-1药)	冰箱	242310258	2025/3/9 16:15:00	4.5℃	正常	
2501	7-4 (2-1药)	冰箱	242310258	2025/3/9 16:20:00	4.0℃	正常	
2502	7-4 (2-1药)	冰箱	242310258	2025/3/9 16:25:00	4.4℃	正常	
2503	7-4 (2-1药)	冰箱	242310258	2025/3/9 16:30:00	4.3℃	正常	
2504	7-4 (2-1药)	冰箱	242310258	2025/3/9 16:35:00	4.2℃	正常	
2505	7-4 (2-1药)	冰箱	242310258	2025/3/9 16:40:00	4.5℃	正常	
2506	7-4 (2-1药)	冰箱	242310258	2025/3/9 16:45:00	4.0℃	正常	
2507	7-4 (2-1药)	冰箱	242310258	2025/3/9 16:50:00	4.5℃	正常	
2508	7-4 (2-1药)	冰箱	242310258	2025/3/9 16:55:00	3.9℃	正常	
2509	7-4 (2-1药)	冰箱	242310258	2025/3/9 17:00:00	4.5℃	正常	
2510	7-4 (2-1药)	冰箱	242310258	2025/3/9 17:05:00	4.0℃	正常	
2511	7-4 (2-1药)	冰箱	242310258	2025/3/9 17:10:00	4.3℃	正常	
2512	7-4 (2-1药)	冰箱	242310258	2025/3/9 17:15:00	4.3℃	正常	
2513	7-4 (2-1药)	冰箱	242310258	2025/3/9 17:20:00	4.1℃	正常	
2514	7-4 (2-1药)	冰箱	242310258	2025/3/9 17:25:00	4.5℃	正常	
2515	7-4 (2-1药)	冰箱	242310258	2025/3/9 17:30:00	4.0℃	正常	
2516	7-4 (2-1药)	冰箱	242310258	2025/3/9 17:35:00	4.5℃	正常	
2517	7-4 (2-1药)	冰箱	242310258	2025/3/9 17:40:00	3.9℃	正常	
2518	7-4 (2-1药)	冰箱	242310258	2025/3/9 17:45:00	4.5℃	正常	
2519	7-4 (2-1药)	冰箱	242310258	2025/3/9 17:50:00	3.9℃	正常	
2520	7-4 (2-1药)	冰箱	242310258	2025/3/9 17:55:00	4.4℃	正常	
2521	7-4 (2-1药)	冰箱	242310258	2025/3/9 18:00:00	4.2℃	正常	
2522	7-4 (2-1药)	冰箱	242310258	2025/3/9 18:05:00	4.2℃	正常	
2523	7-4 (2-1药)	冰箱	242310258	2025/3/9 18:10:00	4.4℃	正常	
2524	7-4 (2-1药)	冰箱	242310258	2025/3/9 18:15:00	4.0℃	正常	
2525	7-4 (2-1药)	冰箱	242310258	2025/3/9 18:20:00	4.5℃	正常	
2526	7-4 (2-1药)	冰箱	242310258	2025/3/9 18:25:00	3.9℃	正常	
2527	7-4 (2-1药)	冰箱	242310258	2025/3/9 18:30:00	4.5℃	正常	
2528	7-4 (2-1药)	冰箱	242310258	2025/3/9 18:35:00	4.0℃	正常	
2529	7-4 (2-1药)	冰箱	242310258	2025/3/9 18:40:00	4.3℃	正常	
2530	7-4 (2-1药)	冰箱	242310258	2025/3/9 18:45:00	4.4℃	正常	
2531	7-4 (2-1药)	冰箱	242310258	2025/3/9 18:50:00	4.0℃	正常	
2532	7-4 (2-1药)	冰箱	242310258	2025/3/9 18:55:00	4.5℃	正常	
2533	7-4 (2-1药)	冰箱	242310258	2025/3/9 19:00:00	4.0℃	正常	
2534	7-4 (2-1药)	冰箱	242310258	2025/3/9 19:05:00	4.5℃	正常	
2535	7-4 (2-1药)	冰箱	242310258	2025/3/9 19:10:00	3.9℃	正常	
2536	7-4 (2-1药)	冰箱	242310258	2025/3/9 19:15:00	4.4℃	正常	
2537	7-4 (2-1药)	冰箱	242310258	2025/3/9 19:20:00	4.1℃	正常	
2538	7-4 (2-1药)	冰箱	242310258	2025/3/9 19:25:00	4.3℃	正常	
2539	7-4 (2-1药)	冰箱	242310258	2025/3/9 19:30:00	4.3℃	正常	
2540	7-4 (2-1药)	冰箱	242310258	2025/3/9 19:35:00	4.1℃	正常	
2541	7-4 (2-1药)	冰箱	242310258	2025/3/9 19:40:00	4.5℃	正常	
2542	7-4 (2-1药)	冰箱	242310258	2025/3/9 19:45:00	3.9℃	正常	
2543	7-4 (2-1药)	冰箱	242310258	2025/3/9 19:50:00	4.5℃	正常	
2544	7-4 (2-1药)	冰箱	242310258	2025/3/9 19:55:00	3.9℃	正常	
2545	7-4 (2-1药)	冰箱	242310258	2025/3/9 20:00:00	4.5℃	正常	
2546	7-4 (2-1药)	冰箱	242310258	2025/3/9 20:05:00	4.0℃	正常	
2547	7-4 (2-1药)	冰箱	242310258	2025/3/9 20:10:00	4.3℃	正常	
2548	7-4 (2-1药)	冰箱	242310258	2025/3/9 20:15:00	4.3℃	正常	

2549	7-4 (2-1药)	冰箱	242310258	2025/3/9 20:20:00	4.2℃	正常	
2550	7-4 (2-1药)	冰箱	242310258	2025/3/9 20:25:00	4.5℃	正常	
2551	7-4 (2-1药)	冰箱	242310258	2025/3/9 20:30:00	4.0℃	正常	
2552	7-4 (2-1药)	冰箱	242310258	2025/3/9 20:35:00	4.5℃	正常	
2553	7-4 (2-1药)	冰箱	242310258	2025/3/9 20:40:00	3.9℃	正常	
2554	7-4 (2-1药)	冰箱	242310258	2025/3/9 20:45:00	4.5℃	正常	
2555	7-4 (2-1药)	冰箱	242310258	2025/3/9 20:50:00	4.0℃	正常	
2556	7-4 (2-1药)	冰箱	242310258	2025/3/9 20:55:00	4.4℃	正常	
2557	7-4 (2-1药)	冰箱	242310258	2025/3/9 21:00:00	4.2℃	正常	
2558	7-4 (2-1药)	冰箱	242310258	2025/3/9 21:05:00	4.2℃	正常	
2559	7-4 (2-1药)	冰箱	242310258	2025/3/9 21:10:00	4.5℃	正常	
2560	7-4 (2-1药)	冰箱	242310258	2025/3/9 21:15:00	4.0℃	正常	
2561	7-4 (2-1药)	冰箱	242310258	2025/3/9 21:20:00	4.5℃	正常	
2562	7-4 (2-1药)	冰箱	242310258	2025/3/9 21:25:00	3.9℃	正常	
2563	7-4 (2-1药)	冰箱	242310258	2025/3/9 21:30:00	4.5℃	正常	
2564	7-4 (2-1药)	冰箱	242310258	2025/3/9 21:35:00	4.0℃	正常	
2565	7-4 (2-1药)	冰箱	242310258	2025/3/9 21:40:00	4.4℃	正常	
2566	7-4 (2-1药)	冰箱	242310258	2025/3/9 21:45:00	4.2℃	正常	
2567	7-4 (2-1药)	冰箱	242310258	2025/3/9 21:50:00	4.2℃	正常	
2568	7-4 (2-1药)	冰箱	242310258	2025/3/9 21:55:00	4.4℃	正常	
2569	7-4 (2-1药)	冰箱	242310258	2025/3/9 22:00:00	4.0℃	正常	
2570	7-4 (2-1药)	冰箱	242310258	2025/3/9 22:05:00	4.8℃	正常	
2571	7-4 (2-1药)	冰箱	242310258	2025/3/9 22:10:00	4.3℃	正常	
2572	7-4 (2-1药)	冰箱	242310258	2025/3/9 22:15:00	4.5℃	正常	
2573	7-4 (2-1药)	冰箱	242310258	2025/3/9 22:20:00	4.0℃	正常	
2574	7-4 (2-1药)	冰箱	242310258	2025/3/9 22:25:00	4.6℃	正常	
2575	7-4 (2-1药)	冰箱	242310258	2025/3/9 22:30:00	4.0℃	正常	
2576	7-4 (2-1药)	冰箱	242310258	2025/3/9 22:35:00	4.5℃	正常	
2577	7-4 (2-1药)	冰箱	242310258	2025/3/9 22:40:00	3.9℃	正常	
2578	7-4 (2-1药)	冰箱	242310258	2025/3/9 22:45:00	4.4℃	正常	
2579	7-4 (2-1药)	冰箱	242310258	2025/3/9 22:50:00	4.1℃	正常	
2580	7-4 (2-1药)	冰箱	242310258	2025/3/9 22:55:00	4.2℃	正常	
2581	7-4 (2-1药)	冰箱	242310258	2025/3/9 23:00:00	4.4℃	正常	
2582	7-4 (2-1药)	冰箱	242310258	2025/3/9 23:05:00	4.0℃	正常	
2583	7-4 (2-1药)	冰箱	242310258	2025/3/9 23:10:00	4.6℃	正常	
2584	7-4 (2-1药)	冰箱	242310258	2025/3/9 23:15:00	4.0℃	正常	
2585	7-4 (2-1药)	冰箱	242310258	2025/3/9 23:20:00	4.5℃	正常	
2586	7-4 (2-1药)	冰箱	242310258	2025/3/9 23:25:00	3.9℃	正常	
2587	7-4 (2-1药)	冰箱	242310258	2025/3/9 23:30:00	4.4℃	正常	
2588	7-4 (2-1药)	冰箱	242310258	2025/3/9 23:35:00	4.1℃	正常	
2589	7-4 (2-1药)	冰箱	242310258	2025/3/9 23:40:00	4.2℃	正常	
2590	7-4 (2-1药)	冰箱	242310258	2025/3/9 23:45:00	4.4℃	正常	
2591	7-4 (2-1药)	冰箱	242310258	2025/3/9 23:50:00	4.1℃	正常	
2592	7-4 (2-1药)	冰箱	242310258	2025/3/9 23:55:00	4.5℃	正常	
2593	7-4 (2-1药)	冰箱	242310258	2025/3/10 0:00:00	3.9℃	正常	
2594	7-4 (2-1药)	冰箱	242310258	2025/3/10 0:05:00	4.5℃	正常	
2595	7-4 (2-1药)	冰箱	242310258	2025/3/10 0:10:00	3.9℃	正常	
2596	7-4 (2-1药)	冰箱	242310258	2025/3/10 0:15:00	4.4℃	正常	
2597	7-4 (2-1药)	冰箱	242310258	2025/3/10 0:20:00	4.1℃	正常	
2598	7-4 (2-1药)	冰箱	242310258	2025/3/10 0:25:00	4.3℃	正常	
2599	7-4 (2-1药)	冰箱	242310258	2025/3/10 0:30:00	4.3℃	正常	
2600	7-4 (2-1药)	冰箱	242310258	2025/3/10 0:35:00	4.1℃	正常	
2601	7-4 (2-1药)	冰箱	242310258	2025/3/10 0:40:00	4.5℃	正常	
2602	7-4 (2-1药)	冰箱	242310258	2025/3/10 0:45:00	3.9℃	正常	
2603	7-4 (2-1药)	冰箱	242310258	2025/3/10 0:50:00	4.5℃	正常	
2604	7-4 (2-1药)	冰箱	242310258	2025/3/10 0:55:00	3.9℃	正常	
2605	7-4 (2-1药)	冰箱	242310258	2025/3/10 1:00:00	4.5℃	正常	
2606	7-4 (2-1药)	冰箱	242310258	2025/3/10 1:05:00	4.1℃	正常	
2607	7-4 (2-1药)	冰箱	242310258	2025/3/10 1:10:00	4.3℃	正常	
2608	7-4 (2-1药)	冰箱	242310258	2025/3/10 1:15:00	4.2℃	正常	
2609	7-4 (2-1药)	冰箱	242310258	2025/3/10 1:20:00	4.2℃	正常	
2610	7-4 (2-1药)	冰箱	242310258	2025/3/10 1:25:00	4.4℃	正常	
2611	7-4 (2-1药)	冰箱	242310258	2025/3/10 1:30:00	4.0℃	正常	
2612	7-4 (2-1药)	冰箱	242310258	2025/3/10 1:35:00	4.5℃	正常	

2613	7-4 (2-1药)	冰箱	242310258	2025/3/10 1:40:00	3.9℃	正常	
2614	7-4 (2-1药)	冰箱	242310258	2025/3/10 1:45:00	4.5℃	正常	
2615	7-4 (2-1药)	冰箱	242310258	2025/3/10 1:50:00	4.0℃	正常	
2616	7-4 (2-1药)	冰箱	242310258	2025/3/10 1:55:00	4.4℃	正常	
2617	7-4 (2-1药)	冰箱	242310258	2025/3/10 2:00:00	4.1℃	正常	
2618	7-4 (2-1药)	冰箱	242310258	2025/3/10 2:05:00	4.2℃	正常	
2619	7-4 (2-1药)	冰箱	242310258	2025/3/10 2:10:00	4.4℃	正常	
2620	7-4 (2-1药)	冰箱	242310258	2025/3/10 2:15:00	4.0℃	正常	
2621	7-4 (2-1药)	冰箱	242310258	2025/3/10 2:20:00	4.5℃	正常	
2622	7-4 (2-1药)	冰箱	242310258	2025/3/10 2:25:00	3.9℃	正常	
2623	7-4 (2-1药)	冰箱	242310258	2025/3/10 2:30:00	4.5℃	正常	
2624	7-4 (2-1药)	冰箱	242310258	2025/3/10 2:35:00	3.9℃	正常	
2625	7-4 (2-1药)	冰箱	242310258	2025/3/10 2:40:00	4.4℃	正常	
2626	7-4 (2-1药)	冰箱	242310258	2025/3/10 2:45:00	4.1℃	正常	
2627	7-4 (2-1药)	冰箱	242310258	2025/3/10 2:50:00	4.3℃	正常	
2628	7-4 (2-1药)	冰箱	242310258	2025/3/10 2:55:00	4.4℃	正常	
2629	7-4 (2-1药)	冰箱	242310258	2025/3/10 3:00:00	4.1℃	正常	
2630	7-4 (2-1药)	冰箱	242310258	2025/3/10 3:05:00	4.5℃	正常	
2631	7-4 (2-1药)	冰箱	242310258	2025/3/10 3:10:00	3.9℃	正常	
2632	7-4 (2-1药)	冰箱	242310258	2025/3/10 3:15:00	4.5℃	正常	
2633	7-4 (2-1药)	冰箱	242310258	2025/3/10 3:20:00	3.9℃	正常	
2634	7-4 (2-1药)	冰箱	242310258	2025/3/10 3:25:00	4.4℃	正常	
2635	7-4 (2-1药)	冰箱	242310258	2025/3/10 3:30:00	4.1℃	正常	
2636	7-4 (2-1药)	冰箱	242310258	2025/3/10 3:35:00	4.3℃	正常	
2637	7-4 (2-1药)	冰箱	242310258	2025/3/10 3:40:00	4.4℃	正常	
2638	7-4 (2-1药)	冰箱	242310258	2025/3/10 3:45:00	4.1℃	正常	
2639	7-4 (2-1药)	冰箱	242310258	2025/3/10 3:50:00	4.6℃	正常	
2640	7-4 (2-1药)	冰箱	242310258	2025/3/10 3:55:00	4.0℃	正常	
2641	7-4 (2-1药)	冰箱	242310258	2025/3/10 4:00:00	4.5℃	正常	
2642	7-4 (2-1药)	冰箱	242310258	2025/3/10 4:05:00	3.9℃	正常	
2643	7-4 (2-1药)	冰箱	242310258	2025/3/10 4:10:00	4.5℃	正常	
2644	7-4 (2-1药)	冰箱	242310258	2025/3/10 4:15:00	4.0℃	正常	
2645	7-4 (2-1药)	冰箱	242310258	2025/3/10 4:20:00	4.3℃	正常	
2646	7-4 (2-1药)	冰箱	242310258	2025/3/10 4:25:00	4.3℃	正常	
2647	7-4 (2-1药)	冰箱	242310258	2025/3/10 4:30:00	4.1℃	正常	
2648	7-4 (2-1药)	冰箱	242310258	2025/3/10 4:35:00	4.5℃	正常	
2649	7-4 (2-1药)	冰箱	242310258	2025/3/10 4:40:00	3.9℃	正常	
2650	7-4 (2-1药)	冰箱	242310258	2025/3/10 4:45:00	4.5℃	正常	
2651	7-4 (2-1药)	冰箱	242310258	2025/3/10 4:50:00	3.9℃	正常	
2652	7-4 (2-1药)	冰箱	242310258	2025/3/10 4:55:00	4.5℃	正常	
2653	7-4 (2-1药)	冰箱	242310258	2025/3/10 5:00:00	3.9℃	正常	
2654	7-4 (2-1药)	冰箱	242310258	2025/3/10 5:05:00	4.3℃	正常	
2655	7-4 (2-1药)	冰箱	242310258	2025/3/10 5:10:00	4.2℃	正常	
2656	7-4 (2-1药)	冰箱	242310258	2025/3/10 5:15:00	4.2℃	正常	
2657	7-4 (2-1药)	冰箱	242310258	2025/3/10 5:20:00	4.4℃	正常	
2658	7-4 (2-1药)	冰箱	242310258	2025/3/10 5:25:00	4.1℃	正常	
2659	7-4 (2-1药)	冰箱	242310258	2025/3/10 5:30:00	4.5℃	正常	
2660	7-4 (2-1药)	冰箱	242310258	2025/3/10 5:35:00	3.9℃	正常	
2661	7-4 (2-1药)	冰箱	242310258	2025/3/10 5:40:00	4.5℃	正常	
2662	7-4 (2-1药)	冰箱	242310258	2025/3/10 5:45:00	3.9℃	正常	
2663	7-4 (2-1药)	冰箱	242310258	2025/3/10 5:50:00	4.4℃	正常	
2664	7-4 (2-1药)	冰箱	242310258	2025/3/10 5:55:00	4.1℃	正常	
2665	7-4 (2-1药)	冰箱	242310258	2025/3/10 6:00:00	4.3℃	正常	
2666	7-4 (2-1药)	冰箱	242310258	2025/3/10 6:05:00	4.4℃	正常	
2667	7-4 (2-1药)	冰箱	242310258	2025/3/10 6:10:00	4.1℃	正常	
2668	7-4 (2-1药)	冰箱	242310258	2025/3/10 6:15:00	4.5℃	正常	
2669	7-4 (2-1药)	冰箱	242310258	2025/3/10 6:20:00	3.9℃	正常	
2670	7-4 (2-1药)	冰箱	242310258	2025/3/10 6:25:00	4.5℃	正常	
2671	7-4 (2-1药)	冰箱	242310258	2025/3/10 6:30:00	3.9℃	正常	
2672	7-4 (2-1药)	冰箱	242310258	2025/3/10 6:35:00	4.4℃	正常	
2673	7-4 (2-1药)	冰箱	242310258	2025/3/10 6:40:00	4.1℃	正常	
2674	7-4 (2-1药)	冰箱	242310258	2025/3/10 6:45:00	4.2℃	正常	
2675	7-4 (2-1药)	冰箱	242310258	2025/3/10 6:50:00	4.4℃	正常	
2676	7-4 (2-1药)	冰箱	242310258	2025/3/10 6:55:00	4.0℃	正常	

2677	7-4 (2-1药)	冰箱	242310258	2025/3/10 7:00:00	4.5℃	正常	
2678	7-4 (2-1药)	冰箱	242310258	2025/3/10 7:05:00	3.9℃	正常	
2679	7-4 (2-1药)	冰箱	242310258	2025/3/10 7:10:00	4.5℃	正常	
2680	7-4 (2-1药)	冰箱	242310258	2025/3/10 7:15:00	3.9℃	正常	
2681	7-4 (2-1药)	冰箱	242310258	2025/3/10 7:20:00	4.4℃	正常	
2682	7-4 (2-1药)	冰箱	242310258	2025/3/10 7:25:00	4.1℃	正常	
2683	7-4 (2-1药)	冰箱	242310258	2025/3/10 7:30:00	4.3℃	正常	
2684	7-4 (2-1药)	冰箱	242310258	2025/3/10 7:35:00	4.4℃	正常	
2685	7-4 (2-1药)	冰箱	242310258	2025/3/10 7:40:00	4.1℃	正常	
2686	7-4 (2-1药)	冰箱	242310258	2025/3/10 7:45:00	4.6℃	正常	
2687	7-4 (2-1药)	冰箱	242310258	2025/3/10 7:50:00	4.0℃	正常	
2688	7-4 (2-1药)	冰箱	242310258	2025/3/10 7:55:00	4.5℃	正常	
2689	7-4 (2-1药)	冰箱	242310258	2025/3/10 8:00:00	3.9℃	正常	
2690	7-4 (2-1药)	冰箱	242310258	2025/3/10 8:05:00	4.5℃	正常	
2691	7-4 (2-1药)	冰箱	242310258	2025/3/10 8:10:00	4.1℃	正常	
2692	7-4 (2-1药)	冰箱	242310258	2025/3/10 8:15:00	4.3℃	正常	
2693	7-4 (2-1药)	冰箱	242310258	2025/3/10 8:20:00	4.4℃	正常	
2694	7-4 (2-1药)	冰箱	242310258	2025/3/10 8:25:00	4.0℃	正常	
2695	7-4 (2-1药)	冰箱	242310258	2025/3/10 8:30:00	4.6℃	正常	
2696	7-4 (2-1药)	冰箱	242310258	2025/3/10 8:35:00	4.0℃	正常	
2697	7-4 (2-1药)	冰箱	242310258	2025/3/10 8:40:00	4.5℃	正常	
2698	7-4 (2-1药)	冰箱	242310258	2025/3/10 8:45:00	3.9℃	正常	
2699	7-4 (2-1药)	冰箱	242310258	2025/3/10 8:50:00	4.5℃	正常	
2700	7-4 (2-1药)	冰箱	242310258	2025/3/10 8:55:00	4.1℃	正常	
2701	7-4 (2-1药)	冰箱	242310258	2025/3/10 9:00:00	4.4℃	正常	
2702	7-4 (2-1药)	冰箱	242310258	2025/3/10 9:05:00	4.1℃	正常	
2703	7-4 (2-1药)	冰箱	242310258	2025/3/10 9:10:00	4.7℃	正常	
2704	7-4 (2-1药)	冰箱	242310258	2025/3/10 9:15:00	4.1℃	正常	
2705	7-4 (2-1药)	冰箱	242310258	2025/3/10 9:20:00	4.4℃	正常	
2706	7-4 (2-1药)	冰箱	242310258	2025/3/10 9:25:00	4.2℃	正常	
2707	7-4 (2-1药)	冰箱	242310258	2025/3/10 9:30:00	4.3℃	正常	
2708	7-4 (2-1药)	冰箱	242310258	2025/3/10 9:35:00	4.5℃	正常	
2709	7-4 (2-1药)	冰箱	242310258	2025/3/10 9:40:00	4.1℃	正常	
2710	7-4 (2-1药)	冰箱	242310258	2025/3/10 9:45:00	4.6℃	正常	
2711	7-4 (2-1药)	冰箱	242310258	2025/3/10 9:50:00	4.0℃	正常	
2712	7-4 (2-1药)	冰箱	242310258	2025/3/10 9:55:00	4.5℃	正常	
2713	7-4 (2-1药)	冰箱	242310258	2025/3/10 10:00:00	4.1℃	正常	
2714	7-4 (2-1药)	冰箱	242310258	2025/3/10 10:05:00	4.2℃	正常	
2715	7-4 (2-1药)	冰箱	242310258	2025/3/10 10:10:00	4.4℃	正常	
2716	7-4 (2-1药)	冰箱	242310258	2025/3/10 10:15:00	4.1℃	正常	
2717	7-4 (2-1药)	冰箱	242310258	2025/3/10 10:20:00	4.6℃	正常	
2718	7-4 (2-1药)	冰箱	242310258	2025/3/10 10:25:00	4.2℃	正常	
2719	7-4 (2-1药)	冰箱	242310258	2025/3/10 10:30:00	4.6℃	正常	
2720	7-4 (2-1药)	冰箱	242310258	2025/3/10 10:35:00	4.0℃	正常	
2721	7-4 (2-1药)	冰箱	242310258	2025/3/10 10:40:00	4.5℃	正常	
2722	7-4 (2-1药)	冰箱	242310258	2025/3/10 10:45:00	4.1℃	正常	
2723	7-4 (2-1药)	冰箱	242310258	2025/3/10 10:50:00	4.3℃	正常	
2724	7-4 (2-1药)	冰箱	242310258	2025/3/10 10:55:00	4.4℃	正常	
2725	7-4 (2-1药)	冰箱	242310258	2025/3/10 11:00:00	4.2℃	正常	
2726	7-4 (2-1药)	冰箱	242310258	2025/3/10 11:05:00	4.5℃	正常	
2727	7-4 (2-1药)	冰箱	242310258	2025/3/10 11:10:00	4.0℃	正常	
2728	7-4 (2-1药)	冰箱	242310258	2025/3/10 11:15:00	4.5℃	正常	
2729	7-4 (2-1药)	冰箱	242310258	2025/3/10 11:20:00	4.0℃	正常	
2730	7-4 (2-1药)	冰箱	242310258	2025/3/10 11:25:00	4.4℃	正常	
2731	7-4 (2-1药)	冰箱	242310258	2025/3/10 11:30:00	4.2℃	正常	
2732	7-4 (2-1药)	冰箱	242310258	2025/3/10 11:35:00	4.2℃	正常	
2733	7-4 (2-1药)	冰箱	242310258	2025/3/10 11:40:00	4.5℃	正常	
2734	7-4 (2-1药)	冰箱	242310258	2025/3/10 11:45:00	4.0℃	正常	
2735	7-4 (2-1药)	冰箱	242310258	2025/3/10 11:50:00	4.6℃	正常	
2736	7-4 (2-1药)	冰箱	242310258	2025/3/10 11:55:00	4.0℃	正常	
2737	7-4 (2-1药)	冰箱	242310258	2025/3/10 12:00:00	4.5℃	正常	
2738	7-4 (2-1药)	冰箱	242310258	2025/3/10 12:05:00	4.1℃	正常	
2739	7-4 (2-1药)	冰箱	242310258	2025/3/10 12:10:00	4.3℃	正常	
2740	7-4 (2-1药)	冰箱	242310258	2025/3/10 12:15:00	4.4℃	正常	

2741	7-4 (2-1药)	冰箱	242310258	2025/3/10 12:20:00	4.0℃	正常	
2742	7-4 (2-1药)	冰箱	242310258	2025/3/10 12:25:00	4.6℃	正常	
2743	7-4 (2-1药)	冰箱	242310258	2025/3/10 12:30:00	4.0℃	正常	
2744	7-4 (2-1药)	冰箱	242310258	2025/3/10 12:35:00	4.5℃	正常	
2745	7-4 (2-1药)	冰箱	242310258	2025/3/10 12:40:00	4.0℃	正常	
2746	7-4 (2-1药)	冰箱	242310258	2025/3/10 12:45:00	4.4℃	正常	
2747	7-4 (2-1药)	冰箱	242310258	2025/3/10 12:50:00	4.3℃	正常	
2748	7-4 (2-1药)	冰箱	242310258	2025/3/10 12:55:00	4.2℃	正常	
2749	7-4 (2-1药)	冰箱	242310258	2025/3/10 13:00:00	4.5℃	正常	
2750	7-4 (2-1药)	冰箱	242310258	2025/3/10 13:05:00	4.0℃	正常	
2751	7-4 (2-1药)	冰箱	242310258	2025/3/10 13:10:00	4.5℃	正常	
2752	7-4 (2-1药)	冰箱	242310258	2025/3/10 13:15:00	4.0℃	正常	
2753	7-4 (2-1药)	冰箱	242310258	2025/3/10 13:20:00	4.5℃	正常	
2754	7-4 (2-1药)	冰箱	242310258	2025/3/10 13:25:00	4.2℃	正常	
2755	7-4 (2-1药)	冰箱	242310258	2025/3/10 13:30:00	4.2℃	正常	
2756	7-4 (2-1药)	冰箱	242310258	2025/3/10 13:35:00	4.5℃	正常	
2757	7-4 (2-1药)	冰箱	242310258	2025/3/10 13:40:00	4.0℃	正常	
2758	7-4 (2-1药)	冰箱	242310258	2025/3/10 13:45:00	4.6℃	正常	
2759	7-4 (2-1药)	冰箱	242310258	2025/3/10 13:50:00	3.9℃	正常	
2760	7-4 (2-1药)	冰箱	242310258	2025/3/10 13:55:00	4.5℃	正常	
2761	7-4 (2-1药)	冰箱	242310258	2025/3/10 14:00:00	4.0℃	正常	
2762	7-4 (2-1药)	冰箱	242310258	2025/3/10 14:05:00	4.4℃	正常	
2763	7-4 (2-1药)	冰箱	242310258	2025/3/10 14:10:00	4.2℃	正常	
2764	7-4 (2-1药)	冰箱	242310258	2025/3/10 14:15:00	4.2℃	正常	
2765	7-4 (2-1药)	冰箱	242310258	2025/3/10 14:20:00	4.5℃	正常	
2766	7-4 (2-1药)	冰箱	242310258	2025/3/10 14:25:00	4.0℃	正常	
2767	7-4 (2-1药)	冰箱	242310258	2025/3/10 14:30:00	4.6℃	正常	
2768	7-4 (2-1药)	冰箱	242310258	2025/3/10 14:35:00	3.9℃	正常	
2769	7-4 (2-1药)	冰箱	242310258	2025/3/10 14:40:00	4.5℃	正常	
2770	7-4 (2-1药)	冰箱	242310258	2025/3/10 14:45:00	4.1℃	正常	
2771	7-4 (2-1药)	冰箱	242310258	2025/3/10 14:50:00	4.3℃	正常	
2772	7-4 (2-1药)	冰箱	242310258	2025/3/10 14:55:00	4.3℃	正常	
2773	7-4 (2-1药)	冰箱	242310258	2025/3/10 15:00:00	4.1℃	正常	
2774	7-4 (2-1药)	冰箱	242310258	2025/3/10 15:05:00	4.6℃	正常	
2775	7-4 (2-1药)	冰箱	242310258	2025/3/10 15:10:00	3.9℃	正常	
2776	7-4 (2-1药)	冰箱	242310258	2025/3/10 15:15:00	4.5℃	正常	
2777	7-4 (2-1药)	冰箱	242310258	2025/3/10 15:20:00	4.0℃	正常	
2778	7-4 (2-1药)	冰箱	242310258	2025/3/10 15:25:00	4.3℃	正常	
2779	7-4 (2-1药)	冰箱	242310258	2025/3/10 15:30:00	4.3℃	正常	
2780	7-4 (2-1药)	冰箱	242310258	2025/3/10 15:35:00	4.1℃	正常	
2781	7-4 (2-1药)	冰箱	242310258	2025/3/10 15:40:00	4.5℃	正常	
2782	7-4 (2-1药)	冰箱	242310258	2025/3/10 15:45:00	4.0℃	正常	
2783	7-4 (2-1药)	冰箱	242310258	2025/3/10 15:50:00	4.5℃	正常	
2784	7-4 (2-1药)	冰箱	242310258	2025/3/10 15:55:00	4.0℃	正常	
2785	7-4 (2-1药)	冰箱	242310258	2025/3/10 16:00:00	4.5℃	正常	
2786	7-4 (2-1药)	冰箱	242310258	2025/3/10 16:05:00	4.2℃	正常	
2787	7-4 (2-1药)	冰箱	242310258	2025/3/10 16:10:00	4.3℃	正常	
2788	7-4 (2-1药)	冰箱	242310258	2025/3/10 16:15:00	4.5℃	正常	
2789	7-4 (2-1药)	冰箱	242310258	2025/3/10 16:20:00	4.0℃	正常	
2790	7-4 (2-1药)	冰箱	242310258	2025/3/10 16:25:00	4.5℃	正常	
2791	7-4 (2-1药)	冰箱	242310258	2025/3/10 16:30:00	3.9℃	正常	
2792	7-4 (2-1药)	冰箱	242310258	2025/3/10 16:35:00	4.5℃	正常	
2793	7-4 (2-1药)	冰箱	242310258	2025/3/10 16:40:00	4.0℃	正常	
2794	7-4 (2-1药)	冰箱	242310258	2025/3/10 16:45:00	4.3℃	正常	
2795	7-4 (2-1药)	冰箱	242310258	2025/3/10 16:50:00	4.3℃	正常	
2796	7-4 (2-1药)	冰箱	242310258	2025/3/10 16:55:00	4.1℃	正常	
2797	7-4 (2-1药)	冰箱	242310258	2025/3/10 17:00:00	4.5℃	正常	
2798	7-4 (2-1药)	冰箱	242310258	2025/3/10 17:05:00	4.0℃	正常	
2799	7-4 (2-1药)	冰箱	242310258	2025/3/10 17:10:00	4.6℃	正常	
2800	7-4 (2-1药)	冰箱	242310258	2025/3/10 17:15:00	4.0℃	正常	
2801	7-4 (2-1药)	冰箱	242310258	2025/3/10 17:20:00	4.5℃	正常	
2802	7-4 (2-1药)	冰箱	242310258	2025/3/10 17:25:00	4.1℃	正常	
2803	7-4 (2-1药)	冰箱	242310258	2025/3/10 17:30:00	4.3℃	正常	
2804	7-4 (2-1药)	冰箱	242310258	2025/3/10 17:35:00	4.4℃	正常	

2805	7-4 (2-1药)	冰箱	242310258	2025/3/10 17:40:00	4.1℃	正常	
2806	7-4 (2-1药)	冰箱	242310258	2025/3/10 17:45:00	4.6℃	正常	
2807	7-4 (2-1药)	冰箱	242310258	2025/3/10 17:50:00	3.9℃	正常	
2808	7-4 (2-1药)	冰箱	242310258	2025/3/10 17:55:00	4.5℃	正常	
2809	7-4 (2-1药)	冰箱	242310258	2025/3/10 18:00:00	4.0℃	正常	
2810	7-4 (2-1药)	冰箱	242310258	2025/3/10 18:05:00	4.4℃	正常	
2811	7-4 (2-1药)	冰箱	242310258	2025/3/10 18:10:00	4.2℃	正常	
2812	7-4 (2-1药)	冰箱	242310258	2025/3/10 18:15:00	4.3℃	正常	
2813	7-4 (2-1药)	冰箱	242310258	2025/3/10 18:20:00	4.4℃	正常	
2814	7-4 (2-1药)	冰箱	242310258	2025/3/10 18:25:00	4.0℃	正常	
2815	7-4 (2-1药)	冰箱	242310258	2025/3/10 18:30:00	4.6℃	正常	
2816	7-4 (2-1药)	冰箱	242310258	2025/3/10 18:35:00	3.9℃	正常	
2817	7-4 (2-1药)	冰箱	242310258	2025/3/10 18:40:00	4.5℃	正常	
2818	7-4 (2-1药)	冰箱	242310258	2025/3/10 18:45:00	4.0℃	正常	
2819	7-4 (2-1药)	冰箱	242310258	2025/3/10 18:50:00	4.4℃	正常	
2820	7-4 (2-1药)	冰箱	242310258	2025/3/10 18:55:00	4.3℃	正常	
2821	7-4 (2-1药)	冰箱	242310258	2025/3/10 19:00:00	4.2℃	正常	
2822	7-4 (2-1药)	冰箱	242310258	2025/3/10 19:05:00	4.5℃	正常	
2823	7-4 (2-1药)	冰箱	242310258	2025/3/10 19:10:00	4.0℃	正常	
2824	7-4 (2-1药)	冰箱	242310258	2025/3/10 19:15:00	4.6℃	正常	
2825	7-4 (2-1药)	冰箱	242310258	2025/3/10 19:20:00	3.9℃	正常	
2826	7-4 (2-1药)	冰箱	242310258	2025/3/10 19:25:00	4.4℃	正常	
2827	7-4 (2-1药)	冰箱	242310258	2025/3/10 19:30:00	4.1℃	正常	
2828	7-4 (2-1药)	冰箱	242310258	2025/3/10 19:35:00	4.3℃	正常	
2829	7-4 (2-1药)	冰箱	242310258	2025/3/10 19:40:00	4.4℃	正常	
2830	7-4 (2-1药)	冰箱	242310258	2025/3/10 19:45:00	4.1℃	正常	
2831	7-4 (2-1药)	冰箱	242310258	2025/3/10 19:50:00	4.5℃	正常	
2832	7-4 (2-1药)	冰箱	242310258	2025/3/10 19:55:00	4.0℃	正常	
2833	7-4 (2-1药)	冰箱	242310258	2025/3/10 20:00:00	4.6℃	正常	
2834	7-4 (2-1药)	冰箱	242310258	2025/3/10 20:05:00	4.0℃	正常	
2835	7-4 (2-1药)	冰箱	242310258	2025/3/10 20:10:00	4.9℃	正常	
2836	7-4 (2-1药)	冰箱	242310258	2025/3/10 20:15:00	4.1℃	正常	
2837	7-4 (2-1药)	冰箱	242310258	2025/3/10 20:20:00	4.6℃	正常	
2838	7-4 (2-1药)	冰箱	242310258	2025/3/10 20:25:00	4.0℃	正常	
2839	7-4 (2-1药)	冰箱	242310258	2025/3/10 20:30:00	4.5℃	正常	
2840	7-4 (2-1药)	冰箱	242310258	2025/3/10 20:35:00	4.1℃	正常	
2841	7-4 (2-1药)	冰箱	242310258	2025/3/10 20:40:00	4.3℃	正常	
2842	7-4 (2-1药)	冰箱	242310258	2025/3/10 20:45:00	4.4℃	正常	
2843	7-4 (2-1药)	冰箱	242310258	2025/3/10 20:50:00	4.1℃	正常	
2844	7-4 (2-1药)	冰箱	242310258	2025/3/10 20:55:00	4.6℃	正常	
2845	7-4 (2-1药)	冰箱	242310258	2025/3/10 21:00:00	4.0℃	正常	
2846	7-4 (2-1药)	冰箱	242310258	2025/3/10 21:05:00	4.5℃	正常	
2847	7-4 (2-1药)	冰箱	242310258	2025/3/10 21:10:00	4.0℃	正常	
2848	7-4 (2-1药)	冰箱	242310258	2025/3/10 21:15:00	4.4℃	正常	
2849	7-4 (2-1药)	冰箱	242310258	2025/3/10 21:20:00	4.2℃	正常	
2850	7-4 (2-1药)	冰箱	242310258	2025/3/10 21:25:00	4.2℃	正常	
2851	7-4 (2-1药)	冰箱	242310258	2025/3/10 21:30:00	4.4℃	正常	
2852	7-4 (2-1药)	冰箱	242310258	2025/3/10 21:35:00	4.0℃	正常	
2853	7-4 (2-1药)	冰箱	242310258	2025/3/10 21:40:00	4.5℃	正常	
2854	7-4 (2-1药)	冰箱	242310258	2025/3/10 21:45:00	3.9℃	正常	
2855	7-4 (2-1药)	冰箱	242310258	2025/3/10 21:50:00	4.5℃	正常	
2856	7-4 (2-1药)	冰箱	242310258	2025/3/10 21:55:00	4.1℃	正常	
2857	7-4 (2-1药)	冰箱	242310258	2025/3/10 22:00:00	4.3℃	正常	
2858	7-4 (2-1药)	冰箱	242310258	2025/3/10 22:05:00	4.4℃	正常	
2859	7-4 (2-1药)	冰箱	242310258	2025/3/10 22:10:00	4.1℃	正常	
2860	7-4 (2-1药)	冰箱	242310258	2025/3/10 22:15:00	4.5℃	正常	
2861	7-4 (2-1药)	冰箱	242310258	2025/3/10 22:20:00	3.9℃	正常	
2862	7-4 (2-1药)	冰箱	242310258	2025/3/10 22:25:00	4.5℃	正常	
2863	7-4 (2-1药)	冰箱	242310258	2025/3/10 22:30:00	4.0℃	正常	
2864	7-4 (2-1药)	冰箱	242310258	2025/3/10 22:35:00	4.4℃	正常	
2865	7-4 (2-1药)	冰箱	242310258	2025/3/10 22:40:00	4.3℃	正常	
2866	7-4 (2-1药)	冰箱	242310258	2025/3/10 22:45:00	4.2℃	正常	
2867	7-4 (2-1药)	冰箱	242310258	2025/3/10 22:50:00	4.5℃	正常	
2868	7-4 (2-1药)	冰箱	242310258	2025/3/10 22:55:00	4.0℃	正常	

2869	7-4 (2-1药)	冰箱	242310258	2025/3/10 23:00:00	4.6℃	正常	
2870	7-4 (2-1药)	冰箱	242310258	2025/3/10 23:05:00	3.9℃	正常	
2871	7-4 (2-1药)	冰箱	242310258	2025/3/10 23:10:00	4.4℃	正常	
2872	7-4 (2-1药)	冰箱	242310258	2025/3/10 23:15:00	4.1℃	正常	
2873	7-4 (2-1药)	冰箱	242310258	2025/3/10 23:20:00	4.3℃	正常	
2874	7-4 (2-1药)	冰箱	242310258	2025/3/10 23:25:00	4.3℃	正常	
2875	7-4 (2-1药)	冰箱	242310258	2025/3/10 23:30:00	4.1℃	正常	
2876	7-4 (2-1药)	冰箱	242310258	2025/3/10 23:35:00	4.5℃	正常	
2877	7-4 (2-1药)	冰箱	242310258	2025/3/10 23:40:00	3.9℃	正常	
2878	7-4 (2-1药)	冰箱	242310258	2025/3/10 23:45:00	4.5℃	正常	
2879	7-4 (2-1药)	冰箱	242310258	2025/3/10 23:50:00	4.0℃	正常	
2880	7-4 (2-1药)	冰箱	242310258	2025/3/10 23:55:00	4.4℃	正常	
2881	7-4 (2-1药)	冰箱	242310258	2025/3/11 0:00:00	4.2℃	正常	
2882	7-4 (2-1药)	冰箱	242310258	2025/3/11 0:05:00	4.2℃	正常	
2883	7-4 (2-1药)	冰箱	242310258	2025/3/11 0:10:00	4.5℃	正常	
2884	7-4 (2-1药)	冰箱	242310258	2025/3/11 0:15:00	4.0℃	正常	
2885	7-4 (2-1药)	冰箱	242310258	2025/3/11 0:20:00	4.6℃	正常	
2886	7-4 (2-1药)	冰箱	242310258	2025/3/11 0:25:00	3.9℃	正常	
2887	7-4 (2-1药)	冰箱	242310258	2025/3/11 0:30:00	4.5℃	正常	
2888	7-4 (2-1药)	冰箱	242310258	2025/3/11 0:35:00	4.0℃	正常	
2889	7-4 (2-1药)	冰箱	242310258	2025/3/11 0:40:00	4.3℃	正常	
2890	7-4 (2-1药)	冰箱	242310258	2025/3/11 0:45:00	4.3℃	正常	
2891	7-4 (2-1药)	冰箱	242310258	2025/3/11 0:50:00	4.1℃	正常	
2892	7-4 (2-1药)	冰箱	242310258	2025/3/11 0:55:00	4.5℃	正常	
2893	7-4 (2-1药)	冰箱	242310258	2025/3/11 1:00:00	3.9℃	正常	
2894	7-4 (2-1药)	冰箱	242310258	2025/3/11 1:05:00	4.5℃	正常	
2895	7-4 (2-1药)	冰箱	242310258	2025/3/11 1:10:00	3.9℃	正常	
2896	7-4 (2-1药)	冰箱	242310258	2025/3/11 1:15:00	4.4℃	正常	
2897	7-4 (2-1药)	冰箱	242310258	2025/3/11 1:20:00	4.1℃	正常	
2898	7-4 (2-1药)	冰箱	242310258	2025/3/11 1:25:00	4.3℃	正常	
2899	7-4 (2-1药)	冰箱	242310258	2025/3/11 1:30:00	4.4℃	正常	
2900	7-4 (2-1药)	冰箱	242310258	2025/3/11 1:35:00	4.1℃	正常	
2901	7-4 (2-1药)	冰箱	242310258	2025/3/11 1:40:00	4.5℃	正常	
2902	7-4 (2-1药)	冰箱	242310258	2025/3/11 1:45:00	3.9℃	正常	
2903	7-4 (2-1药)	冰箱	242310258	2025/3/11 1:50:00	4.5℃	正常	
2904	7-4 (2-1药)	冰箱	242310258	2025/3/11 1:55:00	3.9℃	正常	
2905	7-4 (2-1药)	冰箱	242310258	2025/3/11 2:00:00	4.4℃	正常	
2906	7-4 (2-1药)	冰箱	242310258	2025/3/11 2:05:00	4.3℃	正常	
2907	7-4 (2-1药)	冰箱	242310258	2025/3/11 2:10:00	4.1℃	正常	
2908	7-4 (2-1药)	冰箱	242310258	2025/3/11 2:15:00	4.5℃	正常	
2909	7-4 (2-1药)	冰箱	242310258	2025/3/11 2:20:00	3.9℃	正常	
2910	7-4 (2-1药)	冰箱	242310258	2025/3/11 2:25:00	4.5℃	正常	
2911	7-4 (2-1药)	冰箱	242310258	2025/3/11 2:30:00	4.0℃	正常	
2912	7-4 (2-1药)	冰箱	242310258	2025/3/11 2:35:00	4.5℃	正常	
2913	7-4 (2-1药)	冰箱	242310258	2025/3/11 2:40:00	4.1℃	正常	
2914	7-4 (2-1药)	冰箱	242310258	2025/3/11 2:45:00	4.3℃	正常	
2915	7-4 (2-1药)	冰箱	242310258	2025/3/11 2:50:00	4.5℃	正常	
2916	7-4 (2-1药)	冰箱	242310258	2025/3/11 2:55:00	4.1℃	正常	
2917	7-4 (2-1药)	冰箱	242310258	2025/3/11 3:00:00	4.5℃	正常	
2918	7-4 (2-1药)	冰箱	242310258	2025/3/11 3:05:00	3.9℃	正常	
2919	7-4 (2-1药)	冰箱	242310258	2025/3/11 3:10:00	4.5℃	正常	
2920	7-4 (2-1药)	冰箱	242310258	2025/3/11 3:15:00	3.9℃	正常	
2921	7-4 (2-1药)	冰箱	242310258	2025/3/11 3:20:00	4.4℃	正常	
2922	7-4 (2-1药)	冰箱	242310258	2025/3/11 3:25:00	4.1℃	正常	
2923	7-4 (2-1药)	冰箱	242310258	2025/3/11 3:30:00	4.4℃	正常	
2924	7-4 (2-1药)	冰箱	242310258	2025/3/11 3:35:00	4.4℃	正常	
2925	7-4 (2-1药)	冰箱	242310258	2025/3/11 3:40:00	4.1℃	正常	
2926	7-4 (2-1药)	冰箱	242310258	2025/3/11 3:45:00	4.5℃	正常	
2927	7-4 (2-1药)	冰箱	242310258	2025/3/11 3:50:00	4.0℃	正常	
2928	7-4 (2-1药)	冰箱	242310258	2025/3/11 3:55:00	4.5℃	正常	
2929	7-4 (2-1药)	冰箱	242310258	2025/3/11 4:00:00	3.9℃	正常	
2930	7-4 (2-1药)	冰箱	242310258	2025/3/11 4:05:00	4.4℃	正常	
2931	7-4 (2-1药)	冰箱	242310258	2025/3/11 4:10:00	4.2℃	正常	
2932	7-4 (2-1药)	冰箱	242310258	2025/3/11 4:15:00	4.2℃	正常	

2933	7-4 (2-1药)	冰箱	242310258	2025/3/11 4:20:00	4.5℃	正常	
2934	7-4 (2-1药)	冰箱	242310258	2025/3/11 4:25:00	4.0℃	正常	
2935	7-4 (2-1药)	冰箱	242310258	2025/3/11 4:30:00	4.5℃	正常	
2936	7-4 (2-1药)	冰箱	242310258	2025/3/11 4:35:00	3.9℃	正常	
2937	7-4 (2-1药)	冰箱	242310258	2025/3/11 4:40:00	4.5℃	正常	
2938	7-4 (2-1药)	冰箱	242310258	2025/3/11 4:45:00	4.0℃	正常	
2939	7-4 (2-1药)	冰箱	242310258	2025/3/11 4:50:00	4.4℃	正常	
2940	7-4 (2-1药)	冰箱	242310258	2025/3/11 4:55:00	4.2℃	正常	
2941	7-4 (2-1药)	冰箱	242310258	2025/3/11 5:00:00	4.2℃	正常	
2942	7-4 (2-1药)	冰箱	242310258	2025/3/11 5:05:00	4.5℃	正常	
2943	7-4 (2-1药)	冰箱	242310258	2025/3/11 5:10:00	4.0℃	正常	
2944	7-4 (2-1药)	冰箱	242310258	2025/3/11 5:15:00	4.5℃	正常	
2945	7-4 (2-1药)	冰箱	242310258	2025/3/11 5:20:00	3.9℃	正常	
2946	7-4 (2-1药)	冰箱	242310258	2025/3/11 5:25:00	4.5℃	正常	
2947	7-4 (2-1药)	冰箱	242310258	2025/3/11 5:30:00	4.1℃	正常	
2948	7-4 (2-1药)	冰箱	242310258	2025/3/11 5:35:00	4.3℃	正常	
2949	7-4 (2-1药)	冰箱	242310258	2025/3/11 5:40:00	4.3℃	正常	
2950	7-4 (2-1药)	冰箱	242310258	2025/3/11 5:45:00	4.1℃	正常	
2951	7-4 (2-1药)	冰箱	242310258	2025/3/11 5:50:00	4.5℃	正常	
2952	7-4 (2-1药)	冰箱	242310258	2025/3/11 5:55:00	3.9℃	正常	
2953	7-4 (2-1药)	冰箱	242310258	2025/3/11 6:00:00	4.5℃	正常	
2954	7-4 (2-1药)	冰箱	242310258	2025/3/11 6:05:00	4.0℃	正常	
2955	7-4 (2-1药)	冰箱	242310258	2025/3/11 6:10:00	4.4℃	正常	
2956	7-4 (2-1药)	冰箱	242310258	2025/3/11 6:15:00	4.2℃	正常	
2957	7-4 (2-1药)	冰箱	242310258	2025/3/11 6:20:00	4.2℃	正常	
2958	7-4 (2-1药)	冰箱	242310258	2025/3/11 6:25:00	4.4℃	正常	
2959	7-4 (2-1药)	冰箱	242310258	2025/3/11 6:30:00	4.0℃	正常	
2960	7-4 (2-1药)	冰箱	242310258	2025/3/11 6:35:00	4.6℃	正常	
2961	7-4 (2-1药)	冰箱	242310258	2025/3/11 6:40:00	3.9℃	正常	
2962	7-4 (2-1药)	冰箱	242310258	2025/3/11 6:45:00	4.5℃	正常	
2963	7-4 (2-1药)	冰箱	242310258	2025/3/11 6:50:00	4.0℃	正常	
2964	7-4 (2-1药)	冰箱	242310258	2025/3/11 6:55:00	4.4℃	正常	
2965	7-4 (2-1药)	冰箱	242310258	2025/3/11 7:00:00	4.3℃	正常	
2966	7-4 (2-1药)	冰箱	242310258	2025/3/11 7:05:00	4.1℃	正常	
2967	7-4 (2-1药)	冰箱	242310258	2025/3/11 7:10:00	4.6℃	正常	
2968	7-4 (2-1药)	冰箱	242310258	2025/3/11 7:15:00	4.5℃	正常	
2969	7-4 (2-1药)	冰箱	242310258	2025/3/11 7:20:00	4.4℃	正常	
2970	7-4 (2-1药)	冰箱	242310258	2025/3/11 7:25:00	4.2℃	正常	
2971	7-4 (2-1药)	冰箱	242310258	2025/3/11 7:30:00	4.5℃	正常	
2972	7-4 (2-1药)	冰箱	242310258	2025/3/11 7:35:00	4.0℃	正常	
2973	7-4 (2-1药)	冰箱	242310258	2025/3/11 7:40:00	4.6℃	正常	
2974	7-4 (2-1药)	冰箱	242310258	2025/3/11 7:45:00	3.9℃	正常	
2975	7-4 (2-1药)	冰箱	242310258	2025/3/11 7:50:00	4.5℃	正常	
2976	7-4 (2-1药)	冰箱	242310258	2025/3/11 7:55:00	4.2℃	正常	
2977	7-4 (2-1药)	冰箱	242310258	2025/3/11 8:00:00	4.3℃	正常	
2978	7-4 (2-1药)	冰箱	242310258	2025/3/11 8:05:00	4.5℃	正常	
2979	7-4 (2-1药)	冰箱	242310258	2025/3/11 8:10:00	4.0℃	正常	
2980	7-4 (2-1药)	冰箱	242310258	2025/3/11 8:15:00	4.6℃	正常	
2981	7-4 (2-1药)	冰箱	242310258	2025/3/11 8:20:00	3.9℃	正常	
2982	7-4 (2-1药)	冰箱	242310258	2025/3/11 8:25:00	4.5℃	正常	
2983	7-4 (2-1药)	冰箱	242310258	2025/3/11 8:30:00	4.0℃	正常	
2984	7-4 (2-1药)	冰箱	242310258	2025/3/11 8:35:00	4.3℃	正常	
2985	7-4 (2-1药)	冰箱	242310258	2025/3/11 8:40:00	4.4℃	正常	
2986	7-4 (2-1药)	冰箱	242310258	2025/3/11 8:45:00	4.2℃	正常	
2987	7-4 (2-1药)	冰箱	242310258	2025/3/11 8:50:00	4.5℃	正常	
2988	7-4 (2-1药)	冰箱	242310258	2025/3/11 8:55:00	4.0℃	正常	
2989	7-4 (2-1药)	冰箱	242310258	2025/3/11 9:00:00	4.6℃	正常	
2990	7-4 (2-1药)	冰箱	242310258	2025/3/11 9:05:00	3.9℃	正常	
2991	7-4 (2-1药)	冰箱	242310258	2025/3/11 9:10:00	4.4℃	正常	
2992	7-4 (2-1药)	冰箱	242310258	2025/3/11 9:15:00	4.1℃	正常	
2993	7-4 (2-1药)	冰箱	242310258	2025/3/11 9:20:00	4.3℃	正常	
2994	7-4 (2-1药)	冰箱	242310258	2025/3/11 9:25:00	4.5℃	正常	
2995	7-4 (2-1药)	冰箱	242310258	2025/3/11 9:30:00	4.1℃	正常	
2996	7-4 (2-1药)	冰箱	242310258	2025/3/11 9:35:00	4.5℃	正常	

2997	7-4 (2-1药)	冰箱	242310258	2025/3/11 9:40:00	3.9℃	正常	
2998	7-4 (2-1药)	冰箱	242310258	2025/3/11 9:45:00	4.5℃	正常	
2999	7-4 (2-1药)	冰箱	242310258	2025/3/11 9:50:00	4.0℃	正常	
3000	7-4 (2-1药)	冰箱	242310258	2025/3/11 9:55:00	4.4℃	正常	
3001	7-4 (2-1药)	冰箱	242310258	2025/3/11 10:00:00	4.3℃	正常	
3002	7-4 (2-1药)	冰箱	242310258	2025/3/11 10:05:00	4.2℃	正常	
3003	7-4 (2-1药)	冰箱	242310258	2025/3/11 10:10:00	4.5℃	正常	
3004	7-4 (2-1药)	冰箱	242310258	2025/3/11 10:15:00	4.0℃	正常	
3005	7-4 (2-1药)	冰箱	242310258	2025/3/11 10:20:00	4.6℃	正常	
3006	7-4 (2-1药)	冰箱	242310258	2025/3/11 10:25:00	4.0℃	正常	
3007	7-4 (2-1药)	冰箱	242310258	2025/3/11 10:30:00	4.5℃	正常	
3008	7-4 (2-1药)	冰箱	242310258	2025/3/11 10:35:00	4.2℃	正常	
3009	7-4 (2-1药)	冰箱	242310258	2025/3/11 10:40:00	4.3℃	正常	
3010	7-4 (2-1药)	冰箱	242310258	2025/3/11 10:45:00	4.4℃	正常	
3011	7-4 (2-1药)	冰箱	242310258	2025/3/11 10:50:00	4.1℃	正常	
3012	7-4 (2-1药)	冰箱	242310258	2025/3/11 10:55:00	4.5℃	正常	
3013	7-4 (2-1药)	冰箱	242310258	2025/3/11 11:00:00	3.9℃	正常	
3014	7-4 (2-1药)	冰箱	242310258	2025/3/11 11:05:00	4.5℃	正常	
3015	7-4 (2-1药)	冰箱	242310258	2025/3/11 11:10:00	4.0℃	正常	
3016	7-4 (2-1药)	冰箱	242310258	2025/3/11 11:15:00	4.5℃	正常	
3017	7-4 (2-1药)	冰箱	242310258	2025/3/11 11:20:00	4.2℃	正常	
3018	7-4 (2-1药)	冰箱	242310258	2025/3/11 11:25:00	4.3℃	正常	
3019	7-4 (2-1药)	冰箱	242310258	2025/3/11 11:30:00	4.5℃	正常	
3020	7-4 (2-1药)	冰箱	242310258	2025/3/11 11:35:00	4.0℃	正常	
3021	7-4 (2-1药)	冰箱	242310258	2025/3/11 11:40:00	4.6℃	正常	
3022	7-4 (2-1药)	冰箱	242310258	2025/3/11 11:45:00	4.0℃	正常	
3023	7-4 (2-1药)	冰箱	242310258	2025/3/11 11:50:00	4.5℃	正常	
3024	7-4 (2-1药)	冰箱	242310258	2025/3/11 11:55:00	4.1℃	正常	
3025	7-4 (2-1药)	冰箱	242310258	2025/3/11 12:00:00	4.4℃	正常	
3026	7-4 (2-1药)	冰箱	242310258	2025/3/11 12:05:00	4.3℃	正常	
3027	7-4 (2-1药)	冰箱	242310258	2025/3/11 12:10:00	4.1℃	正常	
3028	7-4 (2-1药)	冰箱	242310258	2025/3/11 12:15:00	4.5℃	正常	
3029	7-4 (2-1药)	冰箱	242310258	2025/3/11 12:20:00	4.0℃	正常	
3030	7-4 (2-1药)	冰箱	242310258	2025/3/11 12:25:00	4.5℃	正常	
3031	7-4 (2-1药)	冰箱	242310258	2025/3/11 12:30:00	3.9℃	正常	
3032	7-4 (2-1药)	冰箱	242310258	2025/3/11 12:35:00	4.4℃	正常	
3033	7-4 (2-1药)	冰箱	242310258	2025/3/11 12:40:00	4.1℃	正常	
3034	7-4 (2-1药)	冰箱	242310258	2025/3/11 12:45:00	4.2℃	正常	
3035	7-4 (2-1药)	冰箱	242310258	2025/3/11 12:50:00	4.5℃	正常	
3036	7-4 (2-1药)	冰箱	242310258	2025/3/11 12:55:00	4.1℃	正常	
3037	7-4 (2-1药)	冰箱	242310258	2025/3/11 13:00:00	4.5℃	正常	
3038	7-4 (2-1药)	冰箱	242310258	2025/3/11 13:05:00	3.9℃	正常	
3039	7-4 (2-1药)	冰箱	242310258	2025/3/11 13:10:00	4.5℃	正常	
3040	7-4 (2-1药)	冰箱	242310258	2025/3/11 13:15:00	4.0℃	正常	
3041	7-4 (2-1药)	冰箱	242310258	2025/3/11 13:20:00	4.4℃	正常	
3042	7-4 (2-1药)	冰箱	242310258	2025/3/11 13:25:00	4.3℃	正常	
3043	7-4 (2-1药)	冰箱	242310258	2025/3/11 13:30:00	4.3℃	正常	
3044	7-4 (2-1药)	冰箱	242310258	2025/3/11 13:35:00	4.4℃	正常	
3045	7-4 (2-1药)	冰箱	242310258	2025/3/11 13:40:00	4.1℃	正常	
3046	7-4 (2-1药)	冰箱	242310258	2025/3/11 13:45:00	4.6℃	正常	
3047	7-4 (2-1药)	冰箱	242310258	2025/3/11 13:50:00	4.0℃	正常	
3048	7-4 (2-1药)	冰箱	242310258	2025/3/11 13:55:00	4.5℃	正常	
3049	7-4 (2-1药)	冰箱	242310258	2025/3/11 14:00:00	4.0℃	正常	
3050	7-4 (2-1药)	冰箱	242310258	2025/3/11 14:05:00	4.4℃	正常	
3051	7-4 (2-1药)	冰箱	242310258	2025/3/11 14:10:00	4.2℃	正常	
3052	7-4 (2-1药)	冰箱	242310258	2025/3/11 14:15:00	4.2℃	正常	
3053	7-4 (2-1药)	冰箱	242310258	2025/3/11 14:20:00	4.4℃	正常	
3054	7-4 (2-1药)	冰箱	242310258	2025/3/11 14:25:00	4.1℃	正常	
3055	7-4 (2-1药)	冰箱	242310258	2025/3/11 14:30:00	4.5℃	正常	
3056	7-4 (2-1药)	冰箱	242310258	2025/3/11 14:35:00	3.9℃	正常	
3057	7-4 (2-1药)	冰箱	242310258	2025/3/11 14:40:00	4.5℃	正常	
3058	7-4 (2-1药)	冰箱	242310258	2025/3/11 14:45:00	4.0℃	正常	
3059	7-4 (2-1药)	冰箱	242310258	2025/3/11 14:50:00	4.4℃	正常	
3060	7-4 (2-1药)	冰箱	242310258	2025/3/11 14:55:00	4.3℃	正常	

3061	7-4 (2-1药)	冰箱	242310258	2025/3/11 15:00:00	4.2℃	正常	
3062	7-4 (2-1药)	冰箱	242310258	2025/3/11 15:05:00	4.4℃	正常	
3063	7-4 (2-1药)	冰箱	242310258	2025/3/11 15:10:00	4.0℃	正常	
3064	7-4 (2-1药)	冰箱	242310258	2025/3/11 15:15:00	4.5℃	正常	
3065	7-4 (2-1药)	冰箱	242310258	2025/3/11 15:20:00	3.9℃	正常	
3066	7-4 (2-1药)	冰箱	242310258	2025/3/11 15:25:00	4.5℃	正常	
3067	7-4 (2-1药)	冰箱	242310258	2025/3/11 15:30:00	4.0℃	正常	
3068	7-4 (2-1药)	冰箱	242310258	2025/3/11 15:35:00	4.4℃	正常	
3069	7-4 (2-1药)	冰箱	242310258	2025/3/11 15:40:00	4.2℃	正常	
3070	7-4 (2-1药)	冰箱	242310258	2025/3/11 15:45:00	4.3℃	正常	
3071	7-4 (2-1药)	冰箱	242310258	2025/3/11 15:50:00	4.5℃	正常	
3072	7-4 (2-1药)	冰箱	242310258	2025/3/11 15:55:00	4.0℃	正常	
3073	7-4 (2-1药)	冰箱	242310258	2025/3/11 16:00:00	4.6℃	正常	
3074	7-4 (2-1药)	冰箱	242310258	2025/3/11 16:05:00	4.0℃	正常	
3075	7-4 (2-1药)	冰箱	242310258	2025/3/11 16:10:00	4.5℃	正常	
3076	7-4 (2-1药)	冰箱	242310258	2025/3/11 16:15:00	4.0℃	正常	
3077	7-4 (2-1药)	冰箱	242310258	2025/3/11 16:20:00	4.4℃	正常	
3078	7-4 (2-1药)	冰箱	242310258	2025/3/11 16:25:00	4.2℃	正常	
3079	7-4 (2-1药)	冰箱	242310258	2025/3/11 16:30:00	4.3℃	正常	
3080	7-4 (2-1药)	冰箱	242310258	2025/3/11 16:35:00	4.5℃	正常	
3081	7-4 (2-1药)	冰箱	242310258	2025/3/11 16:40:00	4.1℃	正常	
3082	7-4 (2-1药)	冰箱	242310258	2025/3/11 16:45:00	4.5℃	正常	
3083	7-4 (2-1药)	冰箱	242310258	2025/3/11 16:50:00	4.0℃	正常	
3084	7-4 (2-1药)	冰箱	242310258	2025/3/11 16:55:00	4.5℃	正常	
3085	7-4 (2-1药)	冰箱	242310258	2025/3/11 17:00:00	4.0℃	正常	
3086	7-4 (2-1药)	冰箱	242310258	2025/3/11 17:05:00	4.4℃	正常	
3087	7-4 (2-1药)	冰箱	242310258	2025/3/11 17:10:00	4.3℃	正常	
3088	7-4 (2-1药)	冰箱	242310258	2025/3/11 17:15:00	4.2℃	正常	
3089	7-4 (2-1药)	冰箱	242310258	2025/3/11 17:20:00	4.5℃	正常	
3090	7-4 (2-1药)	冰箱	242310258	2025/3/11 17:25:00	4.1℃	正常	
3091	7-4 (2-1药)	冰箱	242310258	2025/3/11 17:30:00	4.5℃	正常	
3092	7-4 (2-1药)	冰箱	242310258	2025/3/11 17:35:00	3.9℃	正常	
3093	7-4 (2-1药)	冰箱	242310258	2025/3/11 17:40:00	4.5℃	正常	
3094	7-4 (2-1药)	冰箱	242310258	2025/3/11 17:45:00	4.0℃	正常	
3095	7-4 (2-1药)	冰箱	242310258	2025/3/11 17:50:00	4.4℃	正常	
3096	7-4 (2-1药)	冰箱	242310258	2025/3/11 17:55:00	4.1℃	正常	
3097	7-4 (2-1药)	冰箱	242310258	2025/3/11 18:00:00	4.3℃	正常	
3098	7-4 (2-1药)	冰箱	242310258	2025/3/11 18:05:00	4.4℃	正常	
3099	7-4 (2-1药)	冰箱	242310258	2025/3/11 18:10:00	4.7℃	正常	
3100	7-4 (2-1药)	冰箱	242310258	2025/3/11 18:15:00	4.2℃	正常	
3101	7-4 (2-1药)	冰箱	242310258	2025/3/11 18:20:00	4.3℃	正常	
3102	7-4 (2-1药)	冰箱	242310258	2025/3/11 18:25:00	4.4℃	正常	
3103	7-4 (2-1药)	冰箱	242310258	2025/3/11 18:30:00	4.1℃	正常	
3104	7-4 (2-1药)	冰箱	242310258	2025/3/11 18:35:00	4.5℃	正常	
3105	7-4 (2-1药)	冰箱	242310258	2025/3/11 18:40:00	4.0℃	正常	
3106	7-4 (2-1药)	冰箱	242310258	2025/3/11 18:45:00	4.5℃	正常	
3107	7-4 (2-1药)	冰箱	242310258	2025/3/11 18:50:00	3.9℃	正常	
3108	7-4 (2-1药)	冰箱	242310258	2025/3/11 18:55:00	4.4℃	正常	
3109	7-4 (2-1药)	冰箱	242310258	2025/3/11 19:00:00	4.1℃	正常	
3110	7-4 (2-1药)	冰箱	242310258	2025/3/11 19:05:00	4.3℃	正常	
3111	7-4 (2-1药)	冰箱	242310258	2025/3/11 19:10:00	4.4℃	正常	
3112	7-4 (2-1药)	冰箱	242310258	2025/3/11 19:15:00	4.1℃	正常	
3113	7-4 (2-1药)	冰箱	242310258	2025/3/11 19:20:00	4.5℃	正常	
3114	7-4 (2-1药)	冰箱	242310258	2025/3/11 19:25:00	4.0℃	正常	
3115	7-4 (2-1药)	冰箱	242310258	2025/3/11 19:30:00	4.6℃	正常	
3116	7-4 (2-1药)	冰箱	242310258	2025/3/11 19:35:00	4.0℃	正常	
3117	7-4 (2-1药)	冰箱	242310258	2025/3/11 19:40:00	4.4℃	正常	
3118	7-4 (2-1药)	冰箱	242310258	2025/3/11 19:45:00	4.2℃	正常	
3119	7-4 (2-1药)	冰箱	242310258	2025/3/11 19:50:00	4.3℃	正常	
3120	7-4 (2-1药)	冰箱	242310258	2025/3/11 19:55:00	4.4℃	正常	
3121	7-4 (2-1药)	冰箱	242310258	2025/3/11 20:00:00	4.1℃	正常	
3122	7-4 (2-1药)	冰箱	242310258	2025/3/11 20:05:00	4.6℃	正常	
3123	7-4 (2-1药)	冰箱	242310258	2025/3/11 20:10:00	3.9℃	正常	
3124	7-4 (2-1药)	冰箱	242310258	2025/3/11 20:15:00	4.5℃	正常	

3125	7-4 (2-1药)	冰箱	242310258	2025/3/11 20:20:00	4.0℃	正常	
3126	7-4 (2-1药)	冰箱	242310258	2025/3/11 20:25:00	4.4℃	正常	
3127	7-4 (2-1药)	冰箱	242310258	2025/3/11 20:30:00	4.2℃	正常	
3128	7-4 (2-1药)	冰箱	242310258	2025/3/11 20:35:00	4.2℃	正常	
3129	7-4 (2-1药)	冰箱	242310258	2025/3/11 20:40:00	4.5℃	正常	
3130	7-4 (2-1药)	冰箱	242310258	2025/3/11 20:45:00	4.0℃	正常	
3131	7-4 (2-1药)	冰箱	242310258	2025/3/11 20:50:00	4.6℃	正常	
3132	7-4 (2-1药)	冰箱	242310258	2025/3/11 20:55:00	3.9℃	正常	
3133	7-4 (2-1药)	冰箱	242310258	2025/3/11 21:00:00	4.5℃	正常	
3134	7-4 (2-1药)	冰箱	242310258	2025/3/11 21:05:00	4.0℃	正常	
3135	7-4 (2-1药)	冰箱	242310258	2025/3/11 21:10:00	4.4℃	正常	
3136	7-4 (2-1药)	冰箱	242310258	2025/3/11 21:15:00	4.2℃	正常	
3137	7-4 (2-1药)	冰箱	242310258	2025/3/11 21:20:00	4.2℃	正常	
3138	7-4 (2-1药)	冰箱	242310258	2025/3/11 21:25:00	4.4℃	正常	
3139	7-4 (2-1药)	冰箱	242310258	2025/3/11 21:30:00	4.0℃	正常	
3140	7-4 (2-1药)	冰箱	242310258	2025/3/11 21:35:00	4.6℃	正常	
3141	7-4 (2-1药)	冰箱	242310258	2025/3/11 21:40:00	3.9℃	正常	
3142	7-4 (2-1药)	冰箱	242310258	2025/3/11 21:45:00	4.5℃	正常	
3143	7-4 (2-1药)	冰箱	242310258	2025/3/11 21:50:00	4.0℃	正常	
3144	7-4 (2-1药)	冰箱	242310258	2025/3/11 21:55:00	4.3℃	正常	
3145	7-4 (2-1药)	冰箱	242310258	2025/3/11 22:00:00	4.3℃	正常	
3146	7-4 (2-1药)	冰箱	242310258	2025/3/11 22:05:00	4.2℃	正常	
3147	7-4 (2-1药)	冰箱	242310258	2025/3/11 22:10:00	4.4℃	正常	
3148	7-4 (2-1药)	冰箱	242310258	2025/3/11 22:15:00	4.0℃	正常	
3149	7-4 (2-1药)	冰箱	242310258	2025/3/11 22:20:00	4.5℃	正常	
3150	7-4 (2-1药)	冰箱	242310258	2025/3/11 22:25:00	3.9℃	正常	
3151	7-4 (2-1药)	冰箱	242310258	2025/3/11 22:30:00	4.5℃	正常	
3152	7-4 (2-1药)	冰箱	242310258	2025/3/11 22:35:00	4.0℃	正常	
3153	7-4 (2-1药)	冰箱	242310258	2025/3/11 22:40:00	4.4℃	正常	
3154	7-4 (2-1药)	冰箱	242310258	2025/3/11 22:45:00	4.3℃	正常	
3155	7-4 (2-1药)	冰箱	242310258	2025/3/11 22:50:00	4.2℃	正常	
3156	7-4 (2-1药)	冰箱	242310258	2025/3/11 22:55:00	4.4℃	正常	
3157	7-4 (2-1药)	冰箱	242310258	2025/3/11 23:00:00	4.0℃	正常	
3158	7-4 (2-1药)	冰箱	242310258	2025/3/11 23:05:00	4.5℃	正常	
3159	7-4 (2-1药)	冰箱	242310258	2025/3/11 23:10:00	3.9℃	正常	
3160	7-4 (2-1药)	冰箱	242310258	2025/3/11 23:15:00	4.5℃	正常	
3161	7-4 (2-1药)	冰箱	242310258	2025/3/11 23:20:00	4.0℃	正常	
3162	7-4 (2-1药)	冰箱	242310258	2025/3/11 23:25:00	4.4℃	正常	
3163	7-4 (2-1药)	冰箱	242310258	2025/3/11 23:30:00	4.3℃	正常	
3164	7-4 (2-1药)	冰箱	242310258	2025/3/11 23:35:00	4.2℃	正常	
3165	7-4 (2-1药)	冰箱	242310258	2025/3/11 23:40:00	4.5℃	正常	
3166	7-4 (2-1药)	冰箱	242310258	2025/3/11 23:45:00	4.0℃	正常	
3167	7-4 (2-1药)	冰箱	242310258	2025/3/11 23:50:00	4.5℃	正常	
3168	7-4 (2-1药)	冰箱	242310258	2025/3/11 23:55:00	3.9℃	正常	
3169	7-4 (2-1药)	冰箱	242310258	2025/3/12 0:00:00	4.5℃	正常	
3170	7-4 (2-1药)	冰箱	242310258	2025/3/12 0:05:00	4.0℃	正常	
3171	7-4 (2-1药)	冰箱	242310258	2025/3/12 0:10:00	4.4℃	正常	
3172	7-4 (2-1药)	冰箱	242310258	2025/3/12 0:15:00	4.3℃	正常	
3173	7-4 (2-1药)	冰箱	242310258	2025/3/12 0:20:00	4.2℃	正常	
3174	7-4 (2-1药)	冰箱	242310258	2025/3/12 0:25:00	4.4℃	正常	
3175	7-4 (2-1药)	冰箱	242310258	2025/3/12 0:30:00	4.1℃	正常	
3176	7-4 (2-1药)	冰箱	242310258	2025/3/12 0:35:00	4.5℃	正常	
3177	7-4 (2-1药)	冰箱	242310258	2025/3/12 0:40:00	4.0℃	正常	
3178	7-4 (2-1药)	冰箱	242310258	2025/3/12 0:45:00	4.5℃	正常	
3179	7-4 (2-1药)	冰箱	242310258	2025/3/12 0:50:00	3.9℃	正常	
3180	7-4 (2-1药)	冰箱	242310258	2025/3/12 0:55:00	4.4℃	正常	
3181	7-4 (2-1药)	冰箱	242310258	2025/3/12 1:00:00	4.2℃	正常	
3182	7-4 (2-1药)	冰箱	242310258	2025/3/12 1:05:00	4.2℃	正常	
3183	7-4 (2-1药)	冰箱	242310258	2025/3/12 1:10:00	4.5℃	正常	
3184	7-4 (2-1药)	冰箱	242310258	2025/3/12 1:15:00	4.0℃	正常	
3185	7-4 (2-1药)	冰箱	242310258	2025/3/12 1:20:00	4.5℃	正常	
3186	7-4 (2-1药)	冰箱	242310258	2025/3/12 1:25:00	3.9℃	正常	
3187	7-4 (2-1药)	冰箱	242310258	2025/3/12 1:30:00	4.5℃	正常	
3188	7-4 (2-1药)	冰箱	242310258	2025/3/12 1:35:00	3.9℃	正常	

3189	7-4 (2-1药)	冰箱	242310258	2025/3/12 1:40:00	4.5℃	正常	
3190	7-4 (2-1药)	冰箱	242310258	2025/3/12 1:45:00	4.1℃	正常	
3191	7-4 (2-1药)	冰箱	242310258	2025/3/12 1:50:00	4.3℃	正常	
3192	7-4 (2-1药)	冰箱	242310258	2025/3/12 1:55:00	4.4℃	正常	
3193	7-4 (2-1药)	冰箱	242310258	2025/3/12 2:00:00	4.2℃	正常	
3194	7-4 (2-1药)	冰箱	242310258	2025/3/12 2:05:00	4.5℃	正常	
3195	7-4 (2-1药)	冰箱	242310258	2025/3/12 2:10:00	4.0℃	正常	
3196	7-4 (2-1药)	冰箱	242310258	2025/3/12 2:15:00	4.5℃	正常	
3197	7-4 (2-1药)	冰箱	242310258	2025/3/12 2:20:00	3.9℃	正常	
3198	7-4 (2-1药)	冰箱	242310258	2025/3/12 2:25:00	4.5℃	正常	
3199	7-4 (2-1药)	冰箱	242310258	2025/3/12 2:30:00	4.1℃	正常	
3200	7-4 (2-1药)	冰箱	242310258	2025/3/12 2:35:00	4.4℃	正常	
3201	7-4 (2-1药)	冰箱	242310258	2025/3/12 2:40:00	4.3℃	正常	
3202	7-4 (2-1药)	冰箱	242310258	2025/3/12 2:45:00	4.2℃	正常	
3203	7-4 (2-1药)	冰箱	242310258	2025/3/12 2:50:00	4.5℃	正常	
3204	7-4 (2-1药)	冰箱	242310258	2025/3/12 2:55:00	4.0℃	正常	
3205	7-4 (2-1药)	冰箱	242310258	2025/3/12 3:00:00	4.6℃	正常	
3206	7-4 (2-1药)	冰箱	242310258	2025/3/12 3:05:00	3.9℃	正常	
3207	7-4 (2-1药)	冰箱	242310258	2025/3/12 3:10:00	4.5℃	正常	
3208	7-4 (2-1药)	冰箱	242310258	2025/3/12 3:15:00	4.0℃	正常	
3209	7-4 (2-1药)	冰箱	242310258	2025/3/12 3:20:00	4.4℃	正常	
3210	7-4 (2-1药)	冰箱	242310258	2025/3/12 3:25:00	4.1℃	正常	
3211	7-4 (2-1药)	冰箱	242310258	2025/3/12 3:30:00	4.3℃	正常	
3212	7-4 (2-1药)	冰箱	242310258	2025/3/12 3:35:00	4.4℃	正常	
3213	7-4 (2-1药)	冰箱	242310258	2025/3/12 3:40:00	4.1℃	正常	
3214	7-4 (2-1药)	冰箱	242310258	2025/3/12 3:45:00	4.5℃	正常	
3215	7-4 (2-1药)	冰箱	242310258	2025/3/12 3:50:00	4.0℃	正常	
3216	7-4 (2-1药)	冰箱	242310258	2025/3/12 3:55:00	4.5℃	正常	
3217	7-4 (2-1药)	冰箱	242310258	2025/3/12 4:00:00	3.9℃	正常	
3218	7-4 (2-1药)	冰箱	242310258	2025/3/12 4:05:00	4.4℃	正常	
3219	7-4 (2-1药)	冰箱	242310258	2025/3/12 4:10:00	4.0℃	正常	
3220	7-4 (2-1药)	冰箱	242310258	2025/3/12 4:15:00	4.3℃	正常	
3221	7-4 (2-1药)	冰箱	242310258	2025/3/12 4:20:00	4.3℃	正常	
3222	7-4 (2-1药)	冰箱	242310258	2025/3/12 4:25:00	4.2℃	正常	
3223	7-4 (2-1药)	冰箱	242310258	2025/3/12 4:30:00	4.5℃	正常	
3224	7-4 (2-1药)	冰箱	242310258	2025/3/12 4:35:00	4.0℃	正常	
3225	7-4 (2-1药)	冰箱	242310258	2025/3/12 4:40:00	4.6℃	正常	
3226	7-4 (2-1药)	冰箱	242310258	2025/3/12 4:45:00	3.9℃	正常	
3227	7-4 (2-1药)	冰箱	242310258	2025/3/12 4:50:00	4.5℃	正常	
3228	7-4 (2-1药)	冰箱	242310258	2025/3/12 4:55:00	3.9℃	正常	
3229	7-4 (2-1药)	冰箱	242310258	2025/3/12 5:00:00	4.8℃	正常	
3230	7-4 (2-1药)	冰箱	242310258	2025/3/12 5:05:00	4.0℃	正常	
3231	7-4 (2-1药)	冰箱	242310258	2025/3/12 5:10:00	4.5℃	正常	
3232	7-4 (2-1药)	冰箱	242310258	2025/3/12 5:15:00	4.0℃	正常	
3233	7-4 (2-1药)	冰箱	242310258	2025/3/12 5:20:00	4.4℃	正常	
3234	7-4 (2-1药)	冰箱	242310258	2025/3/12 5:25:00	4.2℃	正常	
3235	7-4 (2-1药)	冰箱	242310258	2025/3/12 5:30:00	4.2℃	正常	
3236	7-4 (2-1药)	冰箱	242310258	2025/3/12 5:35:00	4.4℃	正常	
3237	7-4 (2-1药)	冰箱	242310258	2025/3/12 5:40:00	4.1℃	正常	
3238	7-4 (2-1药)	冰箱	242310258	2025/3/12 5:45:00	4.5℃	正常	
3239	7-4 (2-1药)	冰箱	242310258	2025/3/12 5:50:00	4.0℃	正常	
3240	7-4 (2-1药)	冰箱	242310258	2025/3/12 5:55:00	4.5℃	正常	
3241	7-4 (2-1药)	冰箱	242310258	2025/3/12 6:00:00	4.0℃	正常	
3242	7-4 (2-1药)	冰箱	242310258	2025/3/12 6:05:00	4.5℃	正常	
3243	7-4 (2-1药)	冰箱	242310258	2025/3/12 6:10:00	4.1℃	正常	
3244	7-4 (2-1药)	冰箱	242310258	2025/3/12 6:15:00	4.3℃	正常	
3245	7-4 (2-1药)	冰箱	242310258	2025/3/12 6:20:00	4.3℃	正常	
3246	7-4 (2-1药)	冰箱	242310258	2025/3/12 6:25:00	4.1℃	正常	
3247	7-4 (2-1药)	冰箱	242310258	2025/3/12 6:30:00	4.5℃	正常	
3248	7-4 (2-1药)	冰箱	242310258	2025/3/12 6:35:00	4.0℃	正常	
3249	7-4 (2-1药)	冰箱	242310258	2025/3/12 6:40:00	4.5℃	正常	
3250	7-4 (2-1药)	冰箱	242310258	2025/3/12 6:45:00	3.9℃	正常	
3251	7-4 (2-1药)	冰箱	242310258	2025/3/12 6:50:00	4.4℃	正常	
3252	7-4 (2-1药)	冰箱	242310258	2025/3/12 6:55:00	4.1℃	正常	

3253	7-4 (2-1药)	冰箱	242310258	2025/3/12 7:00:00	4.3℃	正常	
3254	7-4 (2-1药)	冰箱	242310258	2025/3/12 7:05:00	4.3℃	正常	
3255	7-4 (2-1药)	冰箱	242310258	2025/3/12 7:10:00	4.1℃	正常	
3256	7-4 (2-1药)	冰箱	242310258	2025/3/12 7:15:00	4.5℃	正常	
3257	7-4 (2-1药)	冰箱	242310258	2025/3/12 7:20:00	4.0℃	正常	
3258	7-4 (2-1药)	冰箱	242310258	2025/3/12 7:25:00	4.6℃	正常	
3259	7-4 (2-1药)	冰箱	242310258	2025/3/12 7:30:00	3.9℃	正常	
3260	7-4 (2-1药)	冰箱	242310258	2025/3/12 7:35:00	4.5℃	正常	
3261	7-4 (2-1药)	冰箱	242310258	2025/3/12 7:40:00	4.0℃	正常	
3262	7-4 (2-1药)	冰箱	242310258	2025/3/12 7:45:00	4.3℃	正常	
3263	7-4 (2-1药)	冰箱	242310258	2025/3/12 7:50:00	4.3℃	正常	
3264	7-4 (2-1药)	冰箱	242310258	2025/3/12 7:55:00	4.2℃	正常	
3265	7-4 (2-1药)	冰箱	242310258	2025/3/12 8:00:00	4.5℃	正常	
3266	7-4 (2-1药)	冰箱	242310258	2025/3/12 8:05:00	4.0℃	正常	
3267	7-4 (2-1药)	冰箱	242310258	2025/3/12 8:10:00	4.6℃	正常	
3268	7-4 (2-1药)	冰箱	242310258	2025/3/12 8:15:00	3.9℃	正常	
3269	7-4 (2-1药)	冰箱	242310258	2025/3/12 8:20:00	4.5℃	正常	
3270	7-4 (2-1药)	冰箱	242310258	2025/3/12 8:25:00	4.0℃	正常	
3271	7-4 (2-1药)	冰箱	242310258	2025/3/12 8:30:00	4.4℃	正常	
3272	7-4 (2-1药)	冰箱	242310258	2025/3/12 8:35:00	4.2℃	正常	
3273	7-4 (2-1药)	冰箱	242310258	2025/3/12 8:40:00	4.2℃	正常	
3274	7-4 (2-1药)	冰箱	242310258	2025/3/12 8:45:00	4.4℃	正常	
3275	7-4 (2-1药)	冰箱	242310258	2025/3/12 8:50:00	4.0℃	正常	
3276	7-4 (2-1药)	冰箱	242310258	2025/3/12 8:55:00	4.6℃	正常	
3277	7-4 (2-1药)	冰箱	242310258	2025/3/12 9:00:00	4.0℃	正常	
3278	7-4 (2-1药)	冰箱	242310258	2025/3/12 9:05:00	4.6℃	正常	
3279	7-4 (2-1药)	冰箱	242310258	2025/3/12 9:10:00	4.0℃	正常	
3280	7-4 (2-1药)	冰箱	242310258	2025/3/12 9:15:00	4.5℃	正常	
3281	7-4 (2-1药)	冰箱	242310258	2025/3/12 9:20:00	4.1℃	正常	
3282	7-4 (2-1药)	冰箱	242310258	2025/3/12 9:25:00	4.2℃	正常	
3283	7-4 (2-1药)	冰箱	242310258	2025/3/12 9:30:00	4.4℃	正常	
3284	7-4 (2-1药)	冰箱	242310258	2025/3/12 9:35:00	4.1℃	正常	
3285	7-4 (2-1药)	冰箱	242310258	2025/3/12 9:40:00	4.5℃	正常	
3286	7-4 (2-1药)	冰箱	242310258	2025/3/12 9:45:00	3.9℃	正常	
3287	7-4 (2-1药)	冰箱	242310258	2025/3/12 9:50:00	4.5℃	正常	
3288	7-4 (2-1药)	冰箱	242310258	2025/3/12 9:55:00	4.0℃	正常	
3289	7-4 (2-1药)	冰箱	242310258	2025/3/12 10:00:00	4.4℃	正常	
3290	7-4 (2-1药)	冰箱	242310258	2025/3/12 10:05:00	4.2℃	正常	
3291	7-4 (2-1药)	冰箱	242310258	2025/3/12 10:10:00	4.2℃	正常	
3292	7-4 (2-1药)	冰箱	242310258	2025/3/12 10:15:00	4.4℃	正常	
3293	7-4 (2-1药)	冰箱	242310258	2025/3/12 10:20:00	4.0℃	正常	
3294	7-4 (2-1药)	冰箱	242310258	2025/3/12 10:25:00	4.5℃	正常	
3295	7-4 (2-1药)	冰箱	242310258	2025/3/12 10:30:00	3.9℃	正常	
3296	7-4 (2-1药)	冰箱	242310258	2025/3/12 10:35:00	4.5℃	正常	
3297	7-4 (2-1药)	冰箱	242310258	2025/3/12 10:40:00	4.0℃	正常	
3298	7-4 (2-1药)	冰箱	242310258	2025/3/12 10:45:00	4.4℃	正常	
3299	7-4 (2-1药)	冰箱	242310258	2025/3/12 10:50:00	4.2℃	正常	
3300	7-4 (2-1药)	冰箱	242310258	2025/3/12 10:55:00	4.3℃	正常	
3301	7-4 (2-1药)	冰箱	242310258	2025/3/12 11:00:00	4.3℃	正常	
3302	7-4 (2-1药)	冰箱	242310258	2025/3/12 11:05:00	4.1℃	正常	
3303	7-4 (2-1药)	冰箱	242310258	2025/3/12 11:10:00	4.5℃	正常	
3304	7-4 (2-1药)	冰箱	242310258	2025/3/12 11:15:00	4.0℃	正常	
3305	7-4 (2-1药)	冰箱	242310258	2025/3/12 11:20:00	4.6℃	正常	
3306	7-4 (2-1药)	冰箱	242310258	2025/3/12 11:25:00	4.0℃	正常	
3307	7-4 (2-1药)	冰箱	242310258	2025/3/12 11:30:00	4.5℃	正常	
3308	7-4 (2-1药)	冰箱	242310258	2025/3/12 11:35:00	4.1℃	正常	
3309	7-4 (2-1药)	冰箱	242310258	2025/3/12 11:40:00	4.3℃	正常	
3310	7-4 (2-1药)	冰箱	242310258	2025/3/12 11:45:00	4.4℃	正常	
3311	7-4 (2-1药)	冰箱	242310258	2025/3/12 11:50:00	4.0℃	正常	
3312	7-4 (2-1药)	冰箱	242310258	2025/3/12 11:55:00	4.6℃	正常	
3313	7-4 (2-1药)	冰箱	242310258	2025/3/12 12:00:00	3.9℃	正常	
3314	7-4 (2-1药)	冰箱	242310258	2025/3/12 12:05:00	4.5℃	正常	
3315	7-4 (2-1药)	冰箱	242310258	2025/3/12 12:10:00	3.9℃	正常	
3316	7-4 (2-1药)	冰箱	242310258	2025/3/12 12:15:00	4.4℃	正常	

3317	7-4 (2-1药)	冰箱	242310258	2025/3/12 12:20:00	4.1℃	正常	
3318	7-4 (2-1药)	冰箱	242310258	2025/3/12 12:25:00	4.2℃	正常	
3319	7-4 (2-1药)	冰箱	242310258	2025/3/12 12:30:00	4.4℃	正常	
3320	7-4 (2-1药)	冰箱	242310258	2025/3/12 12:35:00	4.2℃	正常	
3321	7-4 (2-1药)	冰箱	242310258	2025/3/12 12:40:00	4.5℃	正常	
3322	7-4 (2-1药)	冰箱	242310258	2025/3/12 12:45:00	4.0℃	正常	
3323	7-4 (2-1药)	冰箱	242310258	2025/3/12 12:50:00	4.6℃	正常	
3324	7-4 (2-1药)	冰箱	242310258	2025/3/12 12:55:00	3.9℃	正常	
3325	7-4 (2-1药)	冰箱	242310258	2025/3/12 13:00:00	4.5℃	正常	
3326	7-4 (2-1药)	冰箱	242310258	2025/3/12 13:05:00	4.0℃	正常	
3327	7-4 (2-1药)	冰箱	242310258	2025/3/12 13:10:00	4.4℃	正常	
3328	7-4 (2-1药)	冰箱	242310258	2025/3/12 13:15:00	4.3℃	正常	
3329	7-4 (2-1药)	冰箱	242310258	2025/3/12 13:20:00	4.2℃	正常	
3330	7-4 (2-1药)	冰箱	242310258	2025/3/12 13:25:00	4.5℃	正常	
3331	7-4 (2-1药)	冰箱	242310258	2025/3/12 13:30:00	4.0℃	正常	
3332	7-4 (2-1药)	冰箱	242310258	2025/3/12 13:35:00	4.5℃	正常	
3333	7-4 (2-1药)	冰箱	242310258	2025/3/12 13:40:00	3.9℃	正常	
3334	7-4 (2-1药)	冰箱	242310258	2025/3/12 13:45:00	4.5℃	正常	
3335	7-4 (2-1药)	冰箱	242310258	2025/3/12 13:50:00	4.0℃	正常	
3336	7-4 (2-1药)	冰箱	242310258	2025/3/12 13:55:00	4.3℃	正常	
3337	7-4 (2-1药)	冰箱	242310258	2025/3/12 14:00:00	4.3℃	正常	
3338	7-4 (2-1药)	冰箱	242310258	2025/3/12 14:05:00	4.1℃	正常	
3339	7-4 (2-1药)	冰箱	242310258	2025/3/12 14:10:00	4.5℃	正常	
3340	7-4 (2-1药)	冰箱	242310258	2025/3/12 14:15:00	4.0℃	正常	
3341	7-4 (2-1药)	冰箱	242310258	2025/3/12 14:20:00	4.5℃	正常	
3342	7-4 (2-1药)	冰箱	242310258	2025/3/12 14:25:00	3.9℃	正常	
3343	7-4 (2-1药)	冰箱	242310258	2025/3/12 14:30:00	4.5℃	正常	
3344	7-4 (2-1药)	冰箱	242310258	2025/3/12 14:35:00	4.6℃	正常	
3345	7-4 (2-1药)	冰箱	242310258	2025/3/12 14:40:00	4.6℃	正常	
3346	7-4 (2-1药)	冰箱	242310258	2025/3/12 14:45:00	4.8℃	正常	
3347	7-4 (2-1药)	冰箱	242310258	2025/3/12 14:50:00	5.1℃	正常	
3348	7-4 (2-1药)	冰箱	242310258	2025/3/12 14:55:00	4.5℃	正常	
3349	7-4 (2-1药)	冰箱	242310258	2025/3/12 15:00:00	4.5℃	正常	
3350	7-4 (2-1药)	冰箱	242310258	2025/3/12 15:05:00	4.5℃	正常	
3351	7-4 (2-1药)	冰箱	242310258	2025/3/12 15:10:00	4.1℃	正常	
3352	7-4 (2-1药)	冰箱	242310258	2025/3/12 15:15:00	4.6℃	正常	
3353	7-4 (2-1药)	冰箱	242310258	2025/3/12 15:20:00	3.9℃	正常	
3354	7-4 (2-1药)	冰箱	242310258	2025/3/12 15:25:00	4.6℃	正常	
3355	7-4 (2-1药)	冰箱	242310258	2025/3/12 15:30:00	3.8℃	正常	
3356	7-4 (2-1药)	冰箱	242310258	2025/3/12 15:35:00	4.5℃	正常	
3357	7-4 (2-1药)	冰箱	242310258	2025/3/12 15:40:00	3.9℃	正常	
3358	7-4 (2-1药)	冰箱	242310258	2025/3/12 15:45:00	4.4℃	正常	
3359	7-4 (2-1药)	冰箱	242310258	2025/3/12 15:50:00	4.2℃	正常	
3360	7-4 (2-1药)	冰箱	242310258	2025/3/12 15:55:00	4.8℃	正常	
3361	7-4 (2-1药)	冰箱	242310258	2025/3/12 16:00:00	4.0℃	正常	
3362	7-4 (2-1药)	冰箱	242310258	2025/3/12 16:05:00	4.5℃	正常	
3363	7-4 (2-1药)	冰箱	242310258	2025/3/12 16:10:00	4.1℃	正常	
3364	7-4 (2-1药)	冰箱	242310258	2025/3/12 16:15:00	4.3℃	正常	
3365	7-4 (2-1药)	冰箱	242310258	2025/3/12 16:20:00	4.4℃	正常	
3366	7-4 (2-1药)	冰箱	242310258	2025/3/12 16:25:00	4.1℃	正常	
3367	7-4 (2-1药)	冰箱	242310258	2025/3/12 16:30:00	4.6℃	正常	
3368	7-4 (2-1药)	冰箱	242310258	2025/3/12 16:35:00	3.9℃	正常	
3369	7-4 (2-1药)	冰箱	242310258	2025/3/12 16:40:00	4.6℃	正常	
3370	7-4 (2-1药)	冰箱	242310258	2025/3/12 16:45:00	3.8℃	正常	
3371	7-4 (2-1药)	冰箱	242310258	2025/3/12 16:50:00	4.6℃	正常	
3372	7-4 (2-1药)	冰箱	242310258	2025/3/12 16:55:00	3.9℃	正常	
3373	7-4 (2-1药)	冰箱	242310258	2025/3/12 17:00:00	4.5℃	正常	
3374	7-4 (2-1药)	冰箱	242310258	2025/3/12 17:05:00	4.1℃	正常	
3375	7-4 (2-1药)	冰箱	242310258	2025/3/12 17:10:00	4.3℃	正常	
3376	7-4 (2-1药)	冰箱	242310258	2025/3/12 17:15:00	4.3℃	正常	
3377	7-4 (2-1药)	冰箱	242310258	2025/3/12 17:20:00	4.1℃	正常	
3378	7-4 (2-1药)	冰箱	242310258	2025/3/12 17:25:00	4.6℃	正常	
3379	7-4 (2-1药)	冰箱	242310258	2025/3/12 17:30:00	4.0℃	正常	
3380	7-4 (2-1药)	冰箱	242310258	2025/3/12 17:35:00	4.6℃	正常	

3381	7-4 (2-1药)	冰箱	242310258	2025/3/12 17:40:00	3.8℃	正常	
3382	7-4 (2-1药)	冰箱	242310258	2025/3/12 17:45:00	4.6℃	正常	
3383	7-4 (2-1药)	冰箱	242310258	2025/3/12 17:50:00	3.9℃	正常	
3384	7-4 (2-1药)	冰箱	242310258	2025/3/12 17:55:00	4.4℃	正常	
3385	7-4 (2-1药)	冰箱	242310258	2025/3/12 18:00:00	4.3℃	正常	
3386	7-4 (2-1药)	冰箱	242310258	2025/3/12 18:05:00	4.2℃	正常	
3387	7-4 (2-1药)	冰箱	242310258	2025/3/12 18:10:00	4.5℃	正常	
3388	7-4 (2-1药)	冰箱	242310258	2025/3/12 18:15:00	3.9℃	正常	
3389	7-4 (2-1药)	冰箱	242310258	2025/3/12 18:20:00	4.6℃	正常	
3390	7-4 (2-1药)	冰箱	242310258	2025/3/12 18:25:00	3.9℃	正常	
3391	7-4 (2-1药)	冰箱	242310258	2025/3/12 18:30:00	4.6℃	正常	
3392	7-4 (2-1药)	冰箱	242310258	2025/3/12 18:35:00	3.9℃	正常	
3393	7-4 (2-1药)	冰箱	242310258	2025/3/12 18:40:00	4.4℃	正常	
3394	7-4 (2-1药)	冰箱	242310258	2025/3/12 18:45:00	4.2℃	正常	
3395	7-4 (2-1药)	冰箱	242310258	2025/3/12 18:50:00	4.2℃	正常	
3396	7-4 (2-1药)	冰箱	242310258	2025/3/12 18:55:00	4.5℃	正常	
3397	7-4 (2-1药)	冰箱	242310258	2025/3/12 19:00:00	4.0℃	正常	
3398	7-4 (2-1药)	冰箱	242310258	2025/3/12 19:05:00	4.6℃	正常	
3399	7-4 (2-1药)	冰箱	242310258	2025/3/12 19:10:00	3.9℃	正常	
3400	7-4 (2-1药)	冰箱	242310258	2025/3/12 19:15:00	4.6℃	正常	
3401	7-4 (2-1药)	冰箱	242310258	2025/3/12 19:20:00	3.8℃	正常	
3402	7-4 (2-1药)	冰箱	242310258	2025/3/12 19:25:00	4.5℃	正常	
3403	7-4 (2-1药)	冰箱	242310258	2025/3/12 19:30:00	4.0℃	正常	
3404	7-4 (2-1药)	冰箱	242310258	2025/3/12 19:35:00	4.3℃	正常	
3405	7-4 (2-1药)	冰箱	242310258	2025/3/12 19:40:00	4.3℃	正常	
3406	7-4 (2-1药)	冰箱	242310258	2025/3/12 19:45:00	4.1℃	正常	
3407	7-4 (2-1药)	冰箱	242310258	2025/3/12 19:50:00	4.5℃	正常	
3408	7-4 (2-1药)	冰箱	242310258	2025/3/12 19:55:00	3.9℃	正常	
3409	7-4 (2-1药)	冰箱	242310258	2025/3/12 20:00:00	4.6℃	正常	
3410	7-4 (2-1药)	冰箱	242310258	2025/3/12 20:05:00	3.9℃	正常	
3411	7-4 (2-1药)	冰箱	242310258	2025/3/12 20:10:00	4.4℃	正常	
3412	7-4 (2-1药)	冰箱	242310258	2025/3/12 20:15:00	4.1℃	正常	
3413	7-4 (2-1药)	冰箱	242310258	2025/3/12 20:20:00	4.3℃	正常	
3414	7-4 (2-1药)	冰箱	242310258	2025/3/12 20:25:00	4.4℃	正常	
3415	7-4 (2-1药)	冰箱	242310258	2025/3/12 20:30:00	4.1℃	正常	
3416	7-4 (2-1药)	冰箱	242310258	2025/3/12 20:35:00	4.6℃	正常	
3417	7-4 (2-1药)	冰箱	242310258	2025/3/12 20:40:00	3.9℃	正常	
3418	7-4 (2-1药)	冰箱	242310258	2025/3/12 20:45:00	4.6℃	正常	
3419	7-4 (2-1药)	冰箱	242310258	2025/3/12 20:50:00	3.9℃	正常	
3420	7-4 (2-1药)	冰箱	242310258	2025/3/12 20:55:00	4.5℃	正常	
3421	7-4 (2-1药)	冰箱	242310258	2025/3/12 21:00:00	4.0℃	正常	
3422	7-4 (2-1药)	冰箱	242310258	2025/3/12 21:05:00	4.3℃	正常	
3423	7-4 (2-1药)	冰箱	242310258	2025/3/12 21:10:00	4.4℃	正常	
3424	7-4 (2-1药)	冰箱	242310258	2025/3/12 21:15:00	4.0℃	正常	
3425	7-4 (2-1药)	冰箱	242310258	2025/3/12 21:20:00	4.6℃	正常	
3426	7-4 (2-1药)	冰箱	242310258	2025/3/12 21:25:00	3.9℃	正常	
3427	7-4 (2-1药)	冰箱	242310258	2025/3/12 21:30:00	4.6℃	正常	
3428	7-4 (2-1药)	冰箱	242310258	2025/3/12 21:35:00	3.8℃	正常	
3429	7-4 (2-1药)	冰箱	242310258	2025/3/12 21:40:00	4.5℃	正常	
3430	7-4 (2-1药)	冰箱	242310258	2025/3/12 21:45:00	4.1℃	正常	
3431	7-4 (2-1药)	冰箱	242310258	2025/3/12 21:50:00	4.3℃	正常	
3432	7-4 (2-1药)	冰箱	242310258	2025/3/12 21:55:00	4.3℃	正常	
3433	7-4 (2-1药)	冰箱	242310258	2025/3/12 22:00:00	4.1℃	正常	
3434	7-4 (2-1药)	冰箱	242310258	2025/3/12 22:05:00	4.6℃	正常	
3435	7-4 (2-1药)	冰箱	242310258	2025/3/12 22:10:00	3.9℃	正常	
3436	7-4 (2-1药)	冰箱	242310258	2025/3/12 22:15:00	4.6℃	正常	
3437	7-4 (2-1药)	冰箱	242310258	2025/3/12 22:20:00	3.8℃	正常	
3438	7-4 (2-1药)	冰箱	242310258	2025/3/12 22:25:00	4.5℃	正常	
3439	7-4 (2-1药)	冰箱	242310258	2025/3/12 22:30:00	4.0℃	正常	
3440	7-4 (2-1药)	冰箱	242310258	2025/3/12 22:35:00	4.4℃	正常	
3441	7-4 (2-1药)	冰箱	242310258	2025/3/12 22:40:00	4.3℃	正常	
3442	7-4 (2-1药)	冰箱	242310258	2025/3/12 22:45:00	4.1℃	正常	
3443	7-4 (2-1药)	冰箱	242310258	2025/3/12 22:50:00	4.6℃	正常	
3444	7-4 (2-1药)	冰箱	242310258	2025/3/12 22:55:00	3.9℃	正常	

3445	7-4 (2-1药)	冰箱	242310258	2025/3/12 23:00:00	4.6℃	正常	
3446	7-4 (2-1药)	冰箱	242310258	2025/3/12 23:05:00	3.9℃	正常	
3447	7-4 (2-1药)	冰箱	242310258	2025/3/12 23:10:00	4.5℃	正常	
3448	7-4 (2-1药)	冰箱	242310258	2025/3/12 23:15:00	4.1℃	正常	
3449	7-4 (2-1药)	冰箱	242310258	2025/3/12 23:20:00	4.4℃	正常	
3450	7-4 (2-1药)	冰箱	242310258	2025/3/12 23:25:00	4.4℃	正常	
3451	7-4 (2-1药)	冰箱	242310258	2025/3/12 23:30:00	4.2℃	正常	
3452	7-4 (2-1药)	冰箱	242310258	2025/3/12 23:35:00	4.6℃	正常	
3453	7-4 (2-1药)	冰箱	242310258	2025/3/12 23:40:00	4.0℃	正常	
3454	7-4 (2-1药)	冰箱	242310258	2025/3/12 23:45:00	4.6℃	正常	
3455	7-4 (2-1药)	冰箱	242310258	2025/3/12 23:50:00	3.8℃	正常	
3456	7-4 (2-1药)	冰箱	242310258	2025/3/12 23:55:00	4.6℃	正常	
3457	7-4 (2-1药)	冰箱	242310258	2025/3/13 0:00:00	3.9℃	正常	
3458	7-4 (2-1药)	冰箱	242310258	2025/3/13 0:05:00	4.4℃	正常	
3459	7-4 (2-1药)	冰箱	242310258	2025/3/13 0:10:00	4.3℃	正常	
3460	7-4 (2-1药)	冰箱	242310258	2025/3/13 0:15:00	4.1℃	正常	
3461	7-4 (2-1药)	冰箱	242310258	2025/3/13 0:20:00	4.5℃	正常	
3462	7-4 (2-1药)	冰箱	242310258	2025/3/13 0:25:00	3.9℃	正常	
3463	7-4 (2-1药)	冰箱	242310258	2025/3/13 0:30:00	4.6℃	正常	
3464	7-4 (2-1药)	冰箱	242310258	2025/3/13 0:35:00	3.8℃	正常	
3465	7-4 (2-1药)	冰箱	242310258	2025/3/13 0:40:00	4.5℃	正常	
3466	7-4 (2-1药)	冰箱	242310258	2025/3/13 0:45:00	4.0℃	正常	
3467	7-4 (2-1药)	冰箱	242310258	2025/3/13 0:50:00	4.3℃	正常	
3468	7-4 (2-1药)	冰箱	242310258	2025/3/13 0:55:00	4.3℃	正常	
3469	7-4 (2-1药)	冰箱	242310258	2025/3/13 1:00:00	4.1℃	正常	
3470	7-4 (2-1药)	冰箱	242310258	2025/3/13 1:05:00	4.6℃	正常	
3471	7-4 (2-1药)	冰箱	242310258	2025/3/13 1:10:00	3.9℃	正常	
3472	7-4 (2-1药)	冰箱	242310258	2025/3/13 1:15:00	4.6℃	正常	
3473	7-4 (2-1药)	冰箱	242310258	2025/3/13 1:20:00	3.9℃	正常	
3474	7-4 (2-1药)	冰箱	242310258	2025/3/13 1:25:00	4.5℃	正常	
3475	7-4 (2-1药)	冰箱	242310258	2025/3/13 1:30:00	4.1℃	正常	
3476	7-4 (2-1药)	冰箱	242310258	2025/3/13 1:35:00	4.3℃	正常	
3477	7-4 (2-1药)	冰箱	242310258	2025/3/13 1:40:00	4.4℃	正常	
3478	7-4 (2-1药)	冰箱	242310258	2025/3/13 1:45:00	4.1℃	正常	
3479	7-4 (2-1药)	冰箱	242310258	2025/3/13 1:50:00	4.6℃	正常	
3480	7-4 (2-1药)	冰箱	242310258	2025/3/13 1:55:00	3.9℃	正常	
3481	7-4 (2-1药)	冰箱	242310258	2025/3/13 2:00:00	4.6℃	正常	
3482	7-4 (2-1药)	冰箱	242310258	2025/3/13 2:05:00	3.9℃	正常	
3483	7-4 (2-1药)	冰箱	242310258	2025/3/13 2:10:00	4.5℃	正常	
3484	7-4 (2-1药)	冰箱	242310258	2025/3/13 2:15:00	4.2℃	正常	
3485	7-4 (2-1药)	冰箱	242310258	2025/3/13 2:20:00	4.3℃	正常	
3486	7-4 (2-1药)	冰箱	242310258	2025/3/13 2:25:00	4.4℃	正常	
3487	7-4 (2-1药)	冰箱	242310258	2025/3/13 2:30:00	4.0℃	正常	
3488	7-4 (2-1药)	冰箱	242310258	2025/3/13 2:35:00	4.6℃	正常	
3489	7-4 (2-1药)	冰箱	242310258	2025/3/13 2:40:00	3.9℃	正常	
3490	7-4 (2-1药)	冰箱	242310258	2025/3/13 2:45:00	4.9℃	正常	
3491	7-4 (2-1药)	冰箱	242310258	2025/3/13 2:50:00	4.2℃	正常	
3492	7-4 (2-1药)	冰箱	242310258	2025/3/13 2:55:00	4.6℃	正常	
3493	7-4 (2-1药)	冰箱	242310258	2025/3/13 3:00:00	3.9℃	正常	
3494	7-4 (2-1药)	冰箱	242310258	2025/3/13 3:05:00	4.6℃	正常	
3495	7-4 (2-1药)	冰箱	242310258	2025/3/13 3:10:00	3.9℃	正常	
3496	7-4 (2-1药)	冰箱	242310258	2025/3/13 3:15:00	4.5℃	正常	
3497	7-4 (2-1药)	冰箱	242310258	2025/3/13 3:20:00	4.1℃	正常	
3498	7-4 (2-1药)	冰箱	242310258	2025/3/13 3:25:00	4.3℃	正常	
3499	7-4 (2-1药)	冰箱	242310258	2025/3/13 3:30:00	4.5℃	正常	
3500	7-4 (2-1药)	冰箱	242310258	2025/3/13 3:35:00	4.0℃	正常	
3501	7-4 (2-1药)	冰箱	242310258	2025/3/13 3:40:00	4.6℃	正常	
3502	7-4 (2-1药)	冰箱	242310258	2025/3/13 3:45:00	3.9℃	正常	
3503	7-4 (2-1药)	冰箱	242310258	2025/3/13 3:50:00	4.6℃	正常	
3504	7-4 (2-1药)	冰箱	242310258	2025/3/13 3:55:00	3.8℃	正常	
3505	7-4 (2-1药)	冰箱	242310258	2025/3/13 4:00:00	4.5℃	正常	
3506	7-4 (2-1药)	冰箱	242310258	2025/3/13 4:05:00	4.0℃	正常	
3507	7-4 (2-1药)	冰箱	242310258	2025/3/13 4:10:00	4.4℃	正常	
3508	7-4 (2-1药)	冰箱	242310258	2025/3/13 4:15:00	4.3℃	正常	

3509	7-4 (2-1药)	冰箱	242310258	2025/3/13 4:20:00	4.1℃	正常	
3510	7-4 (2-1药)	冰箱	242310258	2025/3/13 4:25:00	4.6℃	正常	
3511	7-4 (2-1药)	冰箱	242310258	2025/3/13 4:30:00	3.9℃	正常	
3512	7-4 (2-1药)	冰箱	242310258	2025/3/13 4:35:00	4.6℃	正常	
3513	7-4 (2-1药)	冰箱	242310258	2025/3/13 4:40:00	3.9℃	正常	
3514	7-4 (2-1药)	冰箱	242310258	2025/3/13 4:45:00	4.5℃	正常	
3515	7-4 (2-1药)	冰箱	242310258	2025/3/13 4:50:00	4.1℃	正常	
3516	7-4 (2-1药)	冰箱	242310258	2025/3/13 4:55:00	4.2℃	正常	
3517	7-4 (2-1药)	冰箱	242310258	2025/3/13 5:00:00	4.5℃	正常	
3518	7-4 (2-1药)	冰箱	242310258	2025/3/13 5:05:00	4.0℃	正常	
3519	7-4 (2-1药)	冰箱	242310258	2025/3/13 5:10:00	4.6℃	正常	
3520	7-4 (2-1药)	冰箱	242310258	2025/3/13 5:15:00	3.9℃	正常	
3521	7-4 (2-1药)	冰箱	242310258	2025/3/13 5:20:00	4.6℃	正常	
3522	7-4 (2-1药)	冰箱	242310258	2025/3/13 5:25:00	3.9℃	正常	
3523	7-4 (2-1药)	冰箱	242310258	2025/3/13 5:30:00	4.4℃	正常	
3524	7-4 (2-1药)	冰箱	242310258	2025/3/13 5:35:00	4.2℃	正常	
3525	7-4 (2-1药)	冰箱	242310258	2025/3/13 5:40:00	4.2℃	正常	
3526	7-4 (2-1药)	冰箱	242310258	2025/3/13 5:45:00	4.5℃	正常	
3527	7-4 (2-1药)	冰箱	242310258	2025/3/13 5:50:00	3.9℃	正常	
3528	7-4 (2-1药)	冰箱	242310258	2025/3/13 5:55:00	4.6℃	正常	
3529	7-4 (2-1药)	冰箱	242310258	2025/3/13 6:00:00	3.8℃	正常	
3530	7-4 (2-1药)	冰箱	242310258	2025/3/13 6:05:00	4.5℃	正常	
3531	7-4 (2-1药)	冰箱	242310258	2025/3/13 6:10:00	4.0℃	正常	
3532	7-4 (2-1药)	冰箱	242310258	2025/3/13 6:15:00	4.3℃	正常	
3533	7-4 (2-1药)	冰箱	242310258	2025/3/13 6:20:00	4.3℃	正常	
3534	7-4 (2-1药)	冰箱	242310258	2025/3/13 6:25:00	4.1℃	正常	
3535	7-4 (2-1药)	冰箱	242310258	2025/3/13 6:30:00	4.6℃	正常	
3536	7-4 (2-1药)	冰箱	242310258	2025/3/13 6:35:00	3.9℃	正常	
3537	7-4 (2-1药)	冰箱	242310258	2025/3/13 6:40:00	4.6℃	正常	
3538	7-4 (2-1药)	冰箱	242310258	2025/3/13 6:45:00	3.9℃	正常	
3539	7-4 (2-1药)	冰箱	242310258	2025/3/13 6:50:00	4.5℃	正常	
3540	7-4 (2-1药)	冰箱	242310258	2025/3/13 6:55:00	4.0℃	正常	
3541	7-4 (2-1药)	冰箱	242310258	2025/3/13 7:00:00	4.4℃	正常	
3542	7-4 (2-1药)	冰箱	242310258	2025/3/13 7:05:00	4.2℃	正常	
3543	7-4 (2-1药)	冰箱	242310258	2025/3/13 7:10:00	4.1℃	正常	
3544	7-4 (2-1药)	冰箱	242310258	2025/3/13 7:15:00	4.6℃	正常	
3545	7-4 (2-1药)	冰箱	242310258	2025/3/13 7:20:00	3.9℃	正常	
3546	7-4 (2-1药)	冰箱	242310258	2025/3/13 7:25:00	4.6℃	正常	
3547	7-4 (2-1药)	冰箱	242310258	2025/3/13 7:30:00	3.9℃	正常	
3548	7-4 (2-1药)	冰箱	242310258	2025/3/13 7:35:00	4.4℃	正常	
3549	7-4 (2-1药)	冰箱	242310258	2025/3/13 7:40:00	4.2℃	正常	
3550	7-4 (2-1药)	冰箱	242310258	2025/3/13 7:45:00	4.2℃	正常	
3551	7-4 (2-1药)	冰箱	242310258	2025/3/13 7:50:00	4.5℃	正常	
3552	7-4 (2-1药)	冰箱	242310258	2025/3/13 7:55:00	4.0℃	正常	
3553	7-4 (2-1药)	冰箱	242310258	2025/3/13 8:00:00	4.6℃	正常	
3554	7-4 (2-1药)	冰箱	242310258	2025/3/13 8:05:00	3.9℃	正常	
3555	7-4 (2-1药)	冰箱	242310258	2025/3/13 8:10:00	4.5℃	正常	
3556	7-4 (2-1药)	冰箱	242310258	2025/3/13 8:15:00	4.1℃	正常	
3557	7-4 (2-1药)	冰箱	242310258	2025/3/13 8:20:00	4.3℃	正常	
3558	7-4 (2-1药)	冰箱	242310258	2025/3/13 8:25:00	4.4℃	正常	
3559	7-4 (2-1药)	冰箱	242310258	2025/3/13 8:30:00	4.0℃	正常	
3560	7-4 (2-1药)	冰箱	242310258	2025/3/13 8:35:00	4.6℃	正常	
3561	7-4 (2-1药)	冰箱	242310258	2025/3/13 8:40:00	3.9℃	正常	
3562	7-4 (2-1药)	冰箱	242310258	2025/3/13 8:45:00	4.6℃	正常	
3563	7-4 (2-1药)	冰箱	242310258	2025/3/13 8:50:00	3.9℃	正常	
3564	7-4 (2-1药)	冰箱	242310258	2025/3/13 8:55:00	4.4℃	正常	
3565	7-4 (2-1药)	冰箱	242310258	2025/3/13 9:00:00	4.2℃	正常	
3566	7-4 (2-1药)	冰箱	242310258	2025/3/13 9:05:00	4.2℃	正常	
3567	7-4 (2-1药)	冰箱	242310258	2025/3/13 9:10:00	4.5℃	正常	
3568	7-4 (2-1药)	冰箱	242310258	2025/3/13 9:15:00	4.0℃	正常	
3569	7-4 (2-1药)	冰箱	242310258	2025/3/13 9:20:00	4.6℃	正常	
3570	7-4 (2-1药)	冰箱	242310258	2025/3/13 9:25:00	3.9℃	正常	
3571	7-4 (2-1药)	冰箱	242310258	2025/3/13 9:30:00	4.5℃	正常	
3572	7-4 (2-1药)	冰箱	242310258	2025/3/13 9:35:00	4.0℃	正常	

3573	7-4 (2-1药)	冰箱	242310258	2025/3/13 9:40:00	4.3℃	正常	
3574	7-4 (2-1药)	冰箱	242310258	2025/3/13 9:45:00	4.4℃	正常	
3575	7-4 (2-1药)	冰箱	242310258	2025/3/13 9:50:00	4.3℃	正常	
3576	7-4 (2-1药)	冰箱	242310258	2025/3/13 9:55:00	4.7℃	正常	
3577	7-4 (2-1药)	冰箱	242310258	2025/3/13 10:00:00	4.0℃	正常	
3578	7-4 (2-1药)	冰箱	242310258	2025/3/13 10:05:00	4.7℃	正常	
3579	7-4 (2-1药)	冰箱	242310258	2025/3/13 10:10:00	4.0℃	正常	
3580	7-4 (2-1药)	冰箱	242310258	2025/3/13 10:15:00	4.5℃	正常	
3581	7-4 (2-1药)	冰箱	242310258	2025/3/13 10:20:00	4.4℃	正常	
3582	7-4 (2-1药)	冰箱	242310258	2025/3/13 10:25:00	4.2℃	正常	
3583	7-4 (2-1药)	冰箱	242310258	2025/3/13 10:30:00	4.6℃	正常	
3584	7-4 (2-1药)	冰箱	242310258	2025/3/13 10:35:00	4.0℃	正常	
3585	7-4 (2-1药)	冰箱	242310258	2025/3/13 10:40:00	4.7℃	正常	
3586	7-4 (2-1药)	冰箱	242310258	2025/3/13 10:45:00	4.0℃	正常	
3587	7-4 (2-1药)	冰箱	242310258	2025/3/13 10:50:00	4.8℃	正常	
3588	7-4 (2-1药)	冰箱	242310258	2025/3/13 10:55:00	4.0℃	正常	
3589	7-4 (2-1药)	冰箱	242310258	2025/3/13 11:00:00	4.6℃	正常	
3590	7-4 (2-1药)	冰箱	242310258	2025/3/13 11:05:00	4.2℃	正常	
3591	7-4 (2-1药)	冰箱	242310258	2025/3/13 11:10:00	4.3℃	正常	
3592	7-4 (2-1药)	冰箱	242310258	2025/3/13 11:15:00	4.5℃	正常	
3593	7-4 (2-1药)	冰箱	242310258	2025/3/13 11:20:00	4.1℃	正常	
3594	7-4 (2-1药)	冰箱	242310258	2025/3/13 11:25:00	4.6℃	正常	
3595	7-4 (2-1药)	冰箱	242310258	2025/3/13 11:30:00	4.0℃	正常	
3596	7-4 (2-1药)	冰箱	242310258	2025/3/13 11:35:00	4.6℃	正常	
3597	7-4 (2-1药)	冰箱	242310258	2025/3/13 11:40:00	4.1℃	正常	
3598	7-4 (2-1药)	冰箱	242310258	2025/3/13 11:45:00	4.5℃	正常	
3599	7-4 (2-1药)	冰箱	242310258	2025/3/13 11:50:00	4.3℃	正常	
3600	7-4 (2-1药)	冰箱	242310258	2025/3/13 11:55:00	4.2℃	正常	
3601	7-4 (2-1药)	冰箱	242310258	2025/3/13 12:00:00	4.6℃	正常	
3602	7-4 (2-1药)	冰箱	242310258	2025/3/13 12:05:00	4.0℃	正常	
3603	7-4 (2-1药)	冰箱	242310258	2025/3/13 12:10:00	4.6℃	正常	
3604	7-4 (2-1药)	冰箱	242310258	2025/3/13 12:15:00	4.0℃	正常	
3605	7-4 (2-1药)	冰箱	242310258	2025/3/13 12:20:00	4.5℃	正常	
3606	7-4 (2-1药)	冰箱	242310258	2025/3/13 12:25:00	4.2℃	正常	
3607	7-4 (2-1药)	冰箱	242310258	2025/3/13 12:30:00	4.4℃	正常	
3608	7-4 (2-1药)	冰箱	242310258	2025/3/13 12:35:00	4.5℃	正常	
3609	7-4 (2-1药)	冰箱	242310258	2025/3/13 12:40:00	4.1℃	正常	
3610	7-4 (2-1药)	冰箱	242310258	2025/3/13 12:45:00	4.7℃	正常	
3611	7-4 (2-1药)	冰箱	242310258	2025/3/13 12:50:00	4.0℃	正常	
3612	7-4 (2-1药)	冰箱	242310258	2025/3/13 12:55:00	4.6℃	正常	
3613	7-4 (2-1药)	冰箱	242310258	2025/3/13 13:00:00	4.1℃	正常	
3614	7-4 (2-1药)	冰箱	242310258	2025/3/13 13:05:00	4.4℃	正常	
3615	7-4 (2-1药)	冰箱	242310258	2025/3/13 13:10:00	4.5℃	正常	
3616	7-4 (2-1药)	冰箱	242310258	2025/3/13 13:15:00	4.2℃	正常	
3617	7-4 (2-1药)	冰箱	242310258	2025/3/13 13:20:00	4.6℃	正常	
3618	7-4 (2-1药)	冰箱	242310258	2025/3/13 13:25:00	3.9℃	正常	
3619	7-4 (2-1药)	冰箱	242310258	2025/3/13 13:30:00	4.6℃	正常	
3620	7-4 (2-1药)	冰箱	242310258	2025/3/13 13:35:00	4.2℃	正常	
3621	7-4 (2-1药)	冰箱	242310258	2025/3/13 13:40:00	4.4℃	正常	
3622	7-4 (2-1药)	冰箱	242310258	2025/3/13 13:45:00	4.5℃	正常	
3623	7-4 (2-1药)	冰箱	242310258	2025/3/13 13:50:00	4.7℃	正常	
3624	7-4 (2-1药)	冰箱	242310258	2025/3/13 13:55:00	4.3℃	正常	
3625	7-4 (2-1药)	冰箱	242310258	2025/3/13 14:00:00	4.4℃	正常	
3626	7-4 (2-1药)	冰箱	242310258	2025/3/13 14:05:00	4.5℃	正常	
3627	7-4 (2-1药)	冰箱	242310258	2025/3/13 14:10:00	4.1℃	正常	
3628	7-4 (2-1药)	冰箱	242310258	2025/3/13 14:15:00	4.6℃	正常	
3629	7-4 (2-1药)	冰箱	242310258	2025/3/13 14:20:00	3.9℃	正常	
3630	7-4 (2-1药)	冰箱	242310258	2025/3/13 14:25:00	4.6℃	正常	
3631	7-4 (2-1药)	冰箱	242310258	2025/3/13 14:30:00	4.1℃	正常	
3632	7-4 (2-1药)	冰箱	242310258	2025/3/13 14:35:00	4.4℃	正常	
3633	7-4 (2-1药)	冰箱	242310258	2025/3/13 14:40:00	4.5℃	正常	
3634	7-4 (2-1药)	冰箱	242310258	2025/3/13 14:45:00	4.1℃	正常	
3635	7-4 (2-1药)	冰箱	242310258	2025/3/13 14:50:00	4.6℃	正常	
3636	7-4 (2-1药)	冰箱	242310258	2025/3/13 14:55:00	4.0℃	正常	

3637	7-4 (2-1药)	冰箱	242310258	2025/3/13 15:00:00	4.6℃	正常	
3638	7-4 (2-1药)	冰箱	242310258	2025/3/13 15:05:00	4.1℃	正常	
3639	7-4 (2-1药)	冰箱	242310258	2025/3/13 15:10:00	4.4℃	正常	
3640	7-4 (2-1药)	冰箱	242310258	2025/3/13 15:15:00	4.5℃	正常	
3641	7-4 (2-1药)	冰箱	242310258	2025/3/13 15:20:00	4.1℃	正常	
3642	7-4 (2-1药)	冰箱	242310258	2025/3/13 15:25:00	4.7℃	正常	
3643	7-4 (2-1药)	冰箱	242310258	2025/3/13 15:30:00	4.0℃	正常	
3644	7-4 (2-1药)	冰箱	242310258	2025/3/13 15:35:00	4.6℃	正常	
3645	7-4 (2-1药)	冰箱	242310258	2025/3/13 15:40:00	4.1℃	正常	
3646	7-4 (2-1药)	冰箱	242310258	2025/3/13 15:45:00	4.4℃	正常	
3647	7-4 (2-1药)	冰箱	242310258	2025/3/13 15:50:00	4.4℃	正常	
3648	7-4 (2-1药)	冰箱	242310258	2025/3/13 15:55:00	4.2℃	正常	
3649	7-4 (2-1药)	冰箱	242310258	2025/3/13 16:00:00	4.6℃	正常	
3650	7-4 (2-1药)	冰箱	242310258	2025/3/13 16:05:00	4.0℃	正常	
3651	7-4 (2-1药)	冰箱	242310258	2025/3/13 16:10:00	4.6℃	正常	
3652	7-4 (2-1药)	冰箱	242310258	2025/3/13 16:15:00	4.1℃	正常	
3653	7-4 (2-1药)	冰箱	242310258	2025/3/13 16:20:00	4.4℃	正常	
3654	7-4 (2-1药)	冰箱	242310258	2025/3/13 16:25:00	4.4℃	正常	
3655	7-4 (2-1药)	冰箱	242310258	2025/3/13 16:30:00	4.2℃	正常	
3656	7-4 (2-1药)	冰箱	242310258	2025/3/13 16:35:00	4.6℃	正常	
3657	7-4 (2-1药)	冰箱	242310258	2025/3/13 16:40:00	4.0℃	正常	
3658	7-4 (2-1药)	冰箱	242310258	2025/3/13 16:45:00	4.6℃	正常	
3659	7-4 (2-1药)	冰箱	242310258	2025/3/13 16:50:00	4.0℃	正常	
3660	7-4 (2-1药)	冰箱	242310258	2025/3/13 16:55:00	4.5℃	正常	
3661	7-4 (2-1药)	冰箱	242310258	2025/3/13 17:00:00	4.2℃	正常	
3662	7-4 (2-1药)	冰箱	242310258	2025/3/13 17:05:00	4.2℃	正常	
3663	7-4 (2-1药)	冰箱	242310258	2025/3/13 17:10:00	4.6℃	正常	
3664	7-4 (2-1药)	冰箱	242310258	2025/3/13 17:15:00	4.0℃	正常	
3665	7-4 (2-1药)	冰箱	242310258	2025/3/13 17:20:00	4.6℃	正常	
3666	7-4 (2-1药)	冰箱	242310258	2025/3/13 17:25:00	4.0℃	正常	
3667	7-4 (2-1药)	冰箱	242310258	2025/3/13 17:30:00	4.5℃	正常	
3668	7-4 (2-1药)	冰箱	242310258	2025/3/13 17:35:00	4.3℃	正常	
3669	7-4 (2-1药)	冰箱	242310258	2025/3/13 17:40:00	4.3℃	正常	
3670	7-4 (2-1药)	冰箱	242310258	2025/3/13 17:45:00	4.5℃	正常	
3671	7-4 (2-1药)	冰箱	242310258	2025/3/13 17:50:00	4.0℃	正常	
3672	7-4 (2-1药)	冰箱	242310258	2025/3/13 17:55:00	4.7℃	正常	
3673	7-4 (2-1药)	冰箱	242310258	2025/3/13 18:00:00	4.0℃	正常	
3674	7-4 (2-1药)	冰箱	242310258	2025/3/13 18:05:00	4.5℃	正常	
3675	7-4 (2-1药)	冰箱	242310258	2025/3/13 18:10:00	4.2℃	正常	
3676	7-4 (2-1药)	冰箱	242310258	2025/3/13 18:15:00	4.4℃	正常	
3677	7-4 (2-1药)	冰箱	242310258	2025/3/13 18:20:00	4.5℃	正常	
3678	7-4 (2-1药)	冰箱	242310258	2025/3/13 18:25:00	4.0℃	正常	
3679	7-4 (2-1药)	冰箱	242310258	2025/3/13 18:30:00	4.6℃	正常	
3680	7-4 (2-1药)	冰箱	242310258	2025/3/13 18:35:00	4.0℃	正常	
3681	7-4 (2-1药)	冰箱	242310258	2025/3/13 18:40:00	4.6℃	正常	
3682	7-4 (2-1药)	冰箱	242310258	2025/3/13 18:45:00	4.1℃	正常	
3683	7-4 (2-1药)	冰箱	242310258	2025/3/13 18:50:00	4.4℃	正常	
3684	7-4 (2-1药)	冰箱	242310258	2025/3/13 18:55:00	4.5℃	正常	
3685	7-4 (2-1药)	冰箱	242310258	2025/3/13 19:00:00	4.2℃	正常	
3686	7-4 (2-1药)	冰箱	242310258	2025/3/13 19:05:00	4.6℃	正常	
3687	7-4 (2-1药)	冰箱	242310258	2025/3/13 19:10:00	4.0℃	正常	
3688	7-4 (2-1药)	冰箱	242310258	2025/3/13 19:15:00	4.6℃	正常	
3689	7-4 (2-1药)	冰箱	242310258	2025/3/13 19:20:00	4.1℃	正常	
3690	7-4 (2-1药)	冰箱	242310258	2025/3/13 19:25:00	4.4℃	正常	
3691	7-4 (2-1药)	冰箱	242310258	2025/3/13 19:30:00	4.4℃	正常	
3692	7-4 (2-1药)	冰箱	242310258	2025/3/13 19:35:00	4.1℃	正常	
3693	7-4 (2-1药)	冰箱	242310258	2025/3/13 19:40:00	4.6℃	正常	
3694	7-4 (2-1药)	冰箱	242310258	2025/3/13 19:45:00	3.9℃	正常	
3695	7-4 (2-1药)	冰箱	242310258	2025/3/13 19:50:00	4.5℃	正常	
3696	7-4 (2-1药)	冰箱	242310258	2025/3/13 19:55:00	4.2℃	正常	
3697	7-4 (2-1药)	冰箱	242310258	2025/3/13 20:00:00	4.3℃	正常	
3698	7-4 (2-1药)	冰箱	242310258	2025/3/13 20:05:00	4.6℃	正常	
3699	7-4 (2-1药)	冰箱	242310258	2025/3/13 20:10:00	4.1℃	正常	
3700	7-4 (2-1药)	冰箱	242310258	2025/3/13 20:15:00	4.6℃	正常	

3701	7-4 (2-1药)	冰箱	242310258	2025/3/13 20:20:00	3.9℃	正常	
3702	7-4 (2-1药)	冰箱	242310258	2025/3/13 20:25:00	4.6℃	正常	
3703	7-4 (2-1药)	冰箱	242310258	2025/3/13 20:30:00	4.2℃	正常	
3704	7-4 (2-1药)	冰箱	242310258	2025/3/13 20:35:00	4.3℃	正常	
3705	7-4 (2-1药)	冰箱	242310258	2025/3/13 20:40:00	4.4℃	正常	
3706	7-4 (2-1药)	冰箱	242310258	2025/3/13 20:45:00	4.1℃	正常	
3707	7-4 (2-1药)	冰箱	242310258	2025/3/13 20:50:00	4.6℃	正常	
3708	7-4 (2-1药)	冰箱	242310258	2025/3/13 20:55:00	4.0℃	正常	
3709	7-4 (2-1药)	冰箱	242310258	2025/3/13 21:00:00	4.6℃	正常	
3710	7-4 (2-1药)	冰箱	242310258	2025/3/13 21:05:00	4.2℃	正常	
3711	7-4 (2-1药)	冰箱	242310258	2025/3/13 21:10:00	4.3℃	正常	
3712	7-4 (2-1药)	冰箱	242310258	2025/3/13 21:15:00	4.6℃	正常	
3713	7-4 (2-1药)	冰箱	242310258	2025/3/13 21:20:00	4.0℃	正常	
3714	7-4 (2-1药)	冰箱	242310258	2025/3/13 21:25:00	4.6℃	正常	
3715	7-4 (2-1药)	冰箱	242310258	2025/3/13 21:30:00	4.0℃	正常	
3716	7-4 (2-1药)	冰箱	242310258	2025/3/13 21:35:00	4.6℃	正常	
3717	7-4 (2-1药)	冰箱	242310258	2025/3/13 21:40:00	4.1℃	正常	
3718	7-4 (2-1药)	冰箱	242310258	2025/3/13 21:45:00	4.4℃	正常	
3719	7-4 (2-1药)	冰箱	242310258	2025/3/13 21:50:00	4.5℃	正常	
3720	7-4 (2-1药)	冰箱	242310258	2025/3/13 21:55:00	4.1℃	正常	
3721	7-4 (2-1药)	冰箱	242310258	2025/3/13 22:00:00	4.6℃	正常	
3722	7-4 (2-1药)	冰箱	242310258	2025/3/13 22:05:00	4.0℃	正常	
3723	7-4 (2-1药)	冰箱	242310258	2025/3/13 22:10:00	4.6℃	正常	
3724	7-4 (2-1药)	冰箱	242310258	2025/3/13 22:15:00	4.2℃	正常	
3725	7-4 (2-1药)	冰箱	242310258	2025/3/13 22:20:00	4.3℃	正常	
3726	7-4 (2-1药)	冰箱	242310258	2025/3/13 22:25:00	4.6℃	正常	
3727	7-4 (2-1药)	冰箱	242310258	2025/3/13 22:30:00	4.0℃	正常	
3728	7-4 (2-1药)	冰箱	242310258	2025/3/13 22:35:00	4.7℃	正常	
3729	7-4 (2-1药)	冰箱	242310258	2025/3/13 22:40:00	3.9℃	正常	
3730	7-4 (2-1药)	冰箱	242310258	2025/3/13 22:45:00	4.6℃	正常	
3731	7-4 (2-1药)	冰箱	242310258	2025/3/13 22:50:00	4.1℃	正常	
3732	7-4 (2-1药)	冰箱	242310258	2025/3/13 22:55:00	4.3℃	正常	
3733	7-4 (2-1药)	冰箱	242310258	2025/3/13 23:00:00	4.5℃	正常	
3734	7-4 (2-1药)	冰箱	242310258	2025/3/13 23:05:00	4.1℃	正常	
3735	7-4 (2-1药)	冰箱	242310258	2025/3/13 23:10:00	4.7℃	正常	
3736	7-4 (2-1药)	冰箱	242310258	2025/3/13 23:15:00	4.0℃	正常	
3737	7-4 (2-1药)	冰箱	242310258	2025/3/13 23:20:00	4.5℃	正常	
3738	7-4 (2-1药)	冰箱	242310258	2025/3/13 23:25:00	4.3℃	正常	
3739	7-4 (2-1药)	冰箱	242310258	2025/3/13 23:30:00	4.3℃	正常	
3740	7-4 (2-1药)	冰箱	242310258	2025/3/13 23:35:00	4.6℃	正常	
3741	7-4 (2-1药)	冰箱	242310258	2025/3/13 23:40:00	4.0℃	正常	
3742	7-4 (2-1药)	冰箱	242310258	2025/3/13 23:45:00	4.6℃	正常	
3743	7-4 (2-1药)	冰箱	242310258	2025/3/13 23:50:00	4.0℃	正常	
3744	7-4 (2-1药)	冰箱	242310258	2025/3/13 23:55:00	4.5℃	正常	
3745	7-4 (2-1药)	冰箱	242310258	2025/3/14 0:00:00	4.3℃	正常	
3746	7-4 (2-1药)	冰箱	242310258	2025/3/14 0:05:00	4.2℃	正常	
3747	7-4 (2-1药)	冰箱	242310258	2025/3/14 0:10:00	4.6℃	正常	
3748	7-4 (2-1药)	冰箱	242310258	2025/3/14 0:15:00	4.0℃	正常	
3749	7-4 (2-1药)	冰箱	242310258	2025/3/14 0:20:00	4.6℃	正常	
3750	7-4 (2-1药)	冰箱	242310258	2025/3/14 0:25:00	4.0℃	正常	
3751	7-4 (2-1药)	冰箱	242310258	2025/3/14 0:30:00	4.5℃	正常	
3752	7-4 (2-1药)	冰箱	242310258	2025/3/14 0:35:00	4.3℃	正常	
3753	7-4 (2-1药)	冰箱	242310258	2025/3/14 0:40:00	4.2℃	正常	
3754	7-4 (2-1药)	冰箱	242310258	2025/3/14 0:45:00	4.6℃	正常	
3755	7-4 (2-1药)	冰箱	242310258	2025/3/14 0:50:00	4.7℃	正常	
3756	7-4 (2-1药)	冰箱	242310258	2025/3/14 0:55:00	4.4℃	正常	
3757	7-4 (2-1药)	冰箱	242310258	2025/3/14 1:00:00	4.3℃	正常	
3758	7-4 (2-1药)	冰箱	242310258	2025/3/14 1:05:00	4.6℃	正常	
3759	7-4 (2-1药)	冰箱	242310258	2025/3/14 1:10:00	3.9℃	正常	
3760	7-4 (2-1药)	冰箱	242310258	2025/3/14 1:15:00	4.6℃	正常	
3761	7-4 (2-1药)	冰箱	242310258	2025/3/14 1:20:00	4.0℃	正常	
3762	7-4 (2-1药)	冰箱	242310258	2025/3/14 1:25:00	4.4℃	正常	
3763	7-4 (2-1药)	冰箱	242310258	2025/3/14 1:30:00	4.3℃	正常	
3764	7-4 (2-1药)	冰箱	242310258	2025/3/14 1:35:00	4.2℃	正常	

3765	7-4 (2-1药)	冰箱	242310258	2025/3/14 1:40:00	4.6℃	正常	
3766	7-4 (2-1药)	冰箱	242310258	2025/3/14 1:45:00	4.0℃	正常	
3767	7-4 (2-1药)	冰箱	242310258	2025/3/14 1:50:00	4.6℃	正常	
3768	7-4 (2-1药)	冰箱	242310258	2025/3/14 1:55:00	4.0℃	正常	
3769	7-4 (2-1药)	冰箱	242310258	2025/3/14 2:00:00	4.5℃	正常	
3770	7-4 (2-1药)	冰箱	242310258	2025/3/14 2:05:00	4.3℃	正常	
3771	7-4 (2-1药)	冰箱	242310258	2025/3/14 2:10:00	4.2℃	正常	
3772	7-4 (2-1药)	冰箱	242310258	2025/3/14 2:15:00	4.6℃	正常	
3773	7-4 (2-1药)	冰箱	242310258	2025/3/14 2:20:00	4.0℃	正常	
3774	7-4 (2-1药)	冰箱	242310258	2025/3/14 2:25:00	4.6℃	正常	
3775	7-4 (2-1药)	冰箱	242310258	2025/3/14 2:30:00	4.0℃	正常	
3776	7-4 (2-1药)	冰箱	242310258	2025/3/14 2:35:00	4.4℃	正常	
3777	7-4 (2-1药)	冰箱	242310258	2025/3/14 2:40:00	4.4℃	正常	
3778	7-4 (2-1药)	冰箱	242310258	2025/3/14 2:45:00	4.2℃	正常	
3779	7-4 (2-1药)	冰箱	242310258	2025/3/14 2:50:00	4.6℃	正常	
3780	7-4 (2-1药)	冰箱	242310258	2025/3/14 2:55:00	4.0℃	正常	
3781	7-4 (2-1药)	冰箱	242310258	2025/3/14 3:00:00	4.6℃	正常	
3782	7-4 (2-1药)	冰箱	242310258	2025/3/14 3:05:00	4.0℃	正常	
3783	7-4 (2-1药)	冰箱	242310258	2025/3/14 3:10:00	4.4℃	正常	
3784	7-4 (2-1药)	冰箱	242310258	2025/3/14 3:15:00	4.4℃	正常	
3785	7-4 (2-1药)	冰箱	242310258	2025/3/14 3:20:00	4.1℃	正常	
3786	7-4 (2-1药)	冰箱	242310258	2025/3/14 3:25:00	4.6℃	正常	
3787	7-4 (2-1药)	冰箱	242310258	2025/3/14 3:30:00	4.0℃	正常	
3788	7-4 (2-1药)	冰箱	242310258	2025/3/14 3:35:00	4.6℃	正常	
3789	7-4 (2-1药)	冰箱	242310258	2025/3/14 3:40:00	4.1℃	正常	
3790	7-4 (2-1药)	冰箱	242310258	2025/3/14 3:45:00	4.3℃	正常	
3791	7-4 (2-1药)	冰箱	242310258	2025/3/14 3:50:00	4.4℃	正常	
3792	7-4 (2-1药)	冰箱	242310258	2025/3/14 3:55:00	4.1℃	正常	
3793	7-4 (2-1药)	冰箱	242310258	2025/3/14 4:00:00	4.6℃	正常	
3794	7-4 (2-1药)	冰箱	242310258	2025/3/14 4:05:00	3.9℃	正常	
3795	7-4 (2-1药)	冰箱	242310258	2025/3/14 4:10:00	4.5℃	正常	
3796	7-4 (2-1药)	冰箱	242310258	2025/3/14 4:15:00	4.1℃	正常	
3797	7-4 (2-1药)	冰箱	242310258	2025/3/14 4:20:00	4.4℃	正常	
3798	7-4 (2-1药)	冰箱	242310258	2025/3/14 4:25:00	4.4℃	正常	
3799	7-4 (2-1药)	冰箱	242310258	2025/3/14 4:30:00	4.1℃	正常	
3800	7-4 (2-1药)	冰箱	242310258	2025/3/14 4:35:00	4.6℃	正常	
3801	7-4 (2-1药)	冰箱	242310258	2025/3/14 4:40:00	3.9℃	正常	
3802	7-4 (2-1药)	冰箱	242310258	2025/3/14 4:45:00	4.6℃	正常	
3803	7-4 (2-1药)	冰箱	242310258	2025/3/14 4:50:00	4.0℃	正常	
3804	7-4 (2-1药)	冰箱	242310258	2025/3/14 4:55:00	4.5℃	正常	
3805	7-4 (2-1药)	冰箱	242310258	2025/3/14 5:00:00	4.4℃	正常	
3806	7-4 (2-1药)	冰箱	242310258	2025/3/14 5:05:00	4.2℃	正常	
3807	7-4 (2-1药)	冰箱	242310258	2025/3/14 5:10:00	4.6℃	正常	
3808	7-4 (2-1药)	冰箱	242310258	2025/3/14 5:15:00	4.0℃	正常	
3809	7-4 (2-1药)	冰箱	242310258	2025/3/14 5:20:00	4.6℃	正常	
3810	7-4 (2-1药)	冰箱	242310258	2025/3/14 5:25:00	4.0℃	正常	
3811	7-4 (2-1药)	冰箱	242310258	2025/3/14 5:30:00	4.5℃	正常	
3812	7-4 (2-1药)	冰箱	242310258	2025/3/14 5:35:00	4.3℃	正常	
3813	7-4 (2-1药)	冰箱	242310258	2025/3/14 5:40:00	4.3℃	正常	
3814	7-4 (2-1药)	冰箱	242310258	2025/3/14 5:45:00	4.6℃	正常	
3815	7-4 (2-1药)	冰箱	242310258	2025/3/14 5:50:00	4.0℃	正常	
3816	7-4 (2-1药)	冰箱	242310258	2025/3/14 5:55:00	4.6℃	正常	
3817	7-4 (2-1药)	冰箱	242310258	2025/3/14 6:00:00	4.0℃	正常	
3818	7-4 (2-1药)	冰箱	242310258	2025/3/14 6:05:00	4.5℃	正常	
3819	7-4 (2-1药)	冰箱	242310258	2025/3/14 6:10:00	4.2℃	正常	
3820	7-4 (2-1药)	冰箱	242310258	2025/3/14 6:15:00	4.3℃	正常	
3821	7-4 (2-1药)	冰箱	242310258	2025/3/14 6:20:00	4.5℃	正常	
3822	7-4 (2-1药)	冰箱	242310258	2025/3/14 6:25:00	4.1℃	正常	
3823	7-4 (2-1药)	冰箱	242310258	2025/3/14 6:30:00	4.6℃	正常	
3824	7-4 (2-1药)	冰箱	242310258	2025/3/14 6:35:00	3.9℃	正常	
3825	7-4 (2-1药)	冰箱	242310258	2025/3/14 6:40:00	4.5℃	正常	
3826	7-4 (2-1药)	冰箱	242310258	2025/3/14 6:45:00	4.2℃	正常	
3827	7-4 (2-1药)	冰箱	242310258	2025/3/14 6:50:00	4.4℃	正常	
3828	7-4 (2-1药)	冰箱	242310258	2025/3/14 6:55:00	4.4℃	正常	

3829	7-4 (2-1药)	冰箱	242310258	2025/3/14 7:00:00	4.1℃	正常	
3830	7-4 (2-1药)	冰箱	242310258	2025/3/14 7:05:00	4.7℃	正常	
3831	7-4 (2-1药)	冰箱	242310258	2025/3/14 7:10:00	4.0℃	正常	
3832	7-4 (2-1药)	冰箱	242310258	2025/3/14 7:15:00	4.5℃	正常	
3833	7-4 (2-1药)	冰箱	242310258	2025/3/14 7:20:00	4.1℃	正常	
3834	7-4 (2-1药)	冰箱	242310258	2025/3/14 7:25:00	4.3℃	正常	
3835	7-4 (2-1药)	冰箱	242310258	2025/3/14 7:30:00	4.5℃	正常	
3836	7-4 (2-1药)	冰箱	242310258	2025/3/14 7:35:00	4.1℃	正常	
3837	7-4 (2-1药)	冰箱	242310258	2025/3/14 7:40:00	4.7℃	正常	
3838	7-4 (2-1药)	冰箱	242310258	2025/3/14 7:45:00	4.0℃	正常	
3839	7-4 (2-1药)	冰箱	242310258	2025/3/14 7:50:00	4.5℃	正常	
3840	7-4 (2-1药)	冰箱	242310258	2025/3/14 7:55:00	4.2℃	正常	
3841	7-4 (2-1药)	冰箱	242310258	2025/3/14 8:00:00	4.3℃	正常	
3842	7-4 (2-1药)	冰箱	242310258	2025/3/14 8:05:00	4.5℃	正常	
3843	7-4 (2-1药)	冰箱	242310258	2025/3/14 8:10:00	4.1℃	正常	
3844	7-4 (2-1药)	冰箱	242310258	2025/3/14 8:15:00	4.7℃	正常	
3845	7-4 (2-1药)	冰箱	242310258	2025/3/14 8:20:00	4.0℃	正常	
3846	7-4 (2-1药)	冰箱	242310258	2025/3/14 8:25:00	4.5℃	正常	
3847	7-4 (2-1药)	冰箱	242310258	2025/3/14 8:30:00	4.2℃	正常	
3848	7-4 (2-1药)	冰箱	242310258	2025/3/14 8:35:00	4.3℃	正常	
3849	7-4 (2-1药)	冰箱	242310258	2025/3/14 8:40:00	4.6℃	正常	
3850	7-4 (2-1药)	冰箱	242310258	2025/3/14 8:45:00	4.0℃	正常	
3851	7-4 (2-1药)	冰箱	242310258	2025/3/14 8:50:00	4.7℃	正常	
3852	7-4 (2-1药)	冰箱	242310258	2025/3/14 8:55:00	4.0℃	正常	
3853	7-4 (2-1药)	冰箱	242310258	2025/3/14 9:00:00	4.5℃	正常	
3854	7-4 (2-1药)	冰箱	242310258	2025/3/14 9:05:00	4.3℃	正常	
3855	7-4 (2-1药)	冰箱	242310258	2025/3/14 9:10:00	4.3℃	正常	
3856	7-4 (2-1药)	冰箱	242310258	2025/3/14 9:15:00	4.6℃	正常	
3857	7-4 (2-1药)	冰箱	242310258	2025/3/14 9:20:00	4.1℃	正常	
3858	7-4 (2-1药)	冰箱	242310258	2025/3/14 9:25:00	4.6℃	正常	
3859	7-4 (2-1药)	冰箱	242310258	2025/3/14 9:30:00	4.0℃	正常	
3860	7-4 (2-1药)	冰箱	242310258	2025/3/14 9:35:00	4.6℃	正常	
3861	7-4 (2-1药)	冰箱	242310258	2025/3/14 9:40:00	4.1℃	正常	
3862	7-4 (2-1药)	冰箱	242310258	2025/3/14 9:45:00	4.4℃	正常	
3863	7-4 (2-1药)	冰箱	242310258	2025/3/14 9:50:00	4.5℃	正常	
3864	7-4 (2-1药)	冰箱	242310258	2025/3/14 9:55:00	4.2℃	正常	
3865	7-4 (2-1药)	冰箱	242310258	2025/3/14 10:00:00	4.7℃	正常	
3866	7-4 (2-1药)	冰箱	242310258	2025/3/14 10:05:00	4.0℃	正常	
3867	7-4 (2-1药)	冰箱	242310258	2025/3/14 10:10:00	4.6℃	正常	
3868	7-4 (2-1药)	冰箱	242310258	2025/3/14 10:15:00	4.2℃	正常	
3869	7-4 (2-1药)	冰箱	242310258	2025/3/14 10:20:00	4.3℃	正常	
3870	7-4 (2-1药)	冰箱	242310258	2025/3/14 10:25:00	4.5℃	正常	
3871	7-4 (2-1药)	冰箱	242310258	2025/3/14 10:30:00	4.1℃	正常	
3872	7-4 (2-1药)	冰箱	242310258	2025/3/14 10:35:00	4.6℃	正常	
3873	7-4 (2-1药)	冰箱	242310258	2025/3/14 10:40:00	3.9℃	正常	
3874	7-4 (2-1药)	冰箱	242310258	2025/3/14 10:45:00	4.6℃	正常	
3875	7-4 (2-1药)	冰箱	242310258	2025/3/14 10:50:00	4.2℃	正常	

3893	7-4 (2-1药)	冰箱	242310258	2025/3/14 12:20:00	4.1℃	正常	
3894	7-4 (2-1药)	冰箱	242310258	2025/3/14 12:25:00	4.4℃	正常	
3895	7-4 (2-1药)	冰箱	242310258	2025/3/14 12:30:00	4.6℃	正常	
3896	7-4 (2-1药)	冰箱	242310258	2025/3/14 12:35:00	4.1℃	正常	
3897	7-4 (2-1药)	冰箱	242310258	2025/3/14 12:40:00	4.7℃	正常	
3898	7-4 (2-1药)	冰箱	242310258	2025/3/14 12:45:00	4.0℃	正常	
3899	7-4 (2-1药)	冰箱	242310258	2025/3/14 12:50:00	4.6℃	正常	
3900	7-4 (2-1药)	冰箱	242310258	2025/3/14 12:55:00	4.1℃	正常	
3901	7-4 (2-1药)	冰箱	242310258	2025/3/14 13:00:00	4.4℃	正常	
3902	7-4 (2-1药)	冰箱	242310258	2025/3/14 13:05:00	4.5℃	正常	
3903	7-4 (2-1药)	冰箱	242310258	2025/3/14 13:10:00	4.1℃	正常	
3904	7-4 (2-1药)	冰箱	242310258	2025/3/14 13:15:00	4.7℃	正常	
3905	7-4 (2-1药)	冰箱	242310258	2025/3/14 13:20:00	4.0℃	正常	
3906	7-4 (2-1药)	冰箱	242310258	2025/3/14 13:25:00	4.6℃	正常	
3907	7-4 (2-1药)	冰箱	242310258	2025/3/14 13:30:00	4.1℃	正常	
3908	7-4 (2-1药)	冰箱	242310258	2025/3/14 13:35:00	4.5℃	正常	
3909	7-4 (2-1药)	冰箱	242310258	2025/3/14 13:40:00	4.4℃	正常	
3910	7-4 (2-1药)	冰箱	242310258	2025/3/14 13:45:00	4.1℃	正常	
3911	7-4 (2-1药)	冰箱	242310258	2025/3/14 13:50:00	4.6℃	正常	
3912	7-4 (2-1药)	冰箱	242310258	2025/3/14 13:55:00	4.0℃	正常	
3913	7-4 (2-1药)	冰箱	242310258	2025/3/14 14:00:00	4.7℃	正常	
3914	7-4 (2-1药)	冰箱	242310258	2025/3/14 14:05:00	4.1℃	正常	
3915	7-4 (2-1药)	冰箱	242310258	2025/3/14 14:10:00	4.5℃	正常	
3916	7-4 (2-1药)	冰箱	242310258	2025/3/14 14:15:00	4.3℃	正常	
3917	7-4 (2-1药)	冰箱	242310258	2025/3/14 14:20:00	4.2℃	正常	
3918	7-4 (2-1药)	冰箱	242310258	2025/3/14 14:25:00	4.7℃	正常	
3919	7-4 (2-1药)	冰箱	242310258	2025/3/14 14:30:00	3.9℃	正常	
3920	7-4 (2-1药)	冰箱	242310258	2025/3/14 14:35:00	4.6℃	正常	
3921	7-4 (2-1药)	冰箱	242310258	2025/3/14 14:40:00	4.0℃	正常	
3922	7-4 (2-1药)	冰箱	242310258	2025/3/14 14:45:00	4.4℃	正常	
3923	7-4 (2-1药)	冰箱	242310258	2025/3/14 14:50:00	4.4℃	正常	
3924	7-4 (2-1药)	冰箱	242310258	2025/3/14 14:55:00	4.2℃	正常	
3925	7-4 (2-1药)	冰箱	242310258	2025/3/14 15:00:00	4.6℃	正常	
3926	7-4 (2-1药)	冰箱	242310258	2025/3/14 15:05:00	4.0℃	正常	
3927	7-4 (2-1药)	冰箱	242310258	2025/3/14 15:10:00	4.7℃	正常	
3928	7-4 (2-1药)	冰箱	242310258	2025/3/14 15:15:00	4.0℃	正常	
3929	7-4 (2-1药)	冰箱	242310258	2025/3/14 15:20:00	4.5℃	正常	
3930	7-4 (2-1药)	冰箱	242310258	2025/3/14 15:25:00	4.3℃	正常	
3931	7-4 (2-1药)	冰箱	242310258	2025/3/14 15:30:00	4.3℃	正常	
3932	7-4 (2-1药)	冰箱	242310258	2025/3/14 15:35:00	4.6℃	正常	
3933	7-4 (2-1药)	冰箱	242310258	2025/3/14 15:40:00	4.1℃	正常	
3934	7-4 (2-1药)	冰箱	242310258	2025/3/14 15:45:00	4.7℃	正常	
3935	7-4 (2-1药)	冰箱	242310258	2025/3/14 15:50:00	4.0℃	正常	
3936	7-4 (2-1药)	冰箱	242310258	2025/3/14 15:55:00	4.5℃	正常	
3937	7-4 (2-1药)	冰箱	242310258	2025/3/14 16:00:00	4.3℃	正常	
3938	7-4 (2-1药)	冰箱	242310258	2025/3/14 16:05:00	4.3℃	正常	
3939	7-4 (2-1药)	冰箱	242310258				

3957	7-4 (2-1药)	冰箱	242310258	2025/3/14 17:40:00	4.6℃	正常	
3958	7-4 (2-1药)	冰箱	242310258	2025/3/14 17:45:00	4.0℃	正常	
3959	7-4 (2-1药)	冰箱	242310258	2025/3/14 17:50:00	4.4℃	正常	
3960	7-4 (2-1药)	冰箱	242310258	2025/3/14 17:55:00	4.4℃	正常	
3961	7-4 (2-1药)	冰箱	242310258	2025/3/14 18:00:00	4.2℃	正常	
3962	7-4 (2-1药)	冰箱	242310258	2025/3/14 18:05:00	4.7℃	正常	
3963	7-4 (2-1药)	冰箱	242310258	2025/3/14 18:10:00	4.0℃	正常	
3964	7-4 (2-1药)	冰箱	242310258	2025/3/14 18:15:00	4.7℃	正常	
3965	7-4 (2-1药)	冰箱	242310258	2025/3/14 18:20:00	4.0℃	正常	
3966	7-4 (2-1药)	冰箱	242310258	2025/3/14 18:25:00	4.5℃	正常	
3967	7-4 (2-1药)	冰箱	242310258	2025/3/14 18:30:00	4.3℃	正常	
3968	7-4 (2-1药)	冰箱	242310258	2025/3/14 18:35:00	4.3℃	正常	
3969	7-4 (2-1药)	冰箱	242310258	2025/3/14 18:40:00	4.6℃	正常	
3970	7-4 (2-1药)	冰箱	242310258	2025/3/14 18:45:00	4.0℃	正常	
3971	7-4 (2-1药)	冰箱	242310258	2025/3/14 18:50:00	4.6℃	正常	
3972	7-4 (2-1药)	冰箱	242310258	2025/3/14 18:55:00	4.0℃	正常	
3973	7-4 (2-1药)	冰箱	242310258	2025/3/14 19:00:00	4.5℃	正常	
3974	7-4 (2-1药)	冰箱	242310258	2025/3/14 19:05:00	4.2℃	正常	
3975	7-4 (2-1药)	冰箱	242310258	2025/3/14 19:10:00	4.3℃	正常	
3976	7-4 (2-1药)	冰箱	242310258	2025/3/14 19:15:00	4.6℃	正常	
3977	7-4 (2-1药)	冰箱	242310258	2025/3/14 19:20:00	4.0℃	正常	
3978	7-4 (2-1药)	冰箱	242310258	2025/3/14 19:25:00	4.7℃	正常	
3979	7-4 (2-1药)	冰箱	242310258	2025/3/14 19:30:00	4.0℃	正常	
3980	7-4 (2-1药)	冰箱	242310258	2025/3/14 19:35:00	4.6℃	正常	
3981	7-4 (2-1药)	冰箱	242310258	2025/3/14 19:40:00	4.2℃	正常	
3982	7-4 (2-1药)	冰箱	242310258	2025/3/14 19:45:00	4.3℃	正常	
3983	7-4 (2-1药)	冰箱	242310258	2025/3/14 19:50:00	4.6℃	正常	
3984	7-4 (2-1药)	冰箱	242310258	2025/3/14 19:55:00	4.1℃	正常	
3985	7-4 (2-1药)	冰箱	242310258	2025/3/14 20:00:00	4.7℃	正常	
3986	7-4 (2-1药)	冰箱	242310258	2025/3/14 20:05:00	3.9℃	正常	
3987	7-4 (2-1药)	冰箱	242310258	2025/3/14 20:10:00	4.6℃	正常	
3988	7-4 (2-1药)	冰箱	242310258	2025/3/14 20:15:00	4.1℃	正常	
3989	7-4 (2-1药)	冰箱	242310258	2025/3/14 20:20:00	4.4℃	正常	
3990	7-4 (2-1药)	冰箱	242310258	2025/3/14 20:25:00	4.5℃	正常	
3991	7-4 (2-1药)	冰箱	242310258	2025/3/14 20:30:00	4.1℃	正常	
3992	7-4 (2-1药)	冰箱	242310258	2025/3/14 20:35:00	4.6℃	正常	
3993	7-4 (2-1药)	冰箱	242310258	2025/3/14 20:40:00	4.0℃	正常	
3994	7-4 (2-1药)	冰箱	242310258	2025/3/14 20:45:00	4.6℃	正常	
3995	7-4 (2-1药)	冰箱	242310258	2025/3/14 20:50:00	4.1℃	正常	
3996	7-4 (2-1药)	冰箱	242310258	2025/3/14 20:55:00	4.5℃	正常	
3997	7-4 (2-1药)	冰箱	242310258	2025/3/14 21:00:00	4.4℃	正常	
3998	7-4 (2-1药)	冰箱	242310258	2025/3/14 21:05:00	4.2℃	正常	
3999	7-4 (2-1药)	冰箱	242310258	2025/3/14 21:10:00	4.6℃	正常	
4000	7-4 (2-1药)	冰箱	242310258	2025/3/14 21:15:00	4.0℃	正常	
4001	7-4 (2-1药)	冰箱	242310258	2025/3/14 21:20:00	4.6℃	正常	
4002	7-4 (2-1药)	冰箱	242310258	2025/3/14 21:25:00	4.0℃	正常	
4003	7-4 (2-1药)	冰箱	242310258				

4021	7-4 (2-1药)	冰箱	242310258	2025/3/14 23:00:00	4.8℃	正常	
4022	7-4 (2-1药)	冰箱	242310258	2025/3/14 23:05:00	4.4℃	正常	
4023	7-4 (2-1药)	冰箱	242310258	2025/3/14 23:10:00	4.4℃	正常	
4024	7-4 (2-1药)	冰箱	242310258	2025/3/14 23:15:00	4.6℃	正常	
4025	7-4 (2-1药)	冰箱	242310258	2025/3/14 23:20:00	4.2℃	正常	
4026	7-4 (2-1药)	冰箱	242310258	2025/3/14 23:25:00	4.7℃	正常	
4027	7-4 (2-1药)	冰箱	242310258	2025/3/14 23:30:00	4.0℃	正常	
4028	7-4 (2-1药)	冰箱	242310258	2025/3/14 23:35:00	4.6℃	正常	
4029	7-4 (2-1药)	冰箱	242310258	2025/3/14 23:40:00	4.1℃	正常	
4030	7-4 (2-1药)	冰箱	242310258	2025/3/14 23:45:00	4.4℃	正常	
4031	7-4 (2-1药)	冰箱	242310258	2025/3/14 23:50:00	4.5℃	正常	
4032	7-4 (2-1药)	冰箱	242310258	2025/3/14 23:55:00	4.2℃	正常	
4033	7-4 (2-1药)	冰箱	242310258	2025/3/15 0:00:00	4.7℃	正常	
4034	7-4 (2-1药)	冰箱	242310258	2025/3/15 0:05:00	4.0℃	正常	
4035	7-4 (2-1药)	冰箱	242310258	2025/3/15 0:10:00	4.7℃	正常	
4036	7-4 (2-1药)	冰箱	242310258	2025/3/15 0:15:00	4.0℃	正常	
4037	7-4 (2-1药)	冰箱	242310258	2025/3/15 0:20:00	4.5℃	正常	
4038	7-4 (2-1药)	冰箱	242310258	2025/3/15 0:25:00	4.4℃	正常	
4039	7-4 (2-1药)	冰箱	242310258	2025/3/15 0:30:00	4.2℃	正常	
4040	7-4 (2-1药)	冰箱	242310258	2025/3/15 0:35:00	4.6℃	正常	
4041	7-4 (2-1药)	冰箱	242310258	2025/3/15 0:40:00	4.0℃	正常	
4042	7-4 (2-1药)	冰箱	242310258	2025/3/15 0:45:00	4.7℃	正常	
4043	7-4 (2-1药)	冰箱	242310258	2025/3/15 0:50:00	4.0℃	正常	
4044	7-4 (2-1药)	冰箱	242310258	2025/3/15 0:55:00	4.5℃	正常	
4045	7-4 (2-1药)	冰箱	242310258	2025/3/15 1:00:00	4.3℃	正常	
4046	7-4 (2-1药)	冰箱	242310258	2025/3/15 1:05:00	4.3℃	正常	
4047	7-4 (2-1药)	冰箱	242310258	2025/3/15 1:10:00	4.5℃	正常	
4048	7-4 (2-1药)	冰箱	242310258	2025/3/15 1:15:00	4.1℃	正常	
4049	7-4 (2-1药)	冰箱	242310258	2025/3/15 1:20:00	4.6℃	正常	
4050	7-4 (2-1药)	冰箱	242310258	2025/3/15 1:25:00	3.9℃	正常	
4051	7-4 (2-1药)	冰箱	242310258	2025/3/15 1:30:00	4.6℃	正常	
4052	7-4 (2-1药)	冰箱	242310258	2025/3/15 1:35:00	4.1℃	正常	
4053	7-4 (2-1药)	冰箱	242310258	2025/3/15 1:40:00	4.4℃	正常	
4054	7-4 (2-1药)	冰箱	242310258	2025/3/15 1:45:00	4.5℃	正常	
4055	7-4 (2-1药)	冰箱	242310258	2025/3/15 1:50:00	4.0℃	正常	
4056	7-4 (2-1药)	冰箱	242310258	2025/3/15 1:55:00	4.7℃	正常	
4057	7-4 (2-1药)	冰箱	242310258	2025/3/15 2:00:00	4.0℃	正常	
4058	7-4 (2-1药)	冰箱	242310258	2025/3/15 2:05:00	4.5℃	正常	
4059	7-4 (2-1药)	冰箱	242310258	2025/3/15 2:10:00	4.2℃	正常	
4060	7-4 (2-1药)	冰箱	242310258	2025/3/15 2:15:00	4.4℃	正常	
4061	7-4 (2-1药)	冰箱	242310258	2025/3/15 2:20:00	4.5℃	正常	
4062	7-4 (2-1药)	冰箱	242310258	2025/3/15 2:25:00	4.1℃	正常	
4063	7-4 (2-1药)	冰箱	242310258	2025/3/15 2:30:00	4.7℃	正常	
4064	7-4 (2-1药)	冰箱	242310258	2025/3/15 2:35:00	3.9℃	正常	
4065	7-4 (2-1药)	冰箱	242310258	2025/3/15 2:40:00	4.6℃	正常	
4066	7-4 (2-1药)	冰箱	242310258	2025/3/15 2:45:00	4.1℃	正常	
4067	7-4 (2-1药)	冰箱	242310258	2025/3/15 2:50:00	4.4℃	正常	

4085	7-4 (2-1药)	冰箱	242310258	2025/3/15 4:20:00	4.0℃	正常	
4086	7-4 (2-1药)	冰箱	242310258	2025/3/15 4:25:00	4.6℃	正常	
4087	7-4 (2-1药)	冰箱	242310258	2025/3/15 4:30:00	4.0℃	正常	
4088	7-4 (2-1药)	冰箱	242310258	2025/3/15 4:35:00	4.5℃	正常	
4089	7-4 (2-1药)	冰箱	242310258	2025/3/15 4:40:00	4.4℃	正常	
4090	7-4 (2-1药)	冰箱	242310258	2025/3/15 4:45:00	4.2℃	正常	
4091	7-4 (2-1药)	冰箱	242310258	2025/3/15 4:50:00	4.7℃	正常	
4092	7-4 (2-1药)	冰箱	242310258	2025/3/15 4:55:00	4.0℃	正常	
4093	7-4 (2-1药)	冰箱	242310258	2025/3/15 5:00:00	4.7℃	正常	
4094	7-4 (2-1药)	冰箱	242310258	2025/3/15 5:05:00	4.0℃	正常	
4095	7-4 (2-1药)	冰箱	242310258	2025/3/15 5:10:00	4.5℃	正常	
4096	7-4 (2-1药)	冰箱	242310258	2025/3/15 5:15:00	4.3℃	正常	
4097	7-4 (2-1药)	冰箱	242310258	2025/3/15 5:20:00	4.2℃	正常	
4098	7-4 (2-1药)	冰箱	242310258	2025/3/15 5:25:00	4.6℃	正常	
4099	7-4 (2-1药)	冰箱	242310258	2025/3/15 5:30:00	4.0℃	正常	
4100	7-4 (2-1药)	冰箱	242310258	2025/3/15 5:35:00	4.7℃	正常	
4101	7-4 (2-1药)	冰箱	242310258	2025/3/15 5:40:00	4.0℃	正常	
4102	7-4 (2-1药)	冰箱	242310258	2025/3/15 5:45:00	4.5℃	正常	
4103	7-4 (2-1药)	冰箱	242310258	2025/3/15 5:50:00	4.3℃	正常	
4104	7-4 (2-1药)	冰箱	242310258	2025/3/15 5:55:00	4.2℃	正常	
4105	7-4 (2-1药)	冰箱	242310258	2025/3/15 6:00:00	4.6℃	正常	
4106	7-4 (2-1药)	冰箱	242310258	2025/3/15 6:05:00	4.0℃	正常	
4107	7-4 (2-1药)	冰箱	242310258	2025/3/15 6:10:00	4.6℃	正常	
4108	7-4 (2-1药)	冰箱	242310258	2025/3/15 6:15:00	4.0℃	正常	
4109	7-4 (2-1药)	冰箱	242310258	2025/3/15 6:20:00	4.6℃	正常	
4110	7-4 (2-1药)	冰箱	242310258	2025/3/15 6:25:00	4.2℃	正常	
4111	7-4 (2-1药)	冰箱	242310258	2025/3/15 6:30:00	4.3℃	正常	
4112	7-4 (2-1药)	冰箱	242310258	2025/3/15 6:35:00	4.6℃	正常	
4113	7-4 (2-1药)	冰箱	242310258	2025/3/15 6:40:00	4.0℃	正常	
4114	7-4 (2-1药)	冰箱	242310258	2025/3/15 6:45:00	4.6℃	正常	
4115	7-4 (2-1药)	冰箱	242310258	2025/3/15 6:50:00	3.9℃	正常	
4116	7-4 (2-1药)	冰箱	242310258	2025/3/15 6:55:00	4.5℃	正常	
4117	7-4 (2-1药)	冰箱	242310258	2025/3/15 7:00:00	4.2℃	正常	
4118	7-4 (2-1药)	冰箱	242310258	2025/3/15 7:05:00	4.3℃	正常	
4119	7-4 (2-1药)	冰箱	242310258	2025/3/15 7:10:00	4.6℃	正常	
4120	7-4 (2-1药)	冰箱	242310258	2025/3/15 7:15:00	4.0℃	正常	
4121	7-4 (2-1药)	冰箱	242310258	2025/3/15 7:20:00	4.7℃	正常	
4122	7-4 (2-1药)	冰箱	242310258	2025/3/15 7:25:00	4.0℃	正常	
4123	7-4 (2-1药)	冰箱	242310258	2025/3/15 7:30:00	4.6℃	正常	
4124	7-4 (2-1药)	冰箱	242310258	2025/3/15 7:35:00	4.2℃	正常	
4125	7-4 (2-1药)	冰箱	242310258	2025/3/15 7:40:00	4.3℃	正常	
4126	7-4 (2-1药)	冰箱	242310258	2025/3/15 7:45:00	4.6℃	正常	
4127	7-4 (2-1药)	冰箱	242310258	2025/3/15 7:50:00	4.1℃	正常	
4128	7-4 (2-1药)	冰箱	242310258	2025/3/15 7:55:00	4.6℃	正常	
4129	7-4 (2-1药)	冰箱	242310258	2025/3/15 8:00:00	4.0℃	正常	
4130	7-4 (2-1药)	冰箱	242310258	2025/3/15 8:05:00	4.6℃	正常	
4131	7-4 (2-1药)	冰箱	242310258	2025/3/15 8:10:00	4.2℃	正常	
4132	7-4 (2-1药)	冰箱	242310258	2025/3/15 8:15:00	4.3℃	正常	
4133	7-4 (2-1药)	冰箱	242310258	2025/3/15 8:20:00	4.6℃	正常	
4134	7-4 (2-1药)	冰箱	242310258	2025/3/15 8:25:00	4.0℃	正常	
4135	7-4 (2-1药)	冰箱	242310258	2025/3/15 8:30:00	4.7℃	正常	
4136	7-4 (2-1药)	冰箱	242310258	2025/3/15 8:35:00	4.0℃	正常	
4137	7-4 (2-1药)	冰箱	242310258	2025/3/15 8:40:00	4.5℃	正常	
4138	7-4 (2-1药)	冰箱	242310258	2025/3/15 8:45:00	4.3℃	正常	
4139	7-4 (2-1药)	冰箱	242310258	2025/3/15 8:50:00	4.3℃	正常	
4140	7-4 (2-1药)	冰箱	242310258	2025/3/15 8:55:00	4.6℃	正常	
4141	7-4 (2-1药)	冰箱	242310258	2025/3/15 9:00:00	4.0℃	正常	
4142	7-4 (2-1药)	冰箱	242310258	2025/3/15 9:05:00	4.7℃	正常	
4143	7-4 (2-1药)	冰箱	242310258	2025/3/15 9:10:00	4.1℃	正常	
4144	7-4 (2-1药)	冰箱	242310258	2025/3/15 9:15:00	4.6℃	正常	
4145	7-4 (2-1药)	冰箱	242310258	2025/3/15 9:20:00	4.2℃	正常	
4146	7-4 (2-1药)	冰箱	242310258	2025/3/15 9:25:00	4.3℃	正常	
4147	7-4 (2-1药)	冰箱	242310258	2025/3/15 9:30:00	4.6℃	正常	
4148	7-4 (2-1药)	冰箱	242310258	2025/3/15 9:35:00	4.1℃	正常	

4149	7-4 (2-1药)	冰箱	242310258	2025/3/15 9:40:00	4.7℃	正常	
4150	7-4 (2-1药)	冰箱	242310258	2025/3/15 9:45:00	4.0℃	正常	
4151	7-4 (2-1药)	冰箱	242310258	2025/3/15 9:50:00	4.6℃	正常	
4152	7-4 (2-1药)	冰箱	242310258	2025/3/15 9:55:00	4.2℃	正常	
4153	7-4 (2-1药)	冰箱	242310258	2025/3/15 10:00:00	4.9℃	正常	
4154	7-4 (2-1药)	冰箱	242310258	2025/3/15 10:05:00	4.1℃	正常	
4155	7-4 (2-1药)	冰箱	242310258	2025/3/15 10:10:00	4.6℃	正常	
4156	7-4 (2-1药)	冰箱	242310258	2025/3/15 10:15:00	4.2℃	正常	
4157	7-4 (2-1药)	冰箱	242310258	2025/3/15 10:20:00	4.4℃	正常	
4158	7-4 (2-1药)	冰箱	242310258	2025/3/15 10:25:00	4.5℃	正常	
4159	7-4 (2-1药)	冰箱	242310258	2025/3/15 10:30:00	4.1℃	正常	
4160	7-4 (2-1药)	冰箱	242310258	2025/3/15 10:35:00	4.7℃	正常	
4161	7-4 (2-1药)	冰箱	242310258	2025/3/15 10:40:00	4.0℃	正常	
4162	7-4 (2-1药)	冰箱	242310258	2025/3/15 10:45:00	4.6℃	正常	
4163	7-4 (2-1药)	冰箱	242310258	2025/3/15 10:50:00	4.2℃	正常	
4164	7-4 (2-1药)	冰箱	242310258	2025/3/15 10:55:00	4.3℃	正常	
4165	7-4 (2-1药)	冰箱	242310258	2025/3/15 11:00:00	4.6℃	正常	
4166	7-4 (2-1药)	冰箱	242310258	2025/3/15 11:05:00	4.1℃	正常	
4167	7-4 (2-1药)	冰箱	242310258	2025/3/15 11:10:00	4.7℃	正常	
4168	7-4 (2-1药)	冰箱	242310258	2025/3/15 11:15:00	4.0℃	正常	
4169	7-4 (2-1药)	冰箱	242310258	2025/3/15 11:20:00	4.5℃	正常	
4170	7-4 (2-1药)	冰箱	242310258	2025/3/15 11:25:00	4.3℃	正常	
4171	7-4 (2-1药)	冰箱	242310258	2025/3/15 11:30:00	4.2℃	正常	
4172	7-4 (2-1药)	冰箱	242310258	2025/3/15 11:35:00	4.6℃	正常	
4173	7-4 (2-1药)	冰箱	242310258	2025/3/15 11:40:00	4.0℃	正常	
4174	7-4 (2-1药)	冰箱	242310258	2025/3/15 11:45:00	4.6℃	正常	
4175	7-4 (2-1药)	冰箱	242310258	2025/3/15 11:50:00	4.1℃	正常	
4176	7-4 (2-1药)	冰箱	242310258	2025/3/15 11:55:00	4.5℃	正常	
4177	7-4 (2-1药)	冰箱	242310258	2025/3/15 12:00:00	4.3℃	正常	
4178	7-4 (2-1药)	冰箱	242310258	2025/3/15 12:05:00	4.2℃	正常	
4179	7-4 (2-1药)	冰箱	242310258	2025/3/15 12:10:00	4.6℃	正常	
4180	7-4 (2-1药)	冰箱	242310258	2025/3/15 12:15:00	4.0℃	正常	
4181	7-4 (2-1药)	冰箱	242310258	2025/3/15 12:20:00	4.6℃	正常	
4182	7-4 (2-1药)	冰箱	242310258	2025/3/15 12:25:00	4.0℃	正常	
4183	7-4 (2-1药)	冰箱	242310258	2025/3/15 12:30:00	4.5℃	正常	
4184	7-4 (2-1药)	冰箱	242310258	2025/3/15 12:35:00	4.4℃	正常	
4185	7-4 (2-1药)	冰箱	242310258	2025/3/15 12:40:00	4.3℃	正常	
4186	7-4 (2-1药)	冰箱	242310258	2025/3/15 12:45:00	4.6℃	正常	
4187	7-4 (2-1药)	冰箱	242310258	2025/3/15 12:50:00	4.0℃	正常	
4188	7-4 (2-1药)	冰箱	242310258	2025/3/15 12:55:00	4.7℃	正常	
4189	7-4 (2-1药)	冰箱	242310258	2025/3/15 13:00:00	4.0℃	正常	
4190	7-4 (2-1药)	冰箱	242310258	2025/3/15 13:05:00	4.5℃	正常	
4191	7-4 (2-1药)	冰箱	242310258	2025/3/15 13:10:00	4.3℃	正常	
4192	7-4 (2-1药)	冰箱	242310258	2025/3/15 13:15:00	4.2℃	正常	
4193	7-4 (2-1药)	冰箱	242310258	2025/3/15 13:20:00	4.7℃	正常	
4194	7-4 (2-1药)	冰箱	242310258	2025/3/15 13:25:00	4.0℃	正常	
4195	7-4 (2-1药)	冰箱	242310258	2025/3/15 13:30:00	4.6℃	正常	
4196	7-4 (2-1药)	冰箱	242310258	2025/3/15 13:35:00	4.1℃	正常	
4197	7-4 (2-1药)	冰箱	242310258	2025/3/15 13:40:00	4.5℃	正常	
4198	7-4 (2-1药)	冰箱	242310258	2025/3/15 13:45:00	4.4℃	正常	
4199	7-4 (2-1药)	冰箱	242310258	2025/3/15 13:50:00	4.2℃	正常	
4200	7-4 (2-1药)	冰箱	242310258	2025/3/15 13:55:00	4.7℃	正常	
4201	7-4 (2-1药)	冰箱	242310258	2025/3/15 14:00:00	4.0℃	正常	
4202	7-4 (2-1药)	冰箱	242310258	2025/3/15 14:05:00	4.7℃	正常	
4203	7-4 (2-1药)	冰箱	242310258	2025/3/15 14:10:00	4.0℃	正常	
4204	7-4 (2-1药)	冰箱	242310258	2025/3/15 14:15:00	4.5℃	正常	
4205	7-4 (2-1药)	冰箱	242310258	2025/3/15 14:20:00	4.2℃	正常	
4206	7-4 (2-1药)	冰箱	242310258	2025/3/15 14:25:00	4.3℃	正常	
4207	7-4 (2-1药)	冰箱	242310258	2025/3/15 14:30:00	4.6℃	正常	
4208	7-4 (2-1药)	冰箱	242310258	2025/3/15 14:35:00	4.0℃	正常	
4209	7-4 (2-1药)	冰箱	242310258	2025/3/15 14:40:00	4.7℃	正常	
4210	7-4 (2-1药)	冰箱	242310258	2025/3/15 14:45:00	4.0℃	正常	
4211	7-4 (2-1药)	冰箱	242310258	2025/3/15 14:50:00	4.5℃	正常	
4212	7-4 (2-1药)	冰箱	242310258	2025/3/15 14:55:00	4.3℃	正常	

4213	7-4 (2-1药)	冰箱	242310258	2025/3/15 15:00:00	4.3℃	正常	
4214	7-4 (2-1药)	冰箱	242310258	2025/3/15 15:05:00	4.6℃	正常	
4215	7-4 (2-1药)	冰箱	242310258	2025/3/15 15:10:00	4.0℃	正常	
4216	7-4 (2-1药)	冰箱	242310258	2025/3/15 15:15:00	4.7℃	正常	
4217	7-4 (2-1药)	冰箱	242310258	2025/3/15 15:20:00	4.0℃	正常	
4218	7-4 (2-1药)	冰箱	242310258	2025/3/15 15:25:00	4.5℃	正常	
4219	7-4 (2-1药)	冰箱	242310258	2025/3/15 15:30:00	4.2℃	正常	
4220	7-4 (2-1药)	冰箱	242310258	2025/3/15 15:35:00	4.3℃	正常	
4221	7-4 (2-1药)	冰箱	242310258	2025/3/15 15:40:00	4.6℃	正常	
4222	7-4 (2-1药)	冰箱	242310258	2025/3/15 15:45:00	4.1℃	正常	
4223	7-4 (2-1药)	冰箱	242310258	2025/3/15 15:50:00	4.7℃	正常	
4224	7-4 (2-1药)	冰箱	242310258	2025/3/15 15:55:00	3.9℃	正常	
4225	7-4 (2-1药)	冰箱	242310258	2025/3/15 16:00:00	4.6℃	正常	
4226	7-4 (2-1药)	冰箱	242310258	2025/3/15 16:05:00	4.2℃	正常	
4227	7-4 (2-1药)	冰箱	242310258	2025/3/15 16:10:00	4.4℃	正常	
4228	7-4 (2-1药)	冰箱	242310258	2025/3/15 16:15:00	4.5℃	正常	
4229	7-4 (2-1药)	冰箱	242310258	2025/3/15 16:20:00	4.1℃	正常	
4230	7-4 (2-1药)	冰箱	242310258	2025/3/15 16:25:00	4.7℃	正常	
4231	7-4 (2-1药)	冰箱	242310258	2025/3/15 16:30:00	4.0℃	正常	
4232	7-4 (2-1药)	冰箱	242310258	2025/3/15 16:35:00	4.6℃	正常	
4233	7-4 (2-1药)	冰箱	242310258	2025/3/15 16:40:00	4.2℃	正常	
4234	7-4 (2-1药)	冰箱	242310258	2025/3/15 16:45:00	4.3℃	正常	
4235	7-4 (2-1药)	冰箱	242310258	2025/3/15 16:50:00	4.6℃	正常	
4236	7-4 (2-1药)	冰箱	242310258	2025/3/15 16:55:00	4.1℃	正常	
4237	7-4 (2-1药)	冰箱	242310258	2025/3/15 17:00:00	4.7℃	正常	
4238	7-4 (2-1药)	冰箱	242310258	2025/3/15 17:05:00	4.0℃	正常	
4239	7-4 (2-1药)	冰箱	242310258	2025/3/15 17:10:00	4.6℃	正常	
4240	7-4 (2-1药)	冰箱	242310258	2025/3/15 17:15:00	4.3℃	正常	
4241	7-4 (2-1药)	冰箱	242310258	2025/3/15 17:20:00	4.3℃	正常	
4242	7-4 (2-1药)	冰箱	242310258	2025/3/15 17:25:00	4.5℃	正常	
4243	7-4 (2-1药)	冰箱	242310258	2025/3/15 17:30:00	4.0℃	正常	
4244	7-4 (2-1药)	冰箱	242310258	2025/3/15 17:35:00	4.7℃	正常	
4245	7-4 (2-1药)	冰箱	242310258	2025/3/15 17:40:00	4.0℃	正常	
4246	7-4 (2-1药)	冰箱	242310258	2025/3/15 17:45:00	4.6℃	正常	
4247	7-4 (2-1药)	冰箱	242310258	2025/3/15 17:50:00	4.2℃	正常	
4248	7-4 (2-1药)	冰箱	242310258	2025/3/15 17:55:00	4.3℃	正常	
4249	7-4 (2-1药)	冰箱	242310258	2025/3/15 18:00:00	4.5℃	正常	
4250	7-4 (2-1药)	冰箱	242310258	2025/3/15 18:05:00	4.0℃	正常	
4251	7-4 (2-1药)	冰箱	242310258	2025/3/15 18:10:00	4.7℃	正常	
4252	7-4 (2-1药)	冰箱	242310258	2025/3/15 18:15:00	4.0℃	正常	
4253	7-4 (2-1药)	冰箱	242310258	2025/3/15 18:20:00	4.5℃	正常	
4254	7-4 (2-1药)	冰箱	242310258	2025/3/15 18:25:00	4.3℃	正常	
4255	7-4 (2-1药)	冰箱	242310258	2025/3/15 18:30:00	4.3℃	正常	
4256	7-4 (2-1药)	冰箱	242310258	2025/3/15 18:35:00	4.6℃	正常	
4257	7-4 (2-1药)	冰箱	242310258	2025/3/15 18:40:00	4.0℃	正常	
4258	7-4 (2-1药)	冰箱	242310258	2025/3/15 18:45:00	4.6℃	正常	
4259	7-4 (2-1药)	冰箱	242310258	2025/3/15 18:50:00	4.1℃	正常	
4260	7-4 (2-1药)	冰箱	242310258	2025/3/15 18:55:00	4.4℃	正常	
4261	7-4 (2-1药)	冰箱	242310258	2025/3/15 19:00:00	4.4℃	正常	
4262	7-4 (2-1药)	冰箱	242310258	2025/3/15 19:05:00	4.1℃	正常	
4263	7-4 (2-1药)	冰箱	242310258	2025/3/15 19:10:00	4.7℃	正常	
4264	7-4 (2-1药)	冰箱	242310258	2025/3/15 19:15:00	4.0℃	正常	
4265	7-4 (2-1药)	冰箱	242310258	2025/3/15 19:20:00	4.6℃	正常	
4266	7-4 (2-1药)	冰箱	242310258	2025/3/15 19:25:00	4.1℃	正常	
4267	7-4 (2-1药)	冰箱	242310258	2025/3/15 19:30:00	4.4℃	正常	
4268	7-4 (2-1药)	冰箱	242310258	2025/3/15 19:35:00	4.5℃	正常	
4269	7-4 (2-1药)	冰箱	242310258	2025/3/15 19:40:00	4.2℃	正常	
4270	7-4 (2-1药)	冰箱	242310258	2025/3/15 19:45:00	4.6℃	正常	
4271	7-4 (2-1药)	冰箱	242310258	2025/3/15 19:50:00	4.0℃	正常	
4272	7-4 (2-1药)	冰箱	242310258	2025/3/15 19:55:00	4.6℃	正常	
4273	7-4 (2-1药)	冰箱	242310258	2025/3/15 20:00:00	4.2℃	正常	
4274	7-4 (2-1药)	冰箱	242310258	2025/3/15 20:05:00	4.4℃	正常	
4275	7-4 (2-1药)	冰箱	242310258	2025/3/15 20:10:00	4.4℃	正常	
4276	7-4 (2-1药)	冰箱	242310258	2025/3/15 20:15:00	4.1℃	正常	

4277	7-4 (2-1药)	冰箱	242310258	2025/3/15 20:20:00	4.7℃	正常	
4278	7-4 (2-1药)	冰箱	242310258	2025/3/15 20:25:00	4.0℃	正常	
4279	7-4 (2-1药)	冰箱	242310258	2025/3/15 20:30:00	4.6℃	正常	
4280	7-4 (2-1药)	冰箱	242310258	2025/3/15 20:35:00	4.0℃	正常	
4281	7-4 (2-1药)	冰箱	242310258	2025/3/15 20:40:00	4.4℃	正常	
4282	7-4 (2-1药)	冰箱	242310258	2025/3/15 20:45:00	4.5℃	正常	
4283	7-4 (2-1药)	冰箱	242310258	2025/3/15 20:50:00	4.1℃	正常	
4284	7-4 (2-1药)	冰箱	242310258	2025/3/15 20:55:00	4.7℃	正常	
4285	7-4 (2-1药)	冰箱	242310258	2025/3/15 21:00:00	4.0℃	正常	
4286	7-4 (2-1药)	冰箱	242310258	2025/3/15 21:05:00	5.1℃	正常	
4287	7-4 (2-1药)	冰箱	242310258	2025/3/15 21:10:00	4.3℃	正常	
4288	7-4 (2-1药)	冰箱	242310258	2025/3/15 21:15:00	4.7℃	正常	
4289	7-4 (2-1药)	冰箱	242310258	2025/3/15 21:20:00	4.0℃	正常	
4290	7-4 (2-1药)	冰箱	242310258	2025/3/15 21:25:00	4.6℃	正常	
4291	7-4 (2-1药)	冰箱	242310258	2025/3/15 21:30:00	4.2℃	正常	
4292	7-4 (2-1药)	冰箱	242310258	2025/3/15 21:35:00	4.3℃	正常	
4293	7-4 (2-1药)	冰箱	242310258	2025/3/15 21:40:00	4.6℃	正常	
4294	7-4 (2-1药)	冰箱	242310258	2025/3/15 21:45:00	4.1℃	正常	
4295	7-4 (2-1药)	冰箱	242310258	2025/3/15 21:50:00	4.7℃	正常	
4296	7-4 (2-1药)	冰箱	242310258	2025/3/15 21:55:00	4.0℃	正常	
4297	7-4 (2-1药)	冰箱	242310258	2025/3/15 22:00:00	4.5℃	正常	
4298	7-4 (2-1药)	冰箱	242310258	2025/3/15 22:05:00	4.4℃	正常	
4299	7-4 (2-1药)	冰箱	242310258	2025/3/15 22:10:00	4.2℃	正常	
4300	7-4 (2-1药)	冰箱	242310258	2025/3/15 22:15:00	4.6℃	正常	
4301	7-4 (2-1药)	冰箱	242310258	2025/3/15 22:20:00	4.0℃	正常	
4302	7-4 (2-1药)	冰箱	242310258	2025/3/15 22:25:00	4.6℃	正常	
4303	7-4 (2-1药)	冰箱	242310258	2025/3/15 22:30:00	4.2℃	正常	
4304	7-4 (2-1药)	冰箱	242310258	2025/3/15 22:35:00	4.4℃	正常	
4305	7-4 (2-1药)	冰箱	242310258	2025/3/15 22:40:00	4.5℃	正常	
4306	7-4 (2-1药)	冰箱	242310258	2025/3/15 22:45:00	4.1℃	正常	
4307	7-4 (2-1药)	冰箱	242310258	2025/3/15 22:50:00	4.7℃	正常	
4308	7-4 (2-1药)	冰箱	242310258	2025/3/15 22:55:00	4.0℃	正常	
4309	7-4 (2-1药)	冰箱	242310258	2025/3/15 23:00:00	4.6℃	正常	
4310	7-4 (2-1药)	冰箱	242310258	2025/3/15 23:05:00	4.1℃	正常	
4311	7-4 (2-1药)	冰箱	242310258	2025/3/15 23:10:00	4.3℃	正常	
4312	7-4 (2-1药)	冰箱	242310258	2025/3/15 23:15:00	4.6℃	正常	
4313	7-4 (2-1药)	冰箱	242310258	2025/3/15 23:20:00	4.1℃	正常	
4314	7-4 (2-1药)	冰箱	242310258	2025/3/15 23:25:00	4.7℃	正常	
4315	7-4 (2-1药)	冰箱	242310258	2025/3/15 23:30:00	4.0℃	正常	
4316	7-4 (2-1药)	冰箱	242310258	2025/3/15 23:35:00	4.5℃	正常	
4317	7-4 (2-1药)	冰箱	242310258	2025/3/15 23:40:00	4.2℃	正常	
4318	7-4 (2-1药)	冰箱	242310258	2025/3/15 23:45:00	4.3℃	正常	
4319	7-4 (2-1药)	冰箱	242310258	2025/3/15 23:50:00	4.6℃	正常	
4320	7-4 (2-1药)	冰箱	242310258	2025/3/15 23:55:00	4.0℃	正常	
4321	7-4 (2-1药)	冰箱	242310258	2025/3/16 0:00:00	4.6℃	正常	
4322	7-4 (2-1药)	冰箱	242310258	2025/3/16 0:05:00	4.0℃	正常	
4323	7-4 (2-1药)	冰箱	242310258	2025/3/16 0:10:00	4.5℃	正常	
4324	7-4 (2-1药)	冰箱	242310258	2025/3/16 0:15:00	4.4℃	正常	
4325	7-4 (2-1药)	冰箱	242310258	2025/3/16 0:20:00	4.2℃	正常	
4326	7-4 (2-1药)	冰箱	242310258	2025/3/16 0:25:00	4.6℃	正常	
4327	7-4 (2-1药)	冰箱	242310258	2025/3/16 0:30:00	4.0℃	正常	
4328	7-4 (2-1药)	冰箱	242310258	2025/3/16 0:35:00	4.6℃	正常	
4329	7-4 (2-1药)	冰箱	242310258	2025/3/16 0:40:00	4.1℃	正常	
4330	7-4 (2-1药)	冰箱	242310258	2025/3/16 0:45:00	4.4℃	正常	
4331	7-4 (2-1药)	冰箱	242310258	2025/3/16 0:50:00	4.4℃	正常	
4332	7-4 (2-1药)	冰箱	242310258	2025/3/16 0:55:00	4.1℃	正常	
4333	7-4 (2-1药)	冰箱	242310258	2025/3/16 1:00:00	4.7℃	正常	
4334	7-4 (2-1药)	冰箱	242310258	2025/3/16 1:05:00	4.0℃	正常	
4335	7-4 (2-1药)	冰箱	242310258	2025/3/16 1:10:00	4.6℃	正常	
4336	7-4 (2-1药)	冰箱	242310258	2025/3/16 1:15:00	4.2℃	正常	
4337	7-4 (2-1药)	冰箱	242310258	2025/3/16 1:20:00	4.4℃	正常	
4338	7-4 (2-1药)	冰箱	242310258	2025/3/16 1:25:00	4.5℃	正常	
4339	7-4 (2-1药)	冰箱	242310258	2025/3/16 1:30:00	4.1℃	正常	
4340	7-4 (2-1药)	冰箱	242310258	2025/3/16 1:35:00	4.7℃	正常	

4341	7-4 (2-1药)	冰箱	242310258	2025/3/16 1:40:00	4.0℃	正常	
4342	7-4 (2-1药)	冰箱	242310258	2025/3/16 1:45:00	4.6℃	正常	
4343	7-4 (2-1药)	冰箱	242310258	2025/3/16 1:50:00	4.2℃	正常	
4344	7-4 (2-1药)	冰箱	242310258	2025/3/16 1:55:00	4.4℃	正常	
4345	7-4 (2-1药)	冰箱	242310258	2025/3/16 2:00:00	4.5℃	正常	
4346	7-4 (2-1药)	冰箱	242310258	2025/3/16 2:05:00	4.1℃	正常	
4347	7-4 (2-1药)	冰箱	242310258	2025/3/16 2:10:00	4.7℃	正常	
4348	7-4 (2-1药)	冰箱	242310258	2025/3/16 2:15:00	4.0℃	正常	
4349	7-4 (2-1药)	冰箱	242310258	2025/3/16 2:20:00	4.6℃	正常	
4350	7-4 (2-1药)	冰箱	242310258	2025/3/16 2:25:00	4.1℃	正常	
4351	7-4 (2-1药)	冰箱	242310258	2025/3/16 2:30:00	4.3℃	正常	
4352	7-4 (2-1药)	冰箱	242310258	2025/3/16 2:35:00	4.5℃	正常	
4353	7-4 (2-1药)	冰箱	242310258	2025/3/16 2:40:00	4.1℃	正常	
4354	7-4 (2-1药)	冰箱	242310258	2025/3/16 2:45:00	4.7℃	正常	
4355	7-4 (2-1药)	冰箱	242310258	2025/3/16 2:50:00	4.0℃	正常	
4356	7-4 (2-1药)	冰箱	242310258	2025/3/16 2:55:00	4.5℃	正常	
4357	7-4 (2-1药)	冰箱	242310258	2025/3/16 3:00:00	4.2℃	正常	
4358	7-4 (2-1药)	冰箱	242310258	2025/3/16 3:05:00	4.2℃	正常	
4359	7-4 (2-1药)	冰箱	242310258	2025/3/16 3:10:00	4.5℃	正常	
4360	7-4 (2-1药)	冰箱	242310258	2025/3/16 3:15:00	4.0℃	正常	
4361	7-4 (2-1药)	冰箱	242310258	2025/3/16 3:20:00	4.6℃	正常	
4362	7-4 (2-1药)	冰箱	242310258	2025/3/16 3:25:00	4.1℃	正常	
4363	7-4 (2-1药)	冰箱	242310258	2025/3/16 3:30:00	4.4℃	正常	
4364	7-4 (2-1药)	冰箱	242310258	2025/3/16 3:35:00	4.5℃	正常	
4365	7-4 (2-1药)	冰箱	242310258	2025/3/16 3:40:00	4.1℃	正常	
4366	7-4 (2-1药)	冰箱	242310258	2025/3/16 3:45:00	4.7℃	正常	
4367	7-4 (2-1药)	冰箱	242310258	2025/3/16 3:50:00	4.0℃	正常	
4368	7-4 (2-1药)	冰箱	242310258	2025/3/16 3:55:00	4.5℃	正常	
4369	7-4 (2-1药)	冰箱	242310258	2025/3/16 4:00:00	4.1℃	正常	
4370	7-4 (2-1药)	冰箱	242310258	2025/3/16 4:05:00	4.4℃	正常	
4371	7-4 (2-1药)	冰箱	242310258	2025/3/16 4:10:00	4.6℃	正常	
4372	7-4 (2-1药)	冰箱	242310258	2025/3/16 4:15:00	4.0℃	正常	
4373	7-4 (2-1药)	冰箱	242310258	2025/3/16 4:20:00	4.6℃	正常	
4374	7-4 (2-1药)	冰箱	242310258	2025/3/16 4:25:00	4.0℃	正常	
4375	7-4 (2-1药)	冰箱	242310258	2025/3/16 4:30:00	4.5℃	正常	
4376	7-4 (2-1药)	冰箱	242310258	2025/3/16 4:35:00	4.3℃	正常	
4377	7-4 (2-1药)	冰箱	242310258	2025/3/16 4:40:00	4.3℃	正常	
4378	7-4 (2-1药)	冰箱	242310258	2025/3/16 4:45:00	4.6℃	正常	
4379	7-4 (2-1药)	冰箱	242310258	2025/3/16 4:50:00	4.0℃	正常	
4380	7-4 (2-1药)	冰箱	242310258	2025/3/16 4:55:00	4.6℃	正常	
4381	7-4 (2-1药)	冰箱	242310258	2025/3/16 5:00:00	4.1℃	正常	
4382	7-4 (2-1药)	冰箱	242310258	2025/3/16 5:05:00	4.5℃	正常	
4383	7-4 (2-1药)	冰箱	242310258	2025/3/16 5:10:00	4.4℃	正常	
4384	7-4 (2-1药)	冰箱	242310258	2025/3/16 5:15:00	4.2℃	正常	
4385	7-4 (2-1药)	冰箱	242310258	2025/3/16 5:20:00	4.7℃	正常	
4386	7-4 (2-1药)	冰箱	242310258	2025/3/16 5:25:00	4.0℃	正常	
4387	7-4 (2-1药)	冰箱	242310258	2025/3/16 5:30:00	4.6℃	正常	
4388	7-4 (2-1药)	冰箱	242310258	2025/3/16 5:35:00	4.1℃	正常	
4389	7-4 (2-1药)	冰箱	242310258	2025/3/16 5:40:00	4.4℃	正常	
4390	7-4 (2-1药)	冰箱	242310258	2025/3/16 5:45:00	4.5℃	正常	
4391	7-4 (2-1药)	冰箱	242310258	2025/3/16 5:50:00	4.1℃	正常	
4392	7-4 (2-1药)	冰箱	242310258	2025/3/16 5:55:00	4.7℃	正常	
4393	7-4 (2-1药)	冰箱	242310258	2025/3/16 6:00:00	4.0℃	正常	
4394	7-4 (2-1药)	冰箱	242310258	2025/3/16 6:05:00	4.5℃	正常	
4395	7-4 (2-1药)	冰箱	242310258	2025/3/16 6:10:00	4.3℃	正常	
4396	7-4 (2-1药)	冰箱	242310258	2025/3/16 6:15:00	4.3℃	正常	
4397	7-4 (2-1药)	冰箱	242310258	2025/3/16 6:20:00	4.6℃	正常	
4398	7-4 (2-1药)	冰箱	242310258	2025/3/16 6:25:00	4.0℃	正常	
4399	7-4 (2-1药)	冰箱	242310258	2025/3/16 6:30:00	4.6℃	正常	
4400	7-4 (2-1药)	冰箱	242310258	2025/3/16 6:35:00	4.0℃	正常	
4401	7-4 (2-1药)	冰箱	242310258	2025/3/16 6:40:00	4.4℃	正常	
4402	7-4 (2-1药)	冰箱	242310258	2025/3/16 6:45:00	4.4℃	正常	
4403	7-4 (2-1药)	冰箱	242310258	2025/3/16 6:50:00	4.1℃	正常	
4404	7-4 (2-1药)	冰箱	242310258	2025/3/16 6:55:00	4.7℃	正常	

4405	7-4 (2-1药)	冰箱	242310258	2025/3/16 7:00:00	4.0℃	正常	
4406	7-4 (2-1药)	冰箱	242310258	2025/3/16 7:05:00	4.6℃	正常	
4407	7-4 (2-1药)	冰箱	242310258	2025/3/16 7:10:00	4.1℃	正常	
4408	7-4 (2-1药)	冰箱	242310258	2025/3/16 7:15:00	4.4℃	正常	
4409	7-4 (2-1药)	冰箱	242310258	2025/3/16 7:20:00	4.5℃	正常	
4410	7-4 (2-1药)	冰箱	242310258	2025/3/16 7:25:00	4.1℃	正常	
4411	7-4 (2-1药)	冰箱	242310258	2025/3/16 7:30:00	4.6℃	正常	
4412	7-4 (2-1药)	冰箱	242310258	2025/3/16 7:35:00	3.9℃	正常	
4413	7-4 (2-1药)	冰箱	242310258	2025/3/16 7:40:00	4.5℃	正常	
4414	7-4 (2-1药)	冰箱	242310258	2025/3/16 7:45:00	4.2℃	正常	
4415	7-4 (2-1药)	冰箱	242310258	2025/3/16 7:50:00	4.2℃	正常	
4416	7-4 (2-1药)	冰箱	242310258	2025/3/16 7:55:00	4.6℃	正常	
4417	7-4 (2-1药)	冰箱	242310258	2025/3/16 8:00:00	3.9℃	正常	
4418	7-4 (2-1药)	冰箱	242310258	2025/3/16 8:05:00	5.0℃	正常	
4419	7-4 (2-1药)	冰箱	242310258	2025/3/16 8:10:00	4.3℃	正常	
4420	7-4 (2-1药)	冰箱	242310258	2025/3/16 8:15:00	4.7℃	正常	
4421	7-4 (2-1药)	冰箱	242310258	2025/3/16 8:20:00	4.0℃	正常	
4422	7-4 (2-1药)	冰箱	242310258	2025/3/16 8:25:00	4.6℃	正常	
4423	7-4 (2-1药)	冰箱	242310258	2025/3/16 8:30:00	4.2℃	正常	
4424	7-4 (2-1药)	冰箱	242310258	2025/3/16 8:35:00	4.4℃	正常	
4425	7-4 (2-1药)	冰箱	242310258	2025/3/16 8:40:00	4.5℃	正常	
4426	7-4 (2-1药)	冰箱	242310258	2025/3/16 8:45:00	4.1℃	正常	
4427	7-4 (2-1药)	冰箱	242310258	2025/3/16 8:50:00	4.6℃	正常	
4428	7-4 (2-1药)	冰箱	242310258	2025/3/16 8:55:00	4.0℃	正常	
4429	7-4 (2-1药)	冰箱	242310258	2025/3/16 9:00:00	4.5℃	正常	
4430	7-4 (2-1药)	冰箱	242310258	2025/3/16 9:05:00	4.3℃	正常	
4431	7-4 (2-1药)	冰箱	242310258	2025/3/16 9:10:00	4.3℃	正常	
4432	7-4 (2-1药)	冰箱	242310258	2025/3/16 9:15:00	4.6℃	正常	
4433	7-4 (2-1药)	冰箱	242310258	2025/3/16 9:20:00	4.0℃	正常	
4434	7-4 (2-1药)	冰箱	242310258	2025/3/16 9:25:00	4.6℃	正常	
4435	7-4 (2-1药)	冰箱	242310258	2025/3/16 9:30:00	4.1℃	正常	
4436	7-4 (2-1药)	冰箱	242310258	2025/3/16 9:35:00	4.5℃	正常	
4437	7-4 (2-1药)	冰箱	242310258	2025/3/16 9:40:00	4.5℃	正常	
4438	7-4 (2-1药)	冰箱	242310258	2025/3/16 9:45:00	4.2℃	正常	
4439	7-4 (2-1药)	冰箱	242310258	2025/3/16 9:50:00	4.7℃	正常	
4440	7-4 (2-1药)	冰箱	242310258	2025/3/16 9:55:00	4.0℃	正常	
4441	7-4 (2-1药)	冰箱	242310258	2025/3/16 10:00:00	4.6℃	正常	
4442	7-4 (2-1药)	冰箱	242310258	2025/3/16 10:05:00	4.2℃	正常	
4443	7-4 (2-1药)	冰箱	242310258	2025/3/16 10:10:00	4.4℃	正常	
4444	7-4 (2-1药)	冰箱	242310258	2025/3/16 10:15:00	4.5℃	正常	
4445	7-4 (2-1药)	冰箱	242310258	2025/3/16 10:20:00	4.1℃	正常	
4446	7-4 (2-1药)	冰箱	242310258	2025/3/16 10:25:00	4.7℃	正常	
4447	7-4 (2-1药)	冰箱	242310258	2025/3/16 10:30:00	4.0℃	正常	
4448	7-4 (2-1药)	冰箱	242310258	2025/3/16 10:35:00	4.5℃	正常	
4449	7-4 (2-1药)	冰箱	242310258	2025/3/16 10:40:00	4.4℃	正常	
4450	7-4 (2-1药)	冰箱	242310258	2025/3/16 10:45:00	4.3℃	正常	
4451	7-4 (2-1药)	冰箱	242310258	2025/3/16 10:50:00	4.7℃	正常	
4452	7-4 (2-1药)	冰箱	242310258	2025/3/16 10:55:00	4.0℃	正常	
4453	7-4 (2-1药)	冰箱	242310258	2025/3/16 11:00:00	4.6℃	正常	
4454	7-4 (2-1药)	冰箱	242310258	2025/3/16 11:05:00	4.1℃	正常	
4455	7-4 (2-1药)	冰箱	242310258	2025/3/16 11:10:00	4.5℃	正常	
4456	7-4 (2-1药)	冰箱	242310258	2025/3/16 11:15:00	4.5℃	正常	
4457	7-4 (2-1药)	冰箱	242310258	2025/3/16 11:20:00	4.1℃	正常	
4458	7-4 (2-1药)	冰箱	242310258	2025/3/16 11:25:00	4.7℃	正常	
4459	7-4 (2-1药)	冰箱	242310258	2025/3/16 11:30:00	4.0℃	正常	
4460	7-4 (2-1药)	冰箱	242310258	2025/3/16 11:35:00	4.6℃	正常	
4461	7-4 (2-1药)	冰箱	242310258	2025/3/16 11:40:00	4.3℃	正常	
4462	7-4 (2-1药)	冰箱	242310258	2025/3/16 11:45:00	4.3℃	正常	
4463	7-4 (2-1药)	冰箱	242310258	2025/3/16 11:50:00	4.7℃	正常	
4464	7-4 (2-1药)	冰箱	242310258	2025/3/16 11:55:00	4.1℃	正常	
4465	7-4 (2-1药)	冰箱	242310258	2025/3/16 12:00:00	4.6℃	正常	
4466	7-4 (2-1药)	冰箱	242310258	2025/3/16 12:05:00	4.0℃	正常	
4467	7-4 (2-1药)	冰箱	242310258	2025/3/16 12:10:00	4.5℃	正常	
4468	7-4 (2-1药)	冰箱	242310258	2025/3/16 12:15:00	4.4℃	正常	

4469	7-4 (2-1药)	冰箱	242310258	2025/3/16 12:20:00	4.2℃	正常	
4470	7-4 (2-1药)	冰箱	242310258	2025/3/16 12:25:00	4.6℃	正常	
4471	7-4 (2-1药)	冰箱	242310258	2025/3/16 12:30:00	4.0℃	正常	
4472	7-4 (2-1药)	冰箱	242310258	2025/3/16 12:35:00	4.6℃	正常	
4473	7-4 (2-1药)	冰箱	242310258	2025/3/16 12:40:00	4.1℃	正常	
4474	7-4 (2-1药)	冰箱	242310258	2025/3/16 12:45:00	4.4℃	正常	
4475	7-4 (2-1药)	冰箱	242310258	2025/3/16 12:50:00	4.5℃	正常	
4476	7-4 (2-1药)	冰箱	242310258	2025/3/16 12:55:00	4.1℃	正常	
4477	7-4 (2-1药)	冰箱	242310258	2025/3/16 13:00:00	4.7℃	正常	
4478	7-4 (2-1药)	冰箱	242310258	2025/3/16 13:05:00	4.0℃	正常	
4479	7-4 (2-1药)	冰箱	242310258	2025/3/16 13:10:00	4.6℃	正常	
4480	7-4 (2-1药)	冰箱	242310258	2025/3/16 13:15:00	4.2℃	正常	
4481	7-4 (2-1药)	冰箱	242310258	2025/3/16 13:20:00	4.3℃	正常	
4482	7-4 (2-1药)	冰箱	242310258	2025/3/16 13:25:00	4.5℃	正常	
4483	7-4 (2-1药)	冰箱	242310258	2025/3/16 13:30:00	4.1℃	正常	
4484	7-4 (2-1药)	冰箱	242310258	2025/3/16 13:35:00	4.6℃	正常	
4485	7-4 (2-1药)	冰箱	242310258	2025/3/16 13:40:00	3.9℃	正常	
4486	7-4 (2-1药)	冰箱	242310258	2025/3/16 13:45:00	4.5℃	正常	
4487	7-4 (2-1药)	冰箱	242310258	2025/3/16 13:50:00	4.3℃	正常	
4488	7-4 (2-1药)	冰箱	242310258	2025/3/16 13:55:00	4.3℃	正常	
4489	7-4 (2-1药)	冰箱	242310258	2025/3/16 14:00:00	4.6℃	正常	
4490	7-4 (2-1药)	冰箱	242310258	2025/3/16 14:05:00	4.0℃	正常	
4491	7-4 (2-1药)	冰箱	242310258	2025/3/16 14:10:00	4.6℃	正常	
4492	7-4 (2-1药)	冰箱	242310258	2025/3/16 14:15:00	4.1℃	正常	
4493	7-4 (2-1药)	冰箱	242310258	2025/3/16 14:20:00	4.4℃	正常	
4494	7-4 (2-1药)	冰箱	242310258	2025/3/16 14:25:00	4.5℃	正常	
4495	7-4 (2-1药)	冰箱	242310258	2025/3/16 14:30:00	4.1℃	正常	
4496	7-4 (2-1药)	冰箱	242310258	2025/3/16 14:35:00	4.6℃	正常	
4497	7-4 (2-1药)	冰箱	242310258	2025/3/16 14:40:00	4.0℃	正常	
4498	7-4 (2-1药)	冰箱	242310258	2025/3/16 14:45:00	4.5℃	正常	
4499	7-4 (2-1药)	冰箱	242310258	2025/3/16 14:50:00	4.3℃	正常	
4500	7-4 (2-1药)	冰箱	242310258	2025/3/16 14:55:00	4.2℃	正常	
4501	7-4 (2-1药)	冰箱	242310258	2025/3/16 15:00:00	4.6℃	正常	
4502	7-4 (2-1药)	冰箱	242310258	2025/3/16 15:05:00	4.0℃	正常	
4503	7-4 (2-1药)	冰箱	242310258	2025/3/16 15:10:00	4.6℃	正常	
4504	7-4 (2-1药)	冰箱	242310258	2025/3/16 15:15:00	4.0℃	正常	
4505	7-4 (2-1药)	冰箱	242310258	2025/3/16 15:20:00	4.4℃	正常	
4506	7-4 (2-1药)	冰箱	242310258	2025/3/16 15:25:00	4.5℃	正常	
4507	7-4 (2-1药)	冰箱	242310258	2025/3/16 15:30:00	4.2℃	正常	
4508	7-4 (2-1药)	冰箱	242310258	2025/3/16 15:35:00	4.7℃	正常	
4509	7-4 (2-1药)	冰箱	242310258	2025/3/16 15:40:00	4.0℃	正常	
4510	7-4 (2-1药)	冰箱	242310258	2025/3/16 15:45:00	4.6℃	正常	
4511	7-4 (2-1药)	冰箱	242310258	2025/3/16 15:50:00	4.2℃	正常	
4512	7-4 (2-1药)	冰箱	242310258	2025/3/16 15:55:00	4.2℃	正常	
4513	7-4 (2-1药)	冰箱	242310258	2025/3/16 16:00:00	4.6℃	正常	
4514	7-4 (2-1药)	冰箱	242310258	2025/3/16 16:05:00	4.0℃	正常	
4515	7-4 (2-1药)	冰箱	242310258				

4533	7-4 (2-1药)	冰箱	242310258	2025/3/16 17:40:00	4.0℃	正常	
4534	7-4 (2-1药)	冰箱	242310258	2025/3/16 17:45:00	4.6℃	正常	
4535	7-4 (2-1药)	冰箱	242310258	2025/3/16 17:50:00	4.2℃	正常	
4536	7-4 (2-1药)	冰箱	242310258	2025/3/16 17:55:00	4.4℃	正常	
4537	7-4 (2-1药)	冰箱	242310258	2025/3/16 18:00:00	4.5℃	正常	
4538	7-4 (2-1药)	冰箱	242310258	2025/3/16 18:05:00	4.0℃	正常	
4539	7-4 (2-1药)	冰箱	242310258	2025/3/16 18:10:00	4.7℃	正常	
4540	7-4 (2-1药)	冰箱	242310258	2025/3/16 18:15:00	4.0℃	正常	
4541	7-4 (2-1药)	冰箱	242310258	2025/3/16 18:20:00	4.6℃	正常	
4542	7-4 (2-1药)	冰箱	242310258	2025/3/16 18:25:00	4.2℃	正常	
4543	7-4 (2-1药)	冰箱	242310258	2025/3/16 18:30:00	4.3℃	正常	
4544	7-4 (2-1药)	冰箱	242310258	2025/3/16 18:35:00	4.6℃	正常	
4545	7-4 (2-1药)	冰箱	242310258	2025/3/16 18:40:00	4.0℃	正常	
4546	7-4 (2-1药)	冰箱	242310258	2025/3/16 18:45:00	4.6℃	正常	
4547	7-4 (2-1药)	冰箱	242310258	2025/3/16 18:50:00	4.1℃	正常	
4548	7-4 (2-1药)	冰箱	242310258	2025/3/16 18:55:00	4.4℃	正常	
4549	7-4 (2-1药)	冰箱	242310258	2025/3/16 19:00:00	4.5℃	正常	
4550	7-4 (2-1药)	冰箱	242310258	2025/3/16 19:05:00	4.1℃	正常	
4551	7-4 (2-1药)	冰箱	242310258	2025/3/16 19:10:00	4.9℃	正常	
4552	7-4 (2-1药)	冰箱	242310258	2025/3/16 19:15:00	4.4℃	正常	
4553	7-4 (2-1药)	冰箱	242310258	2025/3/16 19:20:00	4.7℃	正常	
4554	7-4 (2-1药)	冰箱	242310258	2025/3/16 19:25:00	4.0℃	正常	
4555	7-4 (2-1药)	冰箱	242310258	2025/3/16 19:30:00	4.7℃	正常	
4556	7-4 (2-1药)	冰箱	242310258	2025/3/16 19:35:00	4.0℃	正常	
4557	7-4 (2-1药)	冰箱	242310258	2025/3/16 19:40:00	4.5℃	正常	
4558	7-4 (2-1药)	冰箱	242310258	2025/3/16 19:45:00	4.4℃	正常	
4559	7-4 (2-1药)	冰箱	242310258	2025/3/16 19:50:00	4.2℃	正常	
4560	7-4 (2-1药)	冰箱	242310258	2025/3/16 19:55:00	4.7℃	正常	
4561	7-4 (2-1药)	冰箱	242310258	2025/3/16 20:00:00	4.0℃	正常	
4562	7-4 (2-1药)	冰箱	242310258	2025/3/16 20:05:00	4.6℃	正常	
4563	7-4 (2-1药)	冰箱	242310258	2025/3/16 20:10:00	4.3℃	正常	
4564	7-4 (2-1药)	冰箱	242310258	2025/3/16 20:15:00	4.3℃	正常	
4565	7-4 (2-1药)	冰箱	242310258	2025/3/16 20:20:00	4.6℃	正常	
4566	7-4 (2-1药)	冰箱	242310258	2025/3/16 20:25:00	4.1℃	正常	
4567	7-4 (2-1药)	冰箱	242310258	2025/3/16 20:30:00	4.6℃	正常	
4568	7-4 (2-1药)	冰箱	242310258	2025/3/16 20:35:00	4.2℃	正常	
4569	7-4 (2-1药)	冰箱	242310258	2025/3/16 20:40:00	4.3℃	正常	
4570	7-4 (2-1药)	冰箱	242310258	2025/3/16 20:45:00	4.6℃	正常	
4571	7-4 (2-1药)	冰箱	242310258	2025/3/16 20:50:00	4.0℃	正常	
4572	7-4 (2-1药)	冰箱	242310258	2025/3/16 20:55:00	4.6℃	正常	
4573	7-4 (2-1药)	冰箱	242310258	2025/3/16 21:00:00	4.1℃	正常	
4574	7-4 (2-1药)	冰箱	242310258	2025/3/16 21:05:00	4.4℃	正常	
4575	7-4 (2-1药)	冰箱	242310258	2025/3/16 21:10:00	4.5℃	正常	
4576	7-4 (2-1药)	冰箱	242310258	2025/3/16 21:15:00	4.1℃	正常	
4577	7-4 (2-1药)	冰箱	242310258	2025/3/16 21:20:00	4.6℃	正常	
4578	7-4 (2-1药)	冰箱	242310258	2025/3/16 21:25:00	4.0℃	正常	
4579	7-4 (2-1药)	冰箱	242310258				

4597	7-4 (2-1药)	冰箱	242310258	2025/3/16 23:00:00	4.4℃	正常	
4598	7-4 (2-1药)	冰箱	242310258	2025/3/16 23:05:00	4.1℃	正常	
4599	7-4 (2-1药)	冰箱	242310258	2025/3/16 23:10:00	4.7℃	正常	
4600	7-4 (2-1药)	冰箱	242310258	2025/3/16 23:15:00	4.0℃	正常	
4601	7-4 (2-1药)	冰箱	242310258	2025/3/16 23:20:00	4.5℃	正常	
4602	7-4 (2-1药)	冰箱	242310258	2025/3/16 23:25:00	4.3℃	正常	
4603	7-4 (2-1药)	冰箱	242310258	2025/3/16 23:30:00	4.2℃	正常	
4604	7-4 (2-1药)	冰箱	242310258	2025/3/16 23:35:00	4.6℃	正常	
4605	7-4 (2-1药)	冰箱	242310258	2025/3/16 23:40:00	4.0℃	正常	
4606	7-4 (2-1药)	冰箱	242310258	2025/3/16 23:45:00	4.6℃	正常	
4607	7-4 (2-1药)	冰箱	242310258	2025/3/16 23:50:00	4.1℃	正常	
4608	7-4 (2-1药)	冰箱	242310258	2025/3/16 23:55:00	4.4℃	正常	
4609	7-4 (2-1药)	冰箱	242310258	2025/3/17 0:00:00	4.5℃	正常	
4610	7-4 (2-1药)	冰箱	242310258	2025/3/17 0:05:00	4.1℃	正常	
4611	7-4 (2-1药)	冰箱	242310258	2025/3/17 0:10:00	4.7℃	正常	
4612	7-4 (2-1药)	冰箱	242310258	2025/3/17 0:15:00	4.0℃	正常	
4613	7-4 (2-1药)	冰箱	242310258	2025/3/17 0:20:00	4.5℃	正常	
4614	7-4 (2-1药)	冰箱	242310258	2025/3/17 0:25:00	4.4℃	正常	
4615	7-4 (2-1药)	冰箱	242310258	2025/3/17 0:30:00	4.1℃	正常	
4616	7-4 (2-1药)	冰箱	242310258	2025/3/17 0:35:00	4.6℃	正常	
4617	7-4 (2-1药)	冰箱	242310258	2025/3/17 0:40:00	4.0℃	正常	
4618	7-4 (2-1药)	冰箱	242310258	2025/3/17 0:45:00	4.5℃	正常	
4619	7-4 (2-1药)	冰箱	242310258	2025/3/17 0:50:00	4.4℃	正常	
4620	7-4 (2-1药)	冰箱	242310258	2025/3/17 0:55:00	4.2℃	正常	
4621	7-4 (2-1药)	冰箱	242310258	2025/3/17 1:00:00	4.6℃	正常	
4622	7-4 (2-1药)	冰箱	242310258	2025/3/17 1:05:00	4.0℃	正常	
4623	7-4 (2-1药)	冰箱	242310258	2025/3/17 1:10:00	4.6℃	正常	
4624	7-4 (2-1药)	冰箱	242310258	2025/3/17 1:15:00	4.2℃	正常	
4625	7-4 (2-1药)	冰箱	242310258	2025/3/17 1:20:00	4.4℃	正常	
4626	7-4 (2-1药)	冰箱	242310258	2025/3/17 1:25:00	4.6℃	正常	
4627	7-4 (2-1药)	冰箱	242310258	2025/3/17 1:30:00	4.1℃	正常	
4628	7-4 (2-1药)	冰箱	242310258	2025/3/17 1:35:00	4.7℃	正常	
4629	7-4 (2-1药)	冰箱	242310258	2025/3/17 1:40:00	4.0℃	正常	
4630	7-4 (2-1药)	冰箱	242310258	2025/3/17 1:45:00	4.5℃	正常	
4631	7-4 (2-1药)	冰箱	242310258	2025/3/17 1:50:00	4.4℃	正常	
4632	7-4 (2-1药)	冰箱	242310258	2025/3/17 1:55:00	4.2℃	正常	
4633	7-4 (2-1药)	冰箱	242310258	2025/3/17 2:00:00	4.6℃	正常	
4634	7-4 (2-1药)	冰箱	242310258	2025/3/17 2:05:00	4.0℃	正常	
4635	7-4 (2-1药)	冰箱	242310258	2025/3/17 2:10:00	4.5℃	正常	
4636	7-4 (2-1药)	冰箱	242310258	2025/3/17 2:15:00	4.3℃	正常	
4637	7-4 (2-1药)	冰箱	242310258	2025/3/17 2:20:00	4.2℃	正常	
4638	7-4 (2-1药)	冰箱	242310258	2025/3/17 2:25:00	4.7℃	正常	
4639	7-4 (2-1药)	冰箱	242310258	2025/3/17 2:30:00	4.0℃	正常	
4640	7-4 (2-1药)	冰箱	242310258	2025/3/17 2:35:00	4.7℃	正常	
4641	7-4 (2-1药)	冰箱	242310258	2025/3/17 2:40:00	4.1℃	正常	
4642	7-4 (2-1药)	冰箱	242310258	2025/3/17 2:45:00	4.4℃	正常	
4643	7-4 (2-1药)	冰箱	242310258	2025/3/17 2:50:00	4.5℃	正常	
4644	7-4 (2-1药)	冰箱	242310258	2025/3/17 2:55:00	4.1℃	正常	
4645	7-4 (2-1药)	冰箱	242310258	2025/3/17 3:00:00	4.7℃	正常	
4646	7-4 (2-1药)	冰箱	242310258	2025/3/17 3:05:00	4.0℃	正常	
4647	7-4 (2-1药)	冰箱	242310258	2025/3/17 3:10:00	4.5℃	正常	
4648	7-4 (2-1药)	冰箱	242310258	2025/3/17 3:15:00	4.4℃	正常	
4649	7-4 (2-1药)	冰箱	242310258	2025/3/17 3:20:00	4.2℃	正常	
4650	7-4 (2-1药)	冰箱	242310258	2025/3/17 3:25:00	4.7℃	正常	
4651	7-4 (2-1药)	冰箱	242310258	2025/3/17 3:30:00	4.0℃	正常	
4652	7-4 (2-1药)	冰箱	242310258	2025/3/17 3:35:00	4.6℃	正常	
4653	7-4 (2-1药)	冰箱	242310258	2025/3/17 3:40:00	4.1℃	正常	
4654	7-4 (2-1药)	冰箱	242310258	2025/3/17 3:45:00	4.3℃	正常	
4655	7-4 (2-1药)	冰箱	242310258	2025/3/17 3:50:00	4.6℃	正常	
4656	7-4 (2-1药)	冰箱	242310258	2025/3/17 3:55:00	4.0℃	正常	
4657	7-4 (2-1药)	冰箱	242310258	2025/3/17 4:00:00	4.6℃	正常	
4658	7-4 (2-1药)	冰箱	242310258	2025/3/17 4:05:00	4.1℃	正常	
4659	7-4 (2-1药)	冰箱	242310258	2025/3/17 4:10:00	4.4℃	正常	
4660	7-4 (2-1药)	冰箱	242310258	2025/3/17 4:15:00	4.4℃	正常	

4661	7-4 (2-1药)	冰箱	242310258	2025/3/17 4:20:00	4.1℃	正常	
4662	7-4 (2-1药)	冰箱	242310258	2025/3/17 4:25:00	4.6℃	正常	
4663	7-4 (2-1药)	冰箱	242310258	2025/3/17 4:30:00	4.0℃	正常	
4664	7-4 (2-1药)	冰箱	242310258	2025/3/17 4:35:00	4.5℃	正常	
4665	7-4 (2-1药)	冰箱	242310258	2025/3/17 4:40:00	4.3℃	正常	
4666	7-4 (2-1药)	冰箱	242310258	2025/3/17 4:45:00	4.2℃	正常	
4667	7-4 (2-1药)	冰箱	242310258	2025/3/17 4:50:00	4.7℃	正常	
4668	7-4 (2-1药)	冰箱	242310258	2025/3/17 4:55:00	4.0℃	正常	
4669	7-4 (2-1药)	冰箱	242310258	2025/3/17 5:00:00	4.6℃	正常	
4670	7-4 (2-1药)	冰箱	242310258	2025/3/17 5:05:00	4.4℃	正常	
4671	7-4 (2-1药)	冰箱	242310258	2025/3/17 5:10:00	4.3℃	正常	
4672	7-4 (2-1药)	冰箱	242310258	2025/3/17 5:15:00	4.6℃	正常	
4673	7-4 (2-1药)	冰箱	242310258	2025/3/17 5:20:00	4.0℃	正常	
4674	7-4 (2-1药)	冰箱	242310258	2025/3/17 5:25:00	4.6℃	正常	
4675	7-4 (2-1药)	冰箱	242310258	2025/3/17 5:30:00	4.2℃	正常	
4676	7-4 (2-1药)	冰箱	242310258	2025/3/17 5:35:00	4.3℃	正常	
4677	7-4 (2-1药)	冰箱	242310258	2025/3/17 5:40:00	4.6℃	正常	
4678	7-4 (2-1药)	冰箱	242310258	2025/3/17 5:45:00	4.0℃	正常	
4679	7-4 (2-1药)	冰箱	242310258	2025/3/17 5:50:00	4.6℃	正常	
4680	7-4 (2-1药)	冰箱	242310258	2025/3/17 5:55:00	4.2℃	正常	
4681	7-4 (2-1药)	冰箱	242310258	2025/3/17 6:00:00	4.4℃	正常	
4682	7-4 (2-1药)	冰箱	242310258	2025/3/17 6:05:00	4.6℃	正常	
4683	7-4 (2-1药)	冰箱	242310258	2025/3/17 6:10:00	4.1℃	正常	
4684	7-4 (2-1药)	冰箱	242310258	2025/3/17 6:15:00	4.7℃	正常	
4685	7-4 (2-1药)	冰箱	242310258	2025/3/17 6:20:00	4.0℃	正常	
4686	7-4 (2-1药)	冰箱	242310258	2025/3/17 6:25:00	5.0℃	正常	
4687	7-4 (2-1药)	冰箱	242310258	2025/3/17 6:30:00	4.1℃	正常	
4688	7-4 (2-1药)	冰箱	242310258	2025/3/17 6:35:00	4.6℃	正常	
4689	7-4 (2-1药)	冰箱	242310258	2025/3/17 6:40:00	4.2℃	正常	
4690	7-4 (2-1药)	冰箱	242310258	2025/3/17 6:45:00	4.3℃	正常	
4691	7-4 (2-1药)	冰箱	242310258	2025/3/17 6:50:00	4.6℃	正常	
4692	7-4 (2-1药)	冰箱	242310258	2025/3/17 6:55:00	4.0℃	正常	
4693	7-4 (2-1药)	冰箱	242310258	2025/3/17 7:00:00	4.6℃	正常	
4694	7-4 (2-1药)	冰箱	242310258	2025/3/17 7:05:00	4.2℃	正常	
4695	7-4 (2-1药)	冰箱	242310258	2025/3/17 7:10:00	4.3℃	正常	
4696	7-4 (2-1药)	冰箱	242310258	2025/3/17 7:15:00	4.6℃	正常	
4697	7-4 (2-1药)	冰箱	242310258	2025/3/17 7:20:00	4.0℃	正常	
4698	7-4 (2-1药)	冰箱	242310258	2025/3/17 7:25:00	4.7℃	正常	
4699	7-4 (2-1药)	冰箱	242310258	2025/3/17 7:30:00	4.0℃	正常	
4700	7-4 (2-1药)	冰箱	242310258	2025/3/17 7:35:00	4.4℃	正常	
4701	7-4 (2-1药)	冰箱	242310258	2025/3/17 7:40:00	4.5℃	正常	
4702	7-4 (2-1药)	冰箱	242310258	2025/3/17 7:45:00	4.1℃	正常	
4703	7-4 (2-1药)	冰箱	242310258	2025/3/17 7:50:00	4.7℃	正常	
4704	7-4 (2-1药)	冰箱	242310258	2025/3/17 7:55:00	4.0℃	正常	
4705	7-4 (2-1药)	冰箱	242310258	2025/3/17 8:00:00	4.5℃	正常	
4706	7-4 (2-1药)	冰箱	242310258	2025/3/17 8:05:00	4.4℃	正常	
4707	7-4 (2-1药)	冰箱	242310258	2025/3/17 8:10:00	4.2℃	正常	
4708	7-4 (2-1药)	冰箱	242310258	2025/3/17 8:15:00	4.7℃	正常	
4709	7-4 (2-1药)	冰箱	242310258	2025/3/17 8:20:00	4.0℃	正常	
4710	7-4 (2-1药)	冰箱	242310258	2025/3/17 8:25:00	4.5℃	正常	
4711	7-4 (2-1药)	冰箱	242310258	2025/3/17 8:30:00	4.4℃	正常	
4712	7-4 (2-1药)	冰箱	242310258	2025/3/17 8:35:00	4.2℃	正常	
4713	7-4 (2-1药)	冰箱	242310258	2025/3/17 8:40:00	4.7℃	正常	
4714	7-4 (2-1药)	冰箱	242310258	2025/3/17 8:45:00	4.0℃	正常	
4715	7-4 (2-1药)	冰箱	242310258	2025/3/17 8:50:00	4.5℃	正常	
4716	7-4 (2-1药)	冰箱	242310258	2025/3/17 8:55:00	4.3℃	正常	
4717	7-4 (2-1药)	冰箱	242310258	2025/3/17 9:00:00	4.2℃	正常	
4718	7-4 (2-1药)	冰箱	242310258	2025/3/17 9:05:00	4.7℃	正常	
4719	7-4 (2-1药)	冰箱	242310258	2025/3/17 9:10:00	4.0℃	正常	
4720	7-4 (2-1药)	冰箱	242310258	2025/3/17 9:15:00	4.6℃	正常	
4721	7-4 (2-1药)	冰箱	242310258	2025/3/17 9:20:00	4.3℃	正常	
4722	7-4 (2-1药)	冰箱	242310258	2025/3/17 9:25:00	4.3℃	正常	
4723	7-4 (2-1药)	冰箱	242310258	2025/3/17 9:30:00	4.6℃	正常	
4724	7-4 (2-1药)	冰箱	242310258	2025/3/17 9:35:00	4.0℃	正常	

4725	7-4 (2-1药)	冰箱	242310258	2025/3/17 9:40:00	4.6℃	正常	
4726	7-4 (2-1药)	冰箱	242310258	2025/3/17 9:45:00	4.2℃	正常	
4727	7-4 (2-1药)	冰箱	242310258	2025/3/17 9:50:00	4.3℃	正常	
4728	7-4 (2-1药)	冰箱	242310258	2025/3/17 9:55:00	4.7℃	正常	
4729	7-4 (2-1药)	冰箱	242310258	2025/3/17 10:00:00	4.0℃	正常	
4730	7-4 (2-1药)	冰箱	242310258	2025/3/17 10:05:00	4.6℃	正常	
4731	7-4 (2-1药)	冰箱	242310258	2025/3/17 10:10:00	4.3℃	正常	
4732	7-4 (2-1药)	冰箱	242310258	2025/3/17 10:15:00	4.3℃	正常	
4733	7-4 (2-1药)	冰箱	242310258	2025/3/17 10:20:00	4.6℃	正常	
4734	7-4 (2-1药)	冰箱	242310258	2025/3/17 10:25:00	4.0℃	正常	
4735	7-4 (2-1药)	冰箱	242310258	2025/3/17 10:30:00	4.6℃	正常	
4736	7-4 (2-1药)	冰箱	242310258	2025/3/17 10:35:00	4.1℃	正常	
4737	7-4 (2-1药)	冰箱	242310258	2025/3/17 10:40:00	4.3℃	正常	
4738	7-4 (2-1药)	冰箱	242310258	2025/3/17 10:45:00	4.6℃	正常	
4739	7-4 (2-1药)	冰箱	242310258	2025/3/17 10:50:00	4.1℃	正常	
4740	7-4 (2-1药)	冰箱	242310258	2025/3/17 10:55:00	4.7℃	正常	
4741	7-4 (2-1药)	冰箱	242310258	2025/3/17 11:00:00	4.1℃	正常	
4742	7-4 (2-1药)	冰箱	242310258	2025/3/17 11:05:00	4.5℃	正常	
4743	7-4 (2-1药)	冰箱	242310258	2025/3/17 11:10:00	4.4℃	正常	
4744	7-4 (2-1药)	冰箱	242310258	2025/3/17 11:15:00	4.1℃	正常	
4745	7-4 (2-1药)	冰箱	242310258	2025/3/17 11:20:00	4.7℃	正常	
4746	7-4 (2-1药)	冰箱	242310258	2025/3/17 11:25:00	4.0℃	正常	
4747	7-4 (2-1药)	冰箱	242310258	2025/3/17 11:30:00	4.5℃	正常	
4748	7-4 (2-1药)	冰箱	242310258	2025/3/17 11:35:00	4.5℃	正常	
4749	7-4 (2-1药)	冰箱	242310258	2025/3/17 11:40:00	4.4℃	正常	
4750	7-4 (2-1药)	冰箱	242310258	2025/3/17 11:45:00	4.7℃	正常	
4751	7-4 (2-1药)	冰箱	242310258	2025/3/17 11:50:00	4.0℃	正常	
4752	7-4 (2-1药)	冰箱	242310258	2025/3/17 11:55:00	4.7℃	正常	
4753	7-4 (2-1药)	冰箱	242310258	2025/3/17 12:00:00	4.1℃	正常	
4754	7-4 (2-1药)	冰箱	242310258	2025/3/17 12:05:00	4.4℃	正常	
4755	7-4 (2-1药)	冰箱	242310258	2025/3/17 12:10:00	4.4℃	正常	
4756	7-4 (2-1药)	冰箱	242310258	2025/3/17 12:15:00	4.1℃	正常	
4757	7-4 (2-1药)	冰箱	242310258	2025/3/17 12:20:00	4.7℃	正常	
4758	7-4 (2-1药)	冰箱	242310258	2025/3/17 12:25:00	4.0℃	正常	
4759	7-4 (2-1药)	冰箱	242310258	2025/3/17 12:30:00	4.6℃	正常	
4760	7-4 (2-1药)	冰箱	242310258	2025/3/17 12:35:00	4.3℃	正常	
4761	7-4 (2-1药)	冰箱	242310258	2025/3/17 12:40:00	4.2℃	正常	
4762	7-4 (2-1药)	冰箱	242310258	2025/3/17 12:45:00	4.7℃	正常	
4763	7-4 (2-1药)	冰箱	242310258	2025/3/17 12:50:00	4.0℃	正常	
4764	7-4 (2-1药)	冰箱	242310258	2025/3/17 12:55:00	4.6℃	正常	
4765	7-4 (2-1药)	冰箱	242310258	2025/3/17 13:00:00	4.2℃	正常	
4766	7-4 (2-1药)	冰箱	242310258	2025/3/17 13:05:00	4.5℃	正常	
4767	7-4 (2-1药)	冰箱	242310258	2025/3/17 13:10:00	4.5℃	正常	
4768	7-4 (2-1药)	冰箱	242310258	2025/3/17 13:15:00	4.1℃	正常	
4769	7-4 (2-1药)	冰箱	242310258	2025/3/17 13:20:00	4.7℃	正常	
4770	7-4 (2-1药)	冰箱	242310258	2025/3/17 13:25:00	4.0℃	正常	
4771	7-4 (2-1药)	冰箱	242310258	2025/3/17 13:30:00	4.5℃	正常	
4772	7-4 (2-1药)	冰箱	242310258	2025/3/17 13:35:00	4.3℃	正常	
4773	7-4 (2-1药)	冰箱	242310258	2025/3/17 13:40:00	4.2℃	正常	
4774	7-4 (2-1药)	冰箱	242310258	2025/3/17 13:45:00	4.7℃	正常	
4775	7-4 (2-1药)	冰箱	242310258	2025/3/17 13:50:00	4.0℃	正常	
4776	7-4 (2-1药)	冰箱	242310258	2025/3/17 13:55:00	4.6℃	正常	
4777	7-4 (2-1药)	冰箱	242310258	2025/3/17 14:00:00	4.2℃	正常	
4778	7-4 (2-1药)	冰箱	242310258	2025/3/17 14:05:00	4.4℃	正常	
4779	7-4 (2-1药)	冰箱	242310258	2025/3/17 14:10:00	4.5℃	正常	
4780	7-4 (2-1药)	冰箱	242310258	2025/3/17 14:15:00	4.0℃	正常	
4781	7-4 (2-1药)	冰箱	242310258	2025/3/17 14:20:00	4.6℃	正常	
4782	7-4 (2-1药)	冰箱	242310258	2025/3/17 14:25:00	4.1℃	正常	
4783	7-4 (2-1药)	冰箱	242310258	2025/3/17 14:30:00	4.5℃	正常	
4784	7-4 (2-1药)	冰箱	242310258	2025/3/17 14:35:00	4.4℃	正常	
4785	7-4 (2-1药)	冰箱	242310258	2025/3/17 14:40:00	4.2℃	正常	
4786	7-4 (2-1药)	冰箱	242310258	2025/3/17 14:45:00	4.7℃	正常	
4787	7-4 (2-1药)	冰箱	242310258	2025/3/17 14:50:00	3.9℃	正常	
4788	7-4 (2-1药)	冰箱	242310258	2025/3/17 14:55:00	4.6℃	正常	

4789	7-4 (2-1药)	冰箱	242310258	2025/3/17 15:00:00	4.1℃	正常	
4790	7-4 (2-1药)	冰箱	242310258	2025/3/17 15:05:00	4.4℃	正常	
4791	7-4 (2-1药)	冰箱	242310258	2025/3/17 15:10:00	4.5℃	正常	
4792	7-4 (2-1药)	冰箱	242310258	2025/3/17 15:15:00	4.0℃	正常	
4793	7-4 (2-1药)	冰箱	242310258	2025/3/17 15:20:00	4.7℃	正常	
4794	7-4 (2-1药)	冰箱	242310258	2025/3/17 15:25:00	4.0℃	正常	
4795	7-4 (2-1药)	冰箱	242310258	2025/3/17 15:30:00	4.5℃	正常	
4796	7-4 (2-1药)	冰箱	242310258	2025/3/17 15:35:00	4.4℃	正常	
4797	7-4 (2-1药)	冰箱	242310258	2025/3/17 15:40:00	4.3℃	正常	
4798	7-4 (2-1药)	冰箱	242310258	2025/3/17 15:45:00	4.6℃	正常	
4799	7-4 (2-1药)	冰箱	242310258	2025/3/17 15:50:00	3.9℃	正常	
4800	7-4 (2-1药)	冰箱	242310258	2025/3/17 15:55:00	4.6℃	正常	
4801	7-4 (2-1药)	冰箱	242310258	2025/3/17 16:00:00	4.1℃	正常	
4802	7-4 (2-1药)	冰箱	242310258	2025/3/17 16:05:00	4.5℃	正常	
4803	7-4 (2-1药)	冰箱	242310258	2025/3/17 16:10:00	4.5℃	正常	
4804	7-4 (2-1药)	冰箱	242310258	2025/3/17 16:15:00	4.1℃	正常	
4805	7-4 (2-1药)	冰箱	242310258	2025/3/17 16:20:00	4.7℃	正常	
4806	7-4 (2-1药)	冰箱	242310258	2025/3/17 16:25:00	4.0℃	正常	
4807	7-4 (2-1药)	冰箱	242310258	2025/3/17 16:30:00	4.6℃	正常	
4808	7-4 (2-1药)	冰箱	242310258	2025/3/17 16:35:00	4.3℃	正常	
4809	7-4 (2-1药)	冰箱	242310258	2025/3/17 16:40:00	4.3℃	正常	
4810	7-4 (2-1药)	冰箱	242310258	2025/3/17 16:45:00	4.6℃	正常	
4811	7-4 (2-1药)	冰箱	242310258	2025/3/17 16:50:00	4.0℃	正常	
4812	7-4 (2-1药)	冰箱	242310258	2025/3/17 16:55:00	4.7℃	正常	
4813	7-4 (2-1药)	冰箱	242310258	2025/3/17 17:00:00	4.1℃	正常	
4814	7-4 (2-1药)	冰箱	242310258	2025/3/17 17:05:00	4.5℃	正常	
4815	7-4 (2-1药)	冰箱	242310258	2025/3/17 17:10:00	4.4℃	正常	
4816	7-4 (2-1药)	冰箱	242310258	2025/3/17 17:15:00	4.2℃	正常	
4817	7-4 (2-1药)	冰箱	242310258	2025/3/17 17:20:00	4.7℃	正常	
4818	7-4 (2-1药)	冰箱	242310258	2025/3/17 17:25:00	4.0℃	正常	
4819	7-4 (2-1药)	冰箱	242310258	2025/3/17 17:30:00	4.7℃	正常	
4820	7-4 (2-1药)	冰箱	242310258	2025/3/17 17:35:00	4.1℃	正常	
4821	7-4 (2-1药)	冰箱	242310258	2025/3/17 17:40:00	5.1℃	正常	
4822	7-4 (2-1药)	冰箱	242310258	2025/3/17 17:45:00	4.1℃	正常	
4823	7-4 (2-1药)	冰箱	242310258	2025/3/17 17:50:00	4.7℃	正常	
4824	7-4 (2-1药)	冰箱	242310258	2025/3/17 17:55:00	4.1℃	正常	
4825	7-4 (2-1药)	冰箱	242310258	2025/3/17 18:00:00	4.4℃	正常	
4826	7-4 (2-1药)	冰箱	242310258	2025/3/17 18:05:00	4.5℃	正常	
4827	7-4 (2-1药)	冰箱	242310258	2025/3/17 18:10:00	4.1℃	正常	
4828	7-4 (2-1药)	冰箱	242310258	2025/3/17 18:15:00	4.7℃	正常	
4829	7-4 (2-1药)	冰箱	242310258	2025/3/17 18:20:00	4.0℃	正常	
4830	7-4 (2-1药)	冰箱	242310258	2025/3/17 18:25:00	4.5℃	正常	
4831	7-4 (2-1药)	冰箱	242310258	2025/3/17 18:30:00	4.3℃	正常	
4832	7-4 (2-1药)	冰箱	242310258	2025/3/17 18:35:00	4.3℃	正常	
4833	7-4 (2-1药)	冰箱	242310258	2025/3/17 18:40:00	4.6℃	正常	
4834	7-4 (2-1药)	冰箱	242310258	2025/3/17 18:45:00	4.0℃	正常	
4835	7-4 (2-1药)	冰箱	242310258	2025/3/17 18:50:00	4.6℃	正常	
4836	7-4 (2-1药)	冰箱	242310258	2025/3/17 18:55:00	4.1℃	正常	
4837	7-4 (2-1药)	冰箱	242310258	2025/3/17 19:00:00	4.4℃	正常	
4838	7-4 (2-1药)	冰箱	242310258	2025/3/17 19:05:00	4.5℃	正常	
4839	7-4 (2-1药)	冰箱	242310258	2025/3/17 19:10:00	4.1℃	正常	
4840	7-4 (2-1药)	冰箱	242310258	2025/3/17 19:15:00	4.7℃	正常	
4841	7-4 (2-1药)	冰箱	242310258	2025/3/17 19:20:00	4.0℃	正常	
4842	7-4 (2-1药)	冰箱	242310258	2025/3/17 19:25:00	4.6℃	正常	
4843	7-4 (2-1药)	冰箱	242310258	2025/3/17 19:30:00	4.3℃	正常	
4844	7-4 (2-1药)	冰箱	242310258	2025/3/17 19:35:00	4.3℃	正常	
4845	7-4 (2-1药)	冰箱	242310258	2025/3/17 19:40:00	4.6℃	正常	
4846	7-4 (2-1药)	冰箱	242310258	2025/3/17 19:45:00	4.1℃	正常	
4847	7-4 (2-1药)	冰箱	242310258	2025/3/17 19:50:00	4.7℃	正常	
4848	7-4 (2-1药)	冰箱	242310258	2025/3/17 19:55:00	4.1℃	正常	
4849	7-4 (2-1药)	冰箱	242310258	2025/3/17 20:00:00	4.4℃	正常	
4850	7-4 (2-1药)	冰箱	242310258	2025/3/17 20:05:00	4.4℃	正常	
4851	7-4 (2-1药)	冰箱	242310258	2025/3/17 20:10:00	4.2℃	正常	
4852	7-4 (2-1药)	冰箱	242310258	2025/3/17 20:15:00	4.7℃	正常	

4853	7-4 (2-1药)	冰箱	242310258	2025/3/17 20:20:00	4.0℃	正常	
4854	7-4 (2-1药)	冰箱	242310258	2025/3/17 20:25:00	4.6℃	正常	
4855	7-4 (2-1药)	冰箱	242310258	2025/3/17 20:30:00	4.1℃	正常	
4856	7-4 (2-1药)	冰箱	242310258	2025/3/17 20:35:00	4.4℃	正常	
4857	7-4 (2-1药)	冰箱	242310258	2025/3/17 20:40:00	4.5℃	正常	
4858	7-4 (2-1药)	冰箱	242310258	2025/3/17 20:45:00	4.1℃	正常	
4859	7-4 (2-1药)	冰箱	242310258	2025/3/17 20:50:00	4.7℃	正常	
4860	7-4 (2-1药)	冰箱	242310258	2025/3/17 20:55:00	4.0℃	正常	
4861	7-4 (2-1药)	冰箱	242310258	2025/3/17 21:00:00	4.5℃	正常	
4862	7-4 (2-1药)	冰箱	242310258	2025/3/17 21:05:00	4.3℃	正常	
4863	7-4 (2-1药)	冰箱	242310258	2025/3/17 21:10:00	4.3℃	正常	
4864	7-4 (2-1药)	冰箱	242310258	2025/3/17 21:15:00	4.6℃	正常	
4865	7-4 (2-1药)	冰箱	242310258	2025/3/17 21:20:00	4.0℃	正常	
4866	7-4 (2-1药)	冰箱	242310258	2025/3/17 21:25:00	4.7℃	正常	
4867	7-4 (2-1药)	冰箱	242310258	2025/3/17 21:30:00	4.0℃	正常	
4868	7-4 (2-1药)	冰箱	242310258	2025/3/17 21:35:00	4.5℃	正常	
4869	7-4 (2-1药)	冰箱	242310258	2025/3/17 21:40:00	4.4℃	正常	
4870	7-4 (2-1药)	冰箱	242310258	2025/3/17 21:45:00	4.2℃	正常	
4871	7-4 (2-1药)	冰箱	242310258	2025/3/17 21:50:00	4.7℃	正常	
4872	7-4 (2-1药)	冰箱	242310258	2025/3/17 21:55:00	4.0℃	正常	
4873	7-4 (2-1药)	冰箱	242310258	2025/3/17 22:00:00	4.6℃	正常	
4874	7-4 (2-1药)	冰箱	242310258	2025/3/17 22:05:00	4.2℃	正常	
4875	7-4 (2-1药)	冰箱	242310258	2025/3/17 22:10:00	4.4℃	正常	
4876	7-4 (2-1药)	冰箱	242310258	2025/3/17 22:15:00	4.5℃	正常	
4877	7-4 (2-1药)	冰箱	242310258	2025/3/17 22:20:00	4.1℃	正常	
4878	7-4 (2-1药)	冰箱	242310258	2025/3/17 22:25:00	4.7℃	正常	
4879	7-4 (2-1药)	冰箱	242310258	2025/3/17 22:30:00	4.0℃	正常	
4880	7-4 (2-1药)	冰箱	242310258	2025/3/17 22:35:00	4.5℃	正常	
4881	7-4 (2-1药)	冰箱	242310258	2025/3/17 22:40:00	4.3℃	正常	
4882	7-4 (2-1药)	冰箱	242310258	2025/3/17 22:45:00	4.2℃	正常	
4883	7-4 (2-1药)	冰箱	242310258	2025/3/17 22:50:00	4.7℃	正常	
4884	7-4 (2-1药)	冰箱	242310258	2025/3/17 22:55:00	4.0℃	正常	
4885	7-4 (2-1药)	冰箱	242310258	2025/3/17 23:00:00	4.6℃	正常	
4886	7-4 (2-1药)	冰箱	242310258	2025/3/17 23:05:00	4.0℃	正常	
4887	7-4 (2-1药)	冰箱	242310258	2025/3/17 23:10:00	4.5℃	正常	
4888	7-4 (2-1药)	冰箱	242310258	2025/3/17 23:15:00	4.4℃	正常	
4889	7-4 (2-1药)	冰箱	242310258	2025/3/17 23:20:00	4.2℃	正常	
4890	7-4 (2-1药)	冰箱	242310258	2025/3/17 23:25:00	4.7℃	正常	
4891	7-4 (2-1药)	冰箱	242310258	2025/3/17 23:30:00	4.0℃	正常	
4892	7-4 (2-1药)	冰箱	242310258	2025/3/17 23:35:00	4.6℃	正常	
4893	7-4 (2-1药)	冰箱	242310258	2025/3/17 23:40:00	4.1℃	正常	
4894	7-4 (2-1药)	冰箱	242310258	2025/3/17 23:45:00	4.3℃	正常	
4895	7-4 (2-1药)	冰箱	242310258	2025/3/17 23:50:00	4.5℃	正常	
4896	7-4 (2-1药)	冰箱	242310258	2025/3/17 23:55:00	4.0℃	正常	
4897	7-4 (2-1药)	冰箱	242310258	2025/3/18 0:00:00	4.7℃	正常	
4898	7-4 (2-1药)	冰箱	242310258	2025/3/18 0:05:00	4.0℃	正常	
4899	7-4 (2-1药)	冰箱	242310258	2025/3/18 0:10:00	4.5℃	正常	
4900	7-4 (2-1药)	冰箱	242310258	2025/3/18 0:15:00	4.3℃	正常	
4901	7-4 (2-1药)	冰箱	242310258	2025/3/18 0:20:00	4.2℃	正常	
4902	7-4 (2-1药)	冰箱	242310258	2025/3/18 0:25:00	4.7℃	正常	
4903	7-4 (2-1药)	冰箱	242310258	2025/3/18 0:30:00	4.0℃	正常	
4904	7-4 (2-1药)	冰箱	242310258	2025/3/18 0:35:00	4.6℃	正常	
4905	7-4 (2-1药)	冰箱	242310258	2025/3/18 0:40:00	4.0℃	正常	
4906	7-4 (2-1药)	冰箱	242310258	2025/3/18 0:45:00	4.4℃	正常	
4907	7-4 (2-1药)	冰箱	242310258	2025/3/18 0:50:00	4.4℃	正常	
4908	7-4 (2-1药)	冰箱	242310258	2025/3/18 0:55:00	4.2℃	正常	
4909	7-4 (2-1药)	冰箱	242310258	2025/3/18 1:00:00	4.7℃	正常	
4910	7-4 (2-1药)	冰箱	242310258	2025/3/18 1:05:00	4.0℃	正常	
4911	7-4 (2-1药)	冰箱	242310258	2025/3/18 1:10:00	4.6℃	正常	
4912	7-4 (2-1药)	冰箱	242310258	2025/3/18 1:15:00	4.1℃	正常	
4913	7-4 (2-1药)	冰箱	242310258	2025/3/18 1:20:00	4.4℃	正常	
4914	7-4 (2-1药)	冰箱	242310258	2025/3/18 1:25:00	4.6℃	正常	
4915	7-4 (2-1药)	冰箱	242310258	2025/3/18 1:30:00	4.0℃	正常	
4916	7-4 (2-1药)	冰箱	242310258	2025/3/18 1:35:00	4.7℃	正常	

4917	7-4 (2-1药)	冰箱	242310258	2025/3/18 1:40:00	4.0℃	正常	
4918	7-4 (2-1药)	冰箱	242310258	2025/3/18 1:45:00	4.6℃	正常	
4919	7-4 (2-1药)	冰箱	242310258	2025/3/18 1:50:00	4.2℃	正常	
4920	7-4 (2-1药)	冰箱	242310258	2025/3/18 1:55:00	4.3℃	正常	
4921	7-4 (2-1药)	冰箱	242310258	2025/3/18 2:00:00	4.6℃	正常	
4922	7-4 (2-1药)	冰箱	242310258	2025/3/18 2:05:00	4.1℃	正常	
4923	7-4 (2-1药)	冰箱	242310258	2025/3/18 2:10:00	4.7℃	正常	
4924	7-4 (2-1药)	冰箱	242310258	2025/3/18 2:15:00	4.0℃	正常	
4925	7-4 (2-1药)	冰箱	242310258	2025/3/18 2:20:00	4.5℃	正常	
4926	7-4 (2-1药)	冰箱	242310258	2025/3/18 2:25:00	4.3℃	正常	
4927	7-4 (2-1药)	冰箱	242310258	2025/3/18 2:30:00	4.2℃	正常	
4928	7-4 (2-1药)	冰箱	242310258	2025/3/18 2:35:00	4.6℃	正常	
4929	7-4 (2-1药)	冰箱	242310258	2025/3/18 2:40:00	4.0℃	正常	
4930	7-4 (2-1药)	冰箱	242310258	2025/3/18 2:45:00	4.6℃	正常	
4931	7-4 (2-1药)	冰箱	242310258	2025/3/18 2:50:00	4.1℃	正常	
4932	7-4 (2-1药)	冰箱	242310258	2025/3/18 2:55:00	4.4℃	正常	
4933	7-4 (2-1药)	冰箱	242310258	2025/3/18 3:00:00	4.5℃	正常	
4934	7-4 (2-1药)	冰箱	242310258	2025/3/18 3:05:00	4.1℃	正常	
4935	7-4 (2-1药)	冰箱	242310258	2025/3/18 3:10:00	4.6℃	正常	
4936	7-4 (2-1药)	冰箱	242310258	2025/3/18 3:15:00	3.9℃	正常	
4937	7-4 (2-1药)	冰箱	242310258	2025/3/18 3:20:00	4.6℃	正常	
4938	7-4 (2-1药)	冰箱	242310258	2025/3/18 3:25:00	4.2℃	正常	
4939	7-4 (2-1药)	冰箱	242310258	2025/3/18 3:30:00	4.4℃	正常	
4940	7-4 (2-1药)	冰箱	242310258	2025/3/18 3:35:00	4.5℃	正常	
4941	7-4 (2-1药)	冰箱	242310258	2025/3/18 3:40:00	4.1℃	正常	
4942	7-4 (2-1药)	冰箱	242310258	2025/3/18 3:45:00	4.7℃	正常	
4943	7-4 (2-1药)	冰箱	242310258	2025/3/18 3:50:00	3.9℃	正常	
4944	7-4 (2-1药)	冰箱	242310258	2025/3/18 3:55:00	4.6℃	正常	
4945	7-4 (2-1药)	冰箱	242310258	2025/3/18 4:00:00	4.2℃	正常	
4946	7-4 (2-1药)	冰箱	242310258	2025/3/18 4:05:00	4.4℃	正常	
4947	7-4 (2-1药)	冰箱	242310258	2025/3/18 4:10:00	4.5℃	正常	
4948	7-4 (2-1药)	冰箱	242310258	2025/3/18 4:15:00	4.1℃	正常	
4949	7-4 (2-1药)	冰箱	242310258	2025/3/18 4:20:00	4.7℃	正常	
4950	7-4 (2-1药)	冰箱	242310258	2025/3/18 4:25:00	4.0℃	正常	
4951	7-4 (2-1药)	冰箱	242310258	2025/3/18 4:30:00	4.6℃	正常	
4952	7-4 (2-1药)	冰箱	242310258	2025/3/18 4:35:00	4.1℃	正常	
4953	7-4 (2-1药)	冰箱	242310258	2025/3/18 4:40:00	5.1℃	正常	
4954	7-4 (2-1药)	冰箱	242310258	2025/3/18 4:45:00	4.1℃	正常	
4955	7-4 (2-1药)	冰箱	242310258	2025/3/18 4:50:00	4.7℃	正常	
4956	7-4 (2-1药)	冰箱	242310258	2025/3/18 4:55:00	4.1℃	正常	
4957	7-4 (2-1药)	冰箱	242310258	2025/3/18 5:00:00	4.4℃	正常	
4958	7-4 (2-1药)	冰箱	242310258	2025/3/18 5:05:00	4.6℃	正常	
4959	7-4 (2-1药)	冰箱	242310258	2025/3/18 5:10:00	4.1℃	正常	
4960	7-4 (2-1药)	冰箱	242310258	2025/3/18 5:15:00	4.7℃	正常	
4961	7-4 (2-1药)	冰箱	242310258	2025/3/18 5:20:00	3.9℃	正常	
4962	7-4 (2-1药)	冰箱	242310258	2025/3/18 5:25:00	4.6℃	正常	
4963	7-4 (2-1药)	冰箱	242310258	2025/3/18 5:30:00	4.2℃	正常	
4964	7-4 (2-1药)	冰箱	242310258	2025/3/18 5:35:00	4.3℃	正常	
4965	7-4 (2-1药)	冰箱	242310258	2025/3/18 5:40:00	4.6℃	正常	
4966	7-4 (2-1药)	冰箱	242310258	2025/3/18 5:45:00	4.1℃	正常	
4967	7-4 (2-1药)	冰箱	242310258	2025/3/18 5:50:00	4.7℃	正常	
4968	7-4 (2-1药)	冰箱	242310258	2025/3/18 5:55:00	4.0℃	正常	
4969	7-4 (2-1药)	冰箱	242310258	2025/3/18 6:00:00	4.6℃	正常	
4970	7-4 (2-1药)	冰箱	242310258	2025/3/18 6:05:00	4.3℃	正常	
4971	7-4 (2-1药)	冰箱	242310258	2025/3/18 6:10:00	4.3℃	正常	
4972	7-4 (2-1药)	冰箱	242310258	2025/3/18 6:15:00	4.6℃	正常	
4973	7-4 (2-1药)	冰箱	242310258	2025/3/18 6:20:00	4.0℃	正常	
4974	7-4 (2-1药)	冰箱	242310258	2025/3/18 6:25:00	4.7℃	正常	
4975	7-4 (2-1药)	冰箱	242310258	2025/3/18 6:30:00	4.0℃	正常	
4976	7-4 (2-1药)	冰箱	242310258	2025/3/18 6:35:00	4.5℃	正常	
4977	7-4 (2-1药)	冰箱	242310258	2025/3/18 6:40:00	4.4℃	正常	
4978	7-4 (2-1药)	冰箱	242310258	2025/3/18 6:45:00	4.2℃	正常	
4979	7-4 (2-1药)	冰箱	242310258	2025/3/18 6:50:00	4.6℃	正常	
4980	7-4 (2-1药)	冰箱	242310258	2025/3/18 6:55:00	4.0℃	正常	

4981	7-4 (2-1药)	冰箱	242310258	2025/3/18 7:00:00	4.7℃	正常	
4982	7-4 (2-1药)	冰箱	242310258	2025/3/18 7:05:00	4.1℃	正常	
4983	7-4 (2-1药)	冰箱	242310258	2025/3/18 7:10:00	4.5℃	正常	
4984	7-4 (2-1药)	冰箱	242310258	2025/3/18 7:15:00	4.3℃	正常	
4985	7-4 (2-1药)	冰箱	242310258	2025/3/18 7:20:00	4.2℃	正常	
4986	7-4 (2-1药)	冰箱	242310258	2025/3/18 7:25:00	4.7℃	正常	
4987	7-4 (2-1药)	冰箱	242310258	2025/3/18 7:30:00	4.0℃	正常	
4988	7-4 (2-1药)	冰箱	242310258	2025/3/18 7:35:00	4.7℃	正常	
4989	7-4 (2-1药)	冰箱	242310258	2025/3/18 7:40:00	4.1℃	正常	
4990	7-4 (2-1药)	冰箱	242310258	2025/3/18 7:45:00	4.4℃	正常	
4991	7-4 (2-1药)	冰箱	242310258	2025/3/18 7:50:00	4.5℃	正常	
4992	7-4 (2-1药)	冰箱	242310258	2025/3/18 7:55:00	4.1℃	正常	
4993	7-4 (2-1药)	冰箱	242310258	2025/3/18 8:00:00	4.7℃	正常	
4994	7-4 (2-1药)	冰箱	242310258	2025/3/18 8:05:00	4.0℃	正常	
4995	7-4 (2-1药)	冰箱	242310258	2025/3/18 8:10:00	4.6℃	正常	
4996	7-4 (2-1药)	冰箱	242310258	2025/3/18 8:15:00	4.2℃	正常	
4997	7-4 (2-1药)	冰箱	242310258	2025/3/18 8:20:00	4.3℃	正常	
4998	7-4 (2-1药)	冰箱	242310258	2025/3/18 8:25:00	4.6℃	正常	
4999	7-4 (2-1药)	冰箱	242310258	2025/3/18 8:30:00	4.0℃	正常	
5000	7-4 (2-1药)	冰箱	242310258	2025/3/18 8:35:00	4.7℃	正常	
5001	7-4 (2-1药)	冰箱	242310258	2025/3/18 8:40:00	4.0℃	正常	
5002	7-4 (2-1药)	冰箱	242310258	2025/3/18 8:45:00	4.4℃	正常	
5003	7-4 (2-1药)	冰箱	242310258	2025/3/18 8:50:00	4.4℃	正常	
5004	7-4 (2-1药)	冰箱	242310258	2025/3/18 8:55:00	4.2℃	正常	
5005	7-4 (2-1药)	冰箱	242310258	2025/3/18 9:00:00	4.7℃	正常	
5006	7-4 (2-1药)	冰箱	242310258	2025/3/18 9:05:00	4.0℃	正常	
5007	7-4 (2-1药)	冰箱	242310258	2025/3/18 9:10:00	4.6℃	正常	
5008	7-4 (2-1药)	冰箱	242310258	2025/3/18 9:15:00	4.2℃	正常	
5009	7-4 (2-1药)	冰箱	242310258	2025/3/18 9:20:00	4.3℃	正常	
5010	7-4 (2-1药)	冰箱	242310258	2025/3/18 9:25:00	4.6℃	正常	
5011	7-4 (2-1药)	冰箱	242310258	2025/3/18 9:30:00	4.0℃	正常	
5012	7-4 (2-1药)	冰箱	242310258	2025/3/18 9:35:00	4.7℃	正常	
5013	7-4 (2-1药)	冰箱	242310258	2025/3/18 9:40:00	4.0℃	正常	
5014	7-4 (2-1药)	冰箱	242310258	2025/3/18 9:45:00	4.5℃	正常	
5015	7-4 (2-1药)	冰箱	242310258	2025/3/18 9:50:00	4.3℃	正常	
5016	7-4 (2-1药)	冰箱	242310258	2025/3/18 9:55:00	4.1℃	正常	
5017	7-4 (2-1药)	冰箱	242310258	2025/3/18 10:00:00	4.7℃	正常	
5018	7-4 (2-1药)	冰箱	242310258	2025/3/18 10:05:00	4.0℃	正常	
5019	7-4 (2-1药)	冰箱	242310258	2025/3/18 10:10:00	4.6℃	正常	
5020	7-4 (2-1药)	冰箱	242310258	2025/3/18 10:15:00	4.1℃	正常	
5021	7-4 (2-1药)	冰箱	242310258	2025/3/18 10:20:00	4.4℃	正常	
5022	7-4 (2-1药)	冰箱	242310258	2025/3/18 10:25:00	4.6℃	正常	
5023	7-4 (2-1药)	冰箱	242310258	2025/3/18 10:30:00	4.1℃	正常	
5024	7-4 (2-1药)	冰箱	242310258	2025/3/18 10:35:00	4.7℃	正常	
5025	7-4 (2-1药)	冰箱	242310258	2025/3/18 10:40:00	4.0℃	正常	
5026	7-4 (2-1药)	冰箱	242310258	2025/3/18 10:45:00	4.5℃	正常	
5027	7-4 (2-1药)	冰箱	242310258	2025/3/18 10:50:00	4.3℃	正常	
5028	7-4 (2-1药)	冰箱	242310258	2025/3/18 10:55:00	4.3℃	正常	
5029	7-4 (2-1药)	冰箱	242310258	2025/3/18 11:00:00	4.7℃	正常	
5030	7-4 (2-1药)	冰箱	242310258	2025/3/18 11:05:00	4.0℃	正常	
5031	7-4 (2-1药)	冰箱	242310258	2025/3/18 11:10:00	4.6℃	正常	
5032	7-4 (2-1药)	冰箱	242310258	2025/3/18 11:15:00	4.2℃	正常	
5033	7-4 (2-1药)	冰箱	242310258	2025/3/18 11:20:00	4.3℃	正常	
5034	7-4 (2-1药)	冰箱	242310258	2025/3/18 11:25:00	4.6℃	正常	
5035	7-4 (2-1药)	冰箱	242310258	2025/3/18 11:30:00	4.1℃	正常	
5036	7-4 (2-1药)	冰箱	242310258	2025/3/18 11:35:00	4.7℃	正常	
5037	7-4 (2-1药)	冰箱	242310258	2025/3/18 11:40:00	4.0℃	正常	
5038	7-4 (2-1药)	冰箱	242310258	2025/3/18 11:45:00	4.5℃	正常	
5039	7-4 (2-1药)	冰箱	242310258	2025/3/18 11:50:00	4.4℃	正常	
5040	7-4 (2-1药)	冰箱	242310258	2025/3/18 11:55:00	4.2℃	正常	
5041	7-4 (2-1药)	冰箱	242310258	2025/3/18 12:00:00	4.6℃	正常	
5042	7-4 (2-1药)	冰箱	242310258	2025/3/18 12:05:00	4.0℃	正常	
5043	7-4 (2-1药)	冰箱	242310258	2025/3/18 12:10:00	4.6℃	正常	
5044	7-4 (2-1药)	冰箱	242310258	2025/3/18 12:15:00	4.2℃	正常	

5045	7-4 (2-1药)	冰箱	242310258	2025/3/18 12:20:00	4.3℃	正常	
5046	7-4 (2-1药)	冰箱	242310258	2025/3/18 12:25:00	4.6℃	正常	
5047	7-4 (2-1药)	冰箱	242310258	2025/3/18 12:30:00	4.1℃	正常	
5048	7-4 (2-1药)	冰箱	242310258	2025/3/18 12:35:00	4.7℃	正常	
5049	7-4 (2-1药)	冰箱	242310258	2025/3/18 12:40:00	3.9℃	正常	
5050	7-4 (2-1药)	冰箱	242310258	2025/3/18 12:45:00	4.5℃	正常	
5051	7-4 (2-1药)	冰箱	242310258	2025/3/18 12:50:00	4.5℃	正常	
5052	7-4 (2-1药)	冰箱	242310258	2025/3/18 12:55:00	4.2℃	正常	
5053	7-4 (2-1药)	冰箱	242310258	2025/3/18 13:00:00	4.7℃	正常	
5054	7-4 (2-1药)	冰箱	242310258	2025/3/18 13:05:00	4.0℃	正常	
5055	7-4 (2-1药)	冰箱	242310258	2025/3/18 13:10:00	4.6℃	正常	
5056	7-4 (2-1药)	冰箱	242310258	2025/3/18 13:15:00	4.1℃	正常	
5057	7-4 (2-1药)	冰箱	242310258	2025/3/18 13:20:00	4.4℃	正常	
5058	7-4 (2-1药)	冰箱	242310258	2025/3/18 13:25:00	4.6℃	正常	
5059	7-4 (2-1药)	冰箱	242310258	2025/3/18 13:30:00	4.1℃	正常	
5060	7-4 (2-1药)	冰箱	242310258	2025/3/18 13:35:00	4.6℃	正常	
5061	7-4 (2-1药)	冰箱	242310258	2025/3/18 13:40:00	4.0℃	正常	
5062	7-4 (2-1药)	冰箱	242310258	2025/3/18 13:45:00	4.6℃	正常	
5063	7-4 (2-1药)	冰箱	242310258	2025/3/18 13:50:00	4.3℃	正常	
5064	7-4 (2-1药)	冰箱	242310258	2025/3/18 13:55:00	4.3℃	正常	
5065	7-4 (2-1药)	冰箱	242310258	2025/3/18 14:00:00	4.6℃	正常	
5066	7-4 (2-1药)	冰箱	242310258	2025/3/18 14:05:00	4.1℃	正常	
5067	7-4 (2-1药)	冰箱	242310258	2025/3/18 14:10:00	4.7℃	正常	
5068	7-4 (2-1药)	冰箱	242310258	2025/3/18 14:15:00	4.0℃	正常	
5069	7-4 (2-1药)	冰箱	242310258	2025/3/18 14:20:00	4.5℃	正常	
5070	7-4 (2-1药)	冰箱	242310258	2025/3/18 14:25:00	4.3℃	正常	
5071	7-4 (2-1药)	冰箱	242310258	2025/3/18 14:30:00	4.3℃	正常	
5072	7-4 (2-1药)	冰箱	242310258	2025/3/18 14:35:00	4.6℃	正常	
5073	7-4 (2-1药)	冰箱	242310258	2025/3/18 14:40:00	4.0℃	正常	
5074	7-4 (2-1药)	冰箱	242310258	2025/3/18 14:45:00	4.7℃	正常	
5075	7-4 (2-1药)	冰箱	242310258	2025/3/18 14:50:00	4.0℃	正常	
5076	7-4 (2-1药)	冰箱	242310258	2025/3/18 14:55:00	4.5℃	正常	
5077	7-4 (2-1药)	冰箱	242310258	2025/3/18 15:00:00	4.4℃	正常	
5078	7-4 (2-1药)	冰箱	242310258	2025/3/18 15:05:00	4.2℃	正常	
5079	7-4 (2-1药)	冰箱	242310258	2025/3/18 15:10:00	4.7℃	正常	
5080	7-4 (2-1药)	冰箱	242310258	2025/3/18 15:15:00	4.0℃	正常	
5081	7-4 (2-1药)	冰箱	242310258	2025/3/18 15:20:00	4.6℃	正常	
5082	7-4 (2-1药)	冰箱	242310258	2025/3/18 15:25:00	4.1℃	正常	
5083	7-4 (2-1药)	冰箱	242310258	2025/3/18 15:30:00	4.4℃	正常	
5084	7-4 (2-1药)	冰箱	242310258	2025/3/18 15:35:00	4.4℃	正常	
5085	7-4 (2-1药)	冰箱	242310258	2025/3/18 15:40:00	4.1℃	正常	
5086	7-4 (2-1药)	冰箱	242310258	2025/3/18 15:45:00	4.9℃	正常	
5087	7-4 (2-1药)	冰箱	242310258	2025/3/18 15:50:00	4.5℃	正常	
5088	7-4 (2-1药)	冰箱	242310258	2025/3/18 15:55:00	4.7℃	正常	
5089	7-4 (2-1药)	冰箱	242310258	2025/3/18 16:00:00	4.1℃	正常	
5090	7-4 (2-1药)	冰箱	242310258	2025/3/18 16:05:00	4.7℃	正常	
5091	7-4 (2-1药)	冰箱	242310258	2025/3/18 16:10:00	3.9℃	正常	
5092	7-4 (2-1药)	冰箱	242310258	2025/3/18 16:15:00	4.6℃	正常	
5093	7-4 (2-1药)	冰箱	242310258	2025/3/18 16:20:00	4.2℃	正常	
5094	7-4 (2-1药)	冰箱	242310258	2025/3/18 16:25:00	4.4℃	正常	
5095	7-4 (2-1药)	冰箱	242310258	2025/3/18 16:30:00	4.5℃	正常	
5096	7-4 (2-1药)	冰箱	242310258	2025/3/18 16:35:00	4.1℃	正常	
5097	7-4 (2-1药)	冰箱	242310258	2025/3/18 16:40:00	4.7℃	正常	
5098	7-4 (2-1药)	冰箱	242310258	2025/3/18 16:45:00	4.0℃	正常	
5099	7-4 (2-1药)	冰箱	242310258	2025/3/18 16:50:00	4.6℃	正常	
5100	7-4 (2-1药)	冰箱	242310258	2025/3/18 16:55:00	4.1℃	正常	
5101	7-4 (2-1药)	冰箱	242310258	2025/3/18 17:00:00	4.4℃	正常	
5102	7-4 (2-1药)	冰箱	242310258	2025/3/18 17:05:00	4.5℃	正常	
5103	7-4 (2-1药)	冰箱	242310258	2025/3/18 17:10:00	4.1℃	正常	
5104	7-4 (2-1药)	冰箱	242310258	2025/3/18 17:15:00	4.7℃	正常	
5105	7-4 (2-1药)	冰箱	242310258	2025/3/18 17:20:00	4.0℃	正常	
5106	7-4 (2-1药)	冰箱	242310258	2025/3/18 17:25:00	4.5℃	正常	
5107	7-4 (2-1药)	冰箱	242310258	2025/3/18 17:30:00	4.3℃	正常	
5108	7-4 (2-1药)	冰箱	242310258	2025/3/18 17:35:00	4.3℃	正常	

5109	7-4 (2-1药)	冰箱	242310258	2025/3/18 17:40:00	4.6℃	正常	
5110	7-4 (2-1药)	冰箱	242310258	2025/3/18 17:45:00	4.1℃	正常	
5111	7-4 (2-1药)	冰箱	242310258	2025/3/18 17:50:00	4.7℃	正常	
5112	7-4 (2-1药)	冰箱	242310258	2025/3/18 17:55:00	4.0℃	正常	
5113	7-4 (2-1药)	冰箱	242310258	2025/3/18 18:00:00	4.5℃	正常	
5114	7-4 (2-1药)	冰箱	242310258	2025/3/18 18:05:00	4.4℃	正常	
5115	7-4 (2-1药)	冰箱	242310258	2025/3/18 18:10:00	4.2℃	正常	
5116	7-4 (2-1药)	冰箱	242310258	2025/3/18 18:15:00	4.7℃	正常	
5117	7-4 (2-1药)	冰箱	242310258	2025/3/18 18:20:00	4.0℃	正常	
5118	7-4 (2-1药)	冰箱	242310258	2025/3/18 18:25:00	4.7℃	正常	
5119	7-4 (2-1药)	冰箱	242310258	2025/3/18 18:30:00	4.0℃	正常	
5120	7-4 (2-1药)	冰箱	242310258	2025/3/18 18:35:00	4.5℃	正常	
5121	7-4 (2-1药)	冰箱	242310258	2025/3/18 18:40:00	4.4℃	正常	
5122	7-4 (2-1药)	冰箱	242310258	2025/3/18 18:45:00	4.2℃	正常	
5123	7-4 (2-1药)	冰箱	242310258	2025/3/18 18:50:00	4.6℃	正常	
5124	7-4 (2-1药)	冰箱	242310258	2025/3/18 18:55:00	4.0℃	正常	
5125	7-4 (2-1药)	冰箱	242310258	2025/3/18 19:00:00	4.7℃	正常	
5126	7-4 (2-1药)	冰箱	242310258	2025/3/18 19:05:00	4.0℃	正常	
5127	7-4 (2-1药)	冰箱	242310258	2025/3/18 19:10:00	4.5℃	正常	
5128	7-4 (2-1药)	冰箱	242310258	2025/3/18 19:15:00	4.3℃	正常	
5129	7-4 (2-1药)	冰箱	242310258	2025/3/18 19:20:00	4.2℃	正常	
5130	7-4 (2-1药)	冰箱	242310258	2025/3/18 19:25:00	4.7℃	正常	
5131	7-4 (2-1药)	冰箱	242310258	2025/3/18 19:30:00	4.0℃	正常	
5132	7-4 (2-1药)	冰箱	242310258	2025/3/18 19:35:00	4.7℃	正常	
5133	7-4 (2-1药)	冰箱	242310258	2025/3/18 19:40:00	4.1℃	正常	
5134	7-4 (2-1药)	冰箱	242310258	2025/3/18 19:45:00	4.5℃	正常	
5135	7-4 (2-1药)	冰箱	242310258	2025/3/18 19:50:00	4.4℃	正常	
5136	7-4 (2-1药)	冰箱	242310258	2025/3/18 19:55:00	4.2℃	正常	
5137	7-4 (2-1药)	冰箱	242310258	2025/3/18 20:00:00	4.7℃	正常	
5138	7-4 (2-1药)	冰箱	242310258	2025/3/18 20:05:00	4.0℃	正常	
5139	7-4 (2-1药)	冰箱	242310258	2025/3/18 20:10:00	4.7℃	正常	
5140	7-4 (2-1药)	冰箱	242310258	2025/3/18 20:15:00	4.0℃	正常	
5141	7-4 (2-1药)	冰箱	242310258	2025/3/18 20:20:00	4.5℃	正常	
5142	7-4 (2-1药)	冰箱	242310258	2025/3/18 20:25:00	4.3℃	正常	
5143	7-4 (2-1药)	冰箱	242310258	2025/3/18 20:30:00	4.2℃	正常	
5144	7-4 (2-1药)	冰箱	242310258	2025/3/18 20:35:00	4.6℃	正常	
5145	7-4 (2-1药)	冰箱	242310258	2025/3/18 20:40:00	4.0℃	正常	
5146	7-4 (2-1药)	冰箱	242310258	2025/3/18 20:45:00	4.6℃	正常	
5147	7-4 (2-1药)	冰箱	242310258	2025/3/18 20:50:00	4.1℃	正常	
5148	7-4 (2-1药)	冰箱	242310258	2025/3/18 20:55:00	4.5℃	正常	
5149	7-4 (2-1药)	冰箱	242310258	2025/3/18 21:00:00	4.5℃	正常	
5150	7-4 (2-1药)	冰箱	242310258	2025/3/18 21:05:00	4.2℃	正常	
5151	7-4 (2-1药)	冰箱	242310258	2025/3/18 21:10:00	4.7℃	正常	
5152	7-4 (2-1药)	冰箱	242310258	2025/3/18 21:15:00	4.0℃	正常	
5153	7-4 (2-1药)	冰箱	242310258	2025/3/18 21:20:00	4.7℃	正常	
5154	7-4 (2-1药)	冰箱	242310258	2025/3/18 21:25:00	4.1℃	正常	
5155	7-4 (2-1药)	冰箱	242310258	2025/3/18 21:30:00	4.4℃	正常	
5156	7-4 (2-1药)	冰箱	242310258	2025/3/18 21:35:00	4.5℃	正常	
5157	7-4 (2-1药)	冰箱	242310258	2025/3/18 21:40:00	4.2℃	正常	
5158	7-4 (2-1药)	冰箱	242310258	2025/3/18 21:45:00	4.7℃	正常	
5159	7-4 (2-1药)	冰箱	242310258	2025/3/18 21:50:00	4.0℃	正常	
5160	7-4 (2-1药)	冰箱	242310258	2025/3/18 21:55:00	4.6℃	正常	
5161	7-4 (2-1药)	冰箱	242310258	2025/3/18 22:00:00	4.2℃	正常	
5162	7-4 (2-1药)	冰箱	242310258	2025/3/18 22:05:00	4.4℃	正常	
5163	7-4 (2-1药)	冰箱	242310258	2025/3/18 22:10:00	4.6℃	正常	
5164	7-4 (2-1药)	冰箱	242310258	2025/3/18 22:15:00	4.1℃	正常	
5165	7-4 (2-1药)	冰箱	242310258	2025/3/18 22:20:00	4.7℃	正常	
5166	7-4 (2-1药)	冰箱	242310258	2025/3/18 22:25:00	4.0℃	正常	
5167	7-4 (2-1药)	冰箱	242310258	2025/3/18 22:30:00	4.6℃	正常	
5168	7-4 (2-1药)	冰箱	242310258	2025/3/18 22:35:00	4.3℃	正常	
5169	7-4 (2-1药)	冰箱	242310258	2025/3/18 22:40:00	4.3℃	正常	
5170	7-4 (2-1药)	冰箱	242310258	2025/3/18 22:45:00	4.6℃	正常	
5171	7-4 (2-1药)	冰箱	242310258	2025/3/18 22:50:00	4.0℃	正常	
5172	7-4 (2-1药)	冰箱	242310258	2025/3/18 22:55:00	4.7℃	正常	

5173	7-4 (2-1药)	冰箱	242310258	2025/3/18 23:00:00	4.0℃	正常	
5174	7-4 (2-1药)	冰箱	242310258	2025/3/18 23:05:00	4.5℃	正常	
5175	7-4 (2-1药)	冰箱	242310258	2025/3/18 23:10:00	4.2℃	正常	
5176	7-4 (2-1药)	冰箱	242310258	2025/3/18 23:15:00	4.3℃	正常	
5177	7-4 (2-1药)	冰箱	242310258	2025/3/18 23:20:00	4.6℃	正常	
5178	7-4 (2-1药)	冰箱	242310258	2025/3/18 23:25:00	4.0℃	正常	
5179	7-4 (2-1药)	冰箱	242310258	2025/3/18 23:30:00	4.7℃	正常	
5180	7-4 (2-1药)	冰箱	242310258	2025/3/18 23:35:00	4.0℃	正常	
5181	7-4 (2-1药)	冰箱	242310258	2025/3/18 23:40:00	4.4℃	正常	
5182	7-4 (2-1药)	冰箱	242310258	2025/3/18 23:45:00	4.5℃	正常	
5183	7-4 (2-1药)	冰箱	242310258	2025/3/18 23:50:00	4.1℃	正常	
5184	7-4 (2-1药)	冰箱	242310258	2025/3/18 23:55:00	4.7℃	正常	
5185	7-4 (2-1药)	冰箱	242310258	2025/3/19 0:00:00	3.9℃	正常	
5186	7-4 (2-1药)	冰箱	242310258	2025/3/19 0:05:00	4.6℃	正常	
5187	7-4 (2-1药)	冰箱	242310258	2025/3/19 0:10:00	4.2℃	正常	
5188	7-4 (2-1药)	冰箱	242310258	2025/3/19 0:15:00	4.4℃	正常	
5189	7-4 (2-1药)	冰箱	242310258	2025/3/19 0:20:00	4.5℃	正常	
5190	7-4 (2-1药)	冰箱	242310258	2025/3/19 0:25:00	4.1℃	正常	
5191	7-4 (2-1药)	冰箱	242310258	2025/3/19 0:30:00	4.7℃	正常	
5192	7-4 (2-1药)	冰箱	242310258	2025/3/19 0:35:00	4.0℃	正常	
5193	7-4 (2-1药)	冰箱	242310258	2025/3/19 0:40:00	4.6℃	正常	
5194	7-4 (2-1药)	冰箱	242310258	2025/3/19 0:45:00	4.2℃	正常	
5195	7-4 (2-1药)	冰箱	242310258	2025/3/19 0:50:00	4.4℃	正常	
5196	7-4 (2-1药)	冰箱	242310258	2025/3/19 0:55:00	4.6℃	正常	
5197	7-4 (2-1药)	冰箱	242310258	2025/3/19 1:00:00	4.1℃	正常	
5198	7-4 (2-1药)	冰箱	242310258	2025/3/19 1:05:00	4.7℃	正常	
5199	7-4 (2-1药)	冰箱	242310258	2025/3/19 1:10:00	4.0℃	正常	
5200	7-4 (2-1药)	冰箱	242310258	2025/3/19 1:15:00	4.5℃	正常	
5201	7-4 (2-1药)	冰箱	242310258	2025/3/19 1:20:00	4.4℃	正常	
5202	7-4 (2-1药)	冰箱	242310258	2025/3/19 1:25:00	4.3℃	正常	
5203	7-4 (2-1药)	冰箱	242310258	2025/3/19 1:30:00	4.6℃	正常	
5204	7-4 (2-1药)	冰箱	242310258	2025/3/19 1:35:00	4.0℃	正常	
5205	7-4 (2-1药)	冰箱	242310258	2025/3/19 1:40:00	4.6℃	正常	
5206	7-4 (2-1药)	冰箱	242310258	2025/3/19 1:45:00	4.2℃	正常	
5207	7-4 (2-1药)	冰箱	242310258	2025/3/19 1:50:00	4.3℃	正常	
5208	7-4 (2-1药)	冰箱	242310258	2025/3/19 1:55:00	4.6℃	正常	
5209	7-4 (2-1药)	冰箱	242310258	2025/3/19 2:00:00	4.0℃	正常	
5210	7-4 (2-1药)	冰箱	242310258	2025/3/19 2:05:00	4.7℃	正常	
5211	7-4 (2-1药)	冰箱	242310258	2025/3/19 2:10:00	4.0℃	正常	
5212	7-4 (2-1药)	冰箱	242310258	2025/3/19 2:15:00	4.5℃	正常	
5213	7-4 (2-1药)	冰箱	242310258	2025/3/19 2:20:00	4.5℃	正常	
5214	7-4 (2-1药)	冰箱	242310258	2025/3/19 2:25:00	4.1℃	正常	
5215	7-4 (2-1药)	冰箱	242310258	2025/3/19 2:30:00	4.7℃	正常	
5216	7-4 (2-1药)	冰箱	242310258	2025/3/19 2:35:00	4.0℃	正常	
5217	7-4 (2-1药)	冰箱	242310258	2025/3/19 2:40:00	4.6℃	正常	
5218	7-4 (2-1药)	冰箱	242310258	2025/3/19 2:45:00	4.2℃	正常	
5219	7-4 (2-1药)	冰箱	242310258	2025/3/19 2:50:00	5.1℃	正常	
5220	7-4 (2-1药)	冰箱	242310258	2025/3/19 2:55:00	4.1℃	正常	
5221	7-4 (2-1药)	冰箱	242310258	2025/3/19 3:00:00	4.7℃	正常	
5222	7-4 (2-1药)	冰箱	242310258	2025/3/19 3:05:00	4.1℃	正常	
5223	7-4 (2-1药)	冰箱	242310258	2025/3/19 3:10:00	4.4℃	正常	
5224	7-4 (2-1药)	冰箱	242310258	2025/3/19 3:15:00	4.6℃	正常	
5225	7-4 (2-1药)	冰箱	242310258	2025/3/19 3:20:00	4.0℃	正常	
5226	7-4 (2-1药)	冰箱	242310258	2025/3/19 3:25:00	4.7℃	正常	
5227	7-4 (2-1药)	冰箱	242310258	2025/3/19 3:30:00	4.0℃	正常	
5228	7-4 (2-1药)	冰箱	242310258	2025/3/19 3:35:00	4.5℃	正常	
5229	7-4 (2-1药)	冰箱	242310258	2025/3/19 3:40:00	4.3℃	正常	
5230	7-4 (2-1药)	冰箱	242310258	2025/3/19 3:45:00	4.3℃	正常	
5231	7-4 (2-1药)	冰箱	242310258	2025/3/19 3:50:00	4.7℃	正常	
5232	7-4 (2-1药)	冰箱	242310258	2025/3/19 3:55:00	4.0℃	正常	
5233	7-4 (2-1药)	冰箱	242310258	2025/3/19 4:00:00	4.6℃	正常	
5234	7-4 (2-1药)	冰箱	242310258	2025/3/19 4:05:00	4.0℃	正常	
5235	7-4 (2-1药)	冰箱	242310258	2025/3/19 4:10:00	4.4℃	正常	
5236	7-4 (2-1药)	冰箱	242310258	2025/3/19 4:15:00	4.5℃	正常	

5237	7-4 (2-1药)	冰箱	242310258	2025/3/19 4:20:00	4.1℃	正常	
5238	7-4 (2-1药)	冰箱	242310258	2025/3/19 4:25:00	4.7℃	正常	
5239	7-4 (2-1药)	冰箱	242310258	2025/3/19 4:30:00	3.9℃	正常	
5240	7-4 (2-1药)	冰箱	242310258	2025/3/19 4:35:00	4.6℃	正常	
5241	7-4 (2-1药)	冰箱	242310258	2025/3/19 4:40:00	4.3℃	正常	
5242	7-4 (2-1药)	冰箱	242310258	2025/3/19 4:45:00	4.3℃	正常	
5243	7-4 (2-1药)	冰箱	242310258	2025/3/19 4:50:00	4.6℃	正常	
5244	7-4 (2-1药)	冰箱	242310258	2025/3/19 4:55:00	4.1℃	正常	
5245	7-4 (2-1药)	冰箱	242310258	2025/3/19 5:00:00	4.7℃	正常	
5246	7-4 (2-1药)	冰箱	242310258	2025/3/19 5:05:00	4.1℃	正常	
5247	7-4 (2-1药)	冰箱	242310258	2025/3/19 5:10:00	4.4℃	正常	
5248	7-4 (2-1药)	冰箱	242310258	2025/3/19 5:15:00	4.5℃	正常	
5249	7-4 (2-1药)	冰箱	242310258	2025/3/19 5:20:00	4.1℃	正常	
5250	7-4 (2-1药)	冰箱	242310258	2025/3/19 5:25:00	4.7℃	正常	
5251	7-4 (2-1药)	冰箱	242310258	2025/3/19 5:30:00	4.0℃	正常	
5252	7-4 (2-1药)	冰箱	242310258	2025/3/19 5:35:00	4.6℃	正常	
5253	7-4 (2-1药)	冰箱	242310258	2025/3/19 5:40:00	4.2℃	正常	
5254	7-4 (2-1药)	冰箱	242310258	2025/3/19 5:45:00	4.3℃	正常	
5255	7-4 (2-1药)	冰箱	242310258	2025/3/19 5:50:00	4.6℃	正常	
5256	7-4 (2-1药)	冰箱	242310258	2025/3/19 5:55:00	4.1℃	正常	
5257	7-4 (2-1药)	冰箱	242310258	2025/3/19 6:00:00	4.7℃	正常	
5258	7-4 (2-1药)	冰箱	242310258	2025/3/19 6:05:00	4.0℃	正常	
5259	7-4 (2-1药)	冰箱	242310258	2025/3/19 6:10:00	4.6℃	正常	
5260	7-4 (2-1药)	冰箱	242310258	2025/3/19 6:15:00	4.3℃	正常	
5261	7-4 (2-1药)	冰箱	242310258	2025/3/19 6:20:00	4.3℃	正常	
5262	7-4 (2-1药)	冰箱	242310258	2025/3/19 6:25:00	4.6℃	正常	
5263	7-4 (2-1药)	冰箱	242310258	2025/3/19 6:30:00	4.0℃	正常	
5264	7-4 (2-1药)	冰箱	242310258	2025/3/19 6:35:00	4.6℃	正常	
5265	7-4 (2-1药)	冰箱	242310258	2025/3/19 6:40:00	4.1℃	正常	
5266	7-4 (2-1药)	冰箱	242310258	2025/3/19 6:45:00	4.4℃	正常	
5267	7-4 (2-1药)	冰箱	242310258	2025/3/19 6:50:00	4.5℃	正常	
5268	7-4 (2-1药)	冰箱	242310258	2025/3/19 6:55:00	4.1℃	正常	
5269	7-4 (2-1药)	冰箱	242310258	2025/3/19 7:00:00	4.7℃	正常	
5270	7-4 (2-1药)	冰箱	242310258	2025/3/19 7:05:00	4.0℃	正常	
5271	7-4 (2-1药)	冰箱	242310258	2025/3/19 7:10:00	4.7℃	正常	
5272	7-4 (2-1药)	冰箱	242310258	2025/3/19 7:15:00	4.2℃	正常	
5273	7-4 (2-1药)	冰箱	242310258	2025/3/19 7:20:00	4.4℃	正常	
5274	7-4 (2-1药)	冰箱	242310258	2025/3/19 7:25:00	4.6℃	正常	
5275	7-4 (2-1药)	冰箱	242310258	2025/3/19 7:30:00	4.1℃	正常	
5276	7-4 (2-1药)	冰箱	242310258	2025/3/19 7:35:00	4.7℃	正常	
5277	7-4 (2-1药)	冰箱	242310258	2025/3/19 7:40:00	4.0℃	正常	
5278	7-4 (2-1药)	冰箱	242310258	2025/3/19 7:45:00	4.5℃	正常	
5279	7-4 (2-1药)	冰箱	242310258	2025/3/19 7:50:00	4.4℃	正常	
5280	7-4 (2-1药)	冰箱	242310258	2025/3/19 7:55:00	4.3℃	正常	
5281	7-4 (2-1药)	冰箱	242310258	2025/3/19 8:00:00	4.7℃	正常	
5282	7-4 (2-1药)	冰箱	242310258	2025/3/19 8:05:00	4.0℃	正常	
5283	7-4 (2-1药)	冰箱	242310258	2025/3/19 8:10:00	4.7℃	正常	
5284	7-4 (2-1药)	冰箱	242310258	2025/3/19 8:15:00	4.1℃	正常	
5285	7-4 (2-1药)	冰箱	242310258	2025/3/19 8:20:00	4.3℃	正常	
5286	7-4 (2-1药)	冰箱	242310258	2025/3/19 8:25:00	4.6℃	正常	
5287	7-4 (2-1药)	冰箱	242310258	2025/3/19 8:30:00	4.1℃	正常	
5288	7-4 (2-1药)	冰箱	242310258	2025/3/19 8:35:00	4.7℃	正常	
5289	7-4 (2-1药)	冰箱	242310258	2025/3/19 8:40:00	4.1℃	正常	
5290	7-4 (2-1药)	冰箱	242310258	2025/3/19 8:45:00	4.5℃	正常	
5291	7-4 (2-1药)	冰箱	242310258	2025/3/19 8:50:00	4.4℃	正常	
5292	7-4 (2-1药)	冰箱	242310258	2025/3/19 8:55:00	4.2℃	正常	
5293	7-4 (2-1药)	冰箱	242310258	2025/3/19 9:00:00	4.7℃	正常	
5294	7-4 (2-1药)	冰箱	242310258	2025/3/19 9:05:00	4.0℃	正常	
5295	7-4 (2-1药)	冰箱	242310258	2025/3/19 9:10:00	4.6℃	正常	
5296	7-4 (2-1药)	冰箱	242310258	2025/3/19 9:15:00	4.2℃	正常	
5297	7-4 (2-1药)	冰箱	242310258	2025/3/19 9:20:00	4.3℃	正常	
5298	7-4 (2-1药)	冰箱	242310258	2025/3/19 9:25:00	4.6℃	正常	
5299	7-4 (2-1药)	冰箱	242310258	2025/3/19 9:30:00	4.0℃	正常	
5300	7-4 (2-1药)	冰箱	242310258	2025/3/19 9:35:00	4.7℃	正常	

5301	7-4 (2-1药)	冰箱	242310258	2025/3/19 9:40:00	4.1℃	正常	
5302	7-4 (2-1药)	冰箱	242310258	2025/3/19 9:45:00	4.5℃	正常	
5303	7-4 (2-1药)	冰箱	242310258	2025/3/19 9:50:00	4.5℃	正常	
5304	7-4 (2-1药)	冰箱	242310258	2025/3/19 9:55:00	4.2℃	正常	
5305	7-4 (2-1药)	冰箱	242310258	2025/3/19 10:00:00	4.7℃	正常	
5306	7-4 (2-1药)	冰箱	242310258	2025/3/19 10:05:00	4.0℃	正常	
5307	7-4 (2-1药)	冰箱	242310258	2025/3/19 10:10:00	4.6℃	正常	
5308	7-4 (2-1药)	冰箱	242310258	2025/3/19 10:15:00	4.3℃	正常	
5309	7-4 (2-1药)	冰箱	242310258	2025/3/19 10:20:00	4.3℃	正常	
5310	7-4 (2-1药)	冰箱	242310258	2025/3/19 10:25:00	4.6℃	正常	
5311	7-4 (2-1药)	冰箱	242310258	2025/3/19 10:30:00	4.0℃	正常	
5312	7-4 (2-1药)	冰箱	242310258	2025/3/19 10:35:00	4.7℃	正常	
5313	7-4 (2-1药)	冰箱	242310258	2025/3/19 10:40:00	4.1℃	正常	
5314	7-4 (2-1药)	冰箱	242310258	2025/3/19 10:45:00	4.4℃	正常	
5315	7-4 (2-1药)	冰箱	242310258	2025/3/19 10:50:00	4.5℃	正常	
5316	7-4 (2-1药)	冰箱	242310258	2025/3/19 10:55:00	4.1℃	正常	
5317	7-4 (2-1药)	冰箱	242310258	2025/3/19 11:00:00	4.7℃	正常	
5318	7-4 (2-1药)	冰箱	242310258	2025/3/19 11:05:00	4.0℃	正常	
5319	7-4 (2-1药)	冰箱	242310258	2025/3/19 11:10:00	4.6℃	正常	
5320	7-4 (2-1药)	冰箱	242310258	2025/3/19 11:15:00	4.2℃	正常	
5321	7-4 (2-1药)	冰箱	242310258	2025/3/19 11:20:00	4.3℃	正常	
5322	7-4 (2-1药)	冰箱	242310258	2025/3/19 11:25:00	4.6℃	正常	
5323	7-4 (2-1药)	冰箱	242310258	2025/3/19 11:30:00	4.0℃	正常	
5324	7-4 (2-1药)	冰箱	242310258	2025/3/19 11:35:00	4.7℃	正常	
5325	7-4 (2-1药)	冰箱	242310258	2025/3/19 11:40:00	4.1℃	正常	
5326	7-4 (2-1药)	冰箱	242310258	2025/3/19 11:45:00	4.4℃	正常	
5327	7-4 (2-1药)	冰箱	242310258	2025/3/19 11:50:00	4.5℃	正常	
5328	7-4 (2-1药)	冰箱	242310258	2025/3/19 11:55:00	4.1℃	正常	
5329	7-4 (2-1药)	冰箱	242310258	2025/3/19 12:00:00	4.7℃	正常	
5330	7-4 (2-1药)	冰箱	242310258	2025/3/19 12:05:00	4.0℃	正常	
5331	7-4 (2-1药)	冰箱	242310258	2025/3/19 12:10:00	4.5℃	正常	
5332	7-4 (2-1药)	冰箱	242310258	2025/3/19 12:15:00	4.4℃	正常	
5333	7-4 (2-1药)	冰箱	242310258	2025/3/19 12:20:00	4.2℃	正常	
5334	7-4 (2-1药)	冰箱	242310258	2025/3/19 12:25:00	4.7℃	正常	
5335	7-4 (2-1药)	冰箱	242310258	2025/3/19 12:30:00	4.0℃	正常	
5336	7-4 (2-1药)	冰箱	242310258	2025/3/19 12:35:00	4.6℃	正常	
5337	7-4 (2-1药)	冰箱	242310258	2025/3/19 12:40:00	4.2℃	正常	
5338	7-4 (2-1药)	冰箱	242310258	2025/3/19 12:45:00	4.3℃	正常	
5339	7-4 (2-1药)	冰箱	242310258	2025/3/19 12:50:00	4.7℃	正常	
5340	7-4 (2-1药)	冰箱	242310258	2025/3/19 12:55:00	4.0℃	正常	
5341	7-4 (2-1药)	冰箱	242310258	2025/3/19 13:00:00	4.6℃	正常	
5342	7-4 (2-1药)	冰箱	242310258	2025/3/19 13:05:00	4.3℃	正常	
5343	7-4 (2-1药)	冰箱	242310258	2025/3/19 13:10:00	4.4℃	正常	
5344	7-4 (2-1药)	冰箱	242310258	2025/3/19 13:15:00	4.6℃	正常	
5345	7-4 (2-1药)	冰箱	242310258	2025/3/19 13:20:00	4.1℃	正常	
5346	7-4 (2-1药)	冰箱	242310258	2025/3/19 13:25:00	4.7℃	正常	
5347	7-4 (2-1药)	冰箱	242310258	2025/3/19 13:30:00	4.0℃	正常	
5348	7-4 (2-1药)	冰箱	242310258	2025/3/19 13:35:00	4.5℃	正常	
5349	7-4 (2-1药)	冰箱	242310258	2025/3/19 13:40:00	4.4℃	正常	
5350	7-4 (2-1药)	冰箱	242310258	2025/3/19 13:45:00	4.2℃	正常	
5351	7-4 (2-1药)	冰箱	242310258	2025/3/19 13:50:00	4.8℃	正常	
5352	7-4 (2-1药)	冰箱	242310258	2025/3/19 13:55:00	4.6℃	正常	
5353	7-4 (2-1药)	冰箱	242310258	2025/3/19 14:00:00	4.5℃	正常	
5354	7-4 (2-1药)	冰箱	242310258	2025/3/19 14:05:00	4.1℃	正常	
5355	7-4 (2-1药)	冰箱	242310258	2025/3/19 14:10:00	4.7℃	正常	
5356	7-4 (2-1药)	冰箱	242310258	2025/3/19 14:15:00	4.0℃	正常	
5357	7-4 (2-1药)	冰箱	242310258	2025/3/19 14:20:00	4.5℃	正常	
5358	7-4 (2-1药)	冰箱	242310258	2025/3/19 14:25:00	4.3℃	正常	
5359	7-4 (2-1药)	冰箱	242310258	2025/3/19 14:30:00	4.2℃	正常	
5360	7-4 (2-1药)	冰箱	242310258	2025/3/19 14:35:00	4.7℃	正常	
5361	7-4 (2-1药)	冰箱	242310258	2025/3/19 14:40:00	4.0℃	正常	
5362	7-4 (2-1药)	冰箱	242310258	2025/3/19 14:45:00	4.6℃	正常	
5363	7-4 (2-1药)	冰箱	242310258	2025/3/19 14:50:00	4.1℃	正常	
5364	7-4 (2-1药)	冰箱	242310258	2025/3/19 14:55:00	4.3℃	正常	

5365	7-4 (2-1药)	冰箱	242310258	2025/3/19 15:00:00	4.6℃	正常	
5366	7-4 (2-1药)	冰箱	242310258	2025/3/19 15:05:00	4.0℃	正常	
5367	7-4 (2-1药)	冰箱	242310258	2025/3/19 15:10:00	4.7℃	正常	
5368	7-4 (2-1药)	冰箱	242310258	2025/3/19 15:15:00	4.0℃	正常	
5369	7-4 (2-1药)	冰箱	242310258	2025/3/19 15:20:00	4.5℃	正常	
5370	7-4 (2-1药)	冰箱	242310258	2025/3/19 15:25:00	4.4℃	正常	
5371	7-4 (2-1药)	冰箱	242310258	2025/3/19 15:30:00	4.1℃	正常	
5372	7-4 (2-1药)	冰箱	242310258	2025/3/19 15:35:00	4.7℃	正常	
5373	7-4 (2-1药)	冰箱	242310258	2025/3/19 15:40:00	4.0℃	正常	
5374	7-4 (2-1药)	冰箱	242310258	2025/3/19 15:45:00	4.5℃	正常	
5375	7-4 (2-1药)	冰箱	242310258	2025/3/19 15:50:00	4.3℃	正常	
5376	7-4 (2-1药)	冰箱	242310258	2025/3/19 15:55:00	4.3℃	正常	
5377	7-4 (2-1药)	冰箱	242310258	2025/3/19 16:00:00	4.7℃	正常	
5378	7-4 (2-1药)	冰箱	242310258	2025/3/19 16:05:00	4.0℃	正常	
5379	7-4 (2-1药)	冰箱	242310258	2025/3/19 16:10:00	4.6℃	正常	
5380	7-4 (2-1药)	冰箱	242310258	2025/3/19 16:15:00	4.2℃	正常	
5381	7-4 (2-1药)	冰箱	242310258	2025/3/19 16:20:00	4.4℃	正常	
5382	7-4 (2-1药)	冰箱	242310258	2025/3/19 16:25:00	4.6℃	正常	
5383	7-4 (2-1药)	冰箱	242310258	2025/3/19 16:30:00	4.0℃	正常	
5384	7-4 (2-1药)	冰箱	242310258	2025/3/19 16:35:00	4.7℃	正常	
5385	7-4 (2-1药)	冰箱	242310258	2025/3/19 16:40:00	4.1℃	正常	
5386	7-4 (2-1药)	冰箱	242310258	2025/3/19 16:45:00	4.5℃	正常	
5387	7-4 (2-1药)	冰箱	242310258	2025/3/19 16:50:00	4.5℃	正常	
5388	7-4 (2-1药)	冰箱	242310258	2025/3/19 16:55:00	4.2℃	正常	
5389	7-4 (2-1药)	冰箱	242310258	2025/3/19 17:00:00	4.7℃	正常	
5390	7-4 (2-1药)	冰箱	242310258	2025/3/19 17:05:00	4.0℃	正常	
5391	7-4 (2-1药)	冰箱	242310258	2025/3/19 17:10:00	4.6℃	正常	
5392	7-4 (2-1药)	冰箱	242310258	2025/3/19 17:15:00	4.4℃	正常	
5393	7-4 (2-1药)	冰箱	242310258	2025/3/19 17:20:00	4.2℃	正常	
5394	7-4 (2-1药)	冰箱	242310258	2025/3/19 17:25:00	4.6℃	正常	
5395	7-4 (2-1药)	冰箱	242310258	2025/3/19 17:30:00	4.0℃	正常	
5396	7-4 (2-1药)	冰箱	242310258	2025/3/19 17:35:00	4.6℃	正常	
5397	7-4 (2-1药)	冰箱	242310258	2025/3/19 17:40:00	4.2℃	正常	
5398	7-4 (2-1药)	冰箱	242310258	2025/3/19 17:45:00	4.4℃	正常	
5399	7-4 (2-1药)	冰箱	242310258	2025/3/19 17:50:00	4.6℃	正常	
5400	7-4 (2-1药)	冰箱	242310258	2025/3/19 17:55:00	4.0℃	正常	
5401	7-4 (2-1药)	冰箱	242310258	2025/3/19 18:00:00	4.7℃	正常	
5402	7-4 (2-1药)	冰箱	242310258	2025/3/19 18:05:00	4.1℃	正常	
5403	7-4 (2-1药)	冰箱	242310258	2025/3/19 18:10:00	4.4℃	正常	
5404	7-4 (2-1药)	冰箱	242310258	2025/3/19 18:15:00	4.4℃	正常	
5405	7-4 (2-1药)	冰箱	242310258	2025/3/19 18:20:00	4.1℃	正常	
5406	7-4 (2-1药)	冰箱	242310258	2025/3/19 18:25:00	4.7℃	正常	
5407	7-4 (2-1药)	冰箱	242310258	2025/3/19 18:30:00	4.0℃	正常	
5408	7-4 (2-1药)	冰箱	242310258	2025/3/19 18:35:00	4.6℃	正常	
5409	7-4 (2-1药)	冰箱	242310258	2025/3/19 18:40:00	4.3℃	正常	
5410	7-4 (2-1药)	冰箱	242310258	2025/3/19 18:45:00	4.3℃	正常	
5411	7-4 (2-1药)	冰箱	242310258	2025/3/19 18:50:00	4.7℃	正常	
5412	7-4 (2-1药)	冰箱	242310258	2025/3/19 18:55:00	4.0℃	正常	
5413	7-4 (2-1药)	冰箱	242310258	2025/3/19 19:00:00	4.6℃	正常	
5414	7-4 (2-1药)	冰箱	242310258	2025/3/19 19:05:00	4.2℃	正常	
5415	7-4 (2-1药)	冰箱	242310258	2025/3/19 19:10:00	4.4℃	正常	
5416	7-4 (2-1药)	冰箱	242310258	2025/3/19 19:15:00	4.6℃	正常	
5417	7-4 (2-1药)	冰箱	242310258	2025/3/19 19:20:00	4.1℃	正常	
5418	7-4 (2-1药)	冰箱	242310258	2025/3/19 19:25:00	4.7℃	正常	
5419	7-4 (2-1药)	冰箱	242310258	2025/3/19 19:30:00	4.1℃	正常	
5420	7-4 (2-1药)	冰箱	242310258	2025/3/19 19:35:00	4.5℃	正常	
5421	7-4 (2-1药)	冰箱	242310258	2025/3/19 19:40:00	4.4℃	正常	
5422	7-4 (2-1药)	冰箱	242310258	2025/3/19 19:45:00	4.2℃	正常	
5423	7-4 (2-1药)	冰箱	242310258	2025/3/19 19:50:00	4.7℃	正常	
5424	7-4 (2-1药)	冰箱	242310258	2025/3/19 19:55:00	4.0℃	正常	
5425	7-4 (2-1药)	冰箱	242310258	2025/3/19 20:00:00	4.5℃	正常	
5426	7-4 (2-1药)	冰箱	242310258	2025/3/19 20:05:00	4.3℃	正常	
5427	7-4 (2-1药)	冰箱	242310258	2025/3/19 20:10:00	4.3℃	正常	
5428	7-4 (2-1药)	冰箱	242310258	2025/3/19 20:15:00	4.6℃	正常	

5429	7-4 (2-1药)	冰箱	242310258	2025/3/19 20:20:00	4.0℃	正常	
5430	7-4 (2-1药)	冰箱	242310258	2025/3/19 20:25:00	4.6℃	正常	
5431	7-4 (2-1药)	冰箱	242310258	2025/3/19 20:30:00	4.2℃	正常	
5432	7-4 (2-1药)	冰箱	242310258	2025/3/19 20:35:00	4.4℃	正常	
5433	7-4 (2-1药)	冰箱	242310258	2025/3/19 20:40:00	4.5℃	正常	
5434	7-4 (2-1药)	冰箱	242310258	2025/3/19 20:45:00	4.1℃	正常	
5435	7-4 (2-1药)	冰箱	242310258	2025/3/19 20:50:00	4.7℃	正常	
5436	7-4 (2-1药)	冰箱	242310258	2025/3/19 20:55:00	4.1℃	正常	
5437	7-4 (2-1药)	冰箱	242310258	2025/3/19 21:00:00	4.5℃	正常	
5438	7-4 (2-1药)	冰箱	242310258	2025/3/19 21:05:00	4.4℃	正常	
5439	7-4 (2-1药)	冰箱	242310258	2025/3/19 21:10:00	4.2℃	正常	
5440	7-4 (2-1药)	冰箱	242310258	2025/3/19 21:15:00	4.6℃	正常	
5441	7-4 (2-1药)	冰箱	242310258	2025/3/19 21:20:00	4.0℃	正常	
5442	7-4 (2-1药)	冰箱	242310258	2025/3/19 21:25:00	4.6℃	正常	
5443	7-4 (2-1药)	冰箱	242310258	2025/3/19 21:30:00	4.2℃	正常	
5444	7-4 (2-1药)	冰箱	242310258	2025/3/19 21:35:00	4.3℃	正常	
5445	7-4 (2-1药)	冰箱	242310258	2025/3/19 21:40:00	4.6℃	正常	
5446	7-4 (2-1药)	冰箱	242310258	2025/3/19 21:45:00	4.0℃	正常	
5447	7-4 (2-1药)	冰箱	242310258	2025/3/19 21:50:00	4.7℃	正常	
5448	7-4 (2-1药)	冰箱	242310258	2025/3/19 21:55:00	4.1℃	正常	
5449	7-4 (2-1药)	冰箱	242310258	2025/3/19 22:00:00	4.4℃	正常	
5450	7-4 (2-1药)	冰箱	242310258	2025/3/19 22:05:00	4.5℃	正常	
5451	7-4 (2-1药)	冰箱	242310258	2025/3/19 22:10:00	4.2℃	正常	
5452	7-4 (2-1药)	冰箱	242310258	2025/3/19 22:15:00	4.7℃	正常	
5453	7-4 (2-1药)	冰箱	242310258	2025/3/19 22:20:00	4.0℃	正常	
5454	7-4 (2-1药)	冰箱	242310258	2025/3/19 22:25:00	4.6℃	正常	
5455	7-4 (2-1药)	冰箱	242310258	2025/3/19 22:30:00	4.2℃	正常	
5456	7-4 (2-1药)	冰箱	242310258	2025/3/19 22:35:00	4.4℃	正常	
5457	7-4 (2-1药)	冰箱	242310258	2025/3/19 22:40:00	4.6℃	正常	
5458	7-4 (2-1药)	冰箱	242310258	2025/3/19 22:45:00	4.0℃	正常	
5459	7-4 (2-1药)	冰箱	242310258	2025/3/19 22:50:00	4.7℃	正常	
5460	7-4 (2-1药)	冰箱	242310258	2025/3/19 22:55:00	4.0℃	正常	
5461	7-4 (2-1药)	冰箱	242310258	2025/3/19 23:00:00	4.4℃	正常	
5462	7-4 (2-1药)	冰箱	242310258	2025/3/19 23:05:00	4.5℃	正常	
5463	7-4 (2-1药)	冰箱	242310258	2025/3/19 23:10:00	4.2℃	正常	
5464	7-4 (2-1药)	冰箱	242310258	2025/3/19 23:15:00	4.7℃	正常	
5465	7-4 (2-1药)	冰箱	242310258	2025/3/19 23:20:00	4.0℃	正常	
5466	7-4 (2-1药)	冰箱	242310258	2025/3/19 23:25:00	4.6℃	正常	
5467	7-4 (2-1药)	冰箱	242310258	2025/3/19 23:30:00	4.2℃	正常	
5468	7-4 (2-1药)	冰箱	242310258	2025/3/19 23:35:00	4.3℃	正常	
5469	7-4 (2-1药)	冰箱	242310258	2025/3/19 23:40:00	4.7℃	正常	
5470	7-4 (2-1药)	冰箱	242310258	2025/3/19 23:45:00	4.0℃	正常	
5471	7-4 (2-1药)	冰箱	242310258	2025/3/19 23:50:00	4.6℃	正常	
5472	7-4 (2-1药)	冰箱	242310258	2025/3/19 23:55:00	4.2℃	正常	
5473	7-4 (2-1药)	冰箱	242310258	2025/3/20 0:00:00	4.3℃	正常	
5474	7-4 (2-1药)	冰箱	242310258	2025/3/20 0:05:00	4.6℃	正常	
5475	7-4 (2-1药)	冰箱	242310258	2025/3/20 0:10:00	4.1℃	正常	
5476	7-4 (2-1药)	冰箱	242310258	2025/3/20 0:15:00	4.6℃	正常	
5477	7-4 (2-1药)	冰箱	242310258	2025/3/20 0:20:00	4.0℃	正常	
5478	7-4 (2-1药)	冰箱	242310258	2025/3/20 0:25:00	4.5℃	正常	
5479	7-4 (2-1药)	冰箱	242310258	2025/3/20 0:30:00	4.4℃	正常	
5480	7-4 (2-1药)	冰箱	242310258	2025/3/20 0:35:00	4.2℃	正常	
5481	7-4 (2-1药)	冰箱	242310258	2025/3/20 0:40:00	4.6℃	正常	
5482	7-4 (2-1药)	冰箱	242310258	2025/3/20 0:45:00	4.0℃	正常	
5483	7-4 (2-1药)	冰箱	242310258	2025/3/20 0:50:00	4.6℃	正常	
5484	7-4 (2-1药)	冰箱	242310258	2025/3/20 0:55:00	4.2℃	正常	
5485	7-4 (2-1药)	冰箱	242310258	2025/3/20 1:00:00	5.0℃	正常	
5486	7-4 (2-1药)	冰箱	242310258	2025/3/20 1:05:00	4.1℃	正常	
5487	7-4 (2-1药)	冰箱	242310258	2025/3/20 1:10:00	4.6℃	正常	
5488	7-4 (2-1药)	冰箱	242310258	2025/3/20 1:15:00	4.3℃	正常	
5489	7-4 (2-1药)	冰箱	242310258	2025/3/20 1:20:00	4.2℃	正常	
5490	7-4 (2-1药)	冰箱	242310258	2025/3/20 1:25:00	4.7℃	正常	
5491	7-4 (2-1药)	冰箱	242310258	2025/3/20 1:30:00	4.0℃	正常	
5492	7-4 (2-1药)	冰箱	242310258	2025/3/20 1:35:00	4.7℃	正常	

5493	7-4 (2-1药)	冰箱	242310258	2025/3/20 1:40:00	4.1℃	正常	
5494	7-4 (2-1药)	冰箱	242310258	2025/3/20 1:45:00	4.4℃	正常	
5495	7-4 (2-1药)	冰箱	242310258	2025/3/20 1:50:00	4.5℃	正常	
5496	7-4 (2-1药)	冰箱	242310258	2025/3/20 1:55:00	4.1℃	正常	
5497	7-4 (2-1药)	冰箱	242310258	2025/3/20 2:00:00	4.7℃	正常	
5498	7-4 (2-1药)	冰箱	242310258	2025/3/20 2:05:00	4.0℃	正常	
5499	7-4 (2-1药)	冰箱	242310258	2025/3/20 2:10:00	4.6℃	正常	
5500	7-4 (2-1药)	冰箱	242310258	2025/3/20 2:15:00	4.2℃	正常	
5501	7-4 (2-1药)	冰箱	242310258	2025/3/20 2:20:00	4.3℃	正常	
5502	7-4 (2-1药)	冰箱	242310258	2025/3/20 2:25:00	4.6℃	正常	
5503	7-4 (2-1药)	冰箱	242310258	2025/3/20 2:30:00	4.0℃	正常	
5504	7-4 (2-1药)	冰箱	242310258	2025/3/20 2:35:00	4.7℃	正常	
5505	7-4 (2-1药)	冰箱	242310258	2025/3/20 2:40:00	4.1℃	正常	
5506	7-4 (2-1药)	冰箱	242310258	2025/3/20 2:45:00	4.5℃	正常	
5507	7-4 (2-1药)	冰箱	242310258	2025/3/20 2:50:00	4.4℃	正常	
5508	7-4 (2-1药)	冰箱	242310258	2025/3/20 2:55:00	4.1℃	正常	
5509	7-4 (2-1药)	冰箱	242310258	2025/3/20 3:00:00	4.7℃	正常	
5510	7-4 (2-1药)	冰箱	242310258	2025/3/20 3:05:00	4.0℃	正常	
5511	7-4 (2-1药)	冰箱	242310258	2025/3/20 3:10:00	4.6℃	正常	
5512	7-4 (2-1药)	冰箱	242310258	2025/3/20 3:15:00	4.3℃	正常	
5513	7-4 (2-1药)	冰箱	242310258	2025/3/20 3:20:00	4.2℃	正常	
5514	7-4 (2-1药)	冰箱	242310258	2025/3/20 3:25:00	4.7℃	正常	
5515	7-4 (2-1药)	冰箱	242310258	2025/3/20 3:30:00	4.0℃	正常	
5516	7-4 (2-1药)	冰箱	242310258	2025/3/20 3:35:00	4.7℃	正常	
5517	7-4 (2-1药)	冰箱	242310258	2025/3/20 3:40:00	4.1℃	正常	
5518	7-4 (2-1药)	冰箱	242310258	2025/3/20 3:45:00	4.4℃	正常	
5519	7-4 (2-1药)	冰箱	242310258	2025/3/20 3:50:00	4.5℃	正常	
5520	7-4 (2-1药)	冰箱	242310258	2025/3/20 3:55:00	4.1℃	正常	
5521	7-4 (2-1药)	冰箱	242310258	2025/3/20 4:00:00	4.7℃	正常	
5522	7-4 (2-1药)	冰箱	242310258	2025/3/20 4:05:00	4.0℃	正常	
5523	7-4 (2-1药)	冰箱	242310258	2025/3/20 4:10:00	4.5℃	正常	
5524	7-4 (2-1药)	冰箱	242310258	2025/3/20 4:15:00	4.4℃	正常	
5525	7-4 (2-1药)	冰箱	242310258	2025/3/20 4:20:00	4.3℃	正常	
5526	7-4 (2-1药)	冰箱	242310258	2025/3/20 4:25:00	4.6℃	正常	
5527	7-4 (2-1药)	冰箱	242310258	2025/3/20 4:30:00	3.9℃	正常	
5528	7-4 (2-1药)	冰箱	242310258	2025/3/20 4:35:00	4.6℃	正常	
5529	7-4 (2-1药)	冰箱	242310258	2025/3/20 4:40:00	4.2℃	正常	
5530	7-4 (2-1药)	冰箱	242310258	2025/3/20 4:45:00	4.4℃	正常	
5531	7-4 (2-1药)	冰箱	242310258	2025/3/20 4:50:00	4.5℃	正常	
5532	7-4 (2-1药)	冰箱	242310258	2025/3/20 4:55:00	4.0℃	正常	
5533	7-4 (2-1药)	冰箱	242310258	2025/3/20 5:00:00	4.7℃	正常	
5534	7-4 (2-1药)	冰箱	242310258	2025/3/20 5:05:00	4.0℃	正常	
5535	7-4 (2-1药)	冰箱	242310258	2025/3/20 5:10:00	4.5℃	正常	
5536	7-4 (2-1药)	冰箱	242310258	2025/3/20 5:15:00	4.4℃	正常	
5537	7-4 (2-1药)	冰箱	242310258	2025/3/20 5:20:00	4.2℃	正常	
5538	7-4 (2-1药)	冰箱	242310258	2025/3/20 5:25:00	4.7℃	正常	
5539	7-4 (2-1药)	冰箱	242310258	2025/3/20 5:30:00	4.0℃	正常	
5540	7-4 (2-1药)	冰箱	242310258	2025/3/20 5:35:00	4.6℃	正常	
5541	7-4 (2-1药)	冰箱	242310258	2025/3/20 5:40:00	4.3℃	正常	
5542	7-4 (2-1药)	冰箱	242310258	2025/3/20 5:45:00	4.2℃	正常	
5543	7-4 (2-1药)	冰箱	242310258	2025/3/20 5:50:00	4.6℃	正常	
5544	7-4 (2-1药)	冰箱	242310258	2025/3/20 5:55:00	4.0℃	正常	
5545	7-4 (2-1药)	冰箱	242310258	2025/3/20 6:00:00	4.6℃	正常	
5546	7-4 (2-1药)	冰箱	242310258	2025/3/20 6:05:00	4.0℃	正常	
5547	7-4 (2-1药)	冰箱	242310258	2025/3/20 6:10:00	4.3℃	正常	
5548	7-4 (2-1药)	冰箱	242310258	2025/3/20 6:15:00	4.5℃	正常	
5549	7-4 (2-1药)	冰箱	242310258	2025/3/20 6:20:00	4.1℃	正常	
5550	7-4 (2-1药)	冰箱	242310258	2025/3/20 6:25:00	4.7℃	正常	
5551	7-4 (2-1药)	冰箱	242310258	2025/3/20 6:30:00	4.0℃	正常	
5552	7-4 (2-1药)	冰箱	242310258	2025/3/20 6:35:00	4.5℃	正常	
5553	7-4 (2-1药)	冰箱	242310258	2025/3/20 6:40:00	4.4℃	正常	
5554	7-4 (2-1药)	冰箱	242310258	2025/3/20 6:45:00	4.2℃	正常	
5555	7-4 (2-1药)	冰箱	242310258	2025/3/20 6:50:00	4.6℃	正常	
5556	7-4 (2-1药)	冰箱	242310258	2025/3/20 6:55:00	3.9℃	正常	

5557	7-4 (2-1药)	冰箱	242310258	2025/3/20 7:00:00	4.6℃	正常	
5558	7-4 (2-1药)	冰箱	242310258	2025/3/20 7:05:00	4.2℃	正常	
5559	7-4 (2-1药)	冰箱	242310258	2025/3/20 7:10:00	4.3℃	正常	
5560	7-4 (2-1药)	冰箱	242310258	2025/3/20 7:15:00	4.6℃	正常	
5561	7-4 (2-1药)	冰箱	242310258	2025/3/20 7:20:00	4.1℃	正常	
5562	7-4 (2-1药)	冰箱	242310258	2025/3/20 7:25:00	4.7℃	正常	
5563	7-4 (2-1药)	冰箱	242310258	2025/3/20 7:30:00	4.0℃	正常	
5564	7-4 (2-1药)	冰箱	242310258	2025/3/20 7:35:00	4.5℃	正常	
5565	7-4 (2-1药)	冰箱	242310258	2025/3/20 7:40:00	4.3℃	正常	
5566	7-4 (2-1药)	冰箱	242310258	2025/3/20 7:45:00	4.3℃	正常	
5567	7-4 (2-1药)	冰箱	242310258	2025/3/20 7:50:00	4.7℃	正常	
5568	7-4 (2-1药)	冰箱	242310258	2025/3/20 7:55:00	4.0℃	正常	
5569	7-4 (2-1药)	冰箱	242310258	2025/3/20 8:00:00	4.6℃	正常	
5570	7-4 (2-1药)	冰箱	242310258	2025/3/20 8:05:00	4.2℃	正常	
5571	7-4 (2-1药)	冰箱	242310258	2025/3/20 8:10:00	4.4℃	正常	
5572	7-4 (2-1药)	冰箱	242310258	2025/3/20 8:15:00	4.6℃	正常	
5573	7-4 (2-1药)	冰箱	242310258	2025/3/20 8:20:00	4.1℃	正常	
5574	7-4 (2-1药)	冰箱	242310258	2025/3/20 8:25:00	4.7℃	正常	
5575	7-4 (2-1药)	冰箱	242310258	2025/3/20 8:30:00	4.1℃	正常	
5576	7-4 (2-1药)	冰箱	242310258	2025/3/20 8:35:00	4.5℃	正常	
5577	7-4 (2-1药)	冰箱	242310258	2025/3/20 8:40:00	4.5℃	正常	
5578	7-4 (2-1药)	冰箱	242310258	2025/3/20 8:45:00	4.1℃	正常	
5579	7-4 (2-1药)	冰箱	242310258	2025/3/20 8:50:00	4.7℃	正常	
5580	7-4 (2-1药)	冰箱	242310258	2025/3/20 8:55:00	4.0℃	正常	
5581	7-4 (2-1药)	冰箱	242310258	2025/3/20 9:00:00	4.6℃	正常	
5582	7-4 (2-1药)	冰箱	242310258	2025/3/20 9:05:00	4.3℃	正常	
5583	7-4 (2-1药)	冰箱	242310258	2025/3/20 9:10:00	4.3℃	正常	
5584	7-4 (2-1药)	冰箱	242310258	2025/3/20 9:15:00	4.6℃	正常	
5585	7-4 (2-1药)	冰箱	242310258	2025/3/20 9:20:00	4.1℃	正常	
5586	7-4 (2-1药)	冰箱	242310258	2025/3/20 9:25:00	4.7℃	正常	
5587	7-4 (2-1药)	冰箱	242310258	2025/3/20 9:30:00	4.0℃	正常	
5588	7-4 (2-1药)	冰箱	242310258	2025/3/20 9:35:00	4.5℃	正常	
5589	7-4 (2-1药)	冰箱	242310258	2025/3/20 9:40:00	4.4℃	正常	
5590	7-4 (2-1药)	冰箱	242310258	2025/3/20 9:45:00	4.2℃	正常	
5591	7-4 (2-1药)	冰箱	242310258	2025/3/20 9:50:00	4.6℃	正常	
5592	7-4 (2-1药)	冰箱	242310258	2025/3/20 9:55:00	4.0℃	正常	
5593	7-4 (2-1药)	冰箱	242310258	2025/3/20 10:00:00	4.6℃	正常	
5594	7-4 (2-1药)	冰箱	242310258	2025/3/20 10:05:00	4.3℃	正常	
5595	7-4 (2-1药)	冰箱	242310258	2025/3/20 10:10:00	4.3℃	正常	
5596	7-4 (2-1药)	冰箱	242310258	2025/3/20 10:15:00	4.6℃	正常	
5597	7-4 (2-1药)	冰箱	242310258	2025/3/20 10:20:00	4.0℃	正常	
5598	7-4 (2-1药)	冰箱	242310258	2025/3/20 10:25:00	4.6℃	正常	
5599	7-4 (2-1药)	冰箱	242310258	2025/3/20 10:30:00	4.2℃	正常	
5600	7-4 (2-1药)	冰箱	242310258	2025/3/20 10:35:00	4.3℃	正常	
5601	7-4 (2-1药)	冰箱	242310258	2025/3/20 10:40:00	4.6℃	正常	
5602	7-4 (2-1药)	冰箱	242310258	2025/3/20 10:45:00	4.1℃	正常	
5603	7-4 (2-1药)	冰箱	242310258	2025/3/20 10:50:00	4.9℃	正常	
5604	7-4 (2-1药)	冰箱	242310258	2025/3/20 10:55:00	4.1℃	正常	
5605	7-4 (2-1药)	冰箱	242310258	2025/3/20 11:00:00	4.7℃	正常	
5606	7-4 (2-1药)	冰箱	242310258	2025/3/20 11:05:00	4.3℃	正常	
5607	7-4 (2-1药)	冰箱	242310258	2025/3/20 11:10:00	4.5℃	正常	
5608	7-4 (2-1药)	冰箱	242310258	2025/3/20 11:15:00	4.7℃	正常	
5609	7-4 (2-1药)	冰箱	242310258	2025/3/20 11:20:00	4.2℃	正常	
5610	7-4 (2-1药)	冰箱	242310258	2025/3/20 11:25:00	4.8℃	正常	
5611	7-4 (2-1药)	冰箱	242310258	2025/3/20 11:30:00	4.1℃	正常	
5612	7-4 (2-1药)	冰箱	242310258	2025/3/20 11:35:00	4.6℃	正常	
5613	7-4 (2-1药)	冰箱	242310258	2025/3/20 11:40:00	4.4℃	正常	
5614	7-4 (2-1药)	冰箱	242310258	2025/3/20 11:45:00	4.4℃	正常	
5615	7-4 (2-1药)	冰箱	242310258	2025/3/20 11:50:00	4.6℃	正常	
5616	7-4 (2-1药)	冰箱	242310258	2025/3/20 11:55:00	4.2℃	正常	
5617	7-4 (2-1药)	冰箱	242310258	2025/3/20 12:00:00	5.1℃	正常	
5618	7-4 (2-1药)	冰箱	242310258	2025/3/20 12:05:00	4.6℃	正常	
5619	7-4 (2-1药)	冰箱	242310258	2025/3/20 12:10:00	4.8℃	正常	
5620	7-4 (2-1药)	冰箱	242310258	2025/3/20 12:15:00	4.2℃	正常	

5621	7-4 (2-1药)	冰箱	242310258	2025/3/20 12:20:00	4.8℃	正常	
5622	7-4 (2-1药)	冰箱	242310258	2025/3/20 12:25:00	4.1℃	正常	
5623	7-4 (2-1药)	冰箱	242310258	2025/3/20 12:30:00	4.6℃	正常	
5624	7-4 (2-1药)	冰箱	242310258	2025/3/20 12:35:00	4.4℃	正常	
5625	7-4 (2-1药)	冰箱	242310258	2025/3/20 12:40:00	4.4℃	正常	
5626	7-4 (2-1药)	冰箱	242310258	2025/3/20 12:45:00	4.7℃	正常	
5627	7-4 (2-1药)	冰箱	242310258	2025/3/20 12:50:00	4.1℃	正常	
5628	7-4 (2-1药)	冰箱	242310258	2025/3/20 12:55:00	4.8℃	正常	
5629	7-4 (2-1药)	冰箱	242310258	2025/3/20 13:00:00	4.2℃	正常	
5630	7-4 (2-1药)	冰箱	242310258	2025/3/20 13:05:00	4.6℃	正常	
5631	7-4 (2-1药)	冰箱	242310258	2025/3/20 13:10:00	4.6℃	正常	
5632	7-4 (2-1药)	冰箱	242310258	2025/3/20 13:15:00	4.3℃	正常	
5633	7-4 (2-1药)	冰箱	242310258	2025/3/20 13:20:00	4.8℃	正常	
5634	7-4 (2-1药)	冰箱	242310258	2025/3/20 13:25:00	4.1℃	正常	
5635	7-4 (2-1药)	冰箱	242310258	2025/3/20 13:30:00	4.7℃	正常	
5636	7-4 (2-1药)	冰箱	242310258	2025/3/20 13:35:00	4.3℃	正常	
5637	7-4 (2-1药)	冰箱	242310258	2025/3/20 13:40:00	4.5℃	正常	
5638	7-4 (2-1药)	冰箱	242310258	2025/3/20 13:45:00	4.6℃	正常	
5639	7-4 (2-1药)	冰箱	242310258	2025/3/20 13:50:00	4.2℃	正常	
5640	7-4 (2-1药)	冰箱	242310258	2025/3/20 13:55:00	4.8℃	正常	
5641	7-4 (2-1药)	冰箱	242310258	2025/3/20 14:00:00	4.1℃	正常	
5642	7-4 (2-1药)	冰箱	242310258	2025/3/20 14:05:00	4.7℃	正常	
5643	7-4 (2-1药)	冰箱	242310258	2025/3/20 14:10:00	4.4℃	正常	
5644	7-4 (2-1药)	冰箱	242310258	2025/3/20 14:15:00	4.4℃	正常	
5645	7-4 (2-1药)	冰箱	242310258	2025/3/20 14:20:00	4.7℃	正常	
5646	7-4 (2-1药)	冰箱	242310258	2025/3/20 14:25:00	4.1℃	正常	
5647	7-4 (2-1药)	冰箱	242310258	2025/3/20 14:30:00	4.8℃	正常	
5648	7-4 (2-1药)	冰箱	242310258	2025/3/20 14:35:00	4.1℃	正常	
5649	7-4 (2-1药)	冰箱	242310258	2025/3/20 14:40:00	4.6℃	正常	
5650	7-4 (2-1药)	冰箱	242310258	2025/3/20 14:45:00	4.4℃	正常	
5651	7-4 (2-1药)	冰箱	242310258	2025/3/20 14:50:00	4.4℃	正常	
5652	7-4 (2-1药)	冰箱	242310258	2025/3/20 14:55:00	4.8℃	正常	
5653	7-4 (2-1药)	冰箱	242310258	2025/3/20 15:00:00	4.1℃	正常	
5654	7-4 (2-1药)	冰箱	242310258	2025/3/20 15:05:00	4.7℃	正常	
5655	7-4 (2-1药)	冰箱	242310258	2025/3/20 15:10:00	4.2℃	正常	
5656	7-4 (2-1药)	冰箱	242310258	2025/3/20 15:15:00	4.6℃	正常	
5657	7-4 (2-1药)	冰箱	242310258	2025/3/20 15:20:00	4.5℃	正常	
5658	7-4 (2-1药)	冰箱	242310258	2025/3/20 15:25:00	4.2℃	正常	
5659	7-4 (2-1药)	冰箱	242310258	2025/3/20 15:30:00	4.8℃	正常	
5660	7-4 (2-1药)	冰箱	242310258	2025/3/20 15:35:00	4.1℃	正常	
5661	7-4 (2-1药)	冰箱	242310258	2025/3/20 15:40:00	4.7℃	正常	
5662	7-4 (2-1药)	冰箱	242310258	2025/3/20 15:45:00	4.3℃	正常	
5663	7-4 (2-1药)	冰箱	242310258	2025/3/20 15:50:00	4.4℃	正常	
5664	7-4 (2-1药)	冰箱	242310258	2025/3/20 15:55:00	4.7℃	正常	
5665	7-4 (2-1药)	冰箱	242310258	2025/3/20 16:00:00	4.1℃	正常	
5666	7-4 (2-1药)	冰箱	242310258	2025/3/20 16:05:00	4.8℃	正常	
5667	7-4 (2-1药)	冰箱	242310258	2025/3/20 16:10:00	4.1℃	正常	
5668	7-4 (2-1药)	冰箱	242310258	2025/3/20 16:15:00	4.6℃	正常	
5669	7-4 (2-1药)	冰箱	242310258	2025/3/20 16:20:00	4.4℃	正常	
5670	7-4 (2-1药)	冰箱	242310258	2025/3/20 16:25:00	4.3℃	正常	
5671	7-4 (2-1药)	冰箱	242310258	2025/3/20 16:30:00	4.8℃	正常	
5672	7-4 (2-1药)	冰箱	242310258	2025/3/20 16:35:00	4.1℃	正常	
5673	7-4 (2-1药)	冰箱	242310258	2025/3/20 16:40:00	4.7℃	正常	
5674	7-4 (2-1药)	冰箱	242310258	2025/3/20 16:45:00	4.2℃	正常	
5675	7-4 (2-1药)	冰箱	242310258	2025/3/20 16:50:00	4.6℃	正常	
5676	7-4 (2-1药)	冰箱	242310258	2025/3/20 16:55:00	4.4℃	正常	
5677	7-4 (2-1药)	冰箱	242310258	2025/3/20 17:00:00	4.2℃	正常	
5678	7-4 (2-1药)	冰箱	242310258	2025/3/20 17:05:00	4.8℃	正常	
5679	7-4 (2-1药)	冰箱	242310258	2025/3/20 17:10:00	4.1℃	正常	
5680	7-4 (2-1药)	冰箱	242310258	2025/3/20 17:15:00	4.7℃	正常	
5681	7-4 (2-1药)	冰箱	242310258	2025/3/20 17:20:00	4.3℃	正常	
5682	7-4 (2-1药)	冰箱	242310258	2025/3/20 17:25:00	4.4℃	正常	
5683	7-4 (2-1药)	冰箱	242310258	2025/3/20 17:30:00	4.7℃	正常	
5684	7-4 (2-1药)	冰箱	242310258	2025/3/20 17:35:00	4.2℃	正常	

5685	7-4 (2-1药)	冰箱	242310258	2025/3/20 17:40:00	4.8℃	正常	
5686	7-4 (2-1药)	冰箱	242310258	2025/3/20 17:45:00	4.1℃	正常	
5687	7-4 (2-1药)	冰箱	242310258	2025/3/20 17:50:00	4.7℃	正常	
5688	7-4 (2-1药)	冰箱	242310258	2025/3/20 17:55:00	4.3℃	正常	
5689	7-4 (2-1药)	冰箱	242310258	2025/3/20 18:00:00	4.4℃	正常	
5690	7-4 (2-1药)	冰箱	242310258	2025/3/20 18:05:00	4.7℃	正常	
5691	7-4 (2-1药)	冰箱	242310258	2025/3/20 18:10:00	4.2℃	正常	
5692	7-4 (2-1药)	冰箱	242310258	2025/3/20 18:15:00	4.8℃	正常	
5693	7-4 (2-1药)	冰箱	242310258	2025/3/20 18:20:00	4.1℃	正常	
5694	7-4 (2-1药)	冰箱	242310258	2025/3/20 18:25:00	4.6℃	正常	
5695	7-4 (2-1药)	冰箱	242310258	2025/3/20 18:30:00	4.5℃	正常	
5696	7-4 (2-1药)	冰箱	242310258	2025/3/20 18:35:00	4.4℃	正常	
5697	7-4 (2-1药)	冰箱	242310258	2025/3/20 18:40:00	4.7℃	正常	
5698	7-4 (2-1药)	冰箱	242310258	2025/3/20 18:45:00	4.1℃	正常	
5699	7-4 (2-1药)	冰箱	242310258	2025/3/20 18:50:00	4.8℃	正常	
5700	7-4 (2-1药)	冰箱	242310258	2025/3/20 18:55:00	4.2℃	正常	
5701	7-4 (2-1药)	冰箱	242310258	2025/3/20 19:00:00	4.6℃	正常	
5702	7-4 (2-1药)	冰箱	242310258	2025/3/20 19:05:00	4.5℃	正常	
5703	7-4 (2-1药)	冰箱	242310258	2025/3/20 19:10:00	4.4℃	正常	
5704	7-4 (2-1药)	冰箱	242310258	2025/3/20 19:15:00	4.7℃	正常	
5705	7-4 (2-1药)	冰箱	242310258	2025/3/20 19:20:00	4.1℃	正常	
5706	7-4 (2-1药)	冰箱	242310258	2025/3/20 19:25:00	4.8℃	正常	
5707	7-4 (2-1药)	冰箱	242310258	2025/3/20 19:30:00	4.1℃	正常	
5708	7-4 (2-1药)	冰箱	242310258	2025/3/20 19:35:00	4.6℃	正常	
5709	7-4 (2-1药)	冰箱	242310258	2025/3/20 19:40:00	4.5℃	正常	
5710	7-4 (2-1药)	冰箱	242310258	2025/3/20 19:45:00	4.3℃	正常	
5711	7-4 (2-1药)	冰箱	242310258	2025/3/20 19:50:00	4.8℃	正常	
5712	7-4 (2-1药)	冰箱	242310258	2025/3/20 19:55:00	4.1℃	正常	
5713	7-4 (2-1药)	冰箱	242310258	2025/3/20 20:00:00	4.8℃	正常	
5714	7-4 (2-1药)	冰箱	242310258	2025/3/20 20:05:00	4.2℃	正常	
5715	7-4 (2-1药)	冰箱	242310258	2025/3/20 20:10:00	4.6℃	正常	
5716	7-4 (2-1药)	冰箱	242310258	2025/3/20 20:15:00	4.6℃	正常	
5717	7-4 (2-1药)	冰箱	242310258	2025/3/20 20:20:00	4.3℃	正常	
5718	7-4 (2-1药)	冰箱	242310258	2025/3/20 20:25:00	4.8℃	正常	
5719	7-4 (2-1药)	冰箱	242310258	2025/3/20 20:30:00	4.1℃	正常	
5720	7-4 (2-1药)	冰箱	242310258	2025/3/20 20:35:00	4.7℃	正常	
5721	7-4 (2-1药)	冰箱	242310258	2025/3/20 20:40:00	4.3℃	正常	
5722	7-4 (2-1药)	冰箱	242310258	2025/3/20 20:45:00	4.5℃	正常	
5723	7-4 (2-1药)	冰箱	242310258	2025/3/20 20:50:00	4.6℃	正常	
5724	7-4 (2-1药)	冰箱	242310258	2025/3/20 20:55:00	4.2℃	正常	
5725	7-4 (2-1药)	冰箱	242310258	2025/3/20 21:00:00	4.8℃	正常	
5726	7-4 (2-1药)	冰箱	242310258	2025/3/20 21:05:00	4.1℃	正常	
5727	7-4 (2-1药)	冰箱	242310258	2025/3/20 21:10:00	4.6℃	正常	
5728	7-4 (2-1药)	冰箱	242310258	2025/3/20 21:15:00	4.3℃	正常	
5729	7-4 (2-1药)	冰箱	242310258	2025/3/20 21:20:00	4.4℃	正常	
5730	7-4 (2-1药)	冰箱	242310258	2025/3/20 21:25:00	4.7℃	正常	
5731	7-4 (2-1药)	冰箱	242310258	2025/3/20 21:30:00	4.1℃	正常	
5732	7-4 (2-1药)	冰箱	242310258	2025/3/20 21:35:00	4.7℃	正常	
5733	7-4 (2-1药)	冰箱	242310258	2025/3/20 21:40:00	4.1℃	正常	
5734	7-4 (2-1药)	冰箱	242310258	2025/3/20 21:45:00	4.6℃	正常	
5735	7-4 (2-1药)	冰箱	242310258	2025/3/20 21:50:00	4.5℃	正常	
5736	7-4 (2-1药)	冰箱	242310258	2025/3/20 21:55:00	4.3℃	正常	
5737	7-4 (2-1药)	冰箱	242310258	2025/3/20 22:00:00	4.8℃	正常	
5738	7-4 (2-1药)	冰箱	242310258	2025/3/20 22:05:00	4.1℃	正常	
5739	7-4 (2-1药)	冰箱	242310258	2025/3/20 22:10:00	4.8℃	正常	
5740	7-4 (2-1药)	冰箱	242310258	2025/3/20 22:15:00	4.2℃	正常	
5741	7-4 (2-1药)	冰箱	242310258	2025/3/20 22:20:00	4.6℃	正常	
5742	7-4 (2-1药)	冰箱	242310258	2025/3/20 22:25:00	4.5℃	正常	
5743	7-4 (2-1药)	冰箱	242310258	2025/3/20 22:30:00	4.3℃	正常	
5744	7-4 (2-1药)	冰箱	242310258	2025/3/20 22:35:00	4.7℃	正常	
5745	7-4 (2-1药)	冰箱	242310258	2025/3/20 22:40:00	4.1℃	正常	
5746	7-4 (2-1药)	冰箱	242310258	2025/3/20 22:45:00	4.8℃	正常	
5747	7-4 (2-1药)	冰箱	242310258	2025/3/20 22:50:00	4.1℃	正常	
5748	7-4 (2-1药)	冰箱	242310258	2025/3/20 22:55:00	4.6℃	正常	

5749	7-4 (2-1药)	冰箱	242310258	2025/3/20 23:00:00	4.4℃	正常	
5750	7-4 (2-1药)	冰箱	242310258	2025/3/20 23:05:00	5.1℃	正常	
5751	7-4 (2-1药)	冰箱	242310258	2025/3/20 23:10:00	4.3℃	正常	
5752	7-4 (2-1药)	冰箱	242310258	2025/3/20 23:15:00	4.6℃	正常	
5753	7-4 (2-1药)	冰箱	242310258	2025/3/20 23:20:00	4.5℃	正常	
5754	7-4 (2-1药)	冰箱	242310258	2025/3/20 23:25:00	4.4℃	正常	
5755	7-4 (2-1药)	冰箱	242310258	2025/3/20 23:30:00	4.7℃	正常	
5756	7-4 (2-1药)	冰箱	242310258	2025/3/20 23:35:00	4.1℃	正常	
5757	7-4 (2-1药)	冰箱	242310258	2025/3/20 23:40:00	4.7℃	正常	
5758	7-4 (2-1药)	冰箱	242310258	2025/3/20 23:45:00	4.1℃	正常	
5759	7-4 (2-1药)	冰箱	242310258	2025/3/20 23:50:00	4.6℃	正常	
5760	7-4 (2-1药)	冰箱	242310258	2025/3/20 23:55:00	4.5℃	正常	
5761	7-4 (2-1药)	冰箱	242310258	2025/3/21 0:00:00	4.4℃	正常	
5762	7-4 (2-1药)	冰箱	242310258	2025/3/21 0:05:00	4.7℃	正常	
5763	7-4 (2-1药)	冰箱	242310258	2025/3/21 0:10:00	4.1℃	正常	
5764	7-4 (2-1药)	冰箱	242310258	2025/3/21 0:15:00	4.8℃	正常	
5765	7-4 (2-1药)	冰箱	242310258	2025/3/21 0:20:00	4.1℃	正常	
5766	7-4 (2-1药)	冰箱	242310258	2025/3/21 0:25:00	4.6℃	正常	
5767	7-4 (2-1药)	冰箱	242310258	2025/3/21 0:30:00	4.4℃	正常	
5768	7-4 (2-1药)	冰箱	242310258	2025/3/21 0:35:00	4.4℃	正常	
5769	7-4 (2-1药)	冰箱	242310258	2025/3/21 0:40:00	4.7℃	正常	
5770	7-4 (2-1药)	冰箱	242310258	2025/3/21 0:45:00	4.1℃	正常	
5771	7-4 (2-1药)	冰箱	242310258	2025/3/21 0:50:00	4.8℃	正常	
5772	7-4 (2-1药)	冰箱	242310258	2025/3/21 0:55:00	4.1℃	正常	
5773	7-4 (2-1药)	冰箱	242310258	2025/3/21 1:00:00	4.6℃	正常	
5774	7-4 (2-1药)	冰箱	242310258	2025/3/21 1:05:00	4.5℃	正常	
5775	7-4 (2-1药)	冰箱	242310258	2025/3/21 1:10:00	4.3℃	正常	
5776	7-4 (2-1药)	冰箱	242310258	2025/3/21 1:15:00	4.8℃	正常	
5777	7-4 (2-1药)	冰箱	242310258	2025/3/21 1:20:00	4.1℃	正常	
5778	7-4 (2-1药)	冰箱	242310258	2025/3/21 1:25:00	4.7℃	正常	
5779	7-4 (2-1药)	冰箱	242310258	2025/3/21 1:30:00	4.2℃	正常	
5780	7-4 (2-1药)	冰箱	242310258	2025/3/21 1:35:00	4.5℃	正常	
5781	7-4 (2-1药)	冰箱	242310258	2025/3/21 1:40:00	4.5℃	正常	
5782	7-4 (2-1药)	冰箱	242310258	2025/3/21 1:45:00	4.3℃	正常	
5783	7-4 (2-1药)	冰箱	242310258	2025/3/21 1:50:00	4.8℃	正常	
5784	7-4 (2-1药)	冰箱	242310258	2025/3/21 1:55:00	4.1℃	正常	
5785	7-4 (2-1药)	冰箱	242310258	2025/3/21 2:00:00	4.8℃	正常	
5786	7-4 (2-1药)	冰箱	242310258	2025/3/21 2:05:00	4.2℃	正常	
5787	7-4 (2-1药)	冰箱	242310258	2025/3/21 2:10:00	4.6℃	正常	
5788	7-4 (2-1药)	冰箱	242310258	2025/3/21 2:15:00	4.6℃	正常	
5789	7-4 (2-1药)	冰箱	242310258	2025/3/21 2:20:00	4.2℃	正常	
5790	7-4 (2-1药)	冰箱	242310258	2025/3/21 2:25:00	4.8℃	正常	
5791	7-4 (2-1药)	冰箱	242310258	2025/3/21 2:30:00	4.1℃	正常	
5792	7-4 (2-1药)	冰箱	242310258	2025/3/21 2:35:00	4.7℃	正常	
5793	7-4 (2-1药)	冰箱	242310258	2025/3/21 2:40:00	4.3℃	正常	
5794	7-4 (2-1药)	冰箱	242310258	2025/3/21 2:45:00	4.4℃	正常	
5795	7-4 (2-1药)	冰箱	242310258	2025/3/21 2:50:00	4.7℃	正常	
5796	7-4 (2-1药)	冰箱	242310258	2025/3/21 2:55:00	4.1℃	正常	
5797	7-4 (2-1药)	冰箱	242310258	2025/3/21 3:00:00	4.8℃	正常	
5798	7-4 (2-1药)	冰箱	242310258	2025/3/21 3:05:00	4.1℃	正常	
5799	7-4 (2-1药)	冰箱	242310258	2025/3/21 3:10:00	4.6℃	正常	
5800	7-4 (2-1药)	冰箱	242310258	2025/3/21 3:15:00	4.4℃	正常	
5801	7-4 (2-1药)	冰箱	242310258	2025/3/21 3:20:00	4.4℃	正常	
5802	7-4 (2-1药)	冰箱	242310258	2025/3/21 3:25:00	4.7℃	正常	
5803	7-4 (2-1药)	冰箱	242310258	2025/3/21 3:30:00	4.2℃	正常	
5804	7-4 (2-1药)	冰箱	242310258	2025/3/21 3:35:00	4.7℃	正常	
5805	7-4 (2-1药)	冰箱	242310258	2025/3/21 3:40:00	4.1℃	正常	
5806	7-4 (2-1药)	冰箱	242310258	2025/3/21 3:45:00	4.5℃	正常	
5807	7-4 (2-1药)	冰箱	242310258	2025/3/21 3:50:00	4.5℃	正常	
5808	7-4 (2-1药)	冰箱	242310258	2025/3/21 3:55:00	4.3℃	正常	
5809	7-4 (2-1药)	冰箱	242310258	2025/3/21 4:00:00	4.8℃	正常	
5810	7-4 (2-1药)	冰箱	242310258	2025/3/21 4:05:00	4.1℃	正常	
5811	7-4 (2-1药)	冰箱	242310258	2025/3/21 4:10:00	4.7℃	正常	
5812	7-4 (2-1药)	冰箱	242310258	2025/3/21 4:15:00	4.2℃	正常	

5813	7-4 (2-1药)	冰箱	242310258	2025/3/21 4:20:00	4.5℃	正常	
5814	7-4 (2-1药)	冰箱	242310258	2025/3/21 4:25:00	4.6℃	正常	
5815	7-4 (2-1药)	冰箱	242310258	2025/3/21 4:30:00	4.2℃	正常	
5816	7-4 (2-1药)	冰箱	242310258	2025/3/21 4:35:00	4.8℃	正常	
5817	7-4 (2-1药)	冰箱	242310258	2025/3/21 4:40:00	4.1℃	正常	
5818	7-4 (2-1药)	冰箱	242310258	2025/3/21 4:45:00	4.6℃	正常	
5819	7-4 (2-1药)	冰箱	242310258	2025/3/21 4:50:00	4.4℃	正常	
5820	7-4 (2-1药)	冰箱	242310258	2025/3/21 4:55:00	4.4℃	正常	
5821	7-4 (2-1药)	冰箱	242310258	2025/3/21 5:00:00	4.7℃	正常	
5822	7-4 (2-1药)	冰箱	242310258	2025/3/21 5:05:00	4.1℃	正常	
5823	7-4 (2-1药)	冰箱	242310258	2025/3/21 5:10:00	4.8℃	正常	
5824	7-4 (2-1药)	冰箱	242310258	2025/3/21 5:15:00	4.2℃	正常	
5825	7-4 (2-1药)	冰箱	242310258	2025/3/21 5:20:00	4.6℃	正常	
5826	7-4 (2-1药)	冰箱	242310258	2025/3/21 5:25:00	4.4℃	正常	
5827	7-4 (2-1药)	冰箱	242310258	2025/3/21 5:30:00	4.3℃	正常	
5828	7-4 (2-1药)	冰箱	242310258	2025/3/21 5:35:00	4.7℃	正常	
5829	7-4 (2-1药)	冰箱	242310258	2025/3/21 5:40:00	4.1℃	正常	
5830	7-4 (2-1药)	冰箱	242310258	2025/3/21 5:45:00	4.7℃	正常	
5831	7-4 (2-1药)	冰箱	242310258	2025/3/21 5:50:00	4.2℃	正常	
5832	7-4 (2-1药)	冰箱	242310258	2025/3/21 5:55:00	4.5℃	正常	
5833	7-4 (2-1药)	冰箱	242310258	2025/3/21 6:00:00	4.6℃	正常	
5834	7-4 (2-1药)	冰箱	242310258	2025/3/21 6:05:00	4.3℃	正常	
5835	7-4 (2-1药)	冰箱	242310258	2025/3/21 6:10:00	4.8℃	正常	
5836	7-4 (2-1药)	冰箱	242310258	2025/3/21 6:15:00	4.1℃	正常	
5837	7-4 (2-1药)	冰箱	242310258	2025/3/21 6:20:00	4.7℃	正常	
5838	7-4 (2-1药)	冰箱	242310258	2025/3/21 6:25:00	4.3℃	正常	
5839	7-4 (2-1药)	冰箱	242310258	2025/3/21 6:30:00	4.4℃	正常	
5840	7-4 (2-1药)	冰箱	242310258	2025/3/21 6:35:00	4.7℃	正常	
5841	7-4 (2-1药)	冰箱	242310258	2025/3/21 6:40:00	4.1℃	正常	
5842	7-4 (2-1药)	冰箱	242310258	2025/3/21 6:45:00	4.8℃	正常	
5843	7-4 (2-1药)	冰箱	242310258	2025/3/21 6:50:00	4.1℃	正常	
5844	7-4 (2-1药)	冰箱	242310258	2025/3/21 6:55:00	4.6℃	正常	
5845	7-4 (2-1药)	冰箱	242310258	2025/3/21 7:00:00	4.4℃	正常	
5846	7-4 (2-1药)	冰箱	242310258	2025/3/21 7:05:00	4.4℃	正常	
5847	7-4 (2-1药)	冰箱	242310258	2025/3/21 7:10:00	4.7℃	正常	
5848	7-4 (2-1药)	冰箱	242310258	2025/3/21 7:15:00	4.1℃	正常	
5849	7-4 (2-1药)	冰箱	242310258	2025/3/21 7:20:00	4.8℃	正常	
5850	7-4 (2-1药)	冰箱	242310258	2025/3/21 7:25:00	4.2℃	正常	
5851	7-4 (2-1药)	冰箱	242310258	2025/3/21 7:30:00	4.6℃	正常	
5852	7-4 (2-1药)	冰箱	242310258	2025/3/21 7:35:00	4.5℃	正常	
5853	7-4 (2-1药)	冰箱	242310258	2025/3/21 7:40:00	4.3℃	正常	
5854	7-4 (2-1药)	冰箱	242310258	2025/3/21 7:45:00	4.8℃	正常	
5855	7-4 (2-1药)	冰箱	242310258	2025/3/21 7:50:00	4.1℃	正常	
5856	7-4 (2-1药)	冰箱	242310258	2025/3/21 7:55:00	4.8℃	正常	
5857	7-4 (2-1药)	冰箱	242310258	2025/3/21 8:00:00	4.2℃	正常	
5858	7-4 (2-1药)	冰箱	242310258	2025/3/21 8:05:00	4.6℃	正常	
5859	7-4 (2-1药)	冰箱	242310258	2025/3/21 8:10:00	4.5℃	正常	
5860	7-4 (2-1药)	冰箱	242310258	2025/3/21 8:15:00	4.3℃	正常	
5861	7-4 (2-1药)	冰箱	242310258	2025/3/21 8:20:00	4.8℃	正常	
5862	7-4 (2-1药)	冰箱	242310258	2025/3/21 8:25:00	4.1℃	正常	
5863	7-4 (2-1药)	冰箱	242310258	2025/3/21 8:30:00	4.7℃	正常	
5864	7-4 (2-1药)	冰箱	242310258	2025/3/21 8:35:00	4.3℃	正常	
5865	7-4 (2-1药)	冰箱	242310258	2025/3/21 8:40:00	4.5℃	正常	
5866	7-4 (2-1药)	冰箱	242310258	2025/3/21 8:45:00	4.6℃	正常	
5867	7-4 (2-1药)	冰箱	242310258	2025/3/21 8:50:00	4.2℃	正常	
5868	7-4 (2-1药)	冰箱	242310258	2025/3/21 8:55:00	4.8℃	正常	
5869	7-4 (2-1药)	冰箱	242310258	2025/3/21 9:00:00	4.1℃	正常	
5870	7-4 (2-1药)	冰箱	242310258	2025/3/21 9:05:00	4.7℃	正常	
5871	7-4 (2-1药)	冰箱	242310258	2025/3/21 9:10:00	4.3℃	正常	
5872	7-4 (2-1药)	冰箱	242310258	2025/3/21 9:15:00	4.5℃	正常	
5873	7-4 (2-1药)	冰箱	242310258	2025/3/21 9:20:00	4.7℃	正常	
5874	7-4 (2-1药)	冰箱	242310258	2025/3/21 9:25:00	4.2℃	正常	
5875	7-4 (2-1药)	冰箱	242310258	2025/3/21 9:30:00	4.8℃	正常	
5876	7-4 (2-1药)	冰箱	242310258	2025/3/21 9:35:00	4.1℃	正常	

5877	7-4 (2-1药)	冰箱	242310258	2025/3/21 9:40:00	4.7℃	正常	
5878	7-4 (2-1药)	冰箱	242310258	2025/3/21 9:45:00	4.4℃	正常	
5879	7-4 (2-1药)	冰箱	242310258	2025/3/21 9:50:00	4.4℃	正常	
5880	7-4 (2-1药)	冰箱	242310258	2025/3/21 9:55:00	4.7℃	正常	
5881	7-4 (2-1药)	冰箱	242310258	2025/3/21 10:00:00	4.2℃	正常	
5882	7-4 (2-1药)	冰箱	242310258	2025/3/21 10:05:00	5.1℃	正常	
5883	7-4 (2-1药)	冰箱	242310258	2025/3/21 10:10:00	4.6℃	正常	
5884	7-4 (2-1药)	冰箱	242310258	2025/3/21 10:15:00	4.7℃	正常	
5885	7-4 (2-1药)	冰箱	242310258	2025/3/21 10:20:00	4.1℃	正常	
5886	7-4 (2-1药)	冰箱	242310258	2025/3/21 10:25:00	4.8℃	正常	
5887	7-4 (2-1药)	冰箱	242310258	2025/3/21 10:30:00	4.2℃	正常	
5888	7-4 (2-1药)	冰箱	242310258	2025/3/21 10:35:00	4.6℃	正常	
5889	7-4 (2-1药)	冰箱	242310258	2025/3/21 10:40:00	4.5℃	正常	
5890	7-4 (2-1药)	冰箱	242310258	2025/3/21 10:45:00	4.6℃	正常	
5891	7-4 (2-1药)	冰箱	242310258	2025/3/21 10:50:00	4.6℃	正常	
5892	7-4 (2-1药)	冰箱	242310258	2025/3/21 10:55:00	4.2℃	正常	
5893	7-4 (2-1药)	冰箱	242310258	2025/3/21 11:00:00	4.8℃	正常	
5894	7-4 (2-1药)	冰箱	242310258	2025/3/21 11:05:00	4.0℃	正常	
5895	7-4 (2-1药)	冰箱	242310258	2025/3/21 11:10:00	4.6℃	正常	
5896	7-4 (2-1药)	冰箱	242310258	2025/3/21 11:15:00	4.4℃	正常	
5897	7-4 (2-1药)	冰箱	242310258	2025/3/21 11:20:00	4.4℃	正常	
5898	7-4 (2-1药)	冰箱	242310258	2025/3/21 11:25:00	4.7℃	正常	
5899	7-4 (2-1药)	冰箱	242310258	2025/3/21 11:30:00	4.1℃	正常	
5900	7-4 (2-1药)	冰箱	242310258	2025/3/21 11:35:00	4.7℃	正常	
5901	7-4 (2-1药)	冰箱	242310258	2025/3/21 11:40:00	4.1℃	正常	
5902	7-4 (2-1药)	冰箱	242310258	2025/3/21 11:45:00	4.6℃	正常	
5903	7-4 (2-1药)	冰箱	242310258	2025/3/21 11:50:00	4.4℃	正常	
5904	7-4 (2-1药)	冰箱	242310258	2025/3/21 11:55:00	4.3℃	正常	
5905	7-4 (2-1药)	冰箱	242310258	2025/3/21 12:00:00	4.8℃	正常	
5906	7-4 (2-1药)	冰箱	242310258	2025/3/21 12:05:00	4.1℃	正常	
5907	7-4 (2-1药)	冰箱	242310258	2025/3/21 12:10:00	4.7℃	正常	
5908	7-4 (2-1药)	冰箱	242310258	2025/3/21 12:15:00	4.2℃	正常	
5909	7-4 (2-1药)	冰箱	242310258	2025/3/21 12:20:00	4.5℃	正常	
5910	7-4 (2-1药)	冰箱	242310258	2025/3/21 12:25:00	4.5℃	正常	
5911	7-4 (2-1药)	冰箱	242310258	2025/3/21 12:30:00	4.2℃	正常	
5912	7-4 (2-1药)	冰箱	242310258	2025/3/21 12:35:00	4.8℃	正常	
5913	7-4 (2-1药)	冰箱	242310258	2025/3/21 12:40:00	4.1℃	正常	
5914	7-4 (2-1药)	冰箱	242310258	2025/3/21 12:45:00	4.7℃	正常	
5915	7-4 (2-1药)	冰箱	242310258	2025/3/21 12:50:00	4.3℃	正常	
5916	7-4 (2-1药)	冰箱	242310258	2025/3/21 12:55:00	4.4℃	正常	
5917	7-4 (2-1药)	冰箱	242310258	2025/3/21 13:00:00	4.7℃	正常	
5918	7-4 (2-1药)	冰箱	242310258	2025/3/21 13:05:00	4.0℃	正常	
5919	7-4 (2-1药)	冰箱	242310258	2025/3/21 13:10:00	4.8℃	正常	
5920	7-4 (2-1药)	冰箱	242310258	2025/3/21 13:15:00	4.1℃	正常	
5921	7-4 (2-1药)	冰箱	242310258	2025/3/21 13:20:00	4.5℃	正常	
5922	7-4 (2-1药)	冰箱	242310258	2025/3/21 13:25:00	4.5℃	正常	
5923	7-4 (2-1药)	冰箱	242310258	2025/3/21 13:30:00	4.3℃	正常	
5924	7-4 (2-1药)	冰箱	242310258	2025/3/21 13:35:00	4.8℃	正常	
5925	7-4 (2-1药)	冰箱	242310258	2025/3/21 13:40:00	4.0℃	正常	
5926	7-4 (2-1药)	冰箱	242310258	2025/3/21 13:45:00	4.8℃	正常	
5927	7-4 (2-1药)	冰箱	242310258	2025/3/21 13:50:00	4.1℃	正常	
5928	7-4 (2-1药)	冰箱	242310258	2025/3/21 13:55:00	4.6℃	正常	
5929	7-4 (2-1药)	冰箱	242310258	2025/3/21 14:00:00	4.5℃	正常	
5930	7-4 (2-1药)	冰箱	242310258	2025/3/21 14:05:00	4.2℃	正常	
5931	7-4 (2-1药)	冰箱	242310258	2025/3/21 14:10:00	4.7℃	正常	
5932	7-4 (2-1药)	冰箱	242310258	2025/3/21 14:15:00	4.0℃	正常	
5933	7-4 (2-1药)	冰箱	242310258	2025/3/21 14:20:00	4.7℃	正常	
5934	7-4 (2-1药)	冰箱	242310258	2025/3/21 14:25:00	4.3℃	正常	
5935	7-4 (2-1药)	冰箱	242310258	2025/3/21 14:30:00	4.5℃	正常	
5936	7-4 (2-1药)	冰箱	242310258	2025/3/21 14:35:00	4.6℃	正常	
5937	7-4 (2-1药)	冰箱	242310258	2025/3/21 14:40:00	4.2℃	正常	
5938	7-4 (2-1药)	冰箱	242310258	2025/3/21 14:45:00	4.7℃	正常	
5939	7-4 (2-1药)	冰箱	242310258	2025/3/21 14:50:00	4.0℃	正常	
5940	7-4 (2-1药)	冰箱	242310258	2025/3/21 14:55:00	4.7℃	正常	

5941	7-4 (2-1药)	冰箱	242310258	2025/3/21 15:00:00	4.2℃	正常	
5942	7-4 (2-1药)	冰箱	242310258	2025/3/21 15:05:00	4.5℃	正常	
5943	7-4 (2-1药)	冰箱	242310258	2025/3/21 15:10:00	4.5℃	正常	
5944	7-4 (2-1药)	冰箱	242310258	2025/3/21 15:15:00	4.2℃	正常	
5945	7-4 (2-1药)	冰箱	242310258	2025/3/21 15:20:00	4.7℃	正常	
5946	7-4 (2-1药)	冰箱	242310258	2025/3/21 15:25:00	4.0℃	正常	
5947	7-4 (2-1药)	冰箱	242310258	2025/3/21 15:30:00	4.7℃	正常	
5948	7-4 (2-1药)	冰箱	242310258	2025/3/21 15:35:00	4.1℃	正常	
5949	7-4 (2-1药)	冰箱	242310258	2025/3/21 15:40:00	4.5℃	正常	
5950	7-4 (2-1药)	冰箱	242310258	2025/3/21 15:45:00	4.5℃	正常	
5951	7-4 (2-1药)	冰箱	242310258	2025/3/21 15:50:00	4.2℃	正常	
5952	7-4 (2-1药)	冰箱	242310258	2025/3/21 15:55:00	4.7℃	正常	
5953	7-4 (2-1药)	冰箱	242310258	2025/3/21 16:00:00	4.0℃	正常	
5954	7-4 (2-1药)	冰箱	242310258	2025/3/21 16:05:00	4.7℃	正常	
5955	7-4 (2-1药)	冰箱	242310258	2025/3/21 16:10:00	4.1℃	正常	
5956	7-4 (2-1药)	冰箱	242310258	2025/3/21 16:15:00	4.6℃	正常	
5957	7-4 (2-1药)	冰箱	242310258	2025/3/21 16:20:00	4.4℃	正常	
5958	7-4 (2-1药)	冰箱	242310258	2025/3/21 16:25:00	4.3℃	正常	
5959	7-4 (2-1药)	冰箱	242310258	2025/3/21 16:30:00	4.7℃	正常	
5960	7-4 (2-1药)	冰箱	242310258	2025/3/21 16:35:00	4.0℃	正常	
5961	7-4 (2-1药)	冰箱	242310258	2025/3/21 16:40:00	4.7℃	正常	
5962	7-4 (2-1药)	冰箱	242310258	2025/3/21 16:45:00	4.0℃	正常	
5963	7-4 (2-1药)	冰箱	242310258	2025/3/21 16:50:00	4.5℃	正常	
5964	7-4 (2-1药)	冰箱	242310258	2025/3/21 16:55:00	4.5℃	正常	
5965	7-4 (2-1药)	冰箱	242310258	2025/3/21 17:00:00	4.3℃	正常	
5966	7-4 (2-1药)	冰箱	242310258	2025/3/21 17:05:00	4.8℃	正常	
5967	7-4 (2-1药)	冰箱	242310258	2025/3/21 17:10:00	4.0℃	正常	
5968	7-4 (2-1药)	冰箱	242310258	2025/3/21 17:15:00	4.7℃	正常	
5969	7-4 (2-1药)	冰箱	242310258	2025/3/21 17:20:00	4.2℃	正常	
5970	7-4 (2-1药)	冰箱	242310258	2025/3/21 17:25:00	4.5℃	正常	
5971	7-4 (2-1药)	冰箱	242310258	2025/3/21 17:30:00	4.4℃	正常	
5972	7-4 (2-1药)	冰箱	242310258	2025/3/21 17:35:00	4.3℃	正常	
5973	7-4 (2-1药)	冰箱	242310258	2025/3/21 17:40:00	4.8℃	正常	
5974	7-4 (2-1药)	冰箱	242310258	2025/3/21 17:45:00	4.0℃	正常	
5975	7-4 (2-1药)	冰箱	242310258	2025/3/21 17:50:00	4.8℃	正常	
5976	7-4 (2-1药)	冰箱	242310258	2025/3/21 17:55:00	4.1℃	正常	
5977	7-4 (2-1药)	冰箱	242310258	2025/3/21 18:00:00	4.5℃	正常	
5978	7-4 (2-1药)	冰箱	242310258	2025/3/21 18:05:00	4.5℃	正常	
5979	7-4 (2-1药)	冰箱	242310258	2025/3/21 18:10:00	4.2℃	正常	
5980	7-4 (2-1药)	冰箱	242310258	2025/3/21 18:15:00	4.7℃	正常	
5981	7-4 (2-1药)	冰箱	242310258	2025/3/21 18:20:00	4.0℃	正常	
5982	7-4 (2-1药)	冰箱	242310258	2025/3/21 18:25:00	4.7℃	正常	
5983	7-4 (2-1药)	冰箱	242310258	2025/3/21 18:30:00	4.0℃	正常	
5984	7-4 (2-1药)	冰箱	242310258	2025/3/21 18:35:00	4.6℃	正常	
5985	7-4 (2-1药)	冰箱	242310258	2025/3/21 18:40:00	4.4℃	正常	
5986	7-4 (2-1药)	冰箱	242310258	2025/3/21 18:45:00	4.4℃	正常	
5987	7-4 (2-1药)	冰箱	242310258	2025/3/21 18:50:00	4.7℃	正常	
5988	7-4 (2-1药)	冰箱	242310258	2025/3/21 18:55:00	4.1℃	正常	
5989	7-4 (2-1药)	冰箱	242310258	2025/3/21 19:00:00	4.8℃	正常	
5990	7-4 (2-1药)	冰箱	242310258	2025/3/21 19:05:00	4.0℃	正常	
5991	7-4 (2-1药)	冰箱	242310258	2025/3/21 19:10:00	4.6℃	正常	
5992	7-4 (2-1药)	冰箱	242310258	2025/3/21 19:15:00	4.3℃	正常	
5993	7-4 (2-1药)	冰箱	242310258	2025/3/21 19:20:00	4.3℃	正常	
5994	7-4 (2-1药)	冰箱	242310258	2025/3/21 19:25:00	4.7℃	正常	
5995	7-4 (2-1药)	冰箱	242310258	2025/3/21 19:30:00	4.0℃	正常	
5996	7-4 (2-1药)	冰箱	242310258	2025/3/21 19:35:00	4.7℃	正常	
5997	7-4 (2-1药)	冰箱	242310258	2025/3/21 19:40:00	4.1℃	正常	
5998	7-4 (2-1药)	冰箱	242310258	2025/3/21 19:45:00	4.5℃	正常	
5999	7-4 (2-1药)	冰箱	242310258	2025/3/21 19:50:00	4.4℃	正常	
6000	7-4 (2-1药)	冰箱	242310258	2025/3/21 19:55:00	4.3℃	正常	
6001	7-4 (2-1药)	冰箱	242310258	2025/3/21 20:00:00	4.7℃	正常	
6002	7-4 (2-1药)	冰箱	242310258	2025/3/21 20:05:00	4.1℃	正常	
6003	7-4 (2-1药)	冰箱	242310258	2025/3/21 20:10:00	4.7℃	正常	
6004	7-4 (2-1药)	冰箱	242310258	2025/3/21 20:15:00	4.2℃	正常	

6005	7-4 (2-1药)	冰箱	242310258	2025/3/21 20:20:00	4.5℃	正常	
6006	7-4 (2-1药)	冰箱	242310258	2025/3/21 20:25:00	4.5℃	正常	
6007	7-4 (2-1药)	冰箱	242310258	2025/3/21 20:30:00	4.3℃	正常	
6008	7-4 (2-1药)	冰箱	242310258	2025/3/21 20:35:00	4.8℃	正常	
6009	7-4 (2-1药)	冰箱	242310258	2025/3/21 20:40:00	4.1℃	正常	
6010	7-4 (2-1药)	冰箱	242310258	2025/3/21 20:45:00	4.7℃	正常	
6011	7-4 (2-1药)	冰箱	242310258	2025/3/21 20:50:00	4.2℃	正常	
6012	7-4 (2-1药)	冰箱	242310258	2025/3/21 20:55:00	4.5℃	正常	
6013	7-4 (2-1药)	冰箱	242310258	2025/3/21 21:00:00	4.6℃	正常	
6014	7-4 (2-1药)	冰箱	242310258	2025/3/21 21:05:00	4.1℃	正常	
6015	7-4 (2-1药)	冰箱	242310258	2025/3/21 21:10:00	5.0℃	正常	
6016	7-4 (2-1药)	冰箱	242310258	2025/3/21 21:15:00	4.6℃	正常	
6017	7-4 (2-1药)	冰箱	242310258	2025/3/21 21:20:00	4.6℃	正常	
6018	7-4 (2-1药)	冰箱	242310258	2025/3/21 21:25:00	4.1℃	正常	
6019	7-4 (2-1药)	冰箱	242310258	2025/3/21 21:30:00	4.8℃	正常	
6020	7-4 (2-1药)	冰箱	242310258	2025/3/21 21:35:00	4.1℃	正常	
6021	7-4 (2-1药)	冰箱	242310258	2025/3/21 21:40:00	4.7℃	正常	
6022	7-4 (2-1药)	冰箱	242310258	2025/3/21 21:45:00	4.2℃	正常	
6023	7-4 (2-1药)	冰箱	242310258	2025/3/21 21:50:00	4.4℃	正常	
6024	7-4 (2-1药)	冰箱	242310258	2025/3/21 21:55:00	4.6℃	正常	
6025	7-4 (2-1药)	冰箱	242310258	2025/3/21 22:00:00	4.1℃	正常	
6026	7-4 (2-1药)	冰箱	242310258	2025/3/21 22:05:00	4.8℃	正常	
6027	7-4 (2-1药)	冰箱	242310258	2025/3/21 22:10:00	4.0℃	正常	
6028	7-4 (2-1药)	冰箱	242310258	2025/3/21 22:15:00	4.6℃	正常	
6029	7-4 (2-1药)	冰箱	242310258	2025/3/21 22:20:00	4.2℃	正常	
6030	7-4 (2-1药)	冰箱	242310258	2025/3/21 22:25:00	4.5℃	正常	
6031	7-4 (2-1药)	冰箱	242310258	2025/3/21 22:30:00	4.5℃	正常	
6032	7-4 (2-1药)	冰箱	242310258	2025/3/21 22:35:00	4.2℃	正常	
6033	7-4 (2-1药)	冰箱	242310258	2025/3/21 22:40:00	4.7℃	正常	
6034	7-4 (2-1药)	冰箱	242310258	2025/3/21 22:45:00	4.0℃	正常	
6035	7-4 (2-1药)	冰箱	242310258	2025/3/21 22:50:00	4.7℃	正常	
6036	7-4 (2-1药)	冰箱	242310258	2025/3/21 22:55:00	4.2℃	正常	
6037	7-4 (2-1药)	冰箱	242310258	2025/3/21 23:00:00	4.4℃	正常	
6038	7-4 (2-1药)	冰箱	242310258	2025/3/21 23:05:00	4.6℃	正常	
6039	7-4 (2-1药)	冰箱	242310258	2025/3/21 23:10:00	4.1℃	正常	
6040	7-4 (2-1药)	冰箱	242310258	2025/3/21 23:15:00	4.8℃	正常	
6041	7-4 (2-1药)	冰箱	242310258	2025/3/21 23:20:00	4.0℃	正常	
6042	7-4 (2-1药)	冰箱	242310258	2025/3/21 23:25:00	4.7℃	正常	
6043	7-4 (2-1药)	冰箱	242310258	2025/3/21 23:30:00	4.2℃	正常	
6044	7-4 (2-1药)	冰箱	242310258	2025/3/21 23:35:00	4.4℃	正常	
6045	7-4 (2-1药)	冰箱	242310258	2025/3/21 23:40:00	4.6℃	正常	
6046	7-4 (2-1药)	冰箱	242310258	2025/3/21 23:45:00	4.1℃	正常	
6047	7-4 (2-1药)	冰箱	242310258	2025/3/21 23:50:00	4.8℃	正常	
6048	7-4 (2-1药)	冰箱	242310258	2025/3/21 23:55:00	4.0℃	正常	
6049	7-4 (2-1药)	冰箱	242310258	2025/3/22 0:00:00	4.6℃	正常	
6050	7-4 (2-1药)	冰箱	242310258	2025/3/22 0:05:00	4.2℃	正常	
6051	7-4 (2-1药)	冰箱	242310258	2025/3/22 0:10:00	4.4℃	正常	
6052	7-4 (2-1药)	冰箱	242310258	2025/3/22 0:15:00	4.7℃	正常	
6053	7-4 (2-1药)	冰箱	242310258	2025/3/22 0:20:00	4.1℃	正常	
6054	7-4 (2-1药)	冰箱	242310258	2025/3/22 0:25:00	4.8℃	正常	
6055	7-4 (2-1药)	冰箱	242310258	2025/3/22 0:30:00	4.0℃	正常	
6056	7-4 (2-1药)	冰箱	242310258	2025/3/22 0:35:00	4.7℃	正常	
6057	7-4 (2-1药)	冰箱	242310258	2025/3/22 0:40:00	4.2℃	正常	
6058	7-4 (2-1药)	冰箱	242310258	2025/3/22 0:45:00	4.5℃	正常	
6059	7-4 (2-1药)	冰箱	242310258	2025/3/22 0:50:00	4.6℃	正常	
6060	7-4 (2-1药)	冰箱	242310258	2025/3/22 0:55:00	4.2℃	正常	
6061	7-4 (2-1药)	冰箱	242310258	2025/3/22 1:00:00	4.8℃	正常	
6062	7-4 (2-1药)	冰箱	242310258	2025/3/22 1:05:00	4.0℃	正常	
6063	7-4 (2-1药)	冰箱	242310258	2025/3/22 1:10:00	4.7℃	正常	
6064	7-4 (2-1药)	冰箱	242310258	2025/3/22 1:15:00	4.1℃	正常	
6065	7-4 (2-1药)	冰箱	242310258	2025/3/22 1:20:00	4.6℃	正常	
6066	7-4 (2-1药)	冰箱	242310258	2025/3/22 1:25:00	4.5℃	正常	
6067	7-4 (2-1药)	冰箱	242310258	2025/3/22 1:30:00	4.3℃	正常	
6068	7-4 (2-1药)	冰箱	242310258	2025/3/22 1:35:00	4.7℃	正常	

6069	7-4 (2-1药)	冰箱	242310258	2025/3/22 1:40:00	4.1℃	正常	
6070	7-4 (2-1药)	冰箱	242310258	2025/3/22 1:45:00	4.7℃	正常	
6071	7-4 (2-1药)	冰箱	242310258	2025/3/22 1:50:00	4.1℃	正常	
6072	7-4 (2-1药)	冰箱	242310258	2025/3/22 1:55:00	4.5℃	正常	
6073	7-4 (2-1药)	冰箱	242310258	2025/3/22 2:00:00	4.5℃	正常	
6074	7-4 (2-1药)	冰箱	242310258	2025/3/22 2:05:00	4.2℃	正常	
6075	7-4 (2-1药)	冰箱	242310258	2025/3/22 2:10:00	4.7℃	正常	
6076	7-4 (2-1药)	冰箱	242310258	2025/3/22 2:15:00	4.0℃	正常	
6077	7-4 (2-1药)	冰箱	242310258	2025/3/22 2:20:00	4.7℃	正常	
6078	7-4 (2-1药)	冰箱	242310258	2025/3/22 2:25:00	4.2℃	正常	
6079	7-4 (2-1药)	冰箱	242310258	2025/3/22 2:30:00	4.5℃	正常	
6080	7-4 (2-1药)	冰箱	242310258	2025/3/22 2:35:00	4.5℃	正常	
6081	7-4 (2-1药)	冰箱	242310258	2025/3/22 2:40:00	4.2℃	正常	
6082	7-4 (2-1药)	冰箱	242310258	2025/3/22 2:45:00	4.8℃	正常	
6083	7-4 (2-1药)	冰箱	242310258	2025/3/22 2:50:00	4.0℃	正常	
6084	7-4 (2-1药)	冰箱	242310258	2025/3/22 2:55:00	4.7℃	正常	
6085	7-4 (2-1药)	冰箱	242310258	2025/3/22 3:00:00	4.1℃	正常	
6086	7-4 (2-1药)	冰箱	242310258	2025/3/22 3:05:00	4.5℃	正常	
6087	7-4 (2-1药)	冰箱	242310258	2025/3/22 3:10:00	4.4℃	正常	
6088	7-4 (2-1药)	冰箱	242310258	2025/3/22 3:15:00	4.2℃	正常	
6089	7-4 (2-1药)	冰箱	242310258	2025/3/22 3:20:00	4.7℃	正常	
6090	7-4 (2-1药)	冰箱	242310258	2025/3/22 3:25:00	4.1℃	正常	
6091	7-4 (2-1药)	冰箱	242310258	2025/3/22 3:30:00	4.7℃	正常	
6092	7-4 (2-1药)	冰箱	242310258	2025/3/22 3:35:00	4.1℃	正常	
6093	7-4 (2-1药)	冰箱	242310258	2025/3/22 3:40:00	4.5℃	正常	
6094	7-4 (2-1药)	冰箱	242310258	2025/3/22 3:45:00	4.4℃	正常	
6095	7-4 (2-1药)	冰箱	242310258	2025/3/22 3:50:00	4.2℃	正常	
6096	7-4 (2-1药)	冰箱	242310258	2025/3/22 3:55:00	4.8℃	正常	
6097	7-4 (2-1药)	冰箱	242310258	2025/3/22 4:00:00	4.0℃	正常	
6098	7-4 (2-1药)	冰箱	242310258	2025/3/22 4:05:00	4.7℃	正常	
6099	7-4 (2-1药)	冰箱	242310258	2025/3/22 4:10:00	4.1℃	正常	
6100	7-4 (2-1药)	冰箱	242310258	2025/3/22 4:15:00	4.5℃	正常	
6101	7-4 (2-1药)	冰箱	242310258	2025/3/22 4:20:00	4.5℃	正常	
6102	7-4 (2-1药)	冰箱	242310258	2025/3/22 4:25:00	4.2℃	正常	
6103	7-4 (2-1药)	冰箱	242310258	2025/3/22 4:30:00	4.8℃	正常	
6104	7-4 (2-1药)	冰箱	242310258	2025/3/22 4:35:00	4.0℃	正常	
6105	7-4 (2-1药)	冰箱	242310258	2025/3/22 4:40:00	4.7℃	正常	
6106	7-4 (2-1药)	冰箱	242310258	2025/3/22 4:45:00	4.3℃	正常	
6107	7-4 (2-1药)	冰箱	242310258	2025/3/22 4:50:00	4.4℃	正常	
6108	7-4 (2-1药)	冰箱	242310258	2025/3/22 4:55:00	4.6℃	正常	
6109	7-4 (2-1药)	冰箱	242310258	2025/3/22 5:00:00	4.1℃	正常	
6110	7-4 (2-1药)	冰箱	242310258	2025/3/22 5:05:00	4.7℃	正常	
6111	7-4 (2-1药)	冰箱	242310258	2025/3/22 5:10:00	4.0℃	正常	
6112	7-4 (2-1药)	冰箱	242310258	2025/3/22 5:15:00	4.6℃	正常	
6113	7-4 (2-1药)	冰箱	242310258	2025/3/22 5:20:00	4.3℃	正常	
6114	7-4 (2-1药)	冰箱	242310258	2025/3/22 5:25:00	4.4℃	正常	
6115	7-4 (2-1药)	冰箱	242310258	2025/3/22 5:30:00	4.7℃	正常	
6116	7-4 (2-1药)	冰箱	242310258	2025/3/22 5:35:00	4.1℃	正常	
6117	7-4 (2-1药)	冰箱	242310258	2025/3/22 5:40:00	4.8℃	正常	
6118	7-4 (2-1药)	冰箱	242310258	2025/3/22 5:45:00	4.0℃	正常	
6119	7-4 (2-1药)	冰箱	242310258	2025/3/22 5:50:00	4.7℃	正常	
6120	7-4 (2-1药)	冰箱	242310258	2025/3/22 5:55:00	4.2℃	正常	
6121	7-4 (2-1药)	冰箱	242310258	2025/3/22 6:00:00	4.4℃	正常	
6122	7-4 (2-1药)	冰箱	242310258	2025/3/22 6:05:00	4.6℃	正常	
6123	7-4 (2-1药)	冰箱	242310258	2025/3/22 6:10:00	4.1℃	正常	
6124	7-4 (2-1药)	冰箱	242310258	2025/3/22 6:15:00	4.8℃	正常	
6125	7-4 (2-1药)	冰箱	242310258	2025/3/22 6:20:00	4.0℃	正常	
6126	7-4 (2-1药)	冰箱	242310258	2025/3/22 6:25:00	4.6℃	正常	
6127	7-4 (2-1药)	冰箱	242310258	2025/3/22 6:30:00	4.3℃	正常	
6128	7-4 (2-1药)	冰箱	242310258	2025/3/22 6:35:00	4.4℃	正常	
6129	7-4 (2-1药)	冰箱	242310258	2025/3/22 6:40:00	4.6℃	正常	
6130	7-4 (2-1药)	冰箱	242310258	2025/3/22 6:45:00	4.2℃	正常	
6131	7-4 (2-1药)	冰箱	242310258	2025/3/22 6:50:00	4.7℃	正常	
6132	7-4 (2-1药)	冰箱	242310258	2025/3/22 6:55:00	4.0℃	正常	

6133	7-4 (2-1药)	冰箱	242310258	2025/3/22 7:00:00	4.7℃	正常	
6134	7-4 (2-1药)	冰箱	242310258	2025/3/22 7:05:00	4.2℃	正常	
6135	7-4 (2-1药)	冰箱	242310258	2025/3/22 7:10:00	4.5℃	正常	
6136	7-4 (2-1药)	冰箱	242310258	2025/3/22 7:15:00	4.5℃	正常	
6137	7-4 (2-1药)	冰箱	242310258	2025/3/22 7:20:00	4.2℃	正常	
6138	7-4 (2-1药)	冰箱	242310258	2025/3/22 7:25:00	4.8℃	正常	
6139	7-4 (2-1药)	冰箱	242310258	2025/3/22 7:30:00	4.0℃	正常	
6140	7-4 (2-1药)	冰箱	242310258	2025/3/22 7:35:00	4.7℃	正常	
6141	7-4 (2-1药)	冰箱	242310258	2025/3/22 7:40:00	4.3℃	正常	
6142	7-4 (2-1药)	冰箱	242310258	2025/3/22 7:45:00	4.5℃	正常	
6143	7-4 (2-1药)	冰箱	242310258	2025/3/22 7:50:00	4.5℃	正常	
6144	7-4 (2-1药)	冰箱	242310258	2025/3/22 7:55:00	4.2℃	正常	
6145	7-4 (2-1药)	冰箱	242310258	2025/3/22 8:00:00	4.8℃	正常	
6146	7-4 (2-1药)	冰箱	242310258	2025/3/22 8:05:00	4.0℃	正常	
6147	7-4 (2-1药)	冰箱	242310258	2025/3/22 8:10:00	5.1℃	正常	
6148	7-4 (2-1药)	冰箱	242310258	2025/3/22 8:15:00	4.2℃	正常	
6149	7-4 (2-1药)	冰箱	242310258	2025/3/22 8:20:00	4.8℃	正常	
6150	7-4 (2-1药)	冰箱	242310258	2025/3/22 8:25:00	4.0℃	正常	
6151	7-4 (2-1药)	冰箱	242310258	2025/3/22 8:30:00	4.7℃	正常	
6152	7-4 (2-1药)	冰箱	242310258	2025/3/22 8:35:00	4.4℃	正常	
6153	7-4 (2-1药)	冰箱	242310258	2025/3/22 8:40:00	4.4℃	正常	
6154	7-4 (2-1药)	冰箱	242310258	2025/3/22 8:45:00	4.7℃	正常	
6155	7-4 (2-1药)	冰箱	242310258	2025/3/22 8:50:00	4.1℃	正常	
6156	7-4 (2-1药)	冰箱	242310258	2025/3/22 8:55:00	4.7℃	正常	
6157	7-4 (2-1药)	冰箱	242310258	2025/3/22 9:00:00	4.1℃	正常	
6158	7-4 (2-1药)	冰箱	242310258	2025/3/22 9:05:00	4.5℃	正常	
6159	7-4 (2-1药)	冰箱	242310258	2025/3/22 9:10:00	4.5℃	正常	
6160	7-4 (2-1药)	冰箱	242310258	2025/3/22 9:15:00	4.2℃	正常	
6161	7-4 (2-1药)	冰箱	242310258	2025/3/22 9:20:00	4.8℃	正常	
6162	7-4 (2-1药)	冰箱	242310258	2025/3/22 9:25:00	4.0℃	正常	
6163	7-4 (2-1药)	冰箱	242310258	2025/3/22 9:30:00	4.7℃	正常	
6164	7-4 (2-1药)	冰箱	242310258	2025/3/22 9:35:00	4.2℃	正常	
6165	7-4 (2-1药)	冰箱	242310258	2025/3/22 9:40:00	4.5℃	正常	
6166	7-4 (2-1药)	冰箱	242310258	2025/3/22 9:45:00	4.5℃	正常	
6167	7-4 (2-1药)	冰箱	242310258	2025/3/22 9:50:00	4.1℃	正常	
6168	7-4 (2-1药)	冰箱	242310258	2025/3/22 9:55:00	4.8℃	正常	
6169	7-4 (2-1药)	冰箱	242310258	2025/3/22 10:00:00	4.0℃	正常	
6170	7-4 (2-1药)	冰箱	242310258	2025/3/22 10:05:00	4.7℃	正常	
6171	7-4 (2-1药)	冰箱	242310258	2025/3/22 10:10:00	4.3℃	正常	
6172	7-4 (2-1药)	冰箱	242310258	2025/3/22 10:15:00	4.4℃	正常	
6173	7-4 (2-1药)	冰箱	242310258	2025/3/22 10:20:00	4.7℃	正常	
6174	7-4 (2-1药)	冰箱	242310258	2025/3/22 10:25:00	4.1℃	正常	
6175	7-4 (2-1药)	冰箱	242310258	2025/3/22 10:30:00	4.8℃	正常	
6176	7-4 (2-1药)	冰箱	242310258	2025/3/22 10:35:00	4.1℃	正常	
6177	7-4 (2-1药)	冰箱	242310258	2025/3/22 10:40:00	4.6℃	正常	
6178	7-4 (2-1药)	冰箱	242310258	2025/3/22 10:45:00	4.3℃	正常	
6179	7-4 (2-1药)	冰箱	242310258	2025/3/22 10:50:00	4.4℃	正常	
6180	7-4 (2-1药)	冰箱	242310258	2025/3/22 10:55:00	4.6℃	正常	
6181	7-4 (2-1药)	冰箱	242310258	2025/3/22 11:00:00	4.1℃	正常	
6182	7-4 (2-1药)	冰箱	242310258	2025/3/22 11:05:00	4.8℃	正常	
6183	7-4 (2-1药)	冰箱	242310258	2025/3/22 11:10:00	4.1℃	正常	
6184	7-4 (2-1药)	冰箱	242310258	2025/3/22 11:15:00	4.6℃	正常	
6185	7-4 (2-1药)	冰箱	242310258	2025/3/22 11:20:00	4.3℃	正常	
6186	7-4 (2-1药)	冰箱	242310258	2025/3/22 11:25:00	4.3℃	正常	
6187	7-4 (2-1药)	冰箱	242310258	2025/3/22 11:30:00	4.7℃	正常	
6188	7-4 (2-1药)	冰箱	242310258	2025/3/22 11:35:00	4.0℃	正常	
6189	7-4 (2-1药)	冰箱	242310258	2025/3/22 11:40:00	4.8℃	正常	
6190	7-4 (2-1药)	冰箱	242310258	2025/3/22 11:45:00	4.0℃	正常	
6191	7-4 (2-1药)	冰箱	242310258	2025/3/22 11:50:00	4.6℃	正常	
6192	7-4 (2-1药)	冰箱	242310258	2025/3/22 11:55:00	4.4℃	正常	
6193	7-4 (2-1药)	冰箱	242310258	2025/3/22 12:00:00	4.3℃	正常	
6194	7-4 (2-1药)	冰箱	242310258	2025/3/22 12:05:00	4.7℃	正常	
6195	7-4 (2-1药)	冰箱	242310258	2025/3/22 12:10:00	4.1℃	正常	
6196	7-4 (2-1药)	冰箱	242310258	2025/3/22 12:15:00	4.7℃	正常	

6197	7-4 (2-1药)	冰箱	242310258	2025/3/22 12:20:00	4.1℃	正常	
6198	7-4 (2-1药)	冰箱	242310258	2025/3/22 12:25:00	4.6℃	正常	
6199	7-4 (2-1药)	冰箱	242310258	2025/3/22 12:30:00	4.5℃	正常	
6200	7-4 (2-1药)	冰箱	242310258	2025/3/22 12:35:00	4.3℃	正常	
6201	7-4 (2-1药)	冰箱	242310258	2025/3/22 12:40:00	4.7℃	正常	
6202	7-4 (2-1药)	冰箱	242310258	2025/3/22 12:45:00	4.1℃	正常	
6203	7-4 (2-1药)	冰箱	242310258	2025/3/22 12:50:00	4.7℃	正常	
6204	7-4 (2-1药)	冰箱	242310258	2025/3/22 12:55:00	4.1℃	正常	
6205	7-4 (2-1药)	冰箱	242310258	2025/3/22 13:00:00	4.6℃	正常	
6206	7-4 (2-1药)	冰箱	242310258	2025/3/22 13:05:00	4.4℃	正常	
6207	7-4 (2-1药)	冰箱	242310258	2025/3/22 13:10:00	4.3℃	正常	
6208	7-4 (2-1药)	冰箱	242310258	2025/3/22 13:15:00	4.7℃	正常	
6209	7-4 (2-1药)	冰箱	242310258	2025/3/22 13:20:00	4.0℃	正常	
6210	7-4 (2-1药)	冰箱	242310258	2025/3/22 13:25:00	4.7℃	正常	
6211	7-4 (2-1药)	冰箱	242310258	2025/3/22 13:30:00	4.1℃	正常	
6212	7-4 (2-1药)	冰箱	242310258	2025/3/22 13:35:00	4.6℃	正常	
6213	7-4 (2-1药)	冰箱	242310258	2025/3/22 13:40:00	4.4℃	正常	
6214	7-4 (2-1药)	冰箱	242310258	2025/3/22 13:45:00	4.2℃	正常	
6215	7-4 (2-1药)	冰箱	242310258	2025/3/22 13:50:00	4.8℃	正常	
6216	7-4 (2-1药)	冰箱	242310258	2025/3/22 13:55:00	4.1℃	正常	
6217	7-4 (2-1药)	冰箱	242310258	2025/3/22 14:00:00	4.7℃	正常	
6218	7-4 (2-1药)	冰箱	242310258	2025/3/22 14:05:00	4.1℃	正常	
6219	7-4 (2-1药)	冰箱	242310258	2025/3/22 14:10:00	4.6℃	正常	
6220	7-4 (2-1药)	冰箱	242310258	2025/3/22 14:15:00	4.4℃	正常	
6221	7-4 (2-1药)	冰箱	242310258	2025/3/22 14:20:00	4.3℃	正常	
6222	7-4 (2-1药)	冰箱	242310258	2025/3/22 14:25:00	4.8℃	正常	
6223	7-4 (2-1药)	冰箱	242310258	2025/3/22 14:30:00	4.0℃	正常	
6224	7-4 (2-1药)	冰箱	242310258	2025/3/22 14:35:00	4.7℃	正常	
6225	7-4 (2-1药)	冰箱	242310258	2025/3/22 14:40:00	4.0℃	正常	
6226	7-4 (2-1药)	冰箱	242310258	2025/3/22 14:45:00	4.6℃	正常	
6227	7-4 (2-1药)	冰箱	242310258	2025/3/22 14:50:00	4.5℃	正常	
6228	7-4 (2-1药)	冰箱	242310258	2025/3/22 14:55:00	4.3℃	正常	
6229	7-4 (2-1药)	冰箱	242310258	2025/3/22 15:00:00	4.7℃	正常	
6230	7-4 (2-1药)	冰箱	242310258	2025/3/22 15:05:00	4.0℃	正常	
6231	7-4 (2-1药)	冰箱	242310258	2025/3/22 15:10:00	4.7℃	正常	
6232	7-4 (2-1药)	冰箱	242310258	2025/3/22 15:15:00	4.0℃	正常	
6233	7-4 (2-1药)	冰箱	242310258	2025/3/22 15:20:00	4.5℃	正常	
6234	7-4 (2-1药)	冰箱	242310258	2025/3/22 15:25:00	4.4℃	正常	
6235	7-4 (2-1药)	冰箱	242310258	2025/3/22 15:30:00	4.4℃	正常	
6236	7-4 (2-1药)	冰箱	242310258	2025/3/22 15:35:00	4.7℃	正常	
6237	7-4 (2-1药)	冰箱	242310258	2025/3/22 15:40:00	4.0℃	正常	
6238	7-4 (2-1药)	冰箱	242310258	2025/3/22 15:45:00	4.7℃	正常	
6239	7-4 (2-1药)	冰箱	242310258	2025/3/22 15:50:00	4.0℃	正常	
6240	7-4 (2-1药)	冰箱	242310258	2025/3/22 15:55:00	4.6℃	正常	
6241	7-4 (2-1药)	冰箱	242310258	2025/3/22 16:00:00	4.2℃	正常	
6242	7-4 (2-1药)	冰箱	242310258	2025/3/22 16:05:00	4.3℃	正常	
6243	7-4 (2-1药)	冰箱	242310258	2025/3/22 16:10:00	4.6℃	正常	
6244	7-4 (2-1药)	冰箱	242310258	2025/3/22 16:15:00	4.1℃	正常	
6245	7-4 (2-1药)	冰箱	242310258	2025/3/22 16:20:00	4.7℃	正常	
6246	7-4 (2-1药)	冰箱	242310258	2025/3/22 16:25:00	4.0℃	正常	
6247	7-4 (2-1药)	冰箱	242310258	2025/3/22 16:30:00	4.7℃	正常	
6248	7-4 (2-1药)	冰箱	242310258	2025/3/22 16:35:00	4.2℃	正常	
6249	7-4 (2-1药)	冰箱	242310258	2025/3/22 16:40:00	4.5℃	正常	
6250	7-4 (2-1药)	冰箱	242310258	2025/3/22 16:45:00	4.5℃	正常	
6251	7-4 (2-1药)	冰箱	242310258	2025/3/22 16:50:00	4.2℃	正常	
6252	7-4 (2-1药)	冰箱	242310258	2025/3/22 16:55:00	4.8℃	正常	
6253	7-4 (2-1药)	冰箱	242310258	2025/3/22 17:00:00	4.0℃	正常	
6254	7-4 (2-1药)	冰箱	242310258	2025/3/22 17:05:00	4.7℃	正常	
6255	7-4 (2-1药)	冰箱	242310258	2025/3/22 17:10:00	4.1℃	正常	
6256	7-4 (2-1药)	冰箱	242310258	2025/3/22 17:15:00	4.5℃	正常	
6257	7-4 (2-1药)	冰箱	242310258	2025/3/22 17:20:00	4.4℃	正常	
6258	7-4 (2-1药)	冰箱	242310258	2025/3/22 17:25:00	4.3℃	正常	
6259	7-4 (2-1药)	冰箱	242310258	2025/3/22 17:30:00	4.7℃	正常	
6260	7-4 (2-1药)	冰箱	242310258	2025/3/22 17:35:00	4.0℃	正常	

6261	7-4 (2-1药)	冰箱	242310258	2025/3/22 17:40:00	4.7℃	正常	
6262	7-4 (2-1药)	冰箱	242310258	2025/3/22 17:45:00	4.1℃	正常	
6263	7-4 (2-1药)	冰箱	242310258	2025/3/22 17:50:00	4.5℃	正常	
6264	7-4 (2-1药)	冰箱	242310258	2025/3/22 17:55:00	4.5℃	正常	
6265	7-4 (2-1药)	冰箱	242310258	2025/3/22 18:00:00	4.3℃	正常	
6266	7-4 (2-1药)	冰箱	242310258	2025/3/22 18:05:00	4.7℃	正常	
6267	7-4 (2-1药)	冰箱	242310258	2025/3/22 18:10:00	4.0℃	正常	
6268	7-4 (2-1药)	冰箱	242310258	2025/3/22 18:15:00	4.7℃	正常	
6269	7-4 (2-1药)	冰箱	242310258	2025/3/22 18:20:00	4.0℃	正常	
6270	7-4 (2-1药)	冰箱	242310258	2025/3/22 18:25:00	4.6℃	正常	
6271	7-4 (2-1药)	冰箱	242310258	2025/3/22 18:30:00	4.3℃	正常	
6272	7-4 (2-1药)	冰箱	242310258	2025/3/22 18:35:00	4.3℃	正常	
6273	7-4 (2-1药)	冰箱	242310258	2025/3/22 18:40:00	4.7℃	正常	
6274	7-4 (2-1药)	冰箱	242310258	2025/3/22 18:45:00	4.1℃	正常	
6275	7-4 (2-1药)	冰箱	242310258	2025/3/22 18:50:00	4.7℃	正常	
6276	7-4 (2-1药)	冰箱	242310258	2025/3/22 18:55:00	4.0℃	正常	
6277	7-4 (2-1药)	冰箱	242310258	2025/3/22 19:00:00	4.6℃	正常	
6278	7-4 (2-1药)	冰箱	242310258	2025/3/22 19:05:00	4.3℃	正常	
6279	7-4 (2-1药)	冰箱	242310258	2025/3/22 19:10:00	4.3℃	正常	
6280	7-4 (2-1药)	冰箱	242310258	2025/3/22 19:15:00	4.7℃	正常	
6281	7-4 (2-1药)	冰箱	242310258	2025/3/22 19:20:00	4.7℃	正常	
6282	7-4 (2-1药)	冰箱	242310258	2025/3/22 19:25:00	4.5℃	正常	
6283	7-4 (2-1药)	冰箱	242310258	2025/3/22 19:30:00	4.3℃	正常	
6284	7-4 (2-1药)	冰箱	242310258	2025/3/22 19:35:00	4.7℃	正常	
6285	7-4 (2-1药)	冰箱	242310258	2025/3/22 19:40:00	4.0℃	正常	
6286	7-4 (2-1药)	冰箱	242310258	2025/3/22 19:45:00	4.7℃	正常	
6287	7-4 (2-1药)	冰箱	242310258	2025/3/22 19:50:00	4.1℃	正常	
6288	7-4 (2-1药)	冰箱	242310258	2025/3/22 19:55:00	4.5℃	正常	
6289	7-4 (2-1药)	冰箱	242310258	2025/3/22 20:00:00	4.5℃	正常	
6290	7-4 (2-1药)	冰箱	242310258	2025/3/22 20:05:00	4.3℃	正常	
6291	7-4 (2-1药)	冰箱	242310258	2025/3/22 20:10:00	4.7℃	正常	
6292	7-4 (2-1药)	冰箱	242310258	2025/3/22 20:15:00	4.0℃	正常	
6293	7-4 (2-1药)	冰箱	242310258	2025/3/22 20:20:00	4.7℃	正常	
6294	7-4 (2-1药)	冰箱	242310258	2025/3/22 20:25:00	4.1℃	正常	
6295	7-4 (2-1药)	冰箱	242310258	2025/3/22 20:30:00	4.5℃	正常	
6296	7-4 (2-1药)	冰箱	242310258	2025/3/22 20:35:00	4.4℃	正常	
6297	7-4 (2-1药)	冰箱	242310258	2025/3/22 20:40:00	4.1℃	正常	
6298	7-4 (2-1药)	冰箱	242310258	2025/3/22 20:45:00	4.8℃	正常	
6299	7-4 (2-1药)	冰箱	242310258	2025/3/22 20:50:00	4.0℃	正常	
6300	7-4 (2-1药)	冰箱	242310258	2025/3/22 20:55:00	4.7℃	正常	
6301	7-4 (2-1药)	冰箱	242310258	2025/3/22 21:00:00	4.2℃	正常	
6302	7-4 (2-1药)	冰箱	242310258	2025/3/22 21:05:00	4.4℃	正常	
6303	7-4 (2-1药)	冰箱	242310258	2025/3/22 21:10:00	4.6℃	正常	
6304	7-4 (2-1药)	冰箱	242310258	2025/3/22 21:15:00	4.1℃	正常	
6305	7-4 (2-1药)	冰箱	242310258	2025/3/22 21:20:00	4.7℃	正常	
6306	7-4 (2-1药)	冰箱	242310258	2025/3/22 21:25:00	4.1℃	正常	
6307	7-4 (2-1药)	冰箱	242310258	2025/3/22 21:30:00	4.6℃	正常	
6308	7-4 (2-1药)	冰箱	242310258	2025/3/22 21:35:00	4.4℃	正常	
6309	7-4 (2-1药)	冰箱	242310258	2025/3/22 21:40:00	4.3℃	正常	
6310	7-4 (2-1药)	冰箱	242310258	2025/3/22 21:45:00	4.7℃	正常	
6311	7-4 (2-1药)	冰箱	242310258	2025/3/22 21:50:00	4.0℃	正常	
6312	7-4 (2-1药)	冰箱	242310258	2025/3/22 21:55:00	4.7℃	正常	
6313	7-4 (2-1药)	冰箱	242310258	2025/3/22 22:00:00	4.2℃	正常	
6314	7-4 (2-1药)	冰箱	242310258	2025/3/22 22:05:00	4.5℃	正常	
6315	7-4 (2-1药)	冰箱	242310258	2025/3/22 22:10:00	4.5℃	正常	
6316	7-4 (2-1药)	冰箱	242310258	2025/3/22 22:15:00	4.2℃	正常	
6317	7-4 (2-1药)	冰箱	242310258	2025/3/22 22:20:00	4.8℃	正常	
6318	7-4 (2-1药)	冰箱	242310258	2025/3/22 22:25:00	4.1℃	正常	
6319	7-4 (2-1药)	冰箱	242310258	2025/3/22 22:30:00	4.6℃	正常	
6320	7-4 (2-1药)	冰箱	242310258	2025/3/22 22:35:00	4.3℃	正常	
6321	7-4 (2-1药)	冰箱	242310258	2025/3/22 22:40:00	4.4℃	正常	
6322	7-4 (2-1药)	冰箱	242310258	2025/3/22 22:45:00	4.6℃	正常	
6323	7-4 (2-1药)	冰箱	242310258	2025/3/22 22:50:00	4.2℃	正常	
6324	7-4 (2-1药)	冰箱	242310258	2025/3/22 22:55:00	4.8℃	正常	

6325	7-4 (2-1药)	冰箱	242310258	2025/3/22 23:00:00	4.0℃	正常	
6326	7-4 (2-1药)	冰箱	242310258	2025/3/22 23:05:00	4.6℃	正常	
6327	7-4 (2-1药)	冰箱	242310258	2025/3/22 23:10:00	4.3℃	正常	
6328	7-4 (2-1药)	冰箱	242310258	2025/3/22 23:15:00	4.4℃	正常	
6329	7-4 (2-1药)	冰箱	242310258	2025/3/22 23:20:00	4.6℃	正常	
6330	7-4 (2-1药)	冰箱	242310258	2025/3/22 23:25:00	4.0℃	正常	
6331	7-4 (2-1药)	冰箱	242310258	2025/3/22 23:30:00	4.7℃	正常	
6332	7-4 (2-1药)	冰箱	242310258	2025/3/22 23:35:00	4.1℃	正常	
6333	7-4 (2-1药)	冰箱	242310258	2025/3/22 23:40:00	4.5℃	正常	
6334	7-4 (2-1药)	冰箱	242310258	2025/3/22 23:45:00	4.5℃	正常	
6335	7-4 (2-1药)	冰箱	242310258	2025/3/22 23:50:00	4.3℃	正常	
6336	7-4 (2-1药)	冰箱	242310258	2025/3/22 23:55:00	4.7℃	正常	
6337	7-4 (2-1药)	冰箱	242310258	2025/3/23 0:00:00	4.0℃	正常	
6338	7-4 (2-1药)	冰箱	242310258	2025/3/23 0:05:00	4.7℃	正常	
6339	7-4 (2-1药)	冰箱	242310258	2025/3/23 0:10:00	4.1℃	正常	
6340	7-4 (2-1药)	冰箱	242310258	2025/3/23 0:15:00	4.6℃	正常	
6341	7-4 (2-1药)	冰箱	242310258	2025/3/23 0:20:00	4.5℃	正常	
6342	7-4 (2-1药)	冰箱	242310258	2025/3/23 0:25:00	4.3℃	正常	
6343	7-4 (2-1药)	冰箱	242310258	2025/3/23 0:30:00	4.7℃	正常	
6344	7-4 (2-1药)	冰箱	242310258	2025/3/23 0:35:00	4.0℃	正常	
6345	7-4 (2-1药)	冰箱	242310258	2025/3/23 0:40:00	4.7℃	正常	
6346	7-4 (2-1药)	冰箱	242310258	2025/3/23 0:45:00	4.1℃	正常	
6347	7-4 (2-1药)	冰箱	242310258	2025/3/23 0:50:00	4.5℃	正常	
6348	7-4 (2-1药)	冰箱	242310258	2025/3/23 0:55:00	4.5℃	正常	
6349	7-4 (2-1药)	冰箱	242310258	2025/3/23 1:00:00	4.3℃	正常	
6350	7-4 (2-1药)	冰箱	242310258	2025/3/23 1:05:00	4.7℃	正常	
6351	7-4 (2-1药)	冰箱	242310258	2025/3/23 1:10:00	4.1℃	正常	
6352	7-4 (2-1药)	冰箱	242310258	2025/3/23 1:15:00	4.8℃	正常	
6353	7-4 (2-1药)	冰箱	242310258	2025/3/23 1:20:00	4.0℃	正常	
6354	7-4 (2-1药)	冰箱	242310258	2025/3/23 1:25:00	4.5℃	正常	
6355	7-4 (2-1药)	冰箱	242310258	2025/3/23 1:30:00	4.4℃	正常	
6356	7-4 (2-1药)	冰箱	242310258	2025/3/23 1:35:00	4.2℃	正常	
6357	7-4 (2-1药)	冰箱	242310258	2025/3/23 1:40:00	4.7℃	正常	
6358	7-4 (2-1药)	冰箱	242310258	2025/3/23 1:45:00	4.0℃	正常	
6359	7-4 (2-1药)	冰箱	242310258	2025/3/23 1:50:00	4.8℃	正常	
6360	7-4 (2-1药)	冰箱	242310258	2025/3/23 1:55:00	4.1℃	正常	
6361	7-4 (2-1药)	冰箱	242310258	2025/3/23 2:00:00	4.7℃	正常	
6362	7-4 (2-1药)	冰箱	242310258	2025/3/23 2:05:00	4.3℃	正常	
6363	7-4 (2-1药)	冰箱	242310258	2025/3/23 2:10:00	4.5℃	正常	
6364	7-4 (2-1药)	冰箱	242310258	2025/3/23 2:15:00	4.6℃	正常	
6365	7-4 (2-1药)	冰箱	242310258	2025/3/23 2:20:00	4.1℃	正常	
6366	7-4 (2-1药)	冰箱	242310258	2025/3/23 2:25:00	4.7℃	正常	
6367	7-4 (2-1药)	冰箱	242310258	2025/3/23 2:30:00	4.0℃	正常	
6368	7-4 (2-1药)	冰箱	242310258	2025/3/23 2:35:00	4.7℃	正常	
6369	7-4 (2-1药)	冰箱	242310258	2025/3/23 2:40:00	4.2℃	正常	
6370	7-4 (2-1药)	冰箱	242310258	2025/3/23 2:45:00	4.4℃	正常	
6371	7-4 (2-1药)	冰箱	242310258	2025/3/23 2:50:00	4.5℃	正常	
6372	7-4 (2-1药)	冰箱	242310258	2025/3/23 2:55:00	4.2℃	正常	
6373	7-4 (2-1药)	冰箱	242310258	2025/3/23 3:00:00	4.7℃	正常	
6374	7-4 (2-1药)	冰箱	242310258	2025/3/23 3:05:00	4.0℃	正常	
6375	7-4 (2-1药)	冰箱	242310258	2025/3/23 3:10:00	4.6℃	正常	
6376	7-4 (2-1药)	冰箱	242310258	2025/3/23 3:15:00	4.2℃	正常	
6377	7-4 (2-1药)	冰箱	242310258	2025/3/23 3:20:00	4.4℃	正常	
6378	7-4 (2-1药)	冰箱	242310258	2025/3/23 3:25:00	4.5℃	正常	
6379	7-4 (2-1药)	冰箱	242310258	2025/3/23 3:30:00	4.2℃	正常	
6380	7-4 (2-1药)	冰箱	242310258	2025/3/23 3:35:00	4.7℃	正常	
6381	7-4 (2-1药)	冰箱	242310258	2025/3/23 3:40:00	4.0℃	正常	
6382	7-4 (2-1药)	冰箱	242310258	2025/3/23 3:45:00	4.6℃	正常	
6383	7-4 (2-1药)	冰箱	242310258	2025/3/23 3:50:00	4.2℃	正常	
6384	7-4 (2-1药)	冰箱	242310258	2025/3/23 3:55:00	4.5℃	正常	
6385	7-4 (2-1药)	冰箱	242310258	2025/3/23 4:00:00	4.5℃	正常	
6386	7-4 (2-1药)	冰箱	242310258	2025/3/23 4:05:00	4.1℃	正常	
6387	7-4 (2-1药)	冰箱	242310258	2025/3/23 4:10:00	4.8℃	正常	
6388	7-4 (2-1药)	冰箱	242310258	2025/3/23 4:15:00	4.0℃	正常	

6389	7-4 (2-1药)	冰箱	242310258	2025/3/23 4:20:00	4.7℃	正常	
6390	7-4 (2-1药)	冰箱	242310258	2025/3/23 4:25:00	4.1℃	正常	
6391	7-4 (2-1药)	冰箱	242310258	2025/3/23 4:30:00	4.6℃	正常	
6392	7-4 (2-1药)	冰箱	242310258	2025/3/23 4:35:00	4.4℃	正常	
6393	7-4 (2-1药)	冰箱	242310258	2025/3/23 4:40:00	4.2℃	正常	
6394	7-4 (2-1药)	冰箱	242310258	2025/3/23 4:45:00	4.8℃	正常	
6395	7-4 (2-1药)	冰箱	242310258	2025/3/23 4:50:00	4.1℃	正常	
6396	7-4 (2-1药)	冰箱	242310258	2025/3/23 4:55:00	4.7℃	正常	
6397	7-4 (2-1药)	冰箱	242310258	2025/3/23 5:00:00	4.1℃	正常	
6398	7-4 (2-1药)	冰箱	242310258	2025/3/23 5:05:00	4.5℃	正常	
6399	7-4 (2-1药)	冰箱	242310258	2025/3/23 5:10:00	4.4℃	正常	
6400	7-4 (2-1药)	冰箱	242310258	2025/3/23 5:15:00	4.2℃	正常	
6401	7-4 (2-1药)	冰箱	242310258	2025/3/23 5:20:00	4.7℃	正常	
6402	7-4 (2-1药)	冰箱	242310258	2025/3/23 5:25:00	4.0℃	正常	
6403	7-4 (2-1药)	冰箱	242310258	2025/3/23 5:30:00	4.7℃	正常	
6404	7-4 (2-1药)	冰箱	242310258	2025/3/23 5:35:00	4.2℃	正常	
6405	7-4 (2-1药)	冰箱	242310258	2025/3/23 5:40:00	4.5℃	正常	
6406	7-4 (2-1药)	冰箱	242310258	2025/3/23 5:45:00	4.5℃	正常	
6407	7-4 (2-1药)	冰箱	242310258	2025/3/23 5:50:00	4.2℃	正常	
6408	7-4 (2-1药)	冰箱	242310258	2025/3/23 5:55:00	4.8℃	正常	
6409	7-4 (2-1药)	冰箱	242310258	2025/3/23 6:00:00	4.0℃	正常	
6410	7-4 (2-1药)	冰箱	242310258	2025/3/23 6:05:00	4.7℃	正常	
6411	7-4 (2-1药)	冰箱	242310258	2025/3/23 6:10:00	4.2℃	正常	
6412	7-4 (2-1药)	冰箱	242310258	2025/3/23 6:15:00	4.4℃	正常	
6413	7-4 (2-1药)	冰箱	242310258	2025/3/23 6:20:00	4.5℃	正常	
6414	7-4 (2-1药)	冰箱	242310258	2025/3/23 6:25:00	4.9℃	正常	
6415	7-4 (2-1药)	冰箱	242310258	2025/3/23 6:30:00	4.3℃	正常	
6416	7-4 (2-1药)	冰箱	242310258	2025/3/23 6:35:00	4.5℃	正常	
6417	7-4 (2-1药)	冰箱	242310258	2025/3/23 6:40:00	4.6℃	正常	
6418	7-4 (2-1药)	冰箱	242310258	2025/3/23 6:45:00	4.3℃	正常	
6419	7-4 (2-1药)	冰箱	242310258	2025/3/23 6:50:00	4.8℃	正常	
6420	7-4 (2-1药)	冰箱	242310258	2025/3/23 6:55:00	4.0℃	正常	
6421	7-4 (2-1药)	冰箱	242310258	2025/3/23 7:00:00	4.7℃	正常	
6422	7-4 (2-1药)	冰箱	242310258	2025/3/23 7:05:00	4.1℃	正常	
6423	7-4 (2-1药)	冰箱	242310258	2025/3/23 7:10:00	4.5℃	正常	
6424	7-4 (2-1药)	冰箱	242310258	2025/3/23 7:15:00	4.4℃	正常	
6425	7-4 (2-1药)	冰箱	242310258	2025/3/23 7:20:00	4.3℃	正常	
6426	7-4 (2-1药)	冰箱	242310258	2025/3/23 7:25:00	4.7℃	正常	
6427	7-4 (2-1药)	冰箱	242310258	2025/3/23 7:30:00	4.0℃	正常	
6428	7-4 (2-1药)	冰箱	242310258	2025/3/23 7:35:00	4.7℃	正常	
6429	7-4 (2-1药)	冰箱	242310258	2025/3/23 7:40:00	4.1℃	正常	
6430	7-4 (2-1药)	冰箱	242310258	2025/3/23 7:45:00	4.5℃	正常	
6431	7-4 (2-1药)	冰箱	242310258	2025/3/23 7:50:00	4.6℃	正常	
6432	7-4 (2-1药)	冰箱	242310258	2025/3/23 7:55:00	4.3℃	正常	
6433	7-4 (2-1药)	冰箱	242310258	2025/3/23 8:00:00	4.8℃	正常	
6434	7-4 (2-1药)	冰箱	242310258	2025/3/23 8:05:00	4.0℃	正常	
6435	7-4 (2-1药)	冰箱	242310258	2025/3/23 8:10:00	4.7℃	正常	
6436	7-4 (2-1药)	冰箱	242310258	2025/3/23 8:15:00	4.2℃	正常	
6437	7-4 (2-1药)	冰箱	242310258	2025/3/23 8:20:00	4.5℃	正常	
6438	7-4 (2-1药)	冰箱	242310258	2025/3/23 8:25:00	4.5℃	正常	
6439	7-4 (2-1药)	冰箱	242310258	2025/3/23 8:30:00	4.2℃	正常	
6440	7-4 (2-1药)	冰箱	242310258	2025/3/23 8:35:00	4.8℃	正常	
6441	7-4 (2-1药)	冰箱	242310258	2025/3/23 8:40:00	4.0℃	正常	
6442	7-4 (2-1药)	冰箱	242310258	2025/3/23 8:45:00	4.8℃	正常	
6443	7-4 (2-1药)	冰箱	242310258	2025/3/23 8:50:00	4.1℃	正常	
6444	7-4 (2-1药)	冰箱	242310258	2025/3/23 8:55:00	4.5℃	正常	
6445	7-4 (2-1药)	冰箱	242310258	2025/3/23 9:00:00	4.5℃	正常	
6446	7-4 (2-1药)	冰箱	242310258	2025/3/23 9:05:00	4.2℃	正常	
6447	7-4 (2-1药)	冰箱	242310258	2025/3/23 9:10:00	4.7℃	正常	
6448	7-4 (2-1药)	冰箱	242310258	2025/3/23 9:15:00	4.0℃	正常	
6449	7-4 (2-1药)	冰箱	242310258	2025/3/23 9:20:00	4.7℃	正常	
6450	7-4 (2-1药)	冰箱	242310258	2025/3/23 9:25:00	4.1℃	正常	
6451	7-4 (2-1药)	冰箱	242310258	2025/3/23 9:30:00	4.5℃	正常	
6452	7-4 (2-1药)	冰箱	242310258	2025/3/23 9:35:00	4.5℃	正常	

6453	7-4 (2-1药)	冰箱	242310258	2025/3/23 9:40:00	4.2℃	正常	
6454	7-4 (2-1药)	冰箱	242310258	2025/3/23 9:45:00	4.8℃	正常	
6455	7-4 (2-1药)	冰箱	242310258	2025/3/23 9:50:00	4.1℃	正常	
6456	7-4 (2-1药)	冰箱	242310258	2025/3/23 9:55:00	4.7℃	正常	
6457	7-4 (2-1药)	冰箱	242310258	2025/3/23 10:00:00	4.2℃	正常	
6458	7-4 (2-1药)	冰箱	242310258	2025/3/23 10:05:00	4.4℃	正常	
6459	7-4 (2-1药)	冰箱	242310258	2025/3/23 10:10:00	4.6℃	正常	
6460	7-4 (2-1药)	冰箱	242310258	2025/3/23 10:15:00	4.1℃	正常	
6461	7-4 (2-1药)	冰箱	242310258	2025/3/23 10:20:00	4.8℃	正常	
6462	7-4 (2-1药)	冰箱	242310258	2025/3/23 10:25:00	4.0℃	正常	
6463	7-4 (2-1药)	冰箱	242310258	2025/3/23 10:30:00	4.6℃	正常	
6464	7-4 (2-1药)	冰箱	242310258	2025/3/23 10:35:00	4.3℃	正常	
6465	7-4 (2-1药)	冰箱	242310258	2025/3/23 10:40:00	4.4℃	正常	
6466	7-4 (2-1药)	冰箱	242310258	2025/3/23 10:45:00	4.7℃	正常	
6467	7-4 (2-1药)	冰箱	242310258	2025/3/23 10:50:00	4.1℃	正常	
6468	7-4 (2-1药)	冰箱	242310258	2025/3/23 10:55:00	4.7℃	正常	
6469	7-4 (2-1药)	冰箱	242310258	2025/3/23 11:00:00	4.1℃	正常	
6470	7-4 (2-1药)	冰箱	242310258	2025/3/23 11:05:00	4.5℃	正常	
6471	7-4 (2-1药)	冰箱	242310258	2025/3/23 11:10:00	4.6℃	正常	
6472	7-4 (2-1药)	冰箱	242310258	2025/3/23 11:15:00	4.3℃	正常	
6473	7-4 (2-1药)	冰箱	242310258	2025/3/23 11:20:00	4.7℃	正常	
6474	7-4 (2-1药)	冰箱	242310258	2025/3/23 11:25:00	4.0℃	正常	
6475	7-4 (2-1药)	冰箱	242310258	2025/3/23 11:30:00	4.7℃	正常	
6476	7-4 (2-1药)	冰箱	242310258	2025/3/23 11:35:00	4.1℃	正常	
6477	7-4 (2-1药)	冰箱	242310258	2025/3/23 11:40:00	4.4℃	正常	
6478	7-4 (2-1药)	冰箱	242310258	2025/3/23 11:45:00	4.6℃	正常	
6479	7-4 (2-1药)	冰箱	242310258	2025/3/23 11:50:00	4.2℃	正常	
6480	7-4 (2-1药)	冰箱	242310258	2025/3/23 11:55:00	4.7℃	正常	
6481	7-4 (2-1药)	冰箱	242310258	2025/3/23 12:00:00	4.0℃	正常	
6482	7-4 (2-1药)	冰箱	242310258	2025/3/23 12:05:00	4.7℃	正常	
6483	7-4 (2-1药)	冰箱	242310258	2025/3/23 12:10:00	4.1℃	正常	
6484	7-4 (2-1药)	冰箱	242310258	2025/3/23 12:15:00	4.6℃	正常	
6485	7-4 (2-1药)	冰箱	242310258	2025/3/23 12:20:00	4.4℃	正常	
6486	7-4 (2-1药)	冰箱	242310258	2025/3/23 12:25:00	4.2℃	正常	
6487	7-4 (2-1药)	冰箱	242310258	2025/3/23 12:30:00	4.8℃	正常	
6488	7-4 (2-1药)	冰箱	242310258	2025/3/23 12:35:00	4.0℃	正常	
6489	7-4 (2-1药)	冰箱	242310258	2025/3/23 12:40:00	4.7℃	正常	
6490	7-4 (2-1药)	冰箱	242310258	2025/3/23 12:45:00	4.2℃	正常	
6491	7-4 (2-1药)	冰箱	242310258	2025/3/23 12:50:00	4.5℃	正常	
6492	7-4 (2-1药)	冰箱	242310258	2025/3/23 12:55:00	4.6℃	正常	
6493	7-4 (2-1药)	冰箱	242310258	2025/3/23 13:00:00	4.2℃	正常	
6494	7-4 (2-1药)	冰箱	242310258	2025/3/23 13:05:00	4.8℃	正常	
6495	7-4 (2-1药)	冰箱	242310258	2025/3/23 13:10:00	4.0℃	正常	
6496	7-4 (2-1药)	冰箱	242310258	2025/3/23 13:15:00	4.6℃	正常	
6497	7-4 (2-1药)	冰箱	242310258	2025/3/23 13:20:00	4.3℃	正常	
6498	7-4 (2-1药)	冰箱	242310258	2025/3/23 13:25:00	4.4℃	正常	
6499	7-4 (2-1药)	冰箱	242310258	2025/3/23 13:30:00	4.6℃	正常	
6500	7-4 (2-1药)	冰箱	242310258	2025/3/23 13:35:00	4.1℃	正常	
6501	7-4 (2-1药)	冰箱	242310258	2025/3/23 13:40:00	4.7℃	正常	
6502	7-4 (2-1药)	冰箱	242310258	2025/3/23 13:45:00	4.0℃	正常	
6503	7-4 (2-1药)	冰箱	242310258	2025/3/23 13:50:00	4.6℃	正常	
6504	7-4 (2-1药)	冰箱	242310258	2025/3/23 13:55:00	4.4℃	正常	
6505	7-4 (2-1药)	冰箱	242310258	2025/3/23 14:00:00	4.2℃	正常	
6506	7-4 (2-1药)	冰箱	242310258	2025/3/23 14:05:00	4.7℃	正常	
6507	7-4 (2-1药)	冰箱	242310258	2025/3/23 14:10:00	4.0℃	正常	
6508	7-4 (2-1药)	冰箱	242310258	2025/3/23 14:15:00	4.7℃	正常	
6509	7-4 (2-1药)	冰箱	242310258	2025/3/23 14:20:00	4.1℃	正常	
6510	7-4 (2-1药)	冰箱	242310258	2025/3/23 14:25:00	4.5℃	正常	
6511	7-4 (2-1药)	冰箱	242310258	2025/3/23 14:30:00	4.5℃	正常	
6512	7-4 (2-1药)	冰箱	242310258	2025/3/23 14:35:00	4.3℃	正常	
6513	7-4 (2-1药)	冰箱	242310258	2025/3/23 14:40:00	4.7℃	正常	
6514	7-4 (2-1药)	冰箱	242310258	2025/3/23 14:45:00	4.0℃	正常	
6515	7-4 (2-1药)	冰箱	242310258	2025/3/23 14:50:00	4.7℃	正常	
6516	7-4 (2-1药)	冰箱	242310258	2025/3/23 14:55:00	4.1℃	正常	

6517	7-4 (2-1药)	冰箱	242310258	2025/3/23 15:00:00	4.5℃	正常	
6518	7-4 (2-1药)	冰箱	242310258	2025/3/23 15:05:00	4.5℃	正常	
6519	7-4 (2-1药)	冰箱	242310258	2025/3/23 15:10:00	4.2℃	正常	
6520	7-4 (2-1药)	冰箱	242310258	2025/3/23 15:15:00	4.8℃	正常	
6521	7-4 (2-1药)	冰箱	242310258	2025/3/23 15:20:00	4.0℃	正常	
6522	7-4 (2-1药)	冰箱	242310258	2025/3/23 15:25:00	4.7℃	正常	
6523	7-4 (2-1药)	冰箱	242310258	2025/3/23 15:30:00	4.1℃	正常	
6524	7-4 (2-1药)	冰箱	242310258	2025/3/23 15:35:00	4.5℃	正常	
6525	7-4 (2-1药)	冰箱	242310258	2025/3/23 15:40:00	4.5℃	正常	
6526	7-4 (2-1药)	冰箱	242310258	2025/3/23 15:45:00	4.1℃	正常	
6527	7-4 (2-1药)	冰箱	242310258	2025/3/23 15:50:00	4.8℃	正常	
6528	7-4 (2-1药)	冰箱	242310258	2025/3/23 15:55:00	4.0℃	正常	
6529	7-4 (2-1药)	冰箱	242310258	2025/3/23 16:00:00	4.7℃	正常	
6530	7-4 (2-1药)	冰箱	242310258	2025/3/23 16:05:00	4.1℃	正常	
6531	7-4 (2-1药)	冰箱	242310258	2025/3/23 16:10:00	4.6℃	正常	
6532	7-4 (2-1药)	冰箱	242310258	2025/3/23 16:15:00	4.5℃	正常	
6533	7-4 (2-1药)	冰箱	242310258	2025/3/23 16:20:00	4.4℃	正常	
6534	7-4 (2-1药)	冰箱	242310258	2025/3/23 16:25:00	4.7℃	正常	
6535	7-4 (2-1药)	冰箱	242310258	2025/3/23 16:30:00	4.1℃	正常	
6536	7-4 (2-1药)	冰箱	242310258	2025/3/23 16:35:00	4.8℃	正常	
6537	7-4 (2-1药)	冰箱	242310258	2025/3/23 16:40:00	4.0℃	正常	
6538	7-4 (2-1药)	冰箱	242310258	2025/3/23 16:45:00	4.7℃	正常	
6539	7-4 (2-1药)	冰箱	242310258	2025/3/23 16:50:00	4.2℃	正常	
6540	7-4 (2-1药)	冰箱	242310258	2025/3/23 16:55:00	4.5℃	正常	
6541	7-4 (2-1药)	冰箱	242310258	2025/3/23 17:00:00	4.5℃	正常	
6542	7-4 (2-1药)	冰箱	242310258	2025/3/23 17:05:00	4.2℃	正常	
6543	7-4 (2-1药)	冰箱	242310258	2025/3/23 17:10:00	4.7℃	正常	
6544	7-4 (2-1药)	冰箱	242310258	2025/3/23 17:15:00	4.1℃	正常	
6545	7-4 (2-1药)	冰箱	242310258	2025/3/23 17:20:00	4.8℃	正常	
6546	7-4 (2-1药)	冰箱	242310258	2025/3/23 17:25:00	4.0℃	正常	
6547	7-4 (2-1药)	冰箱	242310258	2025/3/23 17:30:00	5.1℃	正常	
6548	7-4 (2-1药)	冰箱	242310258	2025/3/23 17:35:00	4.1℃	正常	
6549	7-4 (2-1药)	冰箱	242310258	2025/3/23 17:40:00	4.8℃	正常	
6550	7-4 (2-1药)	冰箱	242310258	2025/3/23 17:45:00	4.1℃	正常	
6551	7-4 (2-1药)	冰箱	242310258	2025/3/23 17:50:00	4.6℃	正常	
6552	7-4 (2-1药)	冰箱	242310258	2025/3/23 17:55:00	4.4℃	正常	
6553	7-4 (2-1药)	冰箱	242310258	2025/3/23 18:00:00	4.3℃	正常	
6554	7-4 (2-1药)	冰箱	242310258	2025/3/23 18:05:00	4.7℃	正常	
6555	7-4 (2-1药)	冰箱	242310258	2025/3/23 18:10:00	4.1℃	正常	
6556	7-4 (2-1药)	冰箱	242310258	2025/3/23 18:15:00	4.7℃	正常	
6557	7-4 (2-1药)	冰箱	242310258	2025/3/23 18:20:00	4.0℃	正常	
6558	7-4 (2-1药)	冰箱	242310258	2025/3/23 18:25:00	4.7℃	正常	
6559	7-4 (2-1药)	冰箱	242310258	2025/3/23 18:30:00	4.2℃	正常	
6560	7-4 (2-1药)	冰箱	242310258	2025/3/23 18:35:00	4.4℃	正常	
6561	7-4 (2-1药)	冰箱	242310258	2025/3/23 18:40:00	4.6℃	正常	
6562	7-4 (2-1药)	冰箱	242310258	2025/3/23 18:45:00	4.2℃	正常	
6563	7-4 (2-1药)	冰箱	242310258	2025/3/23 18:50:00	4.8℃	正常	
6564	7-4 (2-1药)	冰箱	242310258	2025/3/23 18:55:00	4.0℃	正常	
6565	7-4 (2-1药)	冰箱	242310258	2025/3/23 19:00:00	4.7℃	正常	
6566	7-4 (2-1药)	冰箱	242310258	2025/3/23 19:05:00	4.1℃	正常	
6567	7-4 (2-1药)	冰箱	242310258	2025/3/23 19:10:00	4.5℃	正常	
6568	7-4 (2-1药)	冰箱	242310258	2025/3/23 19:15:00	4.5℃	正常	
6569	7-4 (2-1药)	冰箱	242310258	2025/3/23 19:20:00	4.2℃	正常	
6570	7-4 (2-1药)	冰箱	242310258	2025/3/23 19:25:00	4.8℃	正常	
6571	7-4 (2-1药)	冰箱	242310258	2025/3/23 19:30:00	4.1℃	正常	
6572	7-4 (2-1药)	冰箱	242310258	2025/3/23 19:35:00	4.7℃	正常	
6573	7-4 (2-1药)	冰箱	242310258	2025/3/23 19:40:00	4.1℃	正常	
6574	7-4 (2-1药)	冰箱	242310258	2025/3/23 19:45:00	4.5℃	正常	
6575	7-4 (2-1药)	冰箱	242310258	2025/3/23 19:50:00	4.5℃	正常	
6576	7-4 (2-1药)	冰箱	242310258	2025/3/23 19:55:00	4.3℃	正常	
6577	7-4 (2-1药)	冰箱	242310258	2025/3/23 20:00:00	4.7℃	正常	
6578	7-4 (2-1药)	冰箱	242310258	2025/3/23 20:05:00	4.0℃	正常	
6579	7-4 (2-1药)	冰箱	242310258	2025/3/23 20:10:00	4.7℃	正常	
6580	7-4 (2-1药)	冰箱	242310258	2025/3/23 20:15:00	4.2℃	正常	

6581	7-4 (2-1药)	冰箱	242310258	2025/3/23 20:20:00	4.5℃	正常	
6582	7-4 (2-1药)	冰箱	242310258	2025/3/23 20:25:00	4.6℃	正常	
6583	7-4 (2-1药)	冰箱	242310258	2025/3/23 20:30:00	4.2℃	正常	
6584	7-4 (2-1药)	冰箱	242310258	2025/3/23 20:35:00	4.7℃	正常	
6585	7-4 (2-1药)	冰箱	242310258	2025/3/23 20:40:00	4.0℃	正常	
6586	7-4 (2-1药)	冰箱	242310258	2025/3/23 20:45:00	4.7℃	正常	
6587	7-4 (2-1药)	冰箱	242310258	2025/3/23 20:50:00	4.2℃	正常	
6588	7-4 (2-1药)	冰箱	242310258	2025/3/23 20:55:00	4.5℃	正常	
6589	7-4 (2-1药)	冰箱	242310258	2025/3/23 21:00:00	4.4℃	正常	
6590	7-4 (2-1药)	冰箱	242310258	2025/3/23 21:05:00	4.2℃	正常	
6591	7-4 (2-1药)	冰箱	242310258	2025/3/23 21:10:00	4.7℃	正常	
6592	7-4 (2-1药)	冰箱	242310258	2025/3/23 21:15:00	4.0℃	正常	
6593	7-4 (2-1药)	冰箱	242310258	2025/3/23 21:20:00	4.7℃	正常	
6594	7-4 (2-1药)	冰箱	242310258	2025/3/23 21:25:00	4.1℃	正常	
6595	7-4 (2-1药)	冰箱	242310258	2025/3/23 21:30:00	4.6℃	正常	
6596	7-4 (2-1药)	冰箱	242310258	2025/3/23 21:35:00	4.5℃	正常	
6597	7-4 (2-1药)	冰箱	242310258	2025/3/23 21:40:00	4.3℃	正常	
6598	7-4 (2-1药)	冰箱	242310258	2025/3/23 21:45:00	4.7℃	正常	
6599	7-4 (2-1药)	冰箱	242310258	2025/3/23 21:50:00	4.0℃	正常	
6600	7-4 (2-1药)	冰箱	242310258	2025/3/23 21:55:00	4.7℃	正常	
6601	7-4 (2-1药)	冰箱	242310258	2025/3/23 22:00:00	4.1℃	正常	
6602	7-4 (2-1药)	冰箱	242310258	2025/3/23 22:05:00	4.6℃	正常	
6603	7-4 (2-1药)	冰箱	242310258	2025/3/23 22:10:00	4.4℃	正常	
6604	7-4 (2-1药)	冰箱	242310258	2025/3/23 22:15:00	4.3℃	正常	
6605	7-4 (2-1药)	冰箱	242310258	2025/3/23 22:20:00	4.7℃	正常	
6606	7-4 (2-1药)	冰箱	242310258	2025/3/23 22:25:00	4.1℃	正常	
6607	7-4 (2-1药)	冰箱	242310258	2025/3/23 22:30:00	4.7℃	正常	
6608	7-4 (2-1药)	冰箱	242310258	2025/3/23 22:35:00	4.0℃	正常	
6609	7-4 (2-1药)	冰箱	242310258	2025/3/23 22:40:00	4.7℃	正常	
6610	7-4 (2-1药)	冰箱	242310258	2025/3/23 22:45:00	4.2℃	正常	
6611	7-4 (2-1药)	冰箱	242310258	2025/3/23 22:50:00	4.5℃	正常	
6612	7-4 (2-1药)	冰箱	242310258	2025/3/23 22:55:00	4.5℃	正常	
6613	7-4 (2-1药)	冰箱	242310258	2025/3/23 23:00:00	4.2℃	正常	
6614	7-4 (2-1药)	冰箱	242310258	2025/3/23 23:05:00	4.7℃	正常	
6615	7-4 (2-1药)	冰箱	242310258	2025/3/23 23:10:00	4.0℃	正常	
6616	7-4 (2-1药)	冰箱	242310258	2025/3/23 23:15:00	4.7℃	正常	
6617	7-4 (2-1药)	冰箱	242310258	2025/3/23 23:20:00	4.2℃	正常	
6618	7-4 (2-1药)	冰箱	242310258	2025/3/23 23:25:00	4.4℃	正常	
6619	7-4 (2-1药)	冰箱	242310258	2025/3/23 23:30:00	4.5℃	正常	
6620	7-4 (2-1药)	冰箱	242310258	2025/3/23 23:35:00	4.1℃	正常	
6621	7-4 (2-1药)	冰箱	242310258	2025/3/23 23:40:00	4.8℃	正常	
6622	7-4 (2-1药)	冰箱	242310258	2025/3/23 23:45:00	4.0℃	正常	
6623	7-4 (2-1药)	冰箱	242310258	2025/3/23 23:50:00	4.7℃	正常	
6624	7-4 (2-1药)	冰箱	242310258	2025/3/23 23:55:00	4.1℃	正常	
6625	7-4 (2-1药)	冰箱	242310258	2025/3/24 0:00:00	4.5℃	正常	
6626	7-4 (2-1药)	冰箱	242310258	2025/3/24 0:05:00	4.4℃	正常	
6627	7-4 (2-1药)	冰箱	242310258	2025/3/24 0:10:00	4.3℃	正常	
6628	7-4 (2-1药)	冰箱	242310258	2025/3/24 0:15:00	4.7℃	正常	
6629	7-4 (2-1药)	冰箱	242310258	2025/3/24 0:20:00	4.0℃	正常	
6630	7-4 (2-1药)	冰箱	242310258	2025/3/24 0:25:00	4.7℃	正常	
6631	7-4 (2-1药)	冰箱	242310258	2025/3/24 0:30:00	4.0℃	正常	
6632	7-4 (2-1药)	冰箱	242310258	2025/3/24 0:35:00	4.6℃	正常	
6633	7-4 (2-1药)	冰箱	242310258	2025/3/24 0:40:00	4.4℃	正常	
6634	7-4 (2-1药)	冰箱	242310258	2025/3/24 0:45:00	4.4℃	正常	
6635	7-4 (2-1药)	冰箱	242310258	2025/3/24 0:50:00	4.6℃	正常	
6636	7-4 (2-1药)	冰箱	242310258	2025/3/24 0:55:00	4.0℃	正常	
6637	7-4 (2-1药)	冰箱	242310258	2025/3/24 1:00:00	4.8℃	正常	
6638	7-4 (2-1药)	冰箱	242310258	2025/3/24 1:05:00	4.0℃	正常	
6639	7-4 (2-1药)	冰箱	242310258	2025/3/24 1:10:00	4.6℃	正常	
6640	7-4 (2-1药)	冰箱	242310258	2025/3/24 1:15:00	4.3℃	正常	
6641	7-4 (2-1药)	冰箱	242310258	2025/3/24 1:20:00	4.4℃	正常	
6642	7-4 (2-1药)	冰箱	242310258	2025/3/24 1:25:00	4.6℃	正常	
6643	7-4 (2-1药)	冰箱	242310258	2025/3/24 1:30:00	4.2℃	正常	
6644	7-4 (2-1药)	冰箱	242310258	2025/3/24 1:35:00	4.8℃	正常	

6645	7-4 (2-1药)	冰箱	242310258	2025/3/24 1:40:00	4.0℃	正常	
6646	7-4 (2-1药)	冰箱	242310258	2025/3/24 1:45:00	4.7℃	正常	
6647	7-4 (2-1药)	冰箱	242310258	2025/3/24 1:50:00	4.1℃	正常	
6648	7-4 (2-1药)	冰箱	242310258	2025/3/24 1:55:00	4.5℃	正常	
6649	7-4 (2-1药)	冰箱	242310258	2025/3/24 2:00:00	4.5℃	正常	
6650	7-4 (2-1药)	冰箱	242310258	2025/3/24 2:05:00	4.3℃	正常	
6651	7-4 (2-1药)	冰箱	242310258	2025/3/24 2:10:00	4.7℃	正常	
6652	7-4 (2-1药)	冰箱	242310258	2025/3/24 2:15:00	4.0℃	正常	
6653	7-4 (2-1药)	冰箱	242310258	2025/3/24 2:20:00	4.7℃	正常	
6654	7-4 (2-1药)	冰箱	242310258	2025/3/24 2:25:00	4.1℃	正常	
6655	7-4 (2-1药)	冰箱	242310258	2025/3/24 2:30:00	4.6℃	正常	
6656	7-4 (2-1药)	冰箱	242310258	2025/3/24 2:35:00	4.4℃	正常	
6657	7-4 (2-1药)	冰箱	242310258	2025/3/24 2:40:00	4.4℃	正常	
6658	7-4 (2-1药)	冰箱	242310258	2025/3/24 2:45:00	4.7℃	正常	
6659	7-4 (2-1药)	冰箱	242310258	2025/3/24 2:50:00	4.0℃	正常	
6660	7-4 (2-1药)	冰箱	242310258	2025/3/24 2:55:00	4.7℃	正常	
6661	7-4 (2-1药)	冰箱	242310258	2025/3/24 3:00:00	4.1℃	正常	
6662	7-4 (2-1药)	冰箱	242310258	2025/3/24 3:05:00	4.7℃	正常	
6663	7-4 (2-1药)	冰箱	242310258	2025/3/24 3:10:00	4.2℃	正常	
6664	7-4 (2-1药)	冰箱	242310258	2025/3/24 3:15:00	4.5℃	正常	
6665	7-4 (2-1药)	冰箱	242310258	2025/3/24 3:20:00	4.6℃	正常	
6666	7-4 (2-1药)	冰箱	242310258	2025/3/24 3:25:00	4.2℃	正常	
6667	7-4 (2-1药)	冰箱	242310258	2025/3/24 3:30:00	4.7℃	正常	
6668	7-4 (2-1药)	冰箱	242310258	2025/3/24 3:35:00	4.0℃	正常	
6669	7-4 (2-1药)	冰箱	242310258	2025/3/24 3:40:00	4.7℃	正常	
6670	7-4 (2-1药)	冰箱	242310258	2025/3/24 3:45:00	4.1℃	正常	
6671	7-4 (2-1药)	冰箱	242310258	2025/3/24 3:50:00	4.5℃	正常	
6672	7-4 (2-1药)	冰箱	242310258	2025/3/24 3:55:00	4.6℃	正常	
6673	7-4 (2-1药)	冰箱	242310258	2025/3/24 4:00:00	4.3℃	正常	
6674	7-4 (2-1药)	冰箱	242310258	2025/3/24 4:05:00	4.7℃	正常	
6675	7-4 (2-1药)	冰箱	242310258	2025/3/24 4:10:00	4.0℃	正常	
6676	7-4 (2-1药)	冰箱	242310258	2025/3/24 4:15:00	4.8℃	正常	
6677	7-4 (2-1药)	冰箱	242310258	2025/3/24 4:20:00	4.0℃	正常	
6678	7-4 (2-1药)	冰箱	242310258	2025/3/24 4:25:00	4.6℃	正常	
6679	7-4 (2-1药)	冰箱	242310258	2025/3/24 4:30:00	4.2℃	正常	
6680	7-4 (2-1药)	冰箱	242310258	2025/3/24 4:35:00	5.0℃	正常	
6681	7-4 (2-1药)	冰箱	242310258	2025/3/24 4:40:00	4.1℃	正常	
6682	7-4 (2-1药)	冰箱	242310258	2025/3/24 4:45:00	4.7℃	正常	
6683	7-4 (2-1药)	冰箱	242310258	2025/3/24 4:50:00	4.2℃	正常	
6684	7-4 (2-1药)	冰箱	242310258	2025/3/24 4:55:00	4.5℃	正常	
6685	7-4 (2-1药)	冰箱	242310258	2025/3/24 5:00:00	4.6℃	正常	
6686	7-4 (2-1药)	冰箱	242310258	2025/3/24 5:05:00	4.2℃	正常	
6687	7-4 (2-1药)	冰箱	242310258	2025/3/24 5:10:00	4.8℃	正常	
6688	7-4 (2-1药)	冰箱	242310258	2025/3/24 5:15:00	4.0℃	正常	
6689	7-4 (2-1药)	冰箱	242310258	2025/3/24 5:20:00	4.7℃	正常	
6690	7-4 (2-1药)	冰箱	242310258	2025/3/24 5:25:00	4.1℃	正常	
6691	7-4 (2-1药)	冰箱	242310258	2025/3/24 5:30:00	4.6℃	正常	
6692	7-4 (2-1药)	冰箱	242310258	2025/3/24 5:35:00	4.5℃	正常	
6693	7-4 (2-1药)	冰箱	242310258	2025/3/24 5:40:00	4.3℃	正常	
6694	7-4 (2-1药)	冰箱	242310258	2025/3/24 5:45:00	4.7℃	正常	
6695	7-4 (2-1药)	冰箱	242310258	2025/3/24 5:50:00	4.1℃	正常	
6696	7-4 (2-1药)	冰箱	242310258	2025/3/24 5:55:00	4.7℃	正常	
6697	7-4 (2-1药)	冰箱	242310258	2025/3/24 6:00:00	4.0℃	正常	
6698	7-4 (2-1药)	冰箱	242310258	2025/3/24 6:05:00	4.6℃	正常	
6699	7-4 (2-1药)	冰箱	242310258	2025/3/24 6:10:00	4.3℃	正常	
6700	7-4 (2-1药)	冰箱	242310258	2025/3/24 6:15:00	4.4℃	正常	
6701	7-4 (2-1药)	冰箱	242310258	2025/3/24 6:20:00	4.6℃	正常	
6702	7-4 (2-1药)	冰箱	242310258	2025/3/24 6:25:00	4.1℃	正常	
6703	7-4 (2-1药)	冰箱	242310258	2025/3/24 6:30:00	4.8℃	正常	
6704	7-4 (2-1药)	冰箱	242310258	2025/3/24 6:35:00	4.0℃	正常	
6705	7-4 (2-1药)	冰箱	242310258	2025/3/24 6:40:00	4.7℃	正常	
6706	7-4 (2-1药)	冰箱	242310258	2025/3/24 6:45:00	4.2℃	正常	
6707	7-4 (2-1药)	冰箱	242310258	2025/3/24 6:50:00	4.5℃	正常	
6708	7-4 (2-1药)	冰箱	242310258	2025/3/24 6:55:00	4.6℃	正常	

6709	7-4 (2-1药)	冰箱	242310258	2025/3/24 7:00:00	4.2℃	正常	
6710	7-4 (2-1药)	冰箱	242310258	2025/3/24 7:05:00	4.8℃	正常	
6711	7-4 (2-1药)	冰箱	242310258	2025/3/24 7:10:00	4.1℃	正常	
6712	7-4 (2-1药)	冰箱	242310258	2025/3/24 7:15:00	4.7℃	正常	
6713	7-4 (2-1药)	冰箱	242310258	2025/3/24 7:20:00	4.1℃	正常	
6714	7-4 (2-1药)	冰箱	242310258	2025/3/24 7:25:00	4.6℃	正常	
6715	7-4 (2-1药)	冰箱	242310258	2025/3/24 7:30:00	4.2℃	正常	
6716	7-4 (2-1药)	冰箱	242310258	2025/3/24 7:35:00	4.4℃	正常	
6717	7-4 (2-1药)	冰箱	242310258	2025/3/24 7:40:00	4.6℃	正常	
6718	7-4 (2-1药)	冰箱	242310258	2025/3/24 7:45:00	4.2℃	正常	
6719	7-4 (2-1药)	冰箱	242310258	2025/3/24 7:50:00	4.8℃	正常	
6720	7-4 (2-1药)	冰箱	242310258	2025/3/24 7:55:00	4.0℃	正常	
6721	7-4 (2-1药)	冰箱	242310258	2025/3/24 8:00:00	4.6℃	正常	
6722	7-4 (2-1药)	冰箱	242310258	2025/3/24 8:05:00	4.2℃	正常	
6723	7-4 (2-1药)	冰箱	242310258	2025/3/24 8:10:00	4.4℃	正常	
6724	7-4 (2-1药)	冰箱	242310258	2025/3/24 8:15:00	4.5℃	正常	
6725	7-4 (2-1药)	冰箱	242310258	2025/3/24 8:20:00	4.3℃	正常	
6726	7-4 (2-1药)	冰箱	242310258	2025/3/24 8:25:00	4.7℃	正常	
6727	7-4 (2-1药)	冰箱	242310258	2025/3/24 8:30:00	4.1℃	正常	
6728	7-4 (2-1药)	冰箱	242310258	2025/3/24 8:35:00	4.7℃	正常	
6729	7-4 (2-1药)	冰箱	242310258	2025/3/24 8:40:00	4.1℃	正常	
6730	7-4 (2-1药)	冰箱	242310258	2025/3/24 8:45:00	4.6℃	正常	
6731	7-4 (2-1药)	冰箱	242310258	2025/3/24 8:50:00	4.4℃	正常	
6732	7-4 (2-1药)	冰箱	242310258	2025/3/24 8:55:00	4.2℃	正常	
6733	7-4 (2-1药)	冰箱	242310258	2025/3/24 9:00:00	4.7℃	正常	
6734	7-4 (2-1药)	冰箱	242310258	2025/3/24 9:05:00	4.1℃	正常	
6735	7-4 (2-1药)	冰箱	242310258	2025/3/24 9:10:00	4.8℃	正常	
6736	7-4 (2-1药)	冰箱	242310258	2025/3/24 9:15:00	4.0℃	正常	
6737	7-4 (2-1药)	冰箱	242310258	2025/3/24 9:20:00	4.6℃	正常	
6738	7-4 (2-1药)	冰箱	242310258	2025/3/24 9:25:00	4.4℃	正常	
6739	7-4 (2-1药)	冰箱	242310258	2025/3/24 9:30:00	4.3℃	正常	
6740	7-4 (2-1药)	冰箱	242310258	2025/3/24 9:35:00	4.7℃	正常	
6741	7-4 (2-1药)	冰箱	242310258	2025/3/24 9:40:00	4.0℃	正常	
6742	7-4 (2-1药)	冰箱	242310258	2025/3/24 9:45:00	4.7℃	正常	
6743	7-4 (2-1药)	冰箱	242310258	2025/3/24 9:50:00	4.1℃	正常	
6744	7-4 (2-1药)	冰箱	242310258	2025/3/24 9:55:00	4.6℃	正常	
6745	7-4 (2-1药)	冰箱	242310258	2025/3/24 10:00:00	4.3℃	正常	
6746	7-4 (2-1药)	冰箱	242310258	2025/3/24 10:05:00	4.4℃	正常	
6747	7-4 (2-1药)	冰箱	242310258	2025/3/24 10:10:00	4.6℃	正常	
6748	7-4 (2-1药)	冰箱	242310258	2025/3/24 10:15:00	4.1℃	正常	
6749	7-4 (2-1药)	冰箱	242310258	2025/3/24 10:20:00	4.7℃	正常	
6750	7-4 (2-1药)	冰箱	242310258	2025/3/24 10:25:00	4.0℃	正常	
6751	7-4 (2-1药)	冰箱	242310258	2025/3/24 10:30:00	4.7℃	正常	
6752	7-4 (2-1药)	冰箱	242310258	2025/3/24 10:35:00	4.2℃	正常	
6753	7-4 (2-1药)	冰箱	242310258	2025/3/24 10:40:00	4.5℃	正常	
6754	7-4 (2-1药)	冰箱	242310258	2025/3/24 10:45:00	4.5℃	正常	
6755	7-4 (2-1药)	冰箱	242310258	2025/3/24 10:50:00	4.3℃	正常	
6756	7-4 (2-1药)	冰箱	242310258	2025/3/24 10:55:00	4.7℃	正常	
6757	7-4 (2-1药)	冰箱	242310258	2025/3/24 11:00:00	4.1℃	正常	
6758	7-4 (2-1药)	冰箱	242310258	2025/3/24 11:05:00	4.7℃	正常	
6759	7-4 (2-1药)	冰箱	242310258	2025/3/24 11:10:00	4.1℃	正常	
6760	7-4 (2-1药)	冰箱	242310258	2025/3/24 11:15:00	4.5℃	正常	
6761	7-4 (2-1药)	冰箱	242310258	2025/3/24 11:20:00	4.5℃	正常	
6762	7-4 (2-1药)	冰箱	242310258	2025/3/24 11:25:00	4.3℃	正常	
6763	7-4 (2-1药)	冰箱	242310258	2025/3/24 11:30:00	4.7℃	正常	
6764	7-4 (2-1药)	冰箱	242310258	2025/3/24 11:35:00	4.0℃	正常	
6765	7-4 (2-1药)	冰箱	242310258	2025/3/24 11:40:00	4.7℃	正常	
6766	7-4 (2-1药)	冰箱	242310258	2025/3/24 11:45:00	4.1℃	正常	
6767	7-4 (2-1药)	冰箱	242310258	2025/3/24 11:50:00	4.6℃	正常	
6768	7-4 (2-1药)	冰箱	242310258	2025/3/24 11:55:00	4.5℃	正常	
6769	7-4 (2-1药)	冰箱	242310258	2025/3/24 12:00:00	4.3℃	正常	
6770	7-4 (2-1药)	冰箱	242310258	2025/3/24 12:05:00	4.7℃	正常	
6771	7-4 (2-1药)	冰箱	242310258	2025/3/24 12:10:00	4.1℃	正常	
6772	7-4 (2-1药)	冰箱	242310258	2025/3/24 12:15:00	4.7℃	正常	

6773	7-4 (2-1药)	冰箱	242310258	2025/3/24 12:20:00	4.0℃	正常	
6774	7-4 (2-1药)	冰箱	242310258	2025/3/24 12:25:00	4.6℃	正常	
6775	7-4 (2-1药)	冰箱	242310258	2025/3/24 12:30:00	4.2℃	正常	
6776	7-4 (2-1药)	冰箱	242310258	2025/3/24 12:35:00	4.3℃	正常	
6777	7-4 (2-1药)	冰箱	242310258	2025/3/24 12:40:00	4.6℃	正常	
6778	7-4 (2-1药)	冰箱	242310258	2025/3/24 12:45:00	4.1℃	正常	
6779	7-4 (2-1药)	冰箱	242310258	2025/3/24 12:50:00	4.8℃	正常	
6780	7-4 (2-1药)	冰箱	242310258	2025/3/24 12:55:00	4.0℃	正常	
6781	7-4 (2-1药)	冰箱	242310258	2025/3/24 13:00:00	4.7℃	正常	
6782	7-4 (2-1药)	冰箱	242310258	2025/3/24 13:05:00	4.2℃	正常	
6783	7-4 (2-1药)	冰箱	242310258	2025/3/24 13:10:00	4.5℃	正常	
6784	7-4 (2-1药)	冰箱	242310258	2025/3/24 13:15:00	4.5℃	正常	
6785	7-4 (2-1药)	冰箱	242310258	2025/3/24 13:20:00	4.1℃	正常	
6786	7-4 (2-1药)	冰箱	242310258	2025/3/24 13:25:00	4.7℃	正常	
6787	7-4 (2-1药)	冰箱	242310258	2025/3/24 13:30:00	4.0℃	正常	
6788	7-4 (2-1药)	冰箱	242310258	2025/3/24 13:35:00	4.7℃	正常	
6789	7-4 (2-1药)	冰箱	242310258	2025/3/24 13:40:00	4.2℃	正常	
6790	7-4 (2-1药)	冰箱	242310258	2025/3/24 13:45:00	4.5℃	正常	
6791	7-4 (2-1药)	冰箱	242310258	2025/3/24 13:50:00	4.5℃	正常	
6792	7-4 (2-1药)	冰箱	242310258	2025/3/24 13:55:00	4.3℃	正常	
6793	7-4 (2-1药)	冰箱	242310258	2025/3/24 14:00:00	4.7℃	正常	
6794	7-4 (2-1药)	冰箱	242310258	2025/3/24 14:05:00	4.0℃	正常	
6795	7-4 (2-1药)	冰箱	242310258	2025/3/24 14:10:00	4.7℃	正常	
6796	7-4 (2-1药)	冰箱	242310258	2025/3/24 14:15:00	4.0℃	正常	
6797	7-4 (2-1药)	冰箱	242310258	2025/3/24 14:20:00	4.5℃	正常	
6798	7-4 (2-1药)	冰箱	242310258	2025/3/24 14:25:00	4.4℃	正常	
6799	7-4 (2-1药)	冰箱	242310258	2025/3/24 14:30:00	4.4℃	正常	
6800	7-4 (2-1药)	冰箱	242310258	2025/3/24 14:35:00	4.7℃	正常	
6801	7-4 (2-1药)	冰箱	242310258	2025/3/24 14:40:00	4.2℃	正常	
6802	7-4 (2-1药)	冰箱	242310258	2025/3/24 14:45:00	4.8℃	正常	
6803	7-4 (2-1药)	冰箱	242310258	2025/3/24 14:50:00	4.0℃	正常	
6804	7-4 (2-1药)	冰箱	242310258	2025/3/24 14:55:00	4.6℃	正常	
6805	7-4 (2-1药)	冰箱	242310258	2025/3/24 15:00:00	4.2℃	正常	
6806	7-4 (2-1药)	冰箱	242310258	2025/3/24 15:05:00	4.4℃	正常	
6807	7-4 (2-1药)	冰箱	242310258	2025/3/24 15:10:00	4.0℃	正常	
6808	7-4 (2-1药)	冰箱	242310258	2025/3/24 15:15:00	5.0℃	正常	
6809	7-4 (2-1药)	冰箱	242310258	2025/3/24 15:20:00	4.4℃	正常	
6810	7-4 (2-1药)	冰箱	242310258	2025/3/24 15:25:00	5.1℃	正常	
6811	7-4 (2-1药)	冰箱	242310258	2025/3/24 15:30:00	5.1℃	正常	
6812	7-4 (2-1药)	冰箱	242310258	2025/3/24 15:35:00	6.3℃	正常	
6813	7-4 (2-1药)	冰箱	242310258	2025/3/24 15:40:00	5.9℃	正常	
6814	7-4 (2-1药)	冰箱	242310258	2025/3/24 15:45:00	5.9℃	正常	
6815	7-4 (2-1药)	冰箱	242310258	2025/3/24 15:50:00	7.2℃	正常	
6816	7-4 (2-1药)	冰箱	242310258	2025/3/24 15:55:00	6.1℃	正常	
6817	7-4 (2-1药)	冰箱	242310258	2025/3/24 16:00:00	5.5℃	正常	
6818	7-4 (2-1药)	冰箱	242310258	2025/3/24 16:05:00	5.1℃	正常	
6819	7-4 (2-1药)	冰箱	242310258	2025/3/24 16:10:00	5.2℃	正常	
6820	7-4 (2-1药)	冰箱	242310258	2025/3/24 16:15:00	4.7℃	正常	
6821	7-4 (2-1药)	冰箱	242310258	2025/3/24 16:20:00	5.1℃	正常	
6822	7-4 (2-1药)	冰箱	242310258	2025/3/24 16:25:00	4.6℃	正常	
6823	7-4 (2-1药)	冰箱	242310258	2025/3/24 16:30:00	4.9℃	正常	
6824	7-4 (2-1药)	冰箱	242310258	2025/3/24 16:35:00	4.9℃	正常	
6825	7-4 (2-1药)	冰箱	242310258	2025/3/24 16:40:00	4.7℃	正常	
6826	7-4 (2-1药)	冰箱	242310258	2025/3/24 16:45:00	5.0℃	正常	
6827	7-4 (2-1药)	冰箱	242310258	2025/3/24 16:50:00	4.5℃	正常	
6828	7-4 (2-1药)	冰箱	242310258	2025/3/24 16:55:00	4.9℃	正常	
6829	7-4 (2-1药)	冰箱	242310258	2025/3/24 17:00:00	4.8℃	正常	
6830	7-4 (2-1药)	冰箱	242310258	2025/3/24 17:05:00	4.7℃	正常	
6831	7-4 (2-1药)	冰箱	242310258	2025/3/24 17:10:00	5.0℃	正常	
6832	7-4 (2-1药)	冰箱	242310258	2025/3/24 17:15:00	4.5℃	正常	
6833	7-4 (2-1药)	冰箱	242310258	2025/3/24 17:20:00	4.9℃	正常	
6834	7-4 (2-1药)	冰箱	242310258	2025/3/24 17:25:00	4.7℃	正常	
6835	7-4 (2-1药)	冰箱	242310258	2025/3/24 17:30:00	4.7℃	正常	
6836	7-4 (2-1药)	冰箱	242310258	2025/3/24 17:35:00	5.0℃	正常	

6837	7-4 (2-1药)	冰箱	242310258	2025/3/24 17:40:00	4.5℃	正常	
6838	7-4 (2-1药)	冰箱	242310258	2025/3/24 17:45:00	4.9℃	正常	
6839	7-4 (2-1药)	冰箱	242310258	2025/3/24 17:50:00	4.7℃	正常	
6840	7-4 (2-1药)	冰箱	242310258	2025/3/24 17:55:00	4.6℃	正常	
6841	7-4 (2-1药)	冰箱	242310258	2025/3/24 18:00:00	5.0℃	正常	
6842	7-4 (2-1药)	冰箱	242310258	2025/3/24 18:05:00	4.5℃	正常	
6843	7-4 (2-1药)	冰箱	242310258	2025/3/24 18:10:00	4.9℃	正常	
6844	7-4 (2-1药)	冰箱	242310258	2025/3/24 18:15:00	4.8℃	正常	
6845	7-4 (2-1药)	冰箱	242310258	2025/3/24 18:20:00	4.5℃	正常	
6846	7-4 (2-1药)	冰箱	242310258	2025/3/24 18:25:00	5.0℃	正常	
6847	7-4 (2-1药)	冰箱	242310258	2025/3/24 18:30:00	4.5℃	正常	
6848	7-4 (2-1药)	冰箱	242310258	2025/3/24 18:35:00	4.8℃	正常	
6849	7-4 (2-1药)	冰箱	242310258	2025/3/24 18:40:00	4.8℃	正常	
6850	7-4 (2-1药)	冰箱	242310258	2025/3/24 18:45:00	4.5℃	正常	
6851	7-4 (2-1药)	冰箱	242310258	2025/3/24 18:50:00	5.0℃	正常	
6852	7-4 (2-1药)	冰箱	242310258	2025/3/24 18:55:00	4.5℃	正常	
6853	7-4 (2-1药)	冰箱	242310258	2025/3/24 19:00:00	4.8℃	正常	
6854	7-4 (2-1药)	冰箱	242310258	2025/3/24 19:05:00	4.9℃	正常	
6855	7-4 (2-1药)	冰箱	242310258	2025/3/24 19:10:00	4.5℃	正常	
6856	7-4 (2-1药)	冰箱	242310258	2025/3/24 19:15:00	5.0℃	正常	
6857	7-4 (2-1药)	冰箱	242310258	2025/3/24 19:20:00	4.5℃	正常	
6858	7-4 (2-1药)	冰箱	242310258	2025/3/24 19:25:00	4.8℃	正常	
6859	7-4 (2-1药)	冰箱	242310258	2025/3/24 19:30:00	4.9℃	正常	
6860	7-4 (2-1药)	冰箱	242310258	2025/3/24 19:35:00	4.5℃	正常	
6861	7-4 (2-1药)	冰箱	242310258	2025/3/24 19:40:00	5.0℃	正常	
6862	7-4 (2-1药)	冰箱	242310258	2025/3/24 19:45:00	4.6℃	正常	
6863	7-4 (2-1药)	冰箱	242310258	2025/3/24 19:50:00	4.7℃	正常	
6864	7-4 (2-1药)	冰箱	242310258	2025/3/24 19:55:00	5.0℃	正常	
6865	7-4 (2-1药)	冰箱	242310258	2025/3/24 20:00:00	4.5℃	正常	
6866	7-4 (2-1药)	冰箱	242310258	2025/3/24 20:05:00	4.9℃	正常	
6867	7-4 (2-1药)	冰箱	242310258	2025/3/24 20:10:00	4.7℃	正常	
6868	7-4 (2-1药)	冰箱	242310258	2025/3/24 20:15:00	4.7℃	正常	
6869	7-4 (2-1药)	冰箱	242310258	2025/3/24 20:20:00	4.9℃	正常	
6870	7-4 (2-1药)	冰箱	242310258	2025/3/24 20:25:00	4.5℃	正常	
6871	7-4 (2-1药)	冰箱	242310258	2025/3/24 20:30:00	4.9℃	正常	
6872	7-4 (2-1药)	冰箱	242310258	2025/3/24 20:35:00	4.7℃	正常	
6873	7-4 (2-1药)	冰箱	242310258	2025/3/24 20:40:00	4.6℃	正常	
6874	7-4 (2-1药)	冰箱	242310258	2025/3/24 20:45:00	5.0℃	正常	
6875	7-4 (2-1药)	冰箱	242310258	2025/3/24 20:50:00	4.5℃	正常	
6876	7-4 (2-1药)	冰箱	242310258	2025/3/24 20:55:00	4.7℃	正常	
6877	7-4 (2-1药)	冰箱	242310258	2025/3/24 21:00:00	4.9℃	正常	
6878	7-4 (2-1药)	冰箱	242310258	2025/3/24 21:05:00	4.4℃	正常	
6879	7-4 (2-1药)	冰箱	242310258	2025/3/24 21:10:00	4.9℃	正常	
6880	7-4 (2-1药)	冰箱	242310258	2025/3/24 21:15:00	4.6℃	正常	
6881	7-4 (2-1药)	冰箱	242310258	2025/3/24 21:20:00	4.7℃	正常	
6882	7-4 (2-1药)	冰箱	242310258	2025/3/24 21:25:00	5.0℃	正常	
6883	7-4 (2-1药)	冰箱	242310258	2025/3/24 21:30:00	4.4℃	正常	
6884	7-4 (2-1药)	冰箱	242310258	2025/3/24 21:35:00	4.9℃	正常	
6885	7-4 (2-1药)	冰箱	242310258	2025/3/24 21:40:00	4.7℃	正常	
6886	7-4 (2-1药)	冰箱	242310258	2025/3/24 21:45:00	4.5℃	正常	
6887	7-4 (2-1药)	冰箱	242310258	2025/3/24 21:50:00	5.0℃	正常	
6888	7-4 (2-1药)	冰箱	242310258	2025/3/24 21:55:00	4.5℃	正常	
6889	7-4 (2-1药)	冰箱	242310258	2025/3/24 22:00:00	4.7℃	正常	
6890	7-4 (2-1药)	冰箱	242310258	2025/3/24 22:05:00	4.9℃	正常	
6891	7-4 (2-1药)	冰箱	242310258	2025/3/24 22:10:00	4.4℃	正常	
6892	7-4 (2-1药)	冰箱	242310258	2025/3/24 22:15:00	4.9℃	正常	
6893	7-4 (2-1药)	冰箱	242310258	2025/3/24 22:20:00	4.6℃	正常	
6894	7-4 (2-1药)	冰箱	242310258	2025/3/24 22:25:00	4.6℃	正常	
6895	7-4 (2-1药)	冰箱	242310258	2025/3/24 22:30:00	5.0℃	正常	
6896	7-4 (2-1药)	冰箱	242310258	2025/3/24 22:35:00	4.4℃	正常	
6897	7-4 (2-1药)	冰箱	242310258	2025/3/24 22:40:00	4.8℃	正常	
6898	7-4 (2-1药)	冰箱	242310258	2025/3/24 22:45:00	4.8℃	正常	
6899	7-4 (2-1药)	冰箱	242310258	2025/3/24 22:50:00	4.5℃	正常	
6900	7-4 (2-1药)	冰箱	242310258	2025/3/24 22:55:00	5.0℃	正常	

6901	7-4 (2-1药)	冰箱	242310258	2025/3/24 23:00:00	4.5℃	正常	
6902	7-4 (2-1药)	冰箱	242310258	2025/3/24 23:05:00	4.8℃	正常	
6903	7-4 (2-1药)	冰箱	242310258	2025/3/24 23:10:00	4.9℃	正常	
6904	7-4 (2-1药)	冰箱	242310258	2025/3/24 23:15:00	4.5℃	正常	
6905	7-4 (2-1药)	冰箱	242310258	2025/3/24 23:20:00	4.9℃	正常	
6906	7-4 (2-1药)	冰箱	242310258	2025/3/24 23:25:00	4.6℃	正常	
6907	7-4 (2-1药)	冰箱	242310258	2025/3/24 23:30:00	4.6℃	正常	
6908	7-4 (2-1药)	冰箱	242310258	2025/3/24 23:35:00	5.0℃	正常	
6909	7-4 (2-1药)	冰箱	242310258	2025/3/24 23:40:00	4.4℃	正常	
6910	7-4 (2-1药)	冰箱	242310258	2025/3/24 23:45:00	4.9℃	正常	
6911	7-4 (2-1药)	冰箱	242310258	2025/3/24 23:50:00	4.8℃	正常	
6912	7-4 (2-1药)	冰箱	242310258	2025/3/24 23:55:00	4.5℃	正常	
6913	7-4 (2-1药)	冰箱	242310258	2025/3/25 0:00:00	5.0℃	正常	
6914	7-4 (2-1药)	冰箱	242310258	2025/3/25 0:05:00	4.5℃	正常	
6915	7-4 (2-1药)	冰箱	242310258	2025/3/25 0:10:00	4.8℃	正常	
6916	7-4 (2-1药)	冰箱	242310258	2025/3/25 0:15:00	4.9℃	正常	
6917	7-4 (2-1药)	冰箱	242310258	2025/3/25 0:20:00	4.5℃	正常	
6918	7-4 (2-1药)	冰箱	242310258	2025/3/25 0:25:00	5.0℃	正常	
6919	7-4 (2-1药)	冰箱	242310258	2025/3/25 0:30:00	4.6℃	正常	
6920	7-4 (2-1药)	冰箱	242310258	2025/3/25 0:35:00	4.7℃	正常	
6921	7-4 (2-1药)	冰箱	242310258	2025/3/25 0:40:00	4.9℃	正常	
6922	7-4 (2-1药)	冰箱	242310258	2025/3/25 0:45:00	4.5℃	正常	
6923	7-4 (2-1药)	冰箱	242310258	2025/3/25 0:50:00	4.9℃	正常	
6924	7-4 (2-1药)	冰箱	242310258	2025/3/25 0:55:00	4.7℃	正常	
6925	7-4 (2-1药)	冰箱	242310258	2025/3/25 1:00:00	4.6℃	正常	
6926	7-4 (2-1药)	冰箱	242310258	2025/3/25 1:05:00	5.0℃	正常	
6927	7-4 (2-1药)	冰箱	242310258	2025/3/25 1:10:00	4.5℃	正常	
6928	7-4 (2-1药)	冰箱	242310258	2025/3/25 1:15:00	4.8℃	正常	
6929	7-4 (2-1药)	冰箱	242310258	2025/3/25 1:20:00	4.9℃	正常	
6930	7-4 (2-1药)	冰箱	242310258	2025/3/25 1:25:00	4.5℃	正常	
6931	7-4 (2-1药)	冰箱	242310258	2025/3/25 1:30:00	5.0℃	正常	
6932	7-4 (2-1药)	冰箱	242310258	2025/3/25 1:35:00	4.6℃	正常	
6933	7-4 (2-1药)	冰箱	242310258	2025/3/25 1:40:00	4.7℃	正常	
6934	7-4 (2-1药)	冰箱	242310258	2025/3/25 1:45:00	5.0℃	正常	
6935	7-4 (2-1药)	冰箱	242310258	2025/3/25 1:50:00	4.5℃	正常	
6936	7-4 (2-1药)	冰箱	242310258	2025/3/25 1:55:00	4.9℃	正常	
6937	7-4 (2-1药)	冰箱	242310258	2025/3/25 2:00:00	4.7℃	正常	
6938	7-4 (2-1药)	冰箱	242310258	2025/3/25 2:05:00	4.6℃	正常	
6939	7-4 (2-1药)	冰箱	242310258	2025/3/25 2:10:00	5.0℃	正常	
6940	7-4 (2-1药)	冰箱	242310258	2025/3/25 2:15:00	4.4℃	正常	
6941	7-4 (2-1药)	冰箱	242310258	2025/3/25 2:20:00	4.8℃	正常	
6942	7-4 (2-1药)	冰箱	242310258	2025/3/25 2:25:00	4.7℃	正常	
6943	7-4 (2-1药)	冰箱	242310258	2025/3/25 2:30:00	5.3℃	正常	
6944	7-4 (2-1药)	冰箱	242310258	2025/3/25 2:35:00	4.6℃	正常	
6945	7-4 (2-1药)	冰箱	242310258	2025/3/25 2:40:00	4.8℃	正常	
6946	7-4 (2-1药)	冰箱	242310258	2025/3/25 2:45:00	5.0℃	正常	
6947	7-4 (2-1药)	冰箱	242310258	2025/3/25 2:50:00	4.5℃	正常	
6948	7-4 (2-1药)	冰箱	242310258	2025/3/25 2:55:00	4.9℃	正常	
6949	7-4 (2-1药)	冰箱	242310258	2025/3/25 3:00:00	4.5℃	正常	
6950	7-4 (2-1药)	冰箱	242310258	2025/3/25 3:05:00	4.7℃	正常	
6951	7-4 (2-1药)	冰箱	242310258	2025/3/25 3:10:00	4.9℃	正常	
6952	7-4 (2-1药)	冰箱	242310258	2025/3/25 3:15:00	4.4℃	正常	
6953	7-4 (2-1药)	冰箱	242310258	2025/3/25 3:20:00	4.9℃	正常	
6954	7-4 (2-1药)	冰箱	242310258	2025/3/25 3:25:00	4.7℃	正常	
6955	7-4 (2-1药)	冰箱	242310258	2025/3/25 3:30:00	4.6℃	正常	
6956	7-4 (2-1药)	冰箱	242310258	2025/3/25 3:35:00	4.9℃	正常	
6957	7-4 (2-1药)	冰箱	242310258	2025/3/25 3:40:00	4.4℃	正常	
6958	7-4 (2-1药)	冰箱	242310258	2025/3/25 3:45:00	4.8℃	正常	
6959	7-4 (2-1药)	冰箱	242310258	2025/3/25 3:50:00	4.8℃	正常	
6960	7-4 (2-1药)	冰箱	242310258	2025/3/25 3:55:00	4.5℃	正常	
6961	7-4 (2-1药)	冰箱	242310258	2025/3/25 4:00:00	5.0℃	正常	
6962	7-4 (2-1药)	冰箱	242310258	2025/3/25 4:05:00	4.6℃	正常	
6963	7-4 (2-1药)	冰箱	242310258	2025/3/25 4:10:00	4.7℃	正常	
6964	7-4 (2-1药)	冰箱	242310258	2025/3/25 4:15:00	5.0℃	正常	

6965	7-4 (2-1药)	冰箱	242310258	2025/3/25 4:20:00	4.4℃	正常	
6966	7-4 (2-1药)	冰箱	242310258	2025/3/25 4:25:00	4.9℃	正常	
6967	7-4 (2-1药)	冰箱	242310258	2025/3/25 4:30:00	4.7℃	正常	
6968	7-4 (2-1药)	冰箱	242310258	2025/3/25 4:35:00	4.6℃	正常	
6969	7-4 (2-1药)	冰箱	242310258	2025/3/25 4:40:00	5.0℃	正常	
6970	7-4 (2-1药)	冰箱	242310258	2025/3/25 4:45:00	4.4℃	正常	
6971	7-4 (2-1药)	冰箱	242310258	2025/3/25 4:50:00	4.9℃	正常	
6972	7-4 (2-1药)	冰箱	242310258	2025/3/25 4:55:00	4.7℃	正常	
6973	7-4 (2-1药)	冰箱	242310258	2025/3/25 5:00:00	4.6℃	正常	
6974	7-4 (2-1药)	冰箱	242310258	2025/3/25 5:05:00	5.0℃	正常	
6975	7-4 (2-1药)	冰箱	242310258	2025/3/25 5:10:00	4.4℃	正常	
6976	7-4 (2-1药)	冰箱	242310258	2025/3/25 5:15:00	4.8℃	正常	
6977	7-4 (2-1药)	冰箱	242310258	2025/3/25 5:20:00	4.8℃	正常	
6978	7-4 (2-1药)	冰箱	242310258	2025/3/25 5:25:00	4.5℃	正常	
6979	7-4 (2-1药)	冰箱	242310258	2025/3/25 5:30:00	5.0℃	正常	
6980	7-4 (2-1药)	冰箱	242310258	2025/3/25 5:35:00	4.5℃	正常	
6981	7-4 (2-1药)	冰箱	242310258	2025/3/25 5:40:00	4.8℃	正常	
6982	7-4 (2-1药)	冰箱	242310258	2025/3/25 5:45:00	4.9℃	正常	
6983	7-4 (2-1药)	冰箱	242310258	2025/3/25 5:50:00	4.5℃	正常	
6984	7-4 (2-1药)	冰箱	242310258	2025/3/25 5:55:00	4.9℃	正常	
6985	7-4 (2-1药)	冰箱	242310258	2025/3/25 6:00:00	4.7℃	正常	
6986	7-4 (2-1药)	冰箱	242310258	2025/3/25 6:05:00	4.6℃	正常	
6987	7-4 (2-1药)	冰箱	242310258	2025/3/25 6:10:00	5.0℃	正常	
6988	7-4 (2-1药)	冰箱	242310258	2025/3/25 6:15:00	4.4℃	正常	
6989	7-4 (2-1药)	冰箱	242310258	2025/3/25 6:20:00	4.8℃	正常	
6990	7-4 (2-1药)	冰箱	242310258	2025/3/25 6:25:00	4.8℃	正常	
6991	7-4 (2-1药)	冰箱	242310258	2025/3/25 6:30:00	4.5℃	正常	
6992	7-4 (2-1药)	冰箱	242310258	2025/3/25 6:35:00	5.0℃	正常	
6993	7-4 (2-1药)	冰箱	242310258	2025/3/25 6:40:00	4.5℃	正常	
6994	7-4 (2-1药)	冰箱	242310258	2025/3/25 6:45:00	4.7℃	正常	
6995	7-4 (2-1药)	冰箱	242310258	2025/3/25 6:50:00	4.9℃	正常	
6996	7-4 (2-1药)	冰箱	242310258	2025/3/25 6:55:00	4.5℃	正常	
6997	7-4 (2-1药)	冰箱	242310258	2025/3/25 7:00:00	4.9℃	正常	
6998	7-4 (2-1药)	冰箱	242310258	2025/3/25 7:05:00	4.7℃	正常	
6999	7-4 (2-1药)	冰箱	242310258	2025/3/25 7:10:00	4.7℃	正常	
7000	7-4 (2-1药)	冰箱	242310258	2025/3/25 7:15:00	5.0℃	正常	
7001	7-4 (2-1药)	冰箱	242310258	2025/3/25 7:20:00	4.4℃	正常	
7002	7-4 (2-1药)	冰箱	242310258	2025/3/25 7:25:00	4.9℃	正常	
7003	7-4 (2-1药)	冰箱	242310258	2025/3/25 7:30:00	4.7℃	正常	
7004	7-4 (2-1药)	冰箱	242310258	2025/3/25 7:35:00	4.5℃	正常	
7005	7-4 (2-1药)	冰箱	242310258	2025/3/25 7:40:00	5.0℃	正常	
7006	7-4 (2-1药)	冰箱	242310258	2025/3/25 7:45:00	4.5℃	正常	
7007	7-4 (2-1药)	冰箱	242310258	2025/3/25 7:50:00	4.8℃	正常	
7008	7-4 (2-1药)	冰箱	242310258	2025/3/25 7:55:00	4.9℃	正常	
7009	7-4 (2-1药)	冰箱	242310258	2025/3/25 8:00:00	4.5℃	正常	
7010	7-4 (2-1药)	冰箱	242310258	2025/3/25 8:05:00	4.9℃	正常	
7011	7-4 (2-1药)	冰箱	242310258	2025/3/25 8:10:00	4.5℃	正常	
7012	7-4 (2-1药)	冰箱	242310258	2025/3/25 8:15:00	4.7℃	正常	
7013	7-4 (2-1药)	冰箱	242310258	2025/3/25 8:20:00	4.9℃	正常	
7014	7-4 (2-1药)	冰箱	242310258	2025/3/25 8:25:00	4.4℃	正常	
7015	7-4 (2-1药)	冰箱	242310258	2025/3/25 8:30:00	4.8℃	正常	
7016	7-4 (2-1药)	冰箱	242310258	2025/3/25 8:35:00	4.8℃	正常	
7017	7-4 (2-1药)	冰箱	242310258	2025/3/25 8:40:00	4.5℃	正常	
7018	7-4 (2-1药)	冰箱	242310258	2025/3/25 8:45:00	5.0℃	正常	
7019	7-4 (2-1药)	冰箱	242310258	2025/3/25 8:50:00	4.6℃	正常	
7020	7-4 (2-1药)	冰箱	242310258	2025/3/25 8:55:00	4.7℃	正常	
7021	7-4 (2-1药)	冰箱	242310258	2025/3/25 9:00:00	4.9℃	正常	
7022	7-4 (2-1药)	冰箱	242310258	2025/3/25 9:05:00	4.4℃	正常	
7023	7-4 (2-1药)	冰箱	242310258	2025/3/25 9:10:00	4.9℃	正常	
7024	7-4 (2-1药)	冰箱	242310258	2025/3/25 9:15:00	4.7℃	正常	
7025	7-4 (2-1药)	冰箱	242310258	2025/3/25 9:20:00	4.6℃	正常	
7026	7-4 (2-1药)	冰箱	242310258	2025/3/25 9:25:00	5.0℃	正常	
7027	7-4 (2-1药)	冰箱	242310258	2025/3/25 9:30:00	4.5℃	正常	
7028	7-4 (2-1药)	冰箱	242310258	2025/3/25 9:35:00	4.8℃	正常	

7029	7-4 (2-1药)	冰箱	242310258	2025/3/25 9:40:00	4.8℃	正常	
7030	7-4 (2-1药)	冰箱	242310258	2025/3/25 9:45:00	4.5℃	正常	
7031	7-4 (2-1药)	冰箱	242310258	2025/3/25 9:50:00	5.0℃	正常	
7032	7-4 (2-1药)	冰箱	242310258	2025/3/25 9:55:00	4.6℃	正常	
7033	7-4 (2-1药)	冰箱	242310258	2025/3/25 10:00:00	4.7℃	正常	
7034	7-4 (2-1药)	冰箱	242310258	2025/3/25 10:05:00	5.0℃	正常	
7035	7-4 (2-1药)	冰箱	242310258	2025/3/25 10:10:00	4.4℃	正常	
7036	7-4 (2-1药)	冰箱	242310258	2025/3/25 10:15:00	4.9℃	正常	
7037	7-4 (2-1药)	冰箱	242310258	2025/3/25 10:20:00	4.7℃	正常	
7038	7-4 (2-1药)	冰箱	242310258	2025/3/25 10:25:00	4.6℃	正常	
7039	7-4 (2-1药)	冰箱	242310258	2025/3/25 10:30:00	5.0℃	正常	
7040	7-4 (2-1药)	冰箱	242310258	2025/3/25 10:35:00	4.5℃	正常	
7041	7-4 (2-1药)	冰箱	242310258	2025/3/25 10:40:00	4.8℃	正常	
7042	7-4 (2-1药)	冰箱	242310258	2025/3/25 10:45:00	4.9℃	正常	
7043	7-4 (2-1药)	冰箱	242310258	2025/3/25 10:50:00	4.5℃	正常	
7044	7-4 (2-1药)	冰箱	242310258	2025/3/25 10:55:00	5.0℃	正常	
7045	7-4 (2-1药)	冰箱	242310258	2025/3/25 11:00:00	4.6℃	正常	
7046	7-4 (2-1药)	冰箱	242310258	2025/3/25 11:05:00	4.7℃	正常	
7047	7-4 (2-1药)	冰箱	242310258	2025/3/25 11:10:00	5.0℃	正常	
7048	7-4 (2-1药)	冰箱	242310258	2025/3/25 11:15:00	4.5℃	正常	
7049	7-4 (2-1药)	冰箱	242310258	2025/3/25 11:20:00	4.9℃	正常	
7050	7-4 (2-1药)	冰箱	242310258	2025/3/25 11:25:00	4.7℃	正常	
7051	7-4 (2-1药)	冰箱	242310258	2025/3/25 11:30:00	4.6℃	正常	
7052	7-4 (2-1药)	冰箱	242310258	2025/3/25 11:35:00	5.0℃	正常	
7053	7-4 (2-1药)	冰箱	242310258	2025/3/25 11:40:00	4.5℃	正常	
7054	7-4 (2-1药)	冰箱	242310258	2025/3/25 11:45:00	4.8℃	正常	
7055	7-4 (2-1药)	冰箱	242310258	2025/3/25 11:50:00	4.9℃	正常	
7056	7-4 (2-1药)	冰箱	242310258	2025/3/25 11:55:00	4.5℃	正常	
7057	7-4 (2-1药)	冰箱	242310258	2025/3/25 12:00:00	5.0℃	正常	
7058	7-4 (2-1药)	冰箱	242310258	2025/3/25 12:05:00	4.6℃	正常	
7059	7-4 (2-1药)	冰箱	242310258	2025/3/25 12:10:00	4.7℃	正常	
7060	7-4 (2-1药)	冰箱	242310258	2025/3/25 12:15:00	4.9℃	正常	
7061	7-4 (2-1药)	冰箱	242310258	2025/3/25 12:20:00	4.4℃	正常	
7062	7-4 (2-1药)	冰箱	242310258	2025/3/25 12:25:00	4.9℃	正常	
7063	7-4 (2-1药)	冰箱	242310258	2025/3/25 12:30:00	4.8℃	正常	
7064	7-4 (2-1药)	冰箱	242310258	2025/3/25 12:35:00	4.6℃	正常	
7065	7-4 (2-1药)	冰箱	242310258	2025/3/25 12:40:00	5.0℃	正常	
7066	7-4 (2-1药)	冰箱	242310258	2025/3/25 12:45:00	4.5℃	正常	
7067	7-4 (2-1药)	冰箱	242310258	2025/3/25 12:50:00	4.8℃	正常	
7068	7-4 (2-1药)	冰箱	242310258	2025/3/25 12:55:00	4.9℃	正常	
7069	7-4 (2-1药)	冰箱	242310258	2025/3/25 13:00:00	4.5℃	正常	
7070	7-4 (2-1药)	冰箱	242310258	2025/3/25 13:05:00	4.9℃	正常	
7071	7-4 (2-1药)	冰箱	242310258	2025/3/25 13:10:00	4.7℃	正常	
7072	7-4 (2-1药)	冰箱	242310258	2025/3/25 13:15:00	4.7℃	正常	
7073	7-4 (2-1药)	冰箱	242310258	2025/3/25 13:20:00	5.0℃	正常	
7074	7-4 (2-1药)	冰箱	242310258	2025/3/25 13:25:00	4.4℃	正常	
7075	7-4 (2-1药)	冰箱	242310258	2025/3/25 13:30:00	5.3℃	正常	
7076	7-4 (2-1药)	冰箱	242310258	2025/3/25 13:35:00	4.6℃	正常	
7077	7-4 (2-1药)	冰箱	242310258	2025/3/25 13:40:00	5.1℃	正常	
7078	7-4 (2-1药)	冰箱	242310258	2025/3/25 13:45:00	4.5℃	正常	
7079	7-4 (2-1药)	冰箱	242310258	2025/3/25 13:50:00	4.8℃	正常	
7080	7-4 (2-1药)	冰箱	242310258	2025/3/25 13:55:00	4.9℃	正常	
7081	7-4 (2-1药)	冰箱	242310258	2025/3/25 14:00:00	4.5℃	正常	
7082	7-4 (2-1药)	冰箱	242310258	2025/3/25 14:05:00	4.9℃	正常	
7083	7-4 (2-1药)	冰箱	242310258	2025/3/25 14:10:00	4.6℃	正常	
7084	7-4 (2-1药)	冰箱	242310258	2025/3/25 14:15:00	4.6℃	正常	
7085	7-4 (2-1药)	冰箱	242310258	2025/3/25 14:20:00	5.0℃	正常	
7086	7-4 (2-1药)	冰箱	242310258	2025/3/25 14:25:00	4.4℃	正常	
7087	7-4 (2-1药)	冰箱	242310258	2025/3/25 14:30:00	4.9℃	正常	
7088	7-4 (2-1药)	冰箱	242310258	2025/3/25 14:35:00	4.7℃	正常	
7089	7-4 (2-1药)	冰箱	242310258	2025/3/25 14:40:00	4.5℃	正常	
7090	7-4 (2-1药)	冰箱	242310258	2025/3/25 14:45:00	5.0℃	正常	
7091	7-4 (2-1药)	冰箱	242310258	2025/3/25 14:50:00	4.5℃	正常	
7092	7-4 (2-1药)	冰箱	242310258	2025/3/25 14:55:00	4.8℃	正常	

7093	7-4 (2-1药)	冰箱	242310258	2025/3/25 15:00:00	4.9℃	正常	
7094	7-4 (2-1药)	冰箱	242310258	2025/3/25 15:05:00	4.5℃	正常	
7095	7-4 (2-1药)	冰箱	242310258	2025/3/25 15:10:00	4.9℃	正常	
7096	7-4 (2-1药)	冰箱	242310258	2025/3/25 15:15:00	4.7℃	正常	
7097	7-4 (2-1药)	冰箱	242310258	2025/3/25 15:20:00	4.7℃	正常	
7098	7-4 (2-1药)	冰箱	242310258	2025/3/25 15:25:00	5.0℃	正常	
7099	7-4 (2-1药)	冰箱	242310258	2025/3/25 15:30:00	4.4℃	正常	
7100	7-4 (2-1药)	冰箱	242310258	2025/3/25 15:35:00	4.8℃	正常	
7101	7-4 (2-1药)	冰箱	242310258	2025/3/25 15:40:00	4.8℃	正常	
7102	7-4 (2-1药)	冰箱	242310258	2025/3/25 15:45:00	4.5℃	正常	
7103	7-4 (2-1药)	冰箱	242310258	2025/3/25 15:50:00	5.0℃	正常	
7104	7-4 (2-1药)	冰箱	242310258	2025/3/25 15:55:00	4.5℃	正常	
7105	7-4 (2-1药)	冰箱	242310258	2025/3/25 16:00:00	4.8℃	正常	
7106	7-4 (2-1药)	冰箱	242310258	2025/3/25 16:05:00	4.9℃	正常	
7107	7-4 (2-1药)	冰箱	242310258	2025/3/25 16:10:00	4.5℃	正常	
7108	7-4 (2-1药)	冰箱	242310258	2025/3/25 16:15:00	5.0℃	正常	
7109	7-4 (2-1药)	冰箱	242310258	2025/3/25 16:20:00	4.5℃	正常	
7110	7-4 (2-1药)	冰箱	242310258	2025/3/25 16:25:00	4.7℃	正常	
7111	7-4 (2-1药)	冰箱	242310258	2025/3/25 16:30:00	4.9℃	正常	
7112	7-4 (2-1药)	冰箱	242310258	2025/3/25 16:35:00	4.4℃	正常	
7113	7-4 (2-1药)	冰箱	242310258	2025/3/25 16:40:00	4.9℃	正常	
7114	7-4 (2-1药)	冰箱	242310258	2025/3/25 16:45:00	4.7℃	正常	
7115	7-4 (2-1药)	冰箱	242310258	2025/3/25 16:50:00	4.6℃	正常	
7116	7-4 (2-1药)	冰箱	242310258	2025/3/25 16:55:00	5.0℃	正常	
7117	7-4 (2-1药)	冰箱	242310258	2025/3/25 17:00:00	4.5℃	正常	
7118	7-4 (2-1药)	冰箱	242310258	2025/3/25 17:05:00	4.9℃	正常	
7119	7-4 (2-1药)	冰箱	242310258	2025/3/25 17:10:00	4.9℃	正常	
7120	7-4 (2-1药)	冰箱	242310258	2025/3/25 17:15:00	4.5℃	正常	
7121	7-4 (2-1药)	冰箱	242310258	2025/3/25 17:20:00	5.0℃	正常	
7122	7-4 (2-1药)	冰箱	242310258	2025/3/25 17:25:00	4.5℃	正常	
7123	7-4 (2-1药)	冰箱	242310258	2025/3/25 17:30:00	4.7℃	正常	
7124	7-4 (2-1药)	冰箱	242310258	2025/3/25 17:35:00	4.9℃	正常	
7125	7-4 (2-1药)	冰箱	242310258	2025/3/25 17:40:00	4.5℃	正常	
7126	7-4 (2-1药)	冰箱	242310258	2025/3/25 17:45:00	4.9℃	正常	
7127	7-4 (2-1药)	冰箱	242310258	2025/3/25 17:50:00	4.6℃	正常	
7128	7-4 (2-1药)	冰箱	242310258	2025/3/25 17:55:00	4.7℃	正常	
7129	7-4 (2-1药)	冰箱	242310258	2025/3/25 18:00:00	5.0℃	正常	
7130	7-4 (2-1药)	冰箱	242310258	2025/3/25 18:05:00	4.4℃	正常	
7131	7-4 (2-1药)	冰箱	242310258	2025/3/25 18:10:00	4.9℃	正常	
7132	7-4 (2-1药)	冰箱	242310258	2025/3/25 18:15:00	4.8℃	正常	
7133	7-4 (2-1药)	冰箱	242310258	2025/3/25 18:20:00	4.5℃	正常	
7134	7-4 (2-1药)	冰箱	242310258	2025/3/25 18:25:00	5.0℃	正常	
7135	7-4 (2-1药)	冰箱	242310258	2025/3/25 18:30:00	4.5℃	正常	
7136	7-4 (2-1药)	冰箱	242310258	2025/3/25 18:35:00	4.8℃	正常	
7137	7-4 (2-1药)	冰箱	242310258	2025/3/25 18:40:00	4.9℃	正常	
7138	7-4 (2-1药)	冰箱	242310258	2025/3/25 18:45:00	4.4℃	正常	
7139	7-4 (2-1药)	冰箱	242310258	2025/3/25 18:50:00	4.9℃	正常	
7140	7-4 (2-1药)	冰箱	242310258	2025/3/25 18:55:00	4.6℃	正常	
7141	7-4 (2-1药)	冰箱	242310258	2025/3/25 19:00:00	4.7℃	正常	
7142	7-4 (2-1药)	冰箱	242310258	2025/3/25 19:05:00	5.0℃	正常	
7143	7-4 (2-1药)	冰箱	242310258	2025/3/25 19:10:00	4.5℃	正常	
7144	7-4 (2-1药)	冰箱	242310258	2025/3/25 19:15:00	4.9℃	正常	
7145	7-4 (2-1药)	冰箱	242310258	2025/3/25 19:20:00	4.8℃	正常	
7146	7-4 (2-1药)	冰箱	242310258	2025/3/25 19:25:00	4.5℃	正常	
7147	7-4 (2-1药)	冰箱	242310258	2025/3/25 19:30:00	5.0℃	正常	
7148	7-4 (2-1药)	冰箱	242310258	2025/3/25 19:35:00	4.5℃	正常	
7149	7-4 (2-1药)	冰箱	242310258	2025/3/25 19:40:00	4.8℃	正常	
7150	7-4 (2-1药)	冰箱	242310258	2025/3/25 19:45:00	4.9℃	正常	
7151	7-4 (2-1药)	冰箱	242310258	2025/3/25 19:50:00	4.4℃	正常	
7152	7-4 (2-1药)	冰箱	242310258	2025/3/25 19:55:00	4.9℃	正常	
7153	7-4 (2-1药)	冰箱	242310258	2025/3/25 20:00:00	4.6℃	正常	
7154	7-4 (2-1药)	冰箱	242310258	2025/3/25 20:05:00	4.7℃	正常	
7155	7-4 (2-1药)	冰箱	242310258	2025/3/25 20:10:00	5.0℃	正常	
7156	7-4 (2-1药)	冰箱	242310258	2025/3/25 20:15:00	4.5℃	正常	

7157	7-4 (2-1药)	冰箱	242310258	2025/3/25 20:20:00	4.9℃	正常	
7158	7-4 (2-1药)	冰箱	242310258	2025/3/25 20:25:00	4.7℃	正常	
7159	7-4 (2-1药)	冰箱	242310258	2025/3/25 20:30:00	4.6℃	正常	
7160	7-4 (2-1药)	冰箱	242310258	2025/3/25 20:35:00	5.0℃	正常	
7161	7-4 (2-1药)	冰箱	242310258	2025/3/25 20:40:00	4.5℃	正常	
7162	7-4 (2-1药)	冰箱	242310258	2025/3/25 20:45:00	4.8℃	正常	
7163	7-4 (2-1药)	冰箱	242310258	2025/3/25 20:50:00	4.9℃	正常	
7164	7-4 (2-1药)	冰箱	242310258	2025/3/25 20:55:00	4.5℃	正常	
7165	7-4 (2-1药)	冰箱	242310258	2025/3/25 21:00:00	4.9℃	正常	
7166	7-4 (2-1药)	冰箱	242310258	2025/3/25 21:05:00	4.6℃	正常	
7167	7-4 (2-1药)	冰箱	242310258	2025/3/25 21:10:00	4.8℃	正常	
7168	7-4 (2-1药)	冰箱	242310258	2025/3/25 21:15:00	4.9℃	正常	
7169	7-4 (2-1药)	冰箱	242310258	2025/3/25 21:20:00	4.5℃	正常	
7170	7-4 (2-1药)	冰箱	242310258	2025/3/25 21:25:00	4.9℃	正常	
7171	7-4 (2-1药)	冰箱	242310258	2025/3/25 21:30:00	4.6℃	正常	
7172	7-4 (2-1药)	冰箱	242310258	2025/3/25 21:35:00	4.7℃	正常	
7173	7-4 (2-1药)	冰箱	242310258	2025/3/25 21:40:00	4.9℃	正常	
7174	7-4 (2-1药)	冰箱	242310258	2025/3/25 21:45:00	4.4℃	正常	
7175	7-4 (2-1药)	冰箱	242310258	2025/3/25 21:50:00	4.9℃	正常	
7176	7-4 (2-1药)	冰箱	242310258	2025/3/25 21:55:00	4.8℃	正常	
7177	7-4 (2-1药)	冰箱	242310258	2025/3/25 22:00:00	4.6℃	正常	
7178	7-4 (2-1药)	冰箱	242310258	2025/3/25 22:05:00	5.0℃	正常	
7179	7-4 (2-1药)	冰箱	242310258	2025/3/25 22:10:00	4.5℃	正常	
7180	7-4 (2-1药)	冰箱	242310258	2025/3/25 22:15:00	4.8℃	正常	
7181	7-4 (2-1药)	冰箱	242310258	2025/3/25 22:20:00	4.9℃	正常	
7182	7-4 (2-1药)	冰箱	242310258	2025/3/25 22:25:00	4.5℃	正常	
7183	7-4 (2-1药)	冰箱	242310258	2025/3/25 22:30:00	4.9℃	正常	
7184	7-4 (2-1药)	冰箱	242310258	2025/3/25 22:35:00	4.6℃	正常	
7185	7-4 (2-1药)	冰箱	242310258	2025/3/25 22:40:00	4.7℃	正常	
7186	7-4 (2-1药)	冰箱	242310258	2025/3/25 22:45:00	5.0℃	正常	
7187	7-4 (2-1药)	冰箱	242310258	2025/3/25 22:50:00	4.5℃	正常	
7188	7-4 (2-1药)	冰箱	242310258	2025/3/25 22:55:00	4.9℃	正常	
7189	7-4 (2-1药)	冰箱	242310258	2025/3/25 23:00:00	4.7℃	正常	
7190	7-4 (2-1药)	冰箱	242310258	2025/3/25 23:05:00	4.6℃	正常	
7191	7-4 (2-1药)	冰箱	242310258	2025/3/25 23:10:00	5.0℃	正常	
7192	7-4 (2-1药)	冰箱	242310258	2025/3/25 23:15:00	4.5℃	正常	
7193	7-4 (2-1药)	冰箱	242310258	2025/3/25 23:20:00	4.8℃	正常	
7194	7-4 (2-1药)	冰箱	242310258	2025/3/25 23:25:00	4.9℃	正常	
7195	7-4 (2-1药)	冰箱	242310258	2025/3/25 23:30:00	4.5℃	正常	
7196	7-4 (2-1药)	冰箱	242310258	2025/3/25 23:35:00	5.0℃	正常	
7197	7-4 (2-1药)	冰箱	242310258	2025/3/25 23:40:00	4.6℃	正常	
7198	7-4 (2-1药)	冰箱	242310258	2025/3/25 23:45:00	4.7℃	正常	
7199	7-4 (2-1药)	冰箱	242310258	2025/3/25 23:50:00	5.0℃	正常	
7200	7-4 (2-1药)	冰箱	242310258	2025/3/25 23:55:00	4.5℃	正常	
7201	7-4 (2-1药)	冰箱	242310258	2025/3/26 0:00:00	4.9℃	正常	
7202	7-4 (2-1药)	冰箱	242310258	2025/3/26 0:05:00	4.7℃	正常	
7203	7-4 (2-1药)	冰箱	242310258	2025/3/26 0:10:00	4.6℃	正常	
7204	7-4 (2-1药)	冰箱	242310258	2025/3/26 0:15:00	5.0℃	正常	
7205	7-4 (2-1药)	冰箱	242310258	2025/3/26 0:20:00	4.4℃	正常	
7206	7-4 (2-1药)	冰箱	242310258	2025/3/26 0:25:00	4.9℃	正常	
7207	7-4 (2-1药)	冰箱	242310258	2025/3/26 0:30:00	4.7℃	正常	
7208	7-4 (2-1药)	冰箱	242310258	2025/3/26 0:35:00	5.1℃	正常	
7209	7-4 (2-1药)	冰箱	242310258	2025/3/26 0:40:00	4.8℃	正常	
7210	7-4 (2-1药)	冰箱	242310258	2025/3/26 0:45:00	4.7℃	正常	
7211	7-4 (2-1药)	冰箱	242310258	2025/3/26 0:50:00	5.0℃	正常	
7212	7-4 (2-1药)	冰箱	242310258	2025/3/26 0:55:00	4.5℃	正常	
7213	7-4 (2-1药)	冰箱	242310258	2025/3/26 1:00:00	4.8℃	正常	
7214	7-4 (2-1药)	冰箱	242310258	2025/3/26 1:05:00	4.8℃	正常	
7215	7-4 (2-1药)	冰箱	242310258	2025/3/26 1:10:00	4.6℃	正常	
7216	7-4 (2-1药)	冰箱	242310258	2025/3/26 1:15:00	5.0℃	正常	
7217	7-4 (2-1药)	冰箱	242310258	2025/3/26 1:20:00	4.6℃	正常	
7218	7-4 (2-1药)	冰箱	242310258	2025/3/26 1:25:00	4.7℃	正常	
7219	7-4 (2-1药)	冰箱	242310258	2025/3/26 1:30:00	4.9℃	正常	
7220	7-4 (2-1药)	冰箱	242310258	2025/3/26 1:35:00	4.4℃	正常	

7221	7-4 (2-1药)	冰箱	242310258	2025/3/26 1:40:00	5.0℃	正常	
7222	7-4 (2-1药)	冰箱	242310258	2025/3/26 1:45:00	4.6℃	正常	
7223	7-4 (2-1药)	冰箱	242310258	2025/3/26 1:50:00	4.7℃	正常	
7224	7-4 (2-1药)	冰箱	242310258	2025/3/26 1:55:00	5.0℃	正常	
7225	7-4 (2-1药)	冰箱	242310258	2025/3/26 2:00:00	4.4℃	正常	
7226	7-4 (2-1药)	冰箱	242310258	2025/3/26 2:05:00	4.9℃	正常	
7227	7-4 (2-1药)	冰箱	242310258	2025/3/26 2:10:00	4.6℃	正常	
7228	7-4 (2-1药)	冰箱	242310258	2025/3/26 2:15:00	4.7℃	正常	
7229	7-4 (2-1药)	冰箱	242310258	2025/3/26 2:20:00	5.0℃	正常	
7230	7-4 (2-1药)	冰箱	242310258	2025/3/26 2:25:00	4.4℃	正常	
7231	7-4 (2-1药)	冰箱	242310258	2025/3/26 2:30:00	4.9℃	正常	
7232	7-4 (2-1药)	冰箱	242310258	2025/3/26 2:35:00	4.8℃	正常	
7233	7-4 (2-1药)	冰箱	242310258	2025/3/26 2:40:00	4.6℃	正常	
7234	7-4 (2-1药)	冰箱	242310258	2025/3/26 2:45:00	5.0℃	正常	
7235	7-4 (2-1药)	冰箱	242310258	2025/3/26 2:50:00	4.5℃	正常	
7236	7-4 (2-1药)	冰箱	242310258	2025/3/26 2:55:00	4.8℃	正常	
7237	7-4 (2-1药)	冰箱	242310258	2025/3/26 3:00:00	4.9℃	正常	
7238	7-4 (2-1药)	冰箱	242310258	2025/3/26 3:05:00	4.5℃	正常	
7239	7-4 (2-1药)	冰箱	242310258	2025/3/26 3:10:00	5.0℃	正常	
7240	7-4 (2-1药)	冰箱	242310258	2025/3/26 3:15:00	4.6℃	正常	
7241	7-4 (2-1药)	冰箱	242310258	2025/3/26 3:20:00	4.7℃	正常	
7242	7-4 (2-1药)	冰箱	242310258	2025/3/26 3:25:00	5.0℃	正常	
7243	7-4 (2-1药)	冰箱	242310258	2025/3/26 3:30:00	4.5℃	正常	
7244	7-4 (2-1药)	冰箱	242310258	2025/3/26 3:35:00	4.9℃	正常	
7245	7-4 (2-1药)	冰箱	242310258	2025/3/26 3:40:00	4.6℃	正常	
7246	7-4 (2-1药)	冰箱	242310258	2025/3/26 3:45:00	4.7℃	正常	
7247	7-4 (2-1药)	冰箱	242310258	2025/3/26 3:50:00	5.0℃	正常	
7248	7-4 (2-1药)	冰箱	242310258	2025/3/26 3:55:00	4.4℃	正常	
7249	7-4 (2-1药)	冰箱	242310258	2025/3/26 4:00:00	4.9℃	正常	
7250	7-4 (2-1药)	冰箱	242310258	2025/3/26 4:05:00	4.7℃	正常	
7251	7-4 (2-1药)	冰箱	242310258	2025/3/26 4:10:00	4.6℃	正常	
7252	7-4 (2-1药)	冰箱	242310258	2025/3/26 4:15:00	5.0℃	正常	
7253	7-4 (2-1药)	冰箱	242310258	2025/3/26 4:20:00	4.5℃	正常	
7254	7-4 (2-1药)	冰箱	242310258	2025/3/26 4:25:00	4.8℃	正常	
7255	7-4 (2-1药)	冰箱	242310258	2025/3/26 4:30:00	4.8℃	正常	
7256	7-4 (2-1药)	冰箱	242310258	2025/3/26 4:35:00	4.5℃	正常	
7257	7-4 (2-1药)	冰箱	242310258	2025/3/26 4:40:00	5.0℃	正常	
7258	7-4 (2-1药)	冰箱	242310258	2025/3/26 4:45:00	4.6℃	正常	
7259	7-4 (2-1药)	冰箱	242310258	2025/3/26 4:50:00	4.7℃	正常	
7260	7-4 (2-1药)	冰箱	242310258	2025/3/26 4:55:00	5.0℃	正常	
7261	7-4 (2-1药)	冰箱	242310258	2025/3/26 5:00:00	4.5℃	正常	
7262	7-4 (2-1药)	冰箱	242310258	2025/3/26 5:05:00	4.9℃	正常	
7263	7-4 (2-1药)	冰箱	242310258	2025/3/26 5:10:00	4.7℃	正常	
7264	7-4 (2-1药)	冰箱	242310258	2025/3/26 5:15:00	4.6℃	正常	
7265	7-4 (2-1药)	冰箱	242310258	2025/3/26 5:20:00	5.0℃	正常	
7266	7-4 (2-1药)	冰箱	242310258	2025/3/26 5:25:00	4.5℃	正常	
7267	7-4 (2-1药)	冰箱	242310258	2025/3/26 5:30:00	4.8℃	正常	
7268	7-4 (2-1药)	冰箱	242310258	2025/3/26 5:35:00	4.8℃	正常	
7269	7-4 (2-1药)	冰箱	242310258	2025/3/26 5:40:00	4.5℃	正常	
7270	7-4 (2-1药)	冰箱	242310258	2025/3/26 5:45:00	5.0℃	正常	
7271	7-4 (2-1药)	冰箱	242310258	2025/3/26 5:50:00	4.5℃	正常	
7272	7-4 (2-1药)	冰箱	242310258	2025/3/26 5:55:00	4.8℃	正常	
7273	7-4 (2-1药)	冰箱	242310258	2025/3/26 6:00:00	4.9℃	正常	
7274	7-4 (2-1药)	冰箱	242310258	2025/3/26 6:05:00	4.5℃	正常	
7275	7-4 (2-1药)	冰箱	242310258	2025/3/26 6:10:00	4.9℃	正常	
7276	7-4 (2-1药)	冰箱	242310258	2025/3/26 6:15:00	4.5℃	正常	
7277	7-4 (2-1药)	冰箱	242310258	2025/3/26 6:20:00	4.7℃	正常	
7278	7-4 (2-1药)	冰箱	242310258	2025/3/26 6:25:00	4.9℃	正常	
7279	7-4 (2-1药)	冰箱	242310258	2025/3/26 6:30:00	4.4℃	正常	
7280	7-4 (2-1药)	冰箱	242310258	2025/3/26 6:35:00	4.9℃	正常	
7281	7-4 (2-1药)	冰箱	242310258	2025/3/26 6:40:00	4.6℃	正常	
7282	7-4 (2-1药)	冰箱	242310258	2025/3/26 6:45:00	4.7℃	正常	
7283	7-4 (2-1药)	冰箱	242310258	2025/3/26 6:50:00	5.0℃	正常	
7284	7-4 (2-1药)	冰箱	242310258	2025/3/26 6:55:00	4.4℃	正常	

7285	7-4 (2-1药)	冰箱	242310258	2025/3/26 7:00:00	4.9℃	正常	
7286	7-4 (2-1药)	冰箱	242310258	2025/3/26 7:05:00	4.7℃	正常	
7287	7-4 (2-1药)	冰箱	242310258	2025/3/26 7:10:00	4.6℃	正常	
7288	7-4 (2-1药)	冰箱	242310258	2025/3/26 7:15:00	5.0℃	正常	
7289	7-4 (2-1药)	冰箱	242310258	2025/3/26 7:20:00	4.5℃	正常	
7290	7-4 (2-1药)	冰箱	242310258	2025/3/26 7:25:00	4.8℃	正常	
7291	7-4 (2-1药)	冰箱	242310258	2025/3/26 7:30:00	4.8℃	正常	
7292	7-4 (2-1药)	冰箱	242310258	2025/3/26 7:35:00	4.5℃	正常	
7293	7-4 (2-1药)	冰箱	242310258	2025/3/26 7:40:00	5.0℃	正常	
7294	7-4 (2-1药)	冰箱	242310258	2025/3/26 7:45:00	4.5℃	正常	
7295	7-4 (2-1药)	冰箱	242310258	2025/3/26 7:50:00	4.8℃	正常	
7296	7-4 (2-1药)	冰箱	242310258	2025/3/26 7:55:00	4.9℃	正常	
7297	7-4 (2-1药)	冰箱	242310258	2025/3/26 8:00:00	4.5℃	正常	
7298	7-4 (2-1药)	冰箱	242310258	2025/3/26 8:05:00	5.0℃	正常	
7299	7-4 (2-1药)	冰箱	242310258	2025/3/26 8:10:00	4.5℃	正常	
7300	7-4 (2-1药)	冰箱	242310258	2025/3/26 8:15:00	4.8℃	正常	
7301	7-4 (2-1药)	冰箱	242310258	2025/3/26 8:20:00	4.9℃	正常	
7302	7-4 (2-1药)	冰箱	242310258	2025/3/26 8:25:00	4.5℃	正常	
7303	7-4 (2-1药)	冰箱	242310258	2025/3/26 8:30:00	4.9℃	正常	
7304	7-4 (2-1药)	冰箱	242310258	2025/3/26 8:35:00	4.6℃	正常	
7305	7-4 (2-1药)	冰箱	242310258	2025/3/26 8:40:00	4.7℃	正常	
7306	7-4 (2-1药)	冰箱	242310258	2025/3/26 8:45:00	5.0℃	正常	
7307	7-4 (2-1药)	冰箱	242310258	2025/3/26 8:50:00	4.5℃	正常	
7308	7-4 (2-1药)	冰箱	242310258	2025/3/26 8:55:00	4.9℃	正常	
7309	7-4 (2-1药)	冰箱	242310258	2025/3/26 9:00:00	4.7℃	正常	
7310	7-4 (2-1药)	冰箱	242310258	2025/3/26 9:05:00	4.6℃	正常	
7311	7-4 (2-1药)	冰箱	242310258	2025/3/26 9:10:00	5.0℃	正常	
7312	7-4 (2-1药)	冰箱	242310258	2025/3/26 9:15:00	4.5℃	正常	
7313	7-4 (2-1药)	冰箱	242310258	2025/3/26 9:20:00	4.9℃	正常	
7314	7-4 (2-1药)	冰箱	242310258	2025/3/26 9:25:00	4.8℃	正常	
7315	7-4 (2-1药)	冰箱	242310258	2025/3/26 9:30:00	4.6℃	正常	
7316	7-4 (2-1药)	冰箱	242310258	2025/3/26 9:35:00	5.0℃	正常	
7317	7-4 (2-1药)	冰箱	242310258	2025/3/26 9:40:00	4.5℃	正常	
7318	7-4 (2-1药)	冰箱	242310258	2025/3/26 9:45:00	4.9℃	正常	
7319	7-4 (2-1药)	冰箱	242310258	2025/3/26 9:50:00	5.8℃	正常	
7320	7-4 (2-1药)	冰箱	242310258	2025/3/26 9:55:00	5.7℃	正常	
7321	7-4 (2-1药)	冰箱	242310258	2025/3/26 10:00:00	4.7℃	正常	
7322	7-4 (2-1药)	冰箱	242310258	2025/3/26 10:05:00	4.8℃	正常	
7323	7-4 (2-1药)	冰箱	242310258	2025/3/26 10:10:00	4.8℃	正常	
7324	7-4 (2-1药)	冰箱	242310258	2025/3/26 10:15:00	4.4℃	正常	
7325	7-4 (2-1药)	冰箱	242310258	2025/3/26 10:20:00	4.9℃	正常	
7326	7-4 (2-1药)	冰箱	242310258	2025/3/26 10:25:00	4.3℃	正常	
7327	7-4 (2-1药)	冰箱	242310258	2025/3/26 10:30:00	4.7℃	正常	
7328	7-4 (2-1药)	冰箱	242310258	2025/3/26 10:35:00	4.7℃	正常	
7329	7-4 (2-1药)	冰箱	242310258	2025/3/26 10:40:00	4.4℃	正常	
7330	7-4 (2-1药)	冰箱	242310258	2025/3/26 10:45:00	4.8℃	正常	
7331	7-4 (2-1药)	冰箱	242310258	2025/3/26 10:50:00	4.4℃	正常	
7332	7-4 (2-1药)	冰箱	242310258	2025/3/26 10:55:00	4.6℃	正常	
7333	7-4 (2-1药)	冰箱	242310258	2025/3/26 11:00:00	4.8℃	正常	
7334	7-4 (2-1药)	冰箱	242310258	2025/3/26 11:05:00	4.3℃	正常	
7335	7-4 (2-1药)	冰箱	242310258	2025/3/26 11:10:00	4.8℃	正常	
7336	7-4 (2-1药)	冰箱	242310258	2025/3/26 11:15:00	4.5℃	正常	
7337	7-4 (2-1药)	冰箱	242310258	2025/3/26 11:20:00	4.6℃	正常	
7338	7-4 (2-1药)	冰箱	242310258	2025/3/26 11:25:00	5.0℃	正常	
7339	7-4 (2-1药)	冰箱	242310258	2025/3/26 11:30:00	4.9℃	正常	
7340	7-4 (2-1药)	冰箱	242310258	2025/3/26 11:35:00	4.8℃	正常	
7341	7-4 (2-1药)	冰箱	242310258	2025/3/26 11:40:00	4.4℃	正常	
7342	7-4 (2-1药)	冰箱	242310258	2025/3/26 11:45:00	4.9℃	正常	
7343	7-4 (2-1药)	冰箱	242310258	2025/3/26 11:50:00	4.4℃	正常	
7344	7-4 (2-1药)	冰箱	242310258	2025/3/26 11:55:00	4.6℃	正常	
7345	7-4 (2-1药)	冰箱	242310258	2025/3/26 12:00:00	4.8℃	正常	
7346	7-4 (2-1药)	冰箱	242310258	2025/3/26 12:05:00	4.4℃	正常	
7347	7-4 (2-1药)	冰箱	242310258	2025/3/26 12:10:00	4.9℃	正常	
7348	7-4 (2-1药)	冰箱	242310258	2025/3/26 12:15:00	4.4℃	正常	

7349	7-4 (2-1药)	冰箱	242310258	2025/3/26 12:20:00	4.6℃	正常	
7350	7-4 (2-1药)	冰箱	242310258	2025/3/26 12:25:00	4.8℃	正常	
7351	7-4 (2-1药)	冰箱	242310258	2025/3/26 12:30:00	4.3℃	正常	
7352	7-4 (2-1药)	冰箱	242310258	2025/3/26 12:35:00	4.8℃	正常	
7353	7-4 (2-1药)	冰箱	242310258	2025/3/26 12:40:00	4.5℃	正常	
7354	7-4 (2-1药)	冰箱	242310258	2025/3/26 12:45:00	4.5℃	正常	
7355	7-4 (2-1药)	冰箱	242310258	2025/3/26 12:50:00	4.8℃	正常	
7356	7-4 (2-1药)	冰箱	242310258	2025/3/26 12:55:00	4.3℃	正常	
7357	7-4 (2-1药)	冰箱	242310258	2025/3/26 13:00:00	4.8℃	正常	
7358	7-4 (2-1药)	冰箱	242310258	2025/3/26 13:05:00	4.6℃	正常	
7359	7-4 (2-1药)	冰箱	242310258	2025/3/26 13:10:00	4.5℃	正常	
7360	7-4 (2-1药)	冰箱	242310258	2025/3/26 13:15:00	4.9℃	正常	
7361	7-4 (2-1药)	冰箱	242310258	2025/3/26 13:20:00	4.3℃	正常	
7362	7-4 (2-1药)	冰箱	242310258	2025/3/26 13:25:00	4.7℃	正常	
7363	7-4 (2-1药)	冰箱	242310258	2025/3/26 13:30:00	4.6℃	正常	
7364	7-4 (2-1药)	冰箱	242310258	2025/3/26 13:35:00	4.4℃	正常	
7365	7-4 (2-1药)	冰箱	242310258	2025/3/26 13:40:00	4.9℃	正常	
7366	7-4 (2-1药)	冰箱	242310258	2025/3/26 13:45:00	4.3℃	正常	
7367	7-4 (2-1药)	冰箱	242310258	2025/3/26 13:50:00	4.7℃	正常	
7368	7-4 (2-1药)	冰箱	242310258	2025/3/26 13:55:00	4.7℃	正常	
7369	7-4 (2-1药)	冰箱	242310258	2025/3/26 14:00:00	4.4℃	正常	
7370	7-4 (2-1药)	冰箱	242310258	2025/3/26 14:05:00	4.8℃	正常	
7371	7-4 (2-1药)	冰箱	242310258	2025/3/26 14:10:00	4.4℃	正常	
7372	7-4 (2-1药)	冰箱	242310258	2025/3/26 14:15:00	4.5℃	正常	
7373	7-4 (2-1药)	冰箱	242310258	2025/3/26 14:20:00	4.8℃	正常	
7374	7-4 (2-1药)	冰箱	242310258	2025/3/26 14:25:00	4.3℃	正常	
7375	7-4 (2-1药)	冰箱	242310258	2025/3/26 14:30:00	4.8℃	正常	
7376	7-4 (2-1药)	冰箱	242310258	2025/3/26 14:35:00	4.5℃	正常	
7377	7-4 (2-1药)	冰箱	242310258	2025/3/26 14:40:00	4.5℃	正常	
7378	7-4 (2-1药)	冰箱	242310258	2025/3/26 14:45:00	4.8℃	正常	
7379	7-4 (2-1药)	冰箱	242310258	2025/3/26 14:50:00	4.3℃	正常	
7380	7-4 (2-1药)	冰箱	242310258	2025/3/26 14:55:00	4.8℃	正常	
7381	7-4 (2-1药)	冰箱	242310258	2025/3/26 15:00:00	4.5℃	正常	
7382	7-4 (2-1药)	冰箱	242310258	2025/3/26 15:05:00	4.5℃	正常	
7383	7-4 (2-1药)	冰箱	242310258	2025/3/26 15:10:00	4.9℃	正常	
7384	7-4 (2-1药)	冰箱	242310258	2025/3/26 15:15:00	4.3℃	正常	
7385	7-4 (2-1药)	冰箱	242310258	2025/3/26 15:20:00	4.7℃	正常	
7386	7-4 (2-1药)	冰箱	242310258	2025/3/26 15:25:00	4.6℃	正常	
7387	7-4 (2-1药)	冰箱	242310258	2025/3/26 15:30:00	4.4℃	正常	
7388	7-4 (2-1药)	冰箱	242310258	2025/3/26 15:35:00	4.8℃	正常	
7389	7-4 (2-1药)	冰箱	242310258	2025/3/26 15:40:00	4.4℃	正常	
7390	7-4 (2-1药)	冰箱	242310258	2025/3/26 15:45:00	4.6℃	正常	
7391	7-4 (2-1药)	冰箱	242310258	2025/3/26 15:50:00	4.7℃	正常	
7392	7-4 (2-1药)	冰箱	242310258	2025/3/26 15:55:00	4.4℃	正常	
7393	7-4 (2-1药)	冰箱	242310258	2025/3/26 16:00:00	4.8℃	正常	
7394	7-4 (2-1药)	冰箱	242310258	2025/3/26 16:05:00	4.4℃	正常	
7395	7-4 (2-1药)	冰箱	242310258	2025/3/26 16:10:00	4.6℃	正常	
7396	7-4 (2-1药)	冰箱	242310258	2025/3/26 16:15:00	4.8℃	正常	
7397	7-4 (2-1药)	冰箱	242310258	2025/3/26 16:20:00	4.3℃	正常	
7398	7-4 (2-1药)	冰箱	242310258	2025/3/26 16:25:00	4.8℃	正常	
7399	7-4 (2-1药)	冰箱	242310258	2025/3/26 16:30:00	4.4℃	正常	
7400	7-4 (2-1药)	冰箱	242310258	2025/3/26 16:35:00	4.6℃	正常	
7401	7-4 (2-1药)	冰箱	242310258	2025/3/26 16:40:00	4.8℃	正常	
7402	7-4 (2-1药)	冰箱	242310258	2025/3/26 16:45:00	4.3℃	正常	
7403	7-4 (2-1药)	冰箱	242310258	2025/3/26 16:50:00	4.9℃	正常	
7404	7-4 (2-1药)	冰箱	242310258	2025/3/26 16:55:00	4.7℃	正常	
7405	7-4 (2-1药)	冰箱	242310258	2025/3/26 17:00:00	5.0℃	正常	
7406	7-4 (2-1药)	冰箱	242310258	2025/3/26 17:05:00	4.3℃	正常	
7407	7-4 (2-1药)	冰箱	242310258	2025/3/26 17:10:00	4.8℃	正常	
7408	7-4 (2-1药)	冰箱	242310258	2025/3/26 17:15:00	4.5℃	正常	
7409	7-4 (2-1药)	冰箱	242310258	2025/3/26 17:20:00	6.3℃	正常	
7410	7-4 (2-1药)	冰箱	242310258	2025/3/26 17:25:00	5.1℃	正常	
7411	7-4 (2-1药)	冰箱	242310258	2025/3/26 17:30:00	5.1℃	正常	
7412	7-4 (2-1药)	冰箱	242310258	2025/3/26 17:35:00	4.4℃	正常	

7413	7-4 (2-1药)	冰箱	242310258	2025/3/26 17:40:00	4.9℃	正常	
7414	7-4 (2-1药)	冰箱	242310258	2025/3/26 17:45:00	4.4℃	正常	
7415	7-4 (2-1药)	冰箱	242310258	2025/3/26 17:50:00	4.7℃	正常	
7416	7-4 (2-1药)	冰箱	242310258	2025/3/26 17:55:00	4.6℃	正常	
7417	7-4 (2-1药)	冰箱	242310258	2025/3/26 18:00:00	4.4℃	正常	
7418	7-4 (2-1药)	冰箱	242310258	2025/3/26 18:05:00	4.8℃	正常	
7419	7-4 (2-1药)	冰箱	242310258	2025/3/26 18:10:00	4.3℃	正常	
7420	7-4 (2-1药)	冰箱	242310258	2025/3/26 18:15:00	4.8℃	正常	
7421	7-4 (2-1药)	冰箱	242310258	2025/3/26 18:20:00	4.5℃	正常	
7422	7-4 (2-1药)	冰箱	242310258	2025/3/26 18:25:00	4.6℃	正常	
7423	7-4 (2-1药)	冰箱	242310258	2025/3/26 18:30:00	4.8℃	正常	
7424	7-4 (2-1药)	冰箱	242310258	2025/3/26 18:35:00	4.3℃	正常	
7425	7-4 (2-1药)	冰箱	242310258	2025/3/26 18:40:00	4.8℃	正常	
7426	7-4 (2-1药)	冰箱	242310258	2025/3/26 18:45:00	4.4℃	正常	
7427	7-4 (2-1药)	冰箱	242310258	2025/3/26 18:50:00	4.6℃	正常	
7428	7-4 (2-1药)	冰箱	242310258	2025/3/26 18:55:00	4.7℃	正常	
7429	7-4 (2-1药)	冰箱	242310258	2025/3/26 19:00:00	4.3℃	正常	
7430	7-4 (2-1药)	冰箱	242310258	2025/3/26 19:05:00	4.8℃	正常	
7431	7-4 (2-1药)	冰箱	242310258	2025/3/26 19:10:00	4.3℃	正常	
7432	7-4 (2-1药)	冰箱	242310258	2025/3/26 19:15:00	4.6℃	正常	
7433	7-4 (2-1药)	冰箱	242310258	2025/3/26 19:20:00	4.6℃	正常	
7434	7-4 (2-1药)	冰箱	242310258	2025/3/26 19:25:00	4.4℃	正常	
7435	7-4 (2-1药)	冰箱	242310258	2025/3/26 19:30:00	4.8℃	正常	
7436	7-4 (2-1药)	冰箱	242310258	2025/3/26 19:35:00	4.3℃	正常	
7437	7-4 (2-1药)	冰箱	242310258	2025/3/26 19:40:00	4.7℃	正常	
7438	7-4 (2-1药)	冰箱	242310258	2025/3/26 19:45:00	4.6℃	正常	
7439	7-4 (2-1药)	冰箱	242310258	2025/3/26 19:50:00	4.4℃	正常	
7440	7-4 (2-1药)	冰箱	242310258	2025/3/26 19:55:00	4.8℃	正常	
7441	7-4 (2-1药)	冰箱	242310258	2025/3/26 20:00:00	4.3℃	正常	
7442	7-4 (2-1药)	冰箱	242310258	2025/3/26 20:05:00	4.7℃	正常	
7443	7-4 (2-1药)	冰箱	242310258	2025/3/26 20:10:00	4.5℃	正常	
7444	7-4 (2-1药)	冰箱	242310258	2025/3/26 20:15:00	4.5℃	正常	
7445	7-4 (2-1药)	冰箱	242310258	2025/3/26 20:20:00	4.8℃	正常	
7446	7-4 (2-1药)	冰箱	242310258	2025/3/26 20:25:00	4.3℃	正常	
7447	7-4 (2-1药)	冰箱	242310258	2025/3/26 20:30:00	4.7℃	正常	
7448	7-4 (2-1药)	冰箱	242310258	2025/3/26 20:35:00	4.5℃	正常	
7449	7-4 (2-1药)	冰箱	242310258	2025/3/26 20:40:00	4.5℃	正常	
7450	7-4 (2-1药)	冰箱	242310258	2025/3/26 20:45:00	4.7℃	正常	
7451	7-4 (2-1药)	冰箱	242310258	2025/3/26 20:50:00	4.3℃	正常	
7452	7-4 (2-1药)	冰箱	242310258	2025/3/26 20:55:00	4.8℃	正常	
7453	7-4 (2-1药)	冰箱	242310258	2025/3/26 21:00:00	4.4℃	正常	
7454	7-4 (2-1药)	冰箱	242310258	2025/3/26 21:05:00	4.6℃	正常	
7455	7-4 (2-1药)	冰箱	242310258	2025/3/26 21:10:00	4.7℃	正常	
7456	7-4 (2-1药)	冰箱	242310258	2025/3/26 21:15:00	4.4℃	正常	
7457	7-4 (2-1药)	冰箱	242310258	2025/3/26 21:20:00	4.8℃	正常	
7458	7-4 (2-1药)	冰箱	242310258	2025/3/26 21:25:00	4.3℃	正常	
7459	7-4 (2-1药)	冰箱	242310258	2025/3/26 21:30:00	4.6℃	正常	
7460	7-4 (2-1药)	冰箱	242310258	2025/3/26 21:35:00	4.7℃	正常	
7461	7-4 (2-1药)	冰箱	242310258	2025/3/26 21:40:00	4.4℃	正常	
7462	7-4 (2-1药)	冰箱	242310258	2025/3/26 21:45:00	4.8℃	正常	
7463	7-4 (2-1药)	冰箱	242310258	2025/3/26 21:50:00	4.3℃	正常	
7464	7-4 (2-1药)	冰箱	242310258	2025/3/26 21:55:00	4.7℃	正常	
7465	7-4 (2-1药)	冰箱	242310258	2025/3/26 22:00:00	4.6℃	正常	
7466	7-4 (2-1药)	冰箱	242310258	2025/3/26 22:05:00	4.4℃	正常	
7467	7-4 (2-1药)	冰箱	242310258	2025/3/26 22:10:00	5.1℃	正常	
7468	7-4 (2-1药)	冰箱	242310258	2025/3/26 22:15:00	4.9℃	正常	
7469	7-4 (2-1药)	冰箱	242310258	2025/3/26 22:20:00	4.8℃	正常	
7470	7-4 (2-1药)	冰箱	242310258	2025/3/26 22:25:00	4.5℃	正常	
7471	7-4 (2-1药)	冰箱	242310258	2025/3/26 22:30:00	4.9℃	正常	
7472	7-4 (2-1药)	冰箱	242310258	2025/3/26 22:35:00	4.3℃	正常	
7473	7-4 (2-1药)	冰箱	242310258	2025/3/26 22:40:00	4.7℃	正常	
7474	7-4 (2-1药)	冰箱	242310258	2025/3/26 22:45:00	4.5℃	正常	
7475	7-4 (2-1药)	冰箱	242310258	2025/3/26 22:50:00	4.5℃	正常	
7476	7-4 (2-1药)	冰箱	242310258	2025/3/26 22:55:00	4.8℃	正常	

7477	7-4 (2-1药)	冰箱	242310258	2025/3/26 23:00:00	4.3℃	正常	
7478	7-4 (2-1药)	冰箱	242310258	2025/3/26 23:05:00	4.7℃	正常	
7479	7-4 (2-1药)	冰箱	242310258	2025/3/26 23:10:00	4.5℃	正常	
7480	7-4 (2-1药)	冰箱	242310258	2025/3/26 23:15:00	4.5℃	正常	
7481	7-4 (2-1药)	冰箱	242310258	2025/3/26 23:20:00	4.8℃	正常	
7482	7-4 (2-1药)	冰箱	242310258	2025/3/26 23:25:00	4.3℃	正常	
7483	7-4 (2-1药)	冰箱	242310258	2025/3/26 23:30:00	4.8℃	正常	
7484	7-4 (2-1药)	冰箱	242310258	2025/3/26 23:35:00	4.5℃	正常	
7485	7-4 (2-1药)	冰箱	242310258	2025/3/26 23:40:00	4.5℃	正常	
7486	7-4 (2-1药)	冰箱	242310258	2025/3/26 23:45:00	4.8℃	正常	
7487	7-4 (2-1药)	冰箱	242310258	2025/3/26 23:50:00	4.3℃	正常	
7488	7-4 (2-1药)	冰箱	242310258	2025/3/26 23:55:00	4.8℃	正常	
7489	7-4 (2-1药)	冰箱	242310258	2025/3/27 0:00:00	4.4℃	正常	
7490	7-4 (2-1药)	冰箱	242310258	2025/3/27 0:05:00	4.6℃	正常	
7491	7-4 (2-1药)	冰箱	242310258	2025/3/27 0:10:00	4.7℃	正常	
7492	7-4 (2-1药)	冰箱	242310258	2025/3/27 0:15:00	4.3℃	正常	
7493	7-4 (2-1药)	冰箱	242310258	2025/3/27 0:20:00	4.8℃	正常	
7494	7-4 (2-1药)	冰箱	242310258	2025/3/27 0:25:00	4.3℃	正常	
7495	7-4 (2-1药)	冰箱	242310258	2025/3/27 0:30:00	4.6℃	正常	
7496	7-4 (2-1药)	冰箱	242310258	2025/3/27 0:35:00	4.7℃	正常	
7497	7-4 (2-1药)	冰箱	242310258	2025/3/27 0:40:00	4.3℃	正常	
7498	7-4 (2-1药)	冰箱	242310258	2025/3/27 0:45:00	4.8℃	正常	
7499	7-4 (2-1药)	冰箱	242310258	2025/3/27 0:50:00	4.3℃	正常	
7500	7-4 (2-1药)	冰箱	242310258	2025/3/27 0:55:00	4.7℃	正常	
7501	7-4 (2-1药)	冰箱	242310258	2025/3/27 1:00:00	4.7℃	正常	
7502	7-4 (2-1药)	冰箱	242310258	2025/3/27 1:05:00	4.4℃	正常	
7503	7-4 (2-1药)	冰箱	242310258	2025/3/27 1:10:00	4.8℃	正常	
7504	7-4 (2-1药)	冰箱	242310258	2025/3/27 1:15:00	4.3℃	正常	
7505	7-4 (2-1药)	冰箱	242310258	2025/3/27 1:20:00	4.6℃	正常	
7506	7-4 (2-1药)	冰箱	242310258	2025/3/27 1:25:00	4.7℃	正常	
7507	7-4 (2-1药)	冰箱	242310258	2025/3/27 1:30:00	4.4℃	正常	
7508	7-4 (2-1药)	冰箱	242310258	2025/3/27 1:35:00	4.8℃	正常	
7509	7-4 (2-1药)	冰箱	242310258	2025/3/27 1:40:00	4.3℃	正常	
7510	7-4 (2-1药)	冰箱	242310258	2025/3/27 1:45:00	4.7℃	正常	
7511	7-4 (2-1药)	冰箱	242310258	2025/3/27 1:50:00	4.6℃	正常	
7512	7-4 (2-1药)	冰箱	242310258	2025/3/27 1:55:00	4.5℃	正常	
7513	7-4 (2-1药)	冰箱	242310258	2025/3/27 2:00:00	4.8℃	正常	
7514	7-4 (2-1药)	冰箱	242310258	2025/3/27 2:05:00	4.3℃	正常	
7515	7-4 (2-1药)	冰箱	242310258	2025/3/27 2:10:00	4.7℃	正常	
7516	7-4 (2-1药)	冰箱	242310258	2025/3/27 2:15:00	4.5℃	正常	
7517	7-4 (2-1药)	冰箱	242310258	2025/3/27 2:20:00	4.5℃	正常	
7518	7-4 (2-1药)	冰箱	242310258	2025/3/27 2:25:00	4.8℃	正常	
7519	7-4 (2-1药)	冰箱	242310258	2025/3/27 2:30:00	4.3℃	正常	
7520	7-4 (2-1药)	冰箱	242310258	2025/3/27 2:35:00	4.7℃	正常	
7521	7-4 (2-1药)	冰箱	242310258	2025/3/27 2:40:00	4.5℃	正常	
7522	7-4 (2-1药)	冰箱	242310258	2025/3/27 2:45:00	4.5℃	正常	
7523	7-4 (2-1药)	冰箱	242310258	2025/3/27 2:50:00	4.8℃	正常	
7524	7-4 (2-1药)	冰箱	242310258	2025/3/27 2:55:00	4.3℃	正常	
7525	7-4 (2-1药)	冰箱	242310258	2025/3/27 3:00:00	4.7℃	正常	
7526	7-4 (2-1药)	冰箱	242310258	2025/3/27 3:05:00	4.5℃	正常	
7527	7-4 (2-1药)	冰箱	242310258	2025/3/27 3:10:00	4.5℃	正常	
7528	7-4 (2-1药)	冰箱	242310258	2025/3/27 3:15:00	4.8℃	正常	
7529	7-4 (2-1药)	冰箱	242310258	2025/3/27 3:20:00	4.3℃	正常	
7530	7-4 (2-1药)	冰箱	242310258	2025/3/27 3:25:00	4.7℃	正常	
7531	7-4 (2-1药)	冰箱	242310258	2025/3/27 3:30:00	4.5℃	正常	
7532	7-4 (2-1药)	冰箱	242310258	2025/3/27 3:35:00	4.5℃	正常	
7533	7-4 (2-1药)	冰箱	242310258	2025/3/27 3:40:00	4.8℃	正常	
7534	7-4 (2-1药)	冰箱	242310258	2025/3/27 3:45:00	4.3℃	正常	
7535	7-4 (2-1药)	冰箱	242310258	2025/3/27 3:50:00	4.8℃	正常	
7536	7-4 (2-1药)	冰箱	242310258	2025/3/27 3:55:00	4.5℃	正常	
7537	7-4 (2-1药)	冰箱	242310258	2025/3/27 4:00:00	4.5℃	正常	
7538	7-4 (2-1药)	冰箱	242310258	2025/3/27 4:05:00	4.8℃	正常	
7539	7-4 (2-1药)	冰箱	242310258	2025/3/27 4:10:00	4.3℃	正常	
7540	7-4 (2-1药)	冰箱	242310258	2025/3/27 4:15:00	4.7℃	正常	

7541	7-4 (2-1药)	冰箱	242310258	2025/3/27 4:20:00	4.5℃	正常	
7542	7-4 (2-1药)	冰箱	242310258	2025/3/27 4:25:00	4.5℃	正常	
7543	7-4 (2-1药)	冰箱	242310258	2025/3/27 4:30:00	4.8℃	正常	
7544	7-4 (2-1药)	冰箱	242310258	2025/3/27 4:35:00	4.3℃	正常	
7545	7-4 (2-1药)	冰箱	242310258	2025/3/27 4:40:00	4.8℃	正常	
7546	7-4 (2-1药)	冰箱	242310258	2025/3/27 4:45:00	4.4℃	正常	
7547	7-4 (2-1药)	冰箱	242310258	2025/3/27 4:50:00	4.6℃	正常	
7548	7-4 (2-1药)	冰箱	242310258	2025/3/27 4:55:00	4.7℃	正常	
7549	7-4 (2-1药)	冰箱	242310258	2025/3/27 5:00:00	4.3℃	正常	
7550	7-4 (2-1药)	冰箱	242310258	2025/3/27 5:05:00	4.8℃	正常	
7551	7-4 (2-1药)	冰箱	242310258	2025/3/27 5:10:00	4.4℃	正常	
7552	7-4 (2-1药)	冰箱	242310258	2025/3/27 5:15:00	4.6℃	正常	
7553	7-4 (2-1药)	冰箱	242310258	2025/3/27 5:20:00	4.7℃	正常	
7554	7-4 (2-1药)	冰箱	242310258	2025/3/27 5:25:00	4.3℃	正常	
7555	7-4 (2-1药)	冰箱	242310258	2025/3/27 5:30:00	4.8℃	正常	
7556	7-4 (2-1药)	冰箱	242310258	2025/3/27 5:35:00	4.3℃	正常	
7557	7-4 (2-1药)	冰箱	242310258	2025/3/27 5:40:00	4.6℃	正常	
7558	7-4 (2-1药)	冰箱	242310258	2025/3/27 5:45:00	4.7℃	正常	
7559	7-4 (2-1药)	冰箱	242310258	2025/3/27 5:50:00	4.4℃	正常	
7560	7-4 (2-1药)	冰箱	242310258	2025/3/27 5:55:00	4.8℃	正常	
7561	7-4 (2-1药)	冰箱	242310258	2025/3/27 6:00:00	4.3℃	正常	
7562	7-4 (2-1药)	冰箱	242310258	2025/3/27 6:05:00	4.6℃	正常	
7563	7-4 (2-1药)	冰箱	242310258	2025/3/27 6:10:00	4.7℃	正常	
7564	7-4 (2-1药)	冰箱	242310258	2025/3/27 6:15:00	4.4℃	正常	
7565	7-4 (2-1药)	冰箱	242310258	2025/3/27 6:20:00	4.8℃	正常	
7566	7-4 (2-1药)	冰箱	242310258	2025/3/27 6:25:00	4.3℃	正常	
7567	7-4 (2-1药)	冰箱	242310258	2025/3/27 6:30:00	4.7℃	正常	
7568	7-4 (2-1药)	冰箱	242310258	2025/3/27 6:35:00	4.6℃	正常	
7569	7-4 (2-1药)	冰箱	242310258	2025/3/27 6:40:00	4.5℃	正常	
7570	7-4 (2-1药)	冰箱	242310258	2025/3/27 6:45:00	4.8℃	正常	
7571	7-4 (2-1药)	冰箱	242310258	2025/3/27 6:50:00	4.3℃	正常	
7572	7-4 (2-1药)	冰箱	242310258	2025/3/27 6:55:00	4.7℃	正常	
7573	7-4 (2-1药)	冰箱	242310258	2025/3/27 7:00:00	4.6℃	正常	
7574	7-4 (2-1药)	冰箱	242310258	2025/3/27 7:05:00	4.4℃	正常	
7575	7-4 (2-1药)	冰箱	242310258	2025/3/27 7:10:00	4.8℃	正常	
7576	7-4 (2-1药)	冰箱	242310258	2025/3/27 7:15:00	4.3℃	正常	
7577	7-4 (2-1药)	冰箱	242310258	2025/3/27 7:20:00	4.7℃	正常	
7578	7-4 (2-1药)	冰箱	242310258	2025/3/27 7:25:00	4.5℃	正常	
7579	7-4 (2-1药)	冰箱	242310258	2025/3/27 7:30:00	4.5℃	正常	
7580	7-4 (2-1药)	冰箱	242310258	2025/3/27 7:35:00	4.8℃	正常	
7581	7-4 (2-1药)	冰箱	242310258	2025/3/27 7:40:00	4.3℃	正常	
7582	7-4 (2-1药)	冰箱	242310258	2025/3/27 7:45:00	4.8℃	正常	
7583	7-4 (2-1药)	冰箱	242310258	2025/3/27 7:50:00	4.5℃	正常	
7584	7-4 (2-1药)	冰箱	242310258	2025/3/27 7:55:00	4.5℃	正常	
7585	7-4 (2-1药)	冰箱	242310258	2025/3/27 8:00:00	4.8℃	正常	
7586	7-4 (2-1药)	冰箱	242310258	2025/3/27 8:05:00	4.3℃	正常	
7587	7-4 (2-1药)	冰箱	242310258	2025/3/27 8:10:00	4.8℃	正常	
7588	7-4 (2-1药)	冰箱	242310258	2025/3/27 8:15:00	4.4℃	正常	
7589	7-4 (2-1药)	冰箱	242310258	2025/3/27 8:20:00	4.5℃	正常	
7590	7-4 (2-1药)	冰箱	242310258	2025/3/27 8:25:00	4.8℃	正常	
7591	7-4 (2-1药)	冰箱	242310258	2025/3/27 8:30:00	4.3℃	正常	
7592	7-4 (2-1药)	冰箱	242310258	2025/3/27 8:35:00	4.8℃	正常	
7593	7-4 (2-1药)	冰箱	242310258	2025/3/27 8:40:00	4.4℃	正常	
7594	7-4 (2-1药)	冰箱	242310258	2025/3/27 8:45:00	4.6℃	正常	
7595	7-4 (2-1药)	冰箱	242310258	2025/3/27 8:50:00	4.7℃	正常	
7596	7-4 (2-1药)	冰箱	242310258	2025/3/27 8:55:00	5.0℃	正常	
7597	7-4 (2-1药)	冰箱	242310258	2025/3/27 9:00:00	4.6℃	正常	
7598	7-4 (2-1药)	冰箱	242310258	2025/3/27 9:05:00	4.6℃	正常	
7599	7-4 (2-1药)	冰箱	242310258	2025/3/27 9:10:00	4.8℃	正常	
7600	7-4 (2-1药)	冰箱	242310258	2025/3/27 9:15:00	4.3℃	正常	
7601	7-4 (2-1药)	冰箱	242310258	2025/3/27 9:20:00	4.8℃	正常	
7602	7-4 (2-1药)	冰箱	242310258	2025/3/27 9:25:00	4.5℃	正常	
7603	7-4 (2-1药)	冰箱	242310258	2025/3/27 9:30:00	4.5℃	正常	
7604	7-4 (2-1药)	冰箱	242310258	2025/3/27 9:35:00	4.8℃	正常	

7605	7-4 (2-1药)	冰箱	242310258	2025/3/27 9:40:00	4.3℃	正常	
7606	7-4 (2-1药)	冰箱	242310258	2025/3/27 9:45:00	4.8℃	正常	
7607	7-4 (2-1药)	冰箱	242310258	2025/3/27 9:50:00	4.5℃	正常	
7608	7-4 (2-1药)	冰箱	242310258	2025/3/27 9:55:00	4.5℃	正常	
7609	7-4 (2-1药)	冰箱	242310258	2025/3/27 10:00:00	4.8℃	正常	
7610	7-4 (2-1药)	冰箱	242310258	2025/3/27 10:05:00	4.3℃	正常	
7611	7-4 (2-1药)	冰箱	242310258	2025/3/27 10:10:00	4.8℃	正常	
7612	7-4 (2-1药)	冰箱	242310258	2025/3/27 10:15:00	4.4℃	正常	
7613	7-4 (2-1药)	冰箱	242310258	2025/3/27 10:20:00	4.5℃	正常	
7614	7-4 (2-1药)	冰箱	242310258	2025/3/27 10:25:00	4.8℃	正常	
7615	7-4 (2-1药)	冰箱	242310258	2025/3/27 10:30:00	4.3℃	正常	
7616	7-4 (2-1药)	冰箱	242310258	2025/3/27 10:35:00	4.7℃	正常	
7617	7-4 (2-1药)	冰箱	242310258	2025/3/27 10:40:00	4.5℃	正常	
7618	7-4 (2-1药)	冰箱	242310258	2025/3/27 10:45:00	4.5℃	正常	
7619	7-4 (2-1药)	冰箱	242310258	2025/3/27 10:50:00	4.8℃	正常	
7620	7-4 (2-1药)	冰箱	242310258	2025/3/27 10:55:00	4.3℃	正常	
7621	7-4 (2-1药)	冰箱	242310258	2025/3/27 11:00:00	4.7℃	正常	
7622	7-4 (2-1药)	冰箱	242310258	2025/3/27 11:05:00	4.5℃	正常	
7623	7-4 (2-1药)	冰箱	242310258	2025/3/27 11:10:00	4.5℃	正常	
7624	7-4 (2-1药)	冰箱	242310258	2025/3/27 11:15:00	4.8℃	正常	
7625	7-4 (2-1药)	冰箱	242310258	2025/3/27 11:20:00	4.3℃	正常	
7626	7-4 (2-1药)	冰箱	242310258	2025/3/27 11:25:00	4.7℃	正常	
7627	7-4 (2-1药)	冰箱	242310258	2025/3/27 11:30:00	4.4℃	正常	
7628	7-4 (2-1药)	冰箱	242310258	2025/3/27 11:35:00	4.5℃	正常	
7629	7-4 (2-1药)	冰箱	242310258	2025/3/27 11:40:00	4.8℃	正常	
7630	7-4 (2-1药)	冰箱	242310258	2025/3/27 11:45:00	4.3℃	正常	
7631	7-4 (2-1药)	冰箱	242310258	2025/3/27 11:50:00	5.1℃	正常	
7632	7-4 (2-1药)	冰箱	242310258	2025/3/27 11:55:00	4.4℃	正常	
7633	7-4 (2-1药)	冰箱	242310258	2025/3/27 12:00:00	4.8℃	正常	
7634	7-4 (2-1药)	冰箱	242310258	2025/3/27 12:05:00	4.6℃	正常	
7635	7-4 (2-1药)	冰箱	242310258	2025/3/27 12:10:00	4.5℃	正常	
7636	7-4 (2-1药)	冰箱	242310258	2025/3/27 12:15:00	4.8℃	正常	
7637	7-4 (2-1药)	冰箱	242310258	2025/3/27 12:20:00	4.3℃	正常	
7638	7-4 (2-1药)	冰箱	242310258	2025/3/27 12:25:00	4.8℃	正常	
7639	7-4 (2-1药)	冰箱	242310258	2025/3/27 12:30:00	4.4℃	正常	
7640	7-4 (2-1药)	冰箱	242310258	2025/3/27 12:35:00	4.5℃	正常	
7641	7-4 (2-1药)	冰箱	242310258	2025/3/27 12:40:00	4.8℃	正常	
7642	7-4 (2-1药)	冰箱	242310258	2025/3/27 12:45:00	4.3℃	正常	
7643	7-4 (2-1药)	冰箱	242310258	2025/3/27 12:50:00	4.7℃	正常	
7644	7-4 (2-1药)	冰箱	242310258	2025/3/27 12:55:00	4.5℃	正常	
7645	7-4 (2-1药)	冰箱	242310258	2025/3/27 13:00:00	4.5℃	正常	
7646	7-4 (2-1药)	冰箱	242310258	2025/3/27 13:05:00	4.8℃	正常	
7647	7-4 (2-1药)	冰箱	242310258	2025/3/27 13:10:00	4.3℃	正常	
7648	7-4 (2-1药)	冰箱	242310258	2025/3/27 13:15:00	4.8℃	正常	
7649	7-4 (2-1药)	冰箱	242310258	2025/3/27 13:20:00	4.4℃	正常	
7650	7-4 (2-1药)	冰箱	242310258	2025/3/27 13:25:00	4.6℃	正常	
7651	7-4 (2-1药)	冰箱	242310258	2025/3/27 13:30:00	4.8℃	正常	
7652	7-4 (2-1药)	冰箱	242310258	2025/3/27 13:35:00	4.3℃	正常	
7653	7-4 (2-1药)	冰箱	242310258	2025/3/27 13:40:00	4.8℃	正常	
7654	7-4 (2-1药)	冰箱	242310258	2025/3/27 13:45:00	4.3℃	正常	
7655	7-4 (2-1药)	冰箱	242310258	2025/3/27 13:50:00	4.6℃	正常	
7656	7-4 (2-1药)	冰箱	242310258	2025/3/27 13:55:00	4.7℃	正常	
7657	7-4 (2-1药)	冰箱	242310258	2025/3/27 14:00:00	4.3℃	正常	
7658	7-4 (2-1药)	冰箱	242310258	2025/3/27 14:05:00	4.8℃	正常	
7659	7-4 (2-1药)	冰箱	242310258	2025/3/27 14:10:00	4.4℃	正常	
7660	7-4 (2-1药)	冰箱	242310258	2025/3/27 14:15:00	4.6℃	正常	
7661	7-4 (2-1药)	冰箱	242310258	2025/3/27 14:20:00	4.8℃	正常	
7662	7-4 (2-1药)	冰箱	242310258	2025/3/27 14:25:00	4.3℃	正常	
7663	7-4 (2-1药)	冰箱	242310258	2025/3/27 14:30:00	4.8℃	正常	
7664	7-4 (2-1药)	冰箱	242310258	2025/3/27 14:35:00	4.4℃	正常	
7665	7-4 (2-1药)	冰箱	242310258	2025/3/27 14:40:00	4.6℃	正常	
7666	7-4 (2-1药)	冰箱	242310258	2025/3/27 14:45:00	4.8℃	正常	
7667	7-4 (2-1药)	冰箱	242310258	2025/3/27 14:50:00	4.3℃	正常	
7668	7-4 (2-1药)	冰箱	242310258	2025/3/27 14:55:00	4.8℃	正常	

7669	7-4 (2-1药)	冰箱	242310258	2025/3/27 15:00:00	4.4℃	正常	
7670	7-4 (2-1药)	冰箱	242310258	2025/3/27 15:05:00	4.5℃	正常	
7671	7-4 (2-1药)	冰箱	242310258	2025/3/27 15:10:00	4.8℃	正常	
7672	7-4 (2-1药)	冰箱	242310258	2025/3/27 15:15:00	4.3℃	正常	
7673	7-4 (2-1药)	冰箱	242310258	2025/3/27 15:20:00	4.8℃	正常	
7674	7-4 (2-1药)	冰箱	242310258	2025/3/27 15:25:00	4.4℃	正常	
7675	7-4 (2-1药)	冰箱	242310258	2025/3/27 15:30:00	4.6℃	正常	
7676	7-4 (2-1药)	冰箱	242310258	2025/3/27 15:35:00	4.7℃	正常	
7677	7-4 (2-1药)	冰箱	242310258	2025/3/27 15:40:00	4.4℃	正常	
7678	7-4 (2-1药)	冰箱	242310258	2025/3/27 15:45:00	4.8℃	正常	
7679	7-4 (2-1药)	冰箱	242310258	2025/3/27 15:50:00	4.3℃	正常	
7680	7-4 (2-1药)	冰箱	242310258	2025/3/27 15:55:00	4.7℃	正常	
7681	7-4 (2-1药)	冰箱	242310258	2025/3/27 16:00:00	4.5℃	正常	
7682	7-4 (2-1药)	冰箱	242310258	2025/3/27 16:05:00	4.5℃	正常	
7683	7-4 (2-1药)	冰箱	242310258	2025/3/27 16:10:00	4.8℃	正常	
7684	7-4 (2-1药)	冰箱	242310258	2025/3/27 16:15:00	4.3℃	正常	
7685	7-4 (2-1药)	冰箱	242310258	2025/3/27 16:20:00	4.7℃	正常	
7686	7-4 (2-1药)	冰箱	242310258	2025/3/27 16:25:00	4.5℃	正常	
7687	7-4 (2-1药)	冰箱	242310258	2025/3/27 16:30:00	4.4℃	正常	
7688	7-4 (2-1药)	冰箱	242310258	2025/3/27 16:35:00	4.8℃	正常	
7689	7-4 (2-1药)	冰箱	242310258	2025/3/27 16:40:00	4.3℃	正常	
7690	7-4 (2-1药)	冰箱	242310258	2025/3/27 16:45:00	4.7℃	正常	
7691	7-4 (2-1药)	冰箱	242310258	2025/3/27 16:50:00	4.5℃	正常	
7692	7-4 (2-1药)	冰箱	242310258	2025/3/27 16:55:00	4.5℃	正常	
7693	7-4 (2-1药)	冰箱	242310258	2025/3/27 17:00:00	4.8℃	正常	
7694	7-4 (2-1药)	冰箱	242310258	2025/3/27 17:05:00	4.3℃	正常	
7695	7-4 (2-1药)	冰箱	242310258	2025/3/27 17:10:00	4.7℃	正常	
7696	7-4 (2-1药)	冰箱	242310258	2025/3/27 17:15:00	4.4℃	正常	
7697	7-4 (2-1药)	冰箱	242310258	2025/3/27 17:20:00	4.4℃	正常	
7698	7-4 (2-1药)	冰箱	242310258	2025/3/27 17:25:00	4.8℃	正常	
7699	7-4 (2-1药)	冰箱	242310258	2025/3/27 17:30:00	4.3℃	正常	
7700	7-4 (2-1药)	冰箱	242310258	2025/3/27 17:35:00	4.8℃	正常	
7701	7-4 (2-1药)	冰箱	242310258	2025/3/27 17:40:00	4.5℃	正常	
7702	7-4 (2-1药)	冰箱	242310258	2025/3/27 17:45:00	4.6℃	正常	
7703	7-4 (2-1药)	冰箱	242310258	2025/3/27 17:50:00	4.8℃	正常	
7704	7-4 (2-1药)	冰箱	242310258	2025/3/27 17:55:00	4.3℃	正常	
7705	7-4 (2-1药)	冰箱	242310258	2025/3/27 18:00:00	4.8℃	正常	
7706	7-4 (2-1药)	冰箱	242310258	2025/3/27 18:05:00	4.5℃	正常	
7707	7-4 (2-1药)	冰箱	242310258	2025/3/27 18:10:00	4.5℃	正常	
7708	7-4 (2-1药)	冰箱	242310258	2025/3/27 18:15:00	4.8℃	正常	
7709	7-4 (2-1药)	冰箱	242310258	2025/3/27 18:20:00	4.3℃	正常	
7710	7-4 (2-1药)	冰箱	242310258	2025/3/27 18:25:00	4.7℃	正常	
7711	7-4 (2-1药)	冰箱	242310258	2025/3/27 18:30:00	4.6℃	正常	
7712	7-4 (2-1药)	冰箱	242310258	2025/3/27 18:35:00	4.4℃	正常	
7713	7-4 (2-1药)	冰箱	242310258	2025/3/27 18:40:00	4.8℃	正常	
7714	7-4 (2-1药)	冰箱	242310258	2025/3/27 18:45:00	4.3℃	正常	
7715	7-4 (2-1药)	冰箱	242310258	2025/3/27 18:50:00	4.7℃	正常	
7716	7-4 (2-1药)	冰箱	242310258	2025/3/27 18:55:00	4.6℃	正常	
7717	7-4 (2-1药)	冰箱	242310258	2025/3/27 19:00:00	4.3℃	正常	
7718	7-4 (2-1药)	冰箱	242310258	2025/3/27 19:05:00	4.8℃	正常	
7719	7-4 (2-1药)	冰箱	242310258	2025/3/27 19:10:00	4.3℃	正常	
7720	7-4 (2-1药)	冰箱	242310258	2025/3/27 19:15:00	4.7℃	正常	
7721	7-4 (2-1药)	冰箱	242310258	2025/3/27 19:20:00	4.6℃	正常	
7722	7-4 (2-1药)	冰箱	242310258	2025/3/27 19:25:00	4.5℃	正常	
7723	7-4 (2-1药)	冰箱	242310258	2025/3/27 19:30:00	4.8℃	正常	
7724	7-4 (2-1药)	冰箱	242310258	2025/3/27 19:35:00	4.3℃	正常	
7725	7-4 (2-1药)	冰箱	242310258	2025/3/27 19:40:00	5.3℃	正常	
7726	7-4 (2-1药)	冰箱	242310258	2025/3/27 19:45:00	4.7℃	正常	
7727	7-4 (2-1药)	冰箱	242310258	2025/3/27 19:50:00	4.9℃	正常	
7728	7-4 (2-1药)	冰箱	242310258	2025/3/27 19:55:00	4.4℃	正常	
7729	7-4 (2-1药)	冰箱	242310258	2025/3/27 20:00:00	4.7℃	正常	
7730	7-4 (2-1药)	冰箱	242310258	2025/3/27 20:05:00	4.6℃	正常	
7731	7-4 (2-1药)	冰箱	242310258	2025/3/27 20:10:00	4.5℃	正常	
7732	7-4 (2-1药)	冰箱	242310258	2025/3/27 20:15:00	4.8℃	正常	

7733	7-4 (2-1药)	冰箱	242310258	2025/3/27 20:20:00	4.3℃	正常	
7734	7-4 (2-1药)	冰箱	242310258	2025/3/27 20:25:00	4.7℃	正常	
7735	7-4 (2-1药)	冰箱	242310258	2025/3/27 20:30:00	4.6℃	正常	
7736	7-4 (2-1药)	冰箱	242310258	2025/3/27 20:35:00	4.4℃	正常	
7737	7-4 (2-1药)	冰箱	242310258	2025/3/27 20:40:00	4.8℃	正常	
7738	7-4 (2-1药)	冰箱	242310258	2025/3/27 20:45:00	4.3℃	正常	
7739	7-4 (2-1药)	冰箱	242310258	2025/3/27 20:50:00	4.7℃	正常	
7740	7-4 (2-1药)	冰箱	242310258	2025/3/27 20:55:00	4.6℃	正常	
7741	7-4 (2-1药)	冰箱	242310258	2025/3/27 21:00:00	4.4℃	正常	
7742	7-4 (2-1药)	冰箱	242310258	2025/3/27 21:05:00	4.8℃	正常	
7743	7-4 (2-1药)	冰箱	242310258	2025/3/27 21:10:00	4.3℃	正常	
7744	7-4 (2-1药)	冰箱	242310258	2025/3/27 21:15:00	4.6℃	正常	
7745	7-4 (2-1药)	冰箱	242310258	2025/3/27 21:20:00	4.7℃	正常	
7746	7-4 (2-1药)	冰箱	242310258	2025/3/27 21:25:00	4.3℃	正常	
7747	7-4 (2-1药)	冰箱	242310258	2025/3/27 21:30:00	4.8℃	正常	
7748	7-4 (2-1药)	冰箱	242310258	2025/3/27 21:35:00	4.4℃	正常	
7749	7-4 (2-1药)	冰箱	242310258	2025/3/27 21:40:00	4.6℃	正常	
7750	7-4 (2-1药)	冰箱	242310258	2025/3/27 21:45:00	4.8℃	正常	
7751	7-4 (2-1药)	冰箱	242310258	2025/3/27 21:50:00	4.3℃	正常	
7752	7-4 (2-1药)	冰箱	242310258	2025/3/27 21:55:00	4.8℃	正常	
7753	7-4 (2-1药)	冰箱	242310258	2025/3/27 22:00:00	4.3℃	正常	
7754	7-4 (2-1药)	冰箱	242310258	2025/3/27 22:05:00	4.6℃	正常	
7755	7-4 (2-1药)	冰箱	242310258	2025/3/27 22:10:00	4.6℃	正常	
7756	7-4 (2-1药)	冰箱	242310258	2025/3/27 22:15:00	4.3℃	正常	
7757	7-4 (2-1药)	冰箱	242310258	2025/3/27 22:20:00	4.8℃	正常	
7758	7-4 (2-1药)	冰箱	242310258	2025/3/27 22:25:00	4.3℃	正常	
7759	7-4 (2-1药)	冰箱	242310258	2025/3/27 22:30:00	4.6℃	正常	
7760	7-4 (2-1药)	冰箱	242310258	2025/3/27 22:35:00	4.7℃	正常	
7761	7-4 (2-1药)	冰箱	242310258	2025/3/27 22:40:00	4.4℃	正常	
7762	7-4 (2-1药)	冰箱	242310258	2025/3/27 22:45:00	4.8℃	正常	
7763	7-4 (2-1药)	冰箱	242310258	2025/3/27 22:50:00	4.4℃	正常	
7764	7-4 (2-1药)	冰箱	242310258	2025/3/27 22:55:00	4.6℃	正常	
7765	7-4 (2-1药)	冰箱	242310258	2025/3/27 23:00:00	4.8℃	正常	
7766	7-4 (2-1药)	冰箱	242310258	2025/3/27 23:05:00	4.3℃	正常	
7767	7-4 (2-1药)	冰箱	242310258	2025/3/27 23:10:00	4.7℃	正常	
7768	7-4 (2-1药)	冰箱	242310258	2025/3/27 23:15:00	4.5℃	正常	
7769	7-4 (2-1药)	冰箱	242310258	2025/3/27 23:20:00	4.5℃	正常	
7770	7-4 (2-1药)	冰箱	242310258	2025/3/27 23:25:00	4.8℃	正常	
7771	7-4 (2-1药)	冰箱	242310258	2025/3/27 23:30:00	4.3℃	正常	
7772	7-4 (2-1药)	冰箱	242310258	2025/3/27 23:35:00	4.7℃	正常	
7773	7-4 (2-1药)	冰箱	242310258	2025/3/27 23:40:00	4.6℃	正常	
7774	7-4 (2-1药)	冰箱	242310258	2025/3/27 23:45:00	4.3℃	正常	
7775	7-4 (2-1药)	冰箱	242310258	2025/3/27 23:50:00	4.8℃	正常	
7776	7-4 (2-1药)	冰箱	242310258	2025/3/27 23:55:00	4.4℃	正常	
7777	7-4 (2-1药)	冰箱	242310258	2025/3/28 0:00:00	4.6℃	正常	
7778	7-4 (2-1药)	冰箱	242310258	2025/3/28 0:05:00	4.8℃	正常	
7779	7-4 (2-1药)	冰箱	242310258	2025/3/28 0:10:00	4.3℃	正常	
7780	7-4 (2-1药)	冰箱	242310258	2025/3/28 0:15:00	4.7℃	正常	
7781	7-4 (2-1药)	冰箱	242310258	2025/3/28 0:20:00	4.5℃	正常	
7782	7-4 (2-1药)	冰箱	242310258	2025/3/28 0:25:00	4.4℃	正常	
7783	7-4 (2-1药)	冰箱	242310258	2025/3/28 0:30:00	4.8℃	正常	
7784	7-4 (2-1药)	冰箱	242310258	2025/3/28 0:35:00	4.3℃	正常	
7785	7-4 (2-1药)	冰箱	242310258	2025/3/28 0:40:00	4.6℃	正常	
7786	7-4 (2-1药)	冰箱	242310258	2025/3/28 0:45:00	4.7℃	正常	
7787	7-4 (2-1药)	冰箱	242310258	2025/3/28 0:50:00	4.3℃	正常	
7788	7-4 (2-1药)	冰箱	242310258	2025/3/28 0:55:00	4.8℃	正常	
7789	7-4 (2-1药)	冰箱	242310258	2025/3/28 1:00:00	4.4℃	正常	
7790	7-4 (2-1药)	冰箱	242310258	2025/3/28 1:05:00	4.5℃	正常	
7791	7-4 (2-1药)	冰箱	242310258	2025/3/28 1:10:00	4.8℃	正常	
7792	7-4 (2-1药)	冰箱	242310258	2025/3/28 1:15:00	4.3℃	正常	
7793	7-4 (2-1药)	冰箱	242310258	2025/3/28 1:20:00	4.7℃	正常	
7794	7-4 (2-1药)	冰箱	242310258	2025/3/28 1:25:00	4.6℃	正常	
7795	7-4 (2-1药)	冰箱	242310258	2025/3/28 1:30:00	4.4℃	正常	
7796	7-4 (2-1药)	冰箱	242310258	2025/3/28 1:35:00	4.8℃	正常	

7797	7-4 (2-1药)	冰箱	242310258	2025/3/28 1:40:00	4.3℃	正常	
7798	7-4 (2-1药)	冰箱	242310258	2025/3/28 1:45:00	4.6℃	正常	
7799	7-4 (2-1药)	冰箱	242310258	2025/3/28 1:50:00	4.7℃	正常	
7800	7-4 (2-1药)	冰箱	242310258	2025/3/28 1:55:00	4.3℃	正常	
7801	7-4 (2-1药)	冰箱	242310258	2025/3/28 2:00:00	4.8℃	正常	
7802	7-4 (2-1药)	冰箱	242310258	2025/3/28 2:05:00	4.5℃	正常	
7803	7-4 (2-1药)	冰箱	242310258	2025/3/28 2:10:00	4.5℃	正常	
7804	7-4 (2-1药)	冰箱	242310258	2025/3/28 2:15:00	4.8℃	正常	
7805	7-4 (2-1药)	冰箱	242310258	2025/3/28 2:20:00	4.3℃	正常	
7806	7-4 (2-1药)	冰箱	242310258	2025/3/28 2:25:00	4.7℃	正常	
7807	7-4 (2-1药)	冰箱	242310258	2025/3/28 2:30:00	4.6℃	正常	
7808	7-4 (2-1药)	冰箱	242310258	2025/3/28 2:35:00	4.4℃	正常	
7809	7-4 (2-1药)	冰箱	242310258	2025/3/28 2:40:00	4.8℃	正常	
7810	7-4 (2-1药)	冰箱	242310258	2025/3/28 2:45:00	4.3℃	正常	
7811	7-4 (2-1药)	冰箱	242310258	2025/3/28 2:50:00	4.6℃	正常	
7812	7-4 (2-1药)	冰箱	242310258	2025/3/28 2:55:00	4.7℃	正常	
7813	7-4 (2-1药)	冰箱	242310258	2025/3/28 3:00:00	4.3℃	正常	
7814	7-4 (2-1药)	冰箱	242310258	2025/3/28 3:05:00	4.8℃	正常	
7815	7-4 (2-1药)	冰箱	242310258	2025/3/28 3:10:00	4.5℃	正常	
7816	7-4 (2-1药)	冰箱	242310258	2025/3/28 3:15:00	4.5℃	正常	
7817	7-4 (2-1药)	冰箱	242310258	2025/3/28 3:20:00	4.8℃	正常	
7818	7-4 (2-1药)	冰箱	242310258	2025/3/28 3:25:00	4.3℃	正常	
7819	7-4 (2-1药)	冰箱	242310258	2025/3/28 3:30:00	4.6℃	正常	
7820	7-4 (2-1药)	冰箱	242310258	2025/3/28 3:35:00	4.7℃	正常	
7821	7-4 (2-1药)	冰箱	242310258	2025/3/28 3:40:00	4.3℃	正常	
7822	7-4 (2-1药)	冰箱	242310258	2025/3/28 3:45:00	4.8℃	正常	
7823	7-4 (2-1药)	冰箱	242310258	2025/3/28 3:50:00	4.4℃	正常	
7824	7-4 (2-1药)	冰箱	242310258	2025/3/28 3:55:00	4.6℃	正常	
7825	7-4 (2-1药)	冰箱	242310258	2025/3/28 4:00:00	4.7℃	正常	
7826	7-4 (2-1药)	冰箱	242310258	2025/3/28 4:05:00	4.3℃	正常	
7827	7-4 (2-1药)	冰箱	242310258	2025/3/28 4:10:00	4.7℃	正常	
7828	7-4 (2-1药)	冰箱	242310258	2025/3/28 4:15:00	4.6℃	正常	
7829	7-4 (2-1药)	冰箱	242310258	2025/3/28 4:20:00	4.4℃	正常	
7830	7-4 (2-1药)	冰箱	242310258	2025/3/28 4:25:00	4.8℃	正常	
7831	7-4 (2-1药)	冰箱	242310258	2025/3/28 4:30:00	4.3℃	正常	
7832	7-4 (2-1药)	冰箱	242310258	2025/3/28 4:35:00	4.6℃	正常	
7833	7-4 (2-1药)	冰箱	242310258	2025/3/28 4:40:00	4.6℃	正常	
7834	7-4 (2-1药)	冰箱	242310258	2025/3/28 4:45:00	4.3℃	正常	
7835	7-4 (2-1药)	冰箱	242310258	2025/3/28 4:50:00	4.8℃	正常	
7836	7-4 (2-1药)	冰箱	242310258	2025/3/28 4:55:00	4.3℃	正常	
7837	7-4 (2-1药)	冰箱	242310258	2025/3/28 5:00:00	4.6℃	正常	
7838	7-4 (2-1药)	冰箱	242310258	2025/3/28 5:05:00	4.8℃	正常	
7839	7-4 (2-1药)	冰箱	242310258	2025/3/28 5:10:00	4.3℃	正常	
7840	7-4 (2-1药)	冰箱	242310258	2025/3/28 5:15:00	4.7℃	正常	
7841	7-4 (2-1药)	冰箱	242310258	2025/3/28 5:20:00	4.6℃	正常	
7842	7-4 (2-1药)	冰箱	242310258	2025/3/28 5:25:00	4.4℃	正常	
7843	7-4 (2-1药)	冰箱	242310258	2025/3/28 5:30:00	4.8℃	正常	
7844	7-4 (2-1药)	冰箱	242310258	2025/3/28 5:35:00	4.3℃	正常	
7845	7-4 (2-1药)	冰箱	242310258	2025/3/28 5:40:00	4.6℃	正常	
7846	7-4 (2-1药)	冰箱	242310258	2025/3/28 5:45:00	4.7℃	正常	
7847	7-4 (2-1药)	冰箱	242310258	2025/3/28 5:50:00	4.3℃	正常	
7848	7-4 (2-1药)	冰箱	242310258	2025/3/28 5:55:00	4.7℃	正常	
7849	7-4 (2-1药)	冰箱	242310258	2025/3/28 6:00:00	4.5℃	正常	
7850	7-4 (2-1药)	冰箱	242310258	2025/3/28 6:05:00	4.5℃	正常	
7851	7-4 (2-1药)	冰箱	242310258	2025/3/28 6:10:00	4.8℃	正常	
7852	7-4 (2-1药)	冰箱	242310258	2025/3/28 6:15:00	4.3℃	正常	
7853	7-4 (2-1药)	冰箱	242310258	2025/3/28 6:20:00	4.7℃	正常	
7854	7-4 (2-1药)	冰箱	242310258	2025/3/28 6:25:00	4.6℃	正常	
7855	7-4 (2-1药)	冰箱	242310258	2025/3/28 6:30:00	4.4℃	正常	
7856	7-4 (2-1药)	冰箱	242310258	2025/3/28 6:35:00	5.1℃	正常	
7857	7-4 (2-1药)	冰箱	242310258	2025/3/28 6:40:00	4.8℃	正常	
7858	7-4 (2-1药)	冰箱	242310258	2025/3/28 6:45:00	4.8℃	正常	
7859	7-4 (2-1药)	冰箱	242310258	2025/3/28 6:50:00	4.3℃	正常	
7860	7-4 (2-1药)	冰箱	242310258	2025/3/28 6:55:00	4.7℃	正常	

7861	7-4 (2-1药)	冰箱	242310258	2025/3/28 7:00:00	4.6℃	正常	
7862	7-4 (2-1药)	冰箱	242310258	2025/3/28 7:05:00	4.4℃	正常	
7863	7-4 (2-1药)	冰箱	242310258	2025/3/28 7:10:00	4.8℃	正常	
7864	7-4 (2-1药)	冰箱	242310258	2025/3/28 7:15:00	4.3℃	正常	
7865	7-4 (2-1药)	冰箱	242310258	2025/3/28 7:20:00	4.6℃	正常	
7866	7-4 (2-1药)	冰箱	242310258	2025/3/28 7:25:00	4.7℃	正常	
7867	7-4 (2-1药)	冰箱	242310258	2025/3/28 7:30:00	4.3℃	正常	
7868	7-4 (2-1药)	冰箱	242310258	2025/3/28 7:35:00	4.7℃	正常	
7869	7-4 (2-1药)	冰箱	242310258	2025/3/28 7:40:00	4.4℃	正常	
7870	7-4 (2-1药)	冰箱	242310258	2025/3/28 7:45:00	4.5℃	正常	
7871	7-4 (2-1药)	冰箱	242310258	2025/3/28 7:50:00	4.8℃	正常	
7872	7-4 (2-1药)	冰箱	242310258	2025/3/28 7:55:00	4.3℃	正常	
7873	7-4 (2-1药)	冰箱	242310258	2025/3/28 8:00:00	4.6℃	正常	
7874	7-4 (2-1药)	冰箱	242310258	2025/3/28 8:05:00	4.7℃	正常	
7875	7-4 (2-1药)	冰箱	242310258	2025/3/28 8:10:00	4.3℃	正常	
7876	7-4 (2-1药)	冰箱	242310258	2025/3/28 8:15:00	4.8℃	正常	
7877	7-4 (2-1药)	冰箱	242310258	2025/3/28 8:20:00	4.5℃	正常	
7878	7-4 (2-1药)	冰箱	242310258	2025/3/28 8:25:00	4.5℃	正常	
7879	7-4 (2-1药)	冰箱	242310258	2025/3/28 8:30:00	4.8℃	正常	
7880	7-4 (2-1药)	冰箱	242310258	2025/3/28 8:35:00	4.3℃	正常	
7881	7-4 (2-1药)	冰箱	242310258	2025/3/28 8:40:00	4.6℃	正常	
7882	7-4 (2-1药)	冰箱	242310258	2025/3/28 8:45:00	4.6℃	正常	
7883	7-4 (2-1药)	冰箱	242310258	2025/3/28 8:50:00	4.4℃	正常	
7884	7-4 (2-1药)	冰箱	242310258	2025/3/28 8:55:00	4.8℃	正常	
7885	7-4 (2-1药)	冰箱	242310258	2025/3/28 9:00:00	4.4℃	正常	
7886	7-4 (2-1药)	冰箱	242310258	2025/3/28 9:05:00	4.6℃	正常	
7887	7-4 (2-1药)	冰箱	242310258	2025/3/28 9:10:00	4.8℃	正常	
7888	7-4 (2-1药)	冰箱	242310258	2025/3/28 9:15:00	4.3℃	正常	
7889	7-4 (2-1药)	冰箱	242310258	2025/3/28 9:20:00	4.7℃	正常	
7890	7-4 (2-1药)	冰箱	242310258	2025/3/28 9:25:00	4.6℃	正常	
7891	7-4 (2-1药)	冰箱	242310258	2025/3/28 9:30:00	4.4℃	正常	
7892	7-4 (2-1药)	冰箱	242310258	2025/3/28 9:35:00	4.8℃	正常	
7893	7-4 (2-1药)	冰箱	242310258	2025/3/28 9:40:00	4.3℃	正常	
7894	7-4 (2-1药)	冰箱	242310258	2025/3/28 9:45:00	4.6℃	正常	
7895	7-4 (2-1药)	冰箱	242310258	2025/3/28 9:50:00	4.7℃	正常	
7896	7-4 (2-1药)	冰箱	242310258	2025/3/28 9:55:00	4.3℃	正常	
7897	7-4 (2-1药)	冰箱	242310258	2025/3/28 10:00:00	4.7℃	正常	
7898	7-4 (2-1药)	冰箱	242310258	2025/3/28 10:05:00	4.5℃	正常	
7899	7-4 (2-1药)	冰箱	242310258	2025/3/28 10:10:00	4.5℃	正常	
7900	7-4 (2-1药)	冰箱	242310258	2025/3/28 10:15:00	4.8℃	正常	
7901	7-4 (2-1药)	冰箱	242310258	2025/3/28 10:20:00	4.3℃	正常	
7902	7-4 (2-1药)	冰箱	242310258	2025/3/28 10:25:00	4.7℃	正常	
7903	7-4 (2-1药)	冰箱	242310258	2025/3/28 10:30:00	4.6℃	正常	
7904	7-4 (2-1药)	冰箱	242310258	2025/3/28 10:35:00	4.3℃	正常	
7905	7-4 (2-1药)	冰箱	242310258	2025/3/28 10:40:00	4.8℃	正常	
7906	7-4 (2-1药)	冰箱	242310258	2025/3/28 10:45:00	4.4℃	正常	
7907	7-4 (2-1药)	冰箱	242310258	2025/3/28 10:50:00	4.5℃	正常	
7908	7-4 (2-1药)	冰箱	242310258	2025/3/28 10:55:00	4.8℃	正常	
7909	7-4 (2-1药)	冰箱	242310258	2025/3/28 11:00:00	4.4℃	正常	
7910	7-4 (2-1药)	冰箱	242310258	2025/3/28 11:05:00	4.9℃	正常	
7911	7-4 (2-1药)	冰箱	242310258	2025/3/28 11:10:00	4.6℃	正常	
7912	7-4 (2-1药)	冰箱	242310258	2025/3/28 11:15:00	4.6℃	正常	
7913	7-4 (2-1药)	冰箱	242310258	2025/3/28 11:20:00	4.9℃	正常	
7914	7-4 (2-1药)	冰箱	242310258	2025/3/28 11:25:00	4.4℃	正常	
7915	7-4 (2-1药)	冰箱	242310258	2025/3/28 11:30:00	4.8℃	正常	
7916	7-4 (2-1药)	冰箱	242310258	2025/3/28 11:35:00	4.7℃	正常	
7917	7-4 (2-1药)	冰箱	242310258	2025/3/28 11:40:00	4.4℃	正常	
7918	7-4 (2-1药)	冰箱	242310258	2025/3/28 11:45:00	4.9℃	正常	
7919	7-4 (2-1药)	冰箱	242310258	2025/3/28 11:50:00	4.4℃	正常	
7920	7-4 (2-1药)	冰箱	242310258	2025/3/28 11:55:00	4.6℃	正常	
7921	7-4 (2-1药)	冰箱	242310258	2025/3/28 12:00:00	4.8℃	正常	
7922	7-4 (2-1药)	冰箱	242310258	2025/3/28 12:05:00	4.4℃	正常	
7923	7-4 (2-1药)	冰箱	242310258	2025/3/28 12:10:00	4.8℃	正常	
7924	7-4 (2-1药)	冰箱	242310258	2025/3/28 12:15:00	4.6℃	正常	

7925	7-4 (2-1药)	冰箱	242310258	2025/3/28 12:20:00	4.5℃	正常	
7926	7-4 (2-1药)	冰箱	242310258	2025/3/28 12:25:00	4.9℃	正常	
7927	7-4 (2-1药)	冰箱	242310258	2025/3/28 12:30:00	4.4℃	正常	
7928	7-4 (2-1药)	冰箱	242310258	2025/3/28 12:35:00	4.7℃	正常	
7929	7-4 (2-1药)	冰箱	242310258	2025/3/28 12:40:00	4.8℃	正常	
7930	7-4 (2-1药)	冰箱	242310258	2025/3/28 12:45:00	4.4℃	正常	
7931	7-4 (2-1药)	冰箱	242310258	2025/3/28 12:50:00	4.8℃	正常	
7932	7-4 (2-1药)	冰箱	242310258	2025/3/28 12:55:00	4.6℃	正常	
7933	7-4 (2-1药)	冰箱	242310258	2025/3/28 13:00:00	4.5℃	正常	
7934	7-4 (2-1药)	冰箱	242310258	2025/3/28 13:05:00	4.8℃	正常	
7935	7-4 (2-1药)	冰箱	242310258	2025/3/28 13:10:00	4.4℃	正常	
7936	7-4 (2-1药)	冰箱	242310258	2025/3/28 13:15:00	4.7℃	正常	
7937	7-4 (2-1药)	冰箱	242310258	2025/3/28 13:20:00	4.8℃	正常	
7938	7-4 (2-1药)	冰箱	242310258	2025/3/28 13:25:00	4.4℃	正常	
7939	7-4 (2-1药)	冰箱	242310258	2025/3/28 13:30:00	4.8℃	正常	
7940	7-4 (2-1药)	冰箱	242310258	2025/3/28 13:35:00	4.5℃	正常	
7941	7-4 (2-1药)	冰箱	242310258	2025/3/28 13:40:00	4.6℃	正常	
7942	7-4 (2-1药)	冰箱	242310258	2025/3/28 13:45:00	4.9℃	正常	
7943	7-4 (2-1药)	冰箱	242310258	2025/3/28 13:50:00	4.4℃	正常	
7944	7-4 (2-1药)	冰箱	242310258	2025/3/28 13:55:00	4.7℃	正常	
7945	7-4 (2-1药)	冰箱	242310258	2025/3/28 14:00:00	4.7℃	正常	
7946	7-4 (2-1药)	冰箱	242310258	2025/3/28 14:05:00	4.4℃	正常	
7947	7-4 (2-1药)	冰箱	242310258	2025/3/28 14:10:00	4.8℃	正常	
7948	7-4 (2-1药)	冰箱	242310258	2025/3/28 14:15:00	4.5℃	正常	
7949	7-4 (2-1药)	冰箱	242310258	2025/3/28 14:20:00	4.6℃	正常	
7950	7-4 (2-1药)	冰箱	242310258	2025/3/28 14:25:00	4.8℃	正常	
7951	7-4 (2-1药)	冰箱	242310258	2025/3/28 14:30:00	4.4℃	正常	
7952	7-4 (2-1药)	冰箱	242310258	2025/3/28 14:35:00	4.8℃	正常	
7953	7-4 (2-1药)	冰箱	242310258	2025/3/28 14:40:00	4.6℃	正常	
7954	7-4 (2-1药)	冰箱	242310258	2025/3/28 14:45:00	4.5℃	正常	
7955	7-4 (2-1药)	冰箱	242310258	2025/3/28 14:50:00	4.8℃	正常	
7956	7-4 (2-1药)	冰箱	242310258	2025/3/28 14:55:00	4.4℃	正常	
7957	7-4 (2-1药)	冰箱	242310258	2025/3/28 15:00:00	4.7℃	正常	
7958	7-4 (2-1药)	冰箱	242310258	2025/3/28 15:05:00	4.8℃	正常	
7959	7-4 (2-1药)	冰箱	242310258	2025/3/28 15:10:00	4.4℃	正常	
7960	7-4 (2-1药)	冰箱	242310258	2025/3/28 15:15:00	4.8℃	正常	
7961	7-4 (2-1药)	冰箱	242310258	2025/3/28 15:20:00	4.5℃	正常	
7962	7-4 (2-1药)	冰箱	242310258	2025/3/28 15:25:00	4.6℃	正常	
7963	7-4 (2-1药)	冰箱	242310258	2025/3/28 15:30:00	4.9℃	正常	
7964	7-4 (2-1药)	冰箱	242310258	2025/3/28 15:35:00	4.4℃	正常	
7965	7-4 (2-1药)	冰箱	242310258	2025/3/28 15:40:00	4.7℃	正常	
7966	7-4 (2-1药)	冰箱	242310258	2025/3/28 15:45:00	4.7℃	正常	
7967	7-4 (2-1药)	冰箱	242310258	2025/3/28 15:50:00	4.4℃	正常	
7968	7-4 (2-1药)	冰箱	242310258	2025/3/28 15:55:00	4.8℃	正常	
7969	7-4 (2-1药)	冰箱	242310258	2025/3/28 16:00:00	4.5℃	正常	
7970	7-4 (2-1药)	冰箱	242310258	2025/3/28 16:05:00	4.5℃	正常	
7971	7-4 (2-1药)	冰箱	242310258	2025/3/28 16:10:00	4.9℃	正常	
7972	7-4 (2-1药)	冰箱	242310258	2025/3/28 16:15:00	4.4℃	正常	
7973	7-4 (2-1药)	冰箱	242310258	2025/3/28 16:20:00	4.7℃	正常	
7974	7-4 (2-1药)	冰箱	242310258	2025/3/28 16:25:00	4.7℃	正常	
7975	7-4 (2-1药)	冰箱	242310258	2025/3/28 16:30:00	4.4℃	正常	
7976	7-4 (2-1药)	冰箱	242310258	2025/3/28 16:35:00	4.8℃	正常	
7977	7-4 (2-1药)	冰箱	242310258	2025/3/28 16:40:00	4.5℃	正常	
7978	7-4 (2-1药)	冰箱	242310258	2025/3/28 16:45:00	4.5℃	正常	
7979	7-4 (2-1药)	冰箱	242310258	2025/3/28 16:50:00	4.9℃	正常	
7980	7-4 (2-1药)	冰箱	242310258	2025/3/28 16:55:00	4.4℃	正常	
7981	7-4 (2-1药)	冰箱	242310258	2025/3/28 17:00:00	4.7℃	正常	
7982	7-4 (2-1药)	冰箱	242310258	2025/3/28 17:05:00	4.8℃	正常	
7983	7-4 (2-1药)	冰箱	242310258	2025/3/28 17:10:00	4.4℃	正常	
7984	7-4 (2-1药)	冰箱	242310258	2025/3/28 17:15:00	4.8℃	正常	
7985	7-4 (2-1药)	冰箱	242310258	2025/3/28 17:20:00	4.5℃	正常	
7986	7-4 (2-1药)	冰箱	242310258	2025/3/28 17:25:00	4.5℃	正常	
7987	7-4 (2-1药)	冰箱	242310258	2025/3/28 17:30:00	4.9℃	正常	
7988	7-4 (2-1药)	冰箱	242310258	2025/3/28 17:35:00	4.4℃	正常	

7989	7-4 (2-1药)	冰箱	242310258	2025/3/28 17:40:00	5.3℃	正常	
7990	7-4 (2-1药)	冰箱	242310258	2025/3/28 17:45:00	4.5℃	正常	
7991	7-4 (2-1药)	冰箱	242310258	2025/3/28 17:50:00	4.9℃	正常	
7992	7-4 (2-1药)	冰箱	242310258	2025/3/28 17:55:00	4.6℃	正常	
7993	7-4 (2-1药)	冰箱	242310258	2025/3/28 18:00:00	4.6℃	正常	
7994	7-4 (2-1药)	冰箱	242310258	2025/3/28 18:05:00	4.9℃	正常	
7995	7-4 (2-1药)	冰箱	242310258	2025/3/28 18:10:00	4.4℃	正常	
7996	7-4 (2-1药)	冰箱	242310258	2025/3/28 18:15:00	4.7℃	正常	
7997	7-4 (2-1药)	冰箱	242310258	2025/3/28 18:20:00	4.8℃	正常	
7998	7-4 (2-1药)	冰箱	242310258	2025/3/28 18:25:00	4.4℃	正常	
7999	7-4 (2-1药)	冰箱	242310258	2025/3/28 18:30:00	4.8℃	正常	
8000	7-4 (2-1药)	冰箱	242310258	2025/3/28 18:35:00	4.5℃	正常	
8001	7-4 (2-1药)	冰箱	242310258	2025/3/28 18:40:00	4.6℃	正常	
8002	7-4 (2-1药)	冰箱	242310258	2025/3/28 18:45:00	4.9℃	正常	
8003	7-4 (2-1药)	冰箱	242310258	2025/3/28 18:50:00	4.4℃	正常	
8004	7-4 (2-1药)	冰箱	242310258	2025/3/28 18:55:00	4.8℃	正常	
8005	7-4 (2-1药)	冰箱	242310258	2025/3/28 19:00:00	4.7℃	正常	
8006	7-4 (2-1药)	冰箱	242310258	2025/3/28 19:05:00	4.4℃	正常	
8007	7-4 (2-1药)	冰箱	242310258	2025/3/28 19:10:00	4.8℃	正常	
8008	7-4 (2-1药)	冰箱	242310258	2025/3/28 19:15:00	4.5℃	正常	
8009	7-4 (2-1药)	冰箱	242310258	2025/3/28 19:20:00	4.6℃	正常	
8010	7-4 (2-1药)	冰箱	242310258	2025/3/28 19:25:00	4.9℃	正常	
8011	7-4 (2-1药)	冰箱	242310258	2025/3/28 19:30:00	4.4℃	正常	
8012	7-4 (2-1药)	冰箱	242310258	2025/3/28 19:35:00	4.7℃	正常	
8013	7-4 (2-1药)	冰箱	242310258	2025/3/28 19:40:00	4.7℃	正常	
8014	7-4 (2-1药)	冰箱	242310258	2025/3/28 19:45:00	4.4℃	正常	
8015	7-4 (2-1药)	冰箱	242310258	2025/3/28 19:50:00	4.8℃	正常	
8016	7-4 (2-1药)	冰箱	242310258	2025/3/28 19:55:00	4.5℃	正常	
8017	7-4 (2-1药)	冰箱	242310258	2025/3/28 20:00:00	4.6℃	正常	
8018	7-4 (2-1药)	冰箱	242310258	2025/3/28 20:05:00	4.9℃	正常	
8019	7-4 (2-1药)	冰箱	242310258	2025/3/28 20:10:00	4.4℃	正常	
8020	7-4 (2-1药)	冰箱	242310258	2025/3/28 20:15:00	4.7℃	正常	
8021	7-4 (2-1药)	冰箱	242310258	2025/3/28 20:20:00	4.7℃	正常	
8022	7-4 (2-1药)	冰箱	242310258	2025/3/28 20:25:00	4.4℃	正常	
8023	7-4 (2-1药)	冰箱	242310258	2025/3/28 20:30:00	4.8℃	正常	
8024	7-4 (2-1药)	冰箱	242310258	2025/3/28 20:35:00	4.6℃	正常	
8025	7-4 (2-1药)	冰箱	242310258	2025/3/28 20:40:00	4.6℃	正常	
8026	7-4 (2-1药)	冰箱	242310258	2025/3/28 20:45:00	4.9℃	正常	
8027	7-4 (2-1药)	冰箱	242310258	2025/3/28 20:50:00	4.4℃	正常	
8028	7-4 (2-1药)	冰箱	242310258	2025/3/28 20:55:00	4.7℃	正常	
8029	7-4 (2-1药)	冰箱	242310258	2025/3/28 21:00:00	4.7℃	正常	
8030	7-4 (2-1药)	冰箱	242310258	2025/3/28 21:05:00	4.4℃	正常	
8031	7-4 (2-1药)	冰箱	242310258	2025/3/28 21:10:00	4.8℃	正常	
8032	7-4 (2-1药)	冰箱	242310258	2025/3/28 21:15:00	4.5℃	正常	
8033	7-4 (2-1药)	冰箱	242310258	2025/3/28 21:20:00	4.5℃	正常	
8034	7-4 (2-1药)	冰箱	242310258	2025/3/28 21:25:00	4.9℃	正常	
8035	7-4 (2-1药)	冰箱	242310258	2025/3/28 21:30:00	4.4℃	正常	
8036	7-4 (2-1药)	冰箱	242310258	2025/3/28 21:35:00	4.7℃	正常	
8037	7-4 (2-1药)	冰箱	242310258	2025/3/28 21:40:00	4.7℃	正常	
8038	7-4 (2-1药)	冰箱	242310258	2025/3/28 21:45:00	4.4℃	正常	
8039	7-4 (2-1药)	冰箱	242310258	2025/3/28 21:50:00	4.8℃	正常	
8040	7-4 (2-1药)	冰箱	242310258	2025/3/28 21:55:00	4.6℃	正常	
8041	7-4 (2-1药)	冰箱	242310258	2025/3/28 22:00:00	4.5℃	正常	
8042	7-4 (2-1药)	冰箱	242310258	2025/3/28 22:05:00	4.9℃	正常	
8043	7-4 (2-1药)	冰箱	242310258	2025/3/28 22:10:00	4.4℃	正常	
8044	7-4 (2-1药)	冰箱	242310258	2025/3/28 22:15:00	4.6℃	正常	
8045	7-4 (2-1药)	冰箱	242310258	2025/3/28 22:20:00	4.8℃	正常	
8046	7-4 (2-1药)	冰箱	242310258	2025/3/28 22:25:00	4.4℃	正常	
8047	7-4 (2-1药)	冰箱	242310258	2025/3/28 22:30:00	4.8℃	正常	
8048	7-4 (2-1药)	冰箱	242310258	2025/3/28 22:35:00	4.7℃	正常	
8049	7-4 (2-1药)	冰箱	242310258	2025/3/28 22:40:00	4.5℃	正常	
8050	7-4 (2-1药)	冰箱	242310258	2025/3/28 22:45:00	4.9℃	正常	
8051	7-4 (2-1药)	冰箱	242310258	2025/3/28 22:50:00	4.4℃	正常	
8052	7-4 (2-1药)	冰箱	242310258	2025/3/28 22:55:00	4.7℃	正常	

8053	7-4 (2-1药)	冰箱	242310258	2025/3/28 23:00:00	4.7℃	正常	
8054	7-4 (2-1药)	冰箱	242310258	2025/3/28 23:05:00	4.4℃	正常	
8055	7-4 (2-1药)	冰箱	242310258	2025/3/28 23:10:00	4.9℃	正常	
8056	7-4 (2-1药)	冰箱	242310258	2025/3/28 23:15:00	4.5℃	正常	
8057	7-4 (2-1药)	冰箱	242310258	2025/3/28 23:20:00	4.6℃	正常	
8058	7-4 (2-1药)	冰箱	242310258	2025/3/28 23:25:00	4.8℃	正常	
8059	7-4 (2-1药)	冰箱	242310258	2025/3/28 23:30:00	4.4℃	正常	
8060	7-4 (2-1药)	冰箱	242310258	2025/3/28 23:35:00	4.7℃	正常	
8061	7-4 (2-1药)	冰箱	242310258	2025/3/28 23:40:00	4.7℃	正常	
8062	7-4 (2-1药)	冰箱	242310258	2025/3/28 23:45:00	4.4℃	正常	
8063	7-4 (2-1药)	冰箱	242310258	2025/3/28 23:50:00	4.8℃	正常	
8064	7-4 (2-1药)	冰箱	242310258	2025/3/28 23:55:00	4.6℃	正常	
8065	7-4 (2-1药)	冰箱	242310258	2025/3/29 0:00:00	4.5℃	正常	
8066	7-4 (2-1药)	冰箱	242310258	2025/3/29 0:05:00	4.8℃	正常	
8067	7-4 (2-1药)	冰箱	242310258	2025/3/29 0:10:00	4.4℃	正常	
8068	7-4 (2-1药)	冰箱	242310258	2025/3/29 0:15:00	4.6℃	正常	
8069	7-4 (2-1药)	冰箱	242310258	2025/3/29 0:20:00	4.8℃	正常	
8070	7-4 (2-1药)	冰箱	242310258	2025/3/29 0:25:00	4.4℃	正常	
8071	7-4 (2-1药)	冰箱	242310258	2025/3/29 0:30:00	4.8℃	正常	
8072	7-4 (2-1药)	冰箱	242310258	2025/3/29 0:35:00	4.6℃	正常	
8073	7-4 (2-1药)	冰箱	242310258	2025/3/29 0:40:00	4.4℃	正常	
8074	7-4 (2-1药)	冰箱	242310258	2025/3/29 0:45:00	4.9℃	正常	
8075	7-4 (2-1药)	冰箱	242310258	2025/3/29 0:50:00	4.4℃	正常	
8076	7-4 (2-1药)	冰箱	242310258	2025/3/29 0:55:00	4.7℃	正常	
8077	7-4 (2-1药)	冰箱	242310258	2025/3/29 1:00:00	4.8℃	正常	
8078	7-4 (2-1药)	冰箱	242310258	2025/3/29 1:05:00	4.4℃	正常	
8079	7-4 (2-1药)	冰箱	242310258	2025/3/29 1:10:00	4.8℃	正常	
8080	7-4 (2-1药)	冰箱	242310258	2025/3/29 1:15:00	4.7℃	正常	
8081	7-4 (2-1药)	冰箱	242310258	2025/3/29 1:20:00	4.5℃	正常	
8082	7-4 (2-1药)	冰箱	242310258	2025/3/29 1:25:00	4.9℃	正常	
8083	7-4 (2-1药)	冰箱	242310258	2025/3/29 1:30:00	4.4℃	正常	
8084	7-4 (2-1药)	冰箱	242310258	2025/3/29 1:35:00	4.6℃	正常	
8085	7-4 (2-1药)	冰箱	242310258	2025/3/29 1:40:00	4.8℃	正常	
8086	7-4 (2-1药)	冰箱	242310258	2025/3/29 1:45:00	4.4℃	正常	
8087	7-4 (2-1药)	冰箱	242310258	2025/3/29 1:50:00	4.8℃	正常	
8088	7-4 (2-1药)	冰箱	242310258	2025/3/29 1:55:00	4.7℃	正常	
8089	7-4 (2-1药)	冰箱	242310258	2025/3/29 2:00:00	4.4℃	正常	
8090	7-4 (2-1药)	冰箱	242310258	2025/3/29 2:05:00	4.8℃	正常	
8091	7-4 (2-1药)	冰箱	242310258	2025/3/29 2:10:00	4.5℃	正常	
8092	7-4 (2-1药)	冰箱	242310258	2025/3/29 2:15:00	4.6℃	正常	
8093	7-4 (2-1药)	冰箱	242310258	2025/3/29 2:20:00	4.9℃	正常	
8094	7-4 (2-1药)	冰箱	242310258	2025/3/29 2:25:00	4.4℃	正常	
8095	7-4 (2-1药)	冰箱	242310258	2025/3/29 2:30:00	4.8℃	正常	
8096	7-4 (2-1药)	冰箱	242310258	2025/3/29 2:35:00	4.7℃	正常	
8097	7-4 (2-1药)	冰箱	242310258	2025/3/29 2:40:00	4.4℃	正常	
8098	7-4 (2-1药)	冰箱	242310258	2025/3/29 2:45:00	4.8℃	正常	
8099	7-4 (2-1药)	冰箱	242310258	2025/3/29 2:50:00	4.5℃	正常	
8100	7-4 (2-1药)	冰箱	242310258	2025/3/29 2:55:00	4.5℃	正常	
8101	7-4 (2-1药)	冰箱	242310258	2025/3/29 3:00:00	4.9℃	正常	
8102	7-4 (2-1药)	冰箱	242310258	2025/3/29 3:05:00	4.4℃	正常	
8103	7-4 (2-1药)	冰箱	242310258	2025/3/29 3:10:00	4.7℃	正常	
8104	7-4 (2-1药)	冰箱	242310258	2025/3/29 3:15:00	4.7℃	正常	
8105	7-4 (2-1药)	冰箱	242310258	2025/3/29 3:20:00	4.4℃	正常	
8106	7-4 (2-1药)	冰箱	242310258	2025/3/29 3:25:00	4.8℃	正常	
8107	7-4 (2-1药)	冰箱	242310258	2025/3/29 3:30:00	4.6℃	正常	
8108	7-4 (2-1药)	冰箱	242310258	2025/3/29 3:35:00	4.5℃	正常	
8109	7-4 (2-1药)	冰箱	242310258	2025/3/29 3:40:00	4.9℃	正常	
8110	7-4 (2-1药)	冰箱	242310258	2025/3/29 3:45:00	4.4℃	正常	
8111	7-4 (2-1药)	冰箱	242310258	2025/3/29 3:50:00	4.7℃	正常	
8112	7-4 (2-1药)	冰箱	242310258	2025/3/29 3:55:00	4.7℃	正常	
8113	7-4 (2-1药)	冰箱	242310258	2025/3/29 4:00:00	4.4℃	正常	
8114	7-4 (2-1药)	冰箱	242310258	2025/3/29 4:05:00	4.8℃	正常	
8115	7-4 (2-1药)	冰箱	242310258	2025/3/29 4:10:00	4.5℃	正常	
8116	7-4 (2-1药)	冰箱	242310258	2025/3/29 4:15:00	4.6℃	正常	

8117	7-4 (2-1药)	冰箱	242310258	2025/3/29 4:20:00	4.8℃	正常	
8118	7-4 (2-1药)	冰箱	242310258	2025/3/29 4:25:00	4.4℃	正常	
8119	7-4 (2-1药)	冰箱	242310258	2025/3/29 4:30:00	4.7℃	正常	
8120	7-4 (2-1药)	冰箱	242310258	2025/3/29 4:35:00	4.7℃	正常	
8121	7-4 (2-1药)	冰箱	242310258	2025/3/29 4:40:00	4.4℃	正常	
8122	7-4 (2-1药)	冰箱	242310258	2025/3/29 4:45:00	5.2℃	正常	
8123	7-4 (2-1药)	冰箱	242310258	2025/3/29 4:50:00	4.8℃	正常	
8124	7-4 (2-1药)	冰箱	242310258	2025/3/29 4:55:00	4.9℃	正常	
8125	7-4 (2-1药)	冰箱	242310258	2025/3/29 5:00:00	4.4℃	正常	
8126	7-4 (2-1药)	冰箱	242310258	2025/3/29 5:05:00	4.8℃	正常	
8127	7-4 (2-1药)	冰箱	242310258	2025/3/29 5:10:00	4.7℃	正常	
8128	7-4 (2-1药)	冰箱	242310258	2025/3/29 5:15:00	4.4℃	正常	
8129	7-4 (2-1药)	冰箱	242310258	2025/3/29 5:20:00	4.8℃	正常	
8130	7-4 (2-1药)	冰箱	242310258	2025/3/29 5:25:00	4.5℃	正常	
8131	7-4 (2-1药)	冰箱	242310258	2025/3/29 5:30:00	4.5℃	正常	
8132	7-4 (2-1药)	冰箱	242310258	2025/3/29 5:35:00	4.8℃	正常	
8133	7-4 (2-1药)	冰箱	242310258	2025/3/29 5:40:00	4.4℃	正常	
8134	7-4 (2-1药)	冰箱	242310258	2025/3/29 5:45:00	4.7℃	正常	
8135	7-4 (2-1药)	冰箱	242310258	2025/3/29 5:50:00	4.7℃	正常	
8136	7-4 (2-1药)	冰箱	242310258	2025/3/29 5:55:00	4.4℃	正常	
8137	7-4 (2-1药)	冰箱	242310258	2025/3/29 6:00:00	4.8℃	正常	
8138	7-4 (2-1药)	冰箱	242310258	2025/3/29 6:05:00	4.6℃	正常	
8139	7-4 (2-1药)	冰箱	242310258	2025/3/29 6:10:00	4.5℃	正常	
8140	7-4 (2-1药)	冰箱	242310258	2025/3/29 6:15:00	4.9℃	正常	
8141	7-4 (2-1药)	冰箱	242310258	2025/3/29 6:20:00	4.4℃	正常	
8142	7-4 (2-1药)	冰箱	242310258	2025/3/29 6:25:00	4.7℃	正常	
8143	7-4 (2-1药)	冰箱	242310258	2025/3/29 6:30:00	4.8℃	正常	
8144	7-4 (2-1药)	冰箱	242310258	2025/3/29 6:35:00	4.4℃	正常	
8145	7-4 (2-1药)	冰箱	242310258	2025/3/29 6:40:00	4.8℃	正常	
8146	7-4 (2-1药)	冰箱	242310258	2025/3/29 6:45:00	4.6℃	正常	
8147	7-4 (2-1药)	冰箱	242310258	2025/3/29 6:50:00	4.5℃	正常	
8148	7-4 (2-1药)	冰箱	242310258	2025/3/29 6:55:00	4.9℃	正常	
8149	7-4 (2-1药)	冰箱	242310258	2025/3/29 7:00:00	4.4℃	正常	
8150	7-4 (2-1药)	冰箱	242310258	2025/3/29 7:05:00	4.6℃	正常	
8151	7-4 (2-1药)	冰箱	242310258	2025/3/29 7:10:00	4.8℃	正常	
8152	7-4 (2-1药)	冰箱	242310258	2025/3/29 7:15:00	4.4℃	正常	
8153	7-4 (2-1药)	冰箱	242310258	2025/3/29 7:20:00	4.8℃	正常	
8154	7-4 (2-1药)	冰箱	242310258	2025/3/29 7:25:00	4.7℃	正常	
8155	7-4 (2-1药)	冰箱	242310258	2025/3/29 7:30:00	4.5℃	正常	
8156	7-4 (2-1药)	冰箱	242310258	2025/3/29 7:35:00	4.8℃	正常	
8157	7-4 (2-1药)	冰箱	242310258	2025/3/29 7:40:00	4.5℃	正常	
8158	7-4 (2-1药)	冰箱	242310258	2025/3/29 7:45:00	4.5℃	正常	
8159	7-4 (2-1药)	冰箱	242310258	2025/3/29 7:50:00	4.9℃	正常	
8160	7-4 (2-1药)	冰箱	242310258	2025/3/29 7:55:00	4.4℃	正常	
8161	7-4 (2-1药)	冰箱	242310258	2025/3/29 8:00:00	4.7℃	正常	
8162	7-4 (2-1药)	冰箱	242310258	2025/3/29 8:05:00	4.7℃	正常	
8163	7-4 (2-1药)	冰箱	242310258	2025/3/29 8:10:00	4.4℃	正常	
8164	7-4 (2-1药)	冰箱	242310258	2025/3/29 8:15:00	4.8℃	正常	
8165	7-4 (2-1药)	冰箱	242310258	2025/3/29 8:20:00	4.5℃	正常	
8166	7-4 (2-1药)	冰箱	242310258	2025/3/29 8:25:00	4.5℃	正常	
8167	7-4 (2-1药)	冰箱	242310258	2025/3/29 8:30:00	4.9℃	正常	
8168	7-4 (2-1药)	冰箱	242310258	2025/3/29 8:35:00	4.4℃	正常	
8169	7-4 (2-1药)	冰箱	242310258	2025/3/29 8:40:00	4.7℃	正常	
8170	7-4 (2-1药)	冰箱	242310258	2025/3/29 8:45:00	4.7℃	正常	
8171	7-4 (2-1药)	冰箱	242310258	2025/3/29 8:50:00	4.4℃	正常	
8172	7-4 (2-1药)	冰箱	242310258	2025/3/29 8:55:00	4.8℃	正常	
8173	7-4 (2-1药)	冰箱	242310258	2025/3/29 9:00:00	4.6℃	正常	
8174	7-4 (2-1药)	冰箱	242310258	2025/3/29 9:05:00	4.5℃	正常	
8175	7-4 (2-1药)	冰箱	242310258	2025/3/29 9:10:00	4.8℃	正常	
8176	7-4 (2-1药)	冰箱	242310258	2025/3/29 9:15:00	4.4℃	正常	
8177	7-4 (2-1药)	冰箱	242310258	2025/3/29 9:20:00	4.6℃	正常	
8178	7-4 (2-1药)	冰箱	242310258	2025/3/29 9:25:00	4.8℃	正常	
8179	7-4 (2-1药)	冰箱	242310258	2025/3/29 9:30:00	4.4℃	正常	
8180	7-4 (2-1药)	冰箱	242310258	2025/3/29 9:35:00	4.8℃	正常	

8181	7-4 (2-1药)	冰箱	242310258	2025/3/29 9:40:00	4.7℃	正常	
8182	7-4 (2-1药)	冰箱	242310258	2025/3/29 9:45:00	4.4℃	正常	
8183	7-4 (2-1药)	冰箱	242310258	2025/3/29 9:50:00	4.8℃	正常	
8184	7-4 (2-1药)	冰箱	242310258	2025/3/29 9:55:00	4.5℃	正常	
8185	7-4 (2-1药)	冰箱	242310258	2025/3/29 10:00:00	4.6℃	正常	
8186	7-4 (2-1药)	冰箱	242310258	2025/3/29 10:05:00	4.8℃	正常	
8187	7-4 (2-1药)	冰箱	242310258	2025/3/29 10:10:00	4.4℃	正常	
8188	7-4 (2-1药)	冰箱	242310258	2025/3/29 10:15:00	4.7℃	正常	
8189	7-4 (2-1药)	冰箱	242310258	2025/3/29 10:20:00	4.7℃	正常	
8190	7-4 (2-1药)	冰箱	242310258	2025/3/29 10:25:00	4.4℃	正常	
8191	7-4 (2-1药)	冰箱	242310258	2025/3/29 10:30:00	4.8℃	正常	
8192	7-4 (2-1药)	冰箱	242310258	2025/3/29 10:35:00	4.5℃	正常	
8193	7-4 (2-1药)	冰箱	242310258	2025/3/29 10:40:00	4.5℃	正常	
8194	7-4 (2-1药)	冰箱	242310258	2025/3/29 10:45:00	4.9℃	正常	
8195	7-4 (2-1药)	冰箱	242310258	2025/3/29 10:50:00	4.4℃	正常	
8196	7-4 (2-1药)	冰箱	242310258	2025/3/29 10:55:00	4.7℃	正常	
8197	7-4 (2-1药)	冰箱	242310258	2025/3/29 11:00:00	4.8℃	正常	
8198	7-4 (2-1药)	冰箱	242310258	2025/3/29 11:05:00	4.4℃	正常	
8199	7-4 (2-1药)	冰箱	242310258	2025/3/29 11:10:00	4.8℃	正常	
8200	7-4 (2-1药)	冰箱	242310258	2025/3/29 11:15:00	4.7℃	正常	
8201	7-4 (2-1药)	冰箱	242310258	2025/3/29 11:20:00	4.5℃	正常	
8202	7-4 (2-1药)	冰箱	242310258	2025/3/29 11:25:00	4.8℃	正常	
8203	7-4 (2-1药)	冰箱	242310258	2025/3/29 11:30:00	4.4℃	正常	
8204	7-4 (2-1药)	冰箱	242310258	2025/3/29 11:35:00	4.6℃	正常	
8205	7-4 (2-1药)	冰箱	242310258	2025/3/29 11:40:00	4.8℃	正常	
8206	7-4 (2-1药)	冰箱	242310258	2025/3/29 11:45:00	4.3℃	正常	
8207	7-4 (2-1药)	冰箱	242310258	2025/3/29 11:50:00	4.7℃	正常	
8208	7-4 (2-1药)	冰箱	242310258	2025/3/29 11:55:00	4.7℃	正常	
8209	7-4 (2-1药)	冰箱	242310258	2025/3/29 12:00:00	4.4℃	正常	
8210	7-4 (2-1药)	冰箱	242310258	2025/3/29 12:05:00	4.8℃	正常	
8211	7-4 (2-1药)	冰箱	242310258	2025/3/29 12:10:00	4.6℃	正常	
8212	7-4 (2-1药)	冰箱	242310258	2025/3/29 12:15:00	4.5℃	正常	
8213	7-4 (2-1药)	冰箱	242310258	2025/3/29 12:20:00	4.8℃	正常	
8214	7-4 (2-1药)	冰箱	242310258	2025/3/29 12:25:00	4.4℃	正常	
8215	7-4 (2-1药)	冰箱	242310258	2025/3/29 12:30:00	4.6℃	正常	
8216	7-4 (2-1药)	冰箱	242310258	2025/3/29 12:35:00	4.8℃	正常	
8217	7-4 (2-1药)	冰箱	242310258	2025/3/29 12:40:00	4.3℃	正常	
8218	7-4 (2-1药)	冰箱	242310258	2025/3/29 12:45:00	4.7℃	正常	
8219	7-4 (2-1药)	冰箱	242310258	2025/3/29 12:50:00	4.7℃	正常	
8220	7-4 (2-1药)	冰箱	242310258	2025/3/29 12:55:00	4.4℃	正常	
8221	7-4 (2-1药)	冰箱	242310258	2025/3/29 13:00:00	4.8℃	正常	
8222	7-4 (2-1药)	冰箱	242310258	2025/3/29 13:05:00	4.5℃	正常	
8223	7-4 (2-1药)	冰箱	242310258	2025/3/29 13:10:00	4.6℃	正常	
8224	7-4 (2-1药)	冰箱	242310258	2025/3/29 13:15:00	4.8℃	正常	
8225	7-4 (2-1药)	冰箱	242310258	2025/3/29 13:20:00	4.3℃	正常	
8226	7-4 (2-1药)	冰箱	242310258	2025/3/29 13:25:00	4.7℃	正常	
8227	7-4 (2-1药)	冰箱	242310258	2025/3/29 13:30:00	4.7℃	正常	
8228	7-4 (2-1药)	冰箱	242310258	2025/3/29 13:35:00	4.4℃	正常	
8229	7-4 (2-1药)	冰箱	242310258	2025/3/29 13:40:00	4.8℃	正常	
8230	7-4 (2-1药)	冰箱	242310258	2025/3/29 13:45:00	4.5℃	正常	
8231	7-4 (2-1药)	冰箱	242310258	2025/3/29 13:50:00	4.6℃	正常	
8232	7-4 (2-1药)	冰箱	242310258	2025/3/29 13:55:00	4.9℃	正常	
8233	7-4 (2-1药)	冰箱	242310258	2025/3/29 14:00:00	4.4℃	正常	
8234	7-4 (2-1药)	冰箱	242310258	2025/3/29 14:05:00	4.7℃	正常	
8235	7-4 (2-1药)	冰箱	242310258	2025/3/29 14:10:00	4.8℃	正常	
8236	7-4 (2-1药)	冰箱	242310258	2025/3/29 14:15:00	4.4℃	正常	
8237	7-4 (2-1药)	冰箱	242310258	2025/3/29 14:20:00	4.9℃	正常	
8238	7-4 (2-1药)	冰箱	242310258	2025/3/29 14:25:00	4.5℃	正常	
8239	7-4 (2-1药)	冰箱	242310258	2025/3/29 14:30:00	4.5℃	正常	
8240	7-4 (2-1药)	冰箱	242310258	2025/3/29 14:35:00	4.8℃	正常	
8241	7-4 (2-1药)	冰箱	242310258	2025/3/29 14:40:00	4.4℃	正常	
8242	7-4 (2-1药)	冰箱	242310258	2025/3/29 14:45:00	4.7℃	正常	
8243	7-4 (2-1药)	冰箱	242310258	2025/3/29 14:50:00	4.8℃	正常	
8244	7-4 (2-1药)	冰箱	242310258	2025/3/29 14:55:00	4.4℃	正常	

8245	7-4 (2-1药)	冰箱	242310258	2025/3/29 15:00:00	4.8℃	正常	
8246	7-4 (2-1药)	冰箱	242310258	2025/3/29 15:05:00	4.6℃	正常	
8247	7-4 (2-1药)	冰箱	242310258	2025/3/29 15:10:00	4.5℃	正常	
8248	7-4 (2-1药)	冰箱	242310258	2025/3/29 15:15:00	4.9℃	正常	
8249	7-4 (2-1药)	冰箱	242310258	2025/3/29 15:20:00	4.4℃	正常	
8250	7-4 (2-1药)	冰箱	242310258	2025/3/29 15:25:00	4.6℃	正常	
8251	7-4 (2-1药)	冰箱	242310258	2025/3/29 15:30:00	4.8℃	正常	
8252	7-4 (2-1药)	冰箱	242310258	2025/3/29 15:35:00	4.4℃	正常	
8253	7-4 (2-1药)	冰箱	242310258	2025/3/29 15:40:00	4.8℃	正常	
8254	7-4 (2-1药)	冰箱	242310258	2025/3/29 15:45:00	4.7℃	正常	
8255	7-4 (2-1药)	冰箱	242310258	2025/3/29 15:50:00	4.4℃	正常	
8256	7-4 (2-1药)	冰箱	242310258	2025/3/29 15:55:00	5.2℃	正常	
8257	7-4 (2-1药)	冰箱	242310258	2025/3/29 16:00:00	4.9℃	正常	
8258	7-4 (2-1药)	冰箱	242310258	2025/3/29 16:05:00	4.9℃	正常	
8259	7-4 (2-1药)	冰箱	242310258	2025/3/29 16:10:00	4.4℃	正常	
8260	7-4 (2-1药)	冰箱	242310258	2025/3/29 16:15:00	4.8℃	正常	
8261	7-4 (2-1药)	冰箱	242310258	2025/3/29 16:20:00	4.7℃	正常	
8262	7-4 (2-1药)	冰箱	242310258	2025/3/29 16:25:00	4.5℃	正常	
8263	7-4 (2-1药)	冰箱	242310258	2025/3/29 16:30:00	4.8℃	正常	
8264	7-4 (2-1药)	冰箱	242310258	2025/3/29 16:35:00	4.4℃	正常	
8265	7-4 (2-1药)	冰箱	242310258	2025/3/29 16:40:00	4.6℃	正常	
8266	7-4 (2-1药)	冰箱	242310258	2025/3/29 16:45:00	4.8℃	正常	
8267	7-4 (2-1药)	冰箱	242310258	2025/3/29 16:50:00	4.4℃	正常	
8268	7-4 (2-1药)	冰箱	242310258	2025/3/29 16:55:00	4.7℃	正常	
8269	7-4 (2-1药)	冰箱	242310258	2025/3/29 17:00:00	4.7℃	正常	
8270	7-4 (2-1药)	冰箱	242310258	2025/3/29 17:05:00	4.4℃	正常	
8271	7-4 (2-1药)	冰箱	242310258	2025/3/29 17:10:00	4.8℃	正常	
8272	7-4 (2-1药)	冰箱	242310258	2025/3/29 17:15:00	4.5℃	正常	
8273	7-4 (2-1药)	冰箱	242310258	2025/3/29 17:20:00	4.5℃	正常	
8274	7-4 (2-1药)	冰箱	242310258	2025/3/29 17:25:00	4.9℃	正常	
8275	7-4 (2-1药)	冰箱	242310258	2025/3/29 17:30:00	4.4℃	正常	
8276	7-4 (2-1药)	冰箱	242310258	2025/3/29 17:35:00	4.7℃	正常	
8277	7-4 (2-1药)	冰箱	242310258	2025/3/29 17:40:00	4.8℃	正常	
8278	7-4 (2-1药)	冰箱	242310258	2025/3/29 17:45:00	4.4℃	正常	
8279	7-4 (2-1药)	冰箱	242310258	2025/3/29 17:50:00	4.8℃	正常	
8280	7-4 (2-1药)	冰箱	242310258	2025/3/29 17:55:00	4.6℃	正常	
8281	7-4 (2-1药)	冰箱	242310258	2025/3/29 18:00:00	4.5℃	正常	
8282	7-4 (2-1药)	冰箱	242310258	2025/3/29 18:05:00	4.9℃	正常	
8283	7-4 (2-1药)	冰箱	242310258	2025/3/29 18:10:00	4.4℃	正常	
8284	7-4 (2-1药)	冰箱	242310258	2025/3/29 18:15:00	4.6℃	正常	
8285	7-4 (2-1药)	冰箱	242310258	2025/3/29 18:20:00	4.8℃	正常	
8286	7-4 (2-1药)	冰箱	242310258	2025/3/29 18:25:00	4.4℃	正常	
8287	7-4 (2-1药)	冰箱	242310258	2025/3/29 18:30:00	4.8℃	正常	
8288	7-4 (2-1药)	冰箱	242310258	2025/3/29 18:35:00	4.7℃	正常	
8289	7-4 (2-1药)	冰箱	242310258	2025/3/29 18:40:00	4.5℃	正常	
8290	7-4 (2-1药)	冰箱	242310258	2025/3/29 18:45:00	4.9℃	正常	
8291	7-4 (2-1药)	冰箱	242310258	2025/3/29 18:50:00	4.4℃	正常	
8292	7-4 (2-1药)	冰箱	242310258	2025/3/29 18:55:00	4.6℃	正常	
8293	7-4 (2-1药)	冰箱	242310258	2025/3/29 19:00:00	4.8℃	正常	
8294	7-4 (2-1药)	冰箱	242310258	2025/3/29 19:05:00	4.4℃	正常	
8295	7-4 (2-1药)	冰箱	242310258	2025/3/29 19:10:00	4.8℃	正常	
8296	7-4 (2-1药)	冰箱	242310258	2025/3/29 19:15:00	4.6℃	正常	
8297	7-4 (2-1药)	冰箱	242310258	2025/3/29 19:20:00	4.4℃	正常	
8298	7-4 (2-1药)	冰箱	242310258	2025/3/29 19:25:00	4.8℃	正常	
8299	7-4 (2-1药)	冰箱	242310258	2025/3/29 19:30:00	4.5℃	正常	
8300	7-4 (2-1药)	冰箱	242310258	2025/3/29 19:35:00	4.5℃	正常	
8301	7-4 (2-1药)	冰箱	242310258	2025/3/29 19:40:00	4.9℃	正常	
8302	7-4 (2-1药)	冰箱	242310258	2025/3/29 19:45:00	4.4℃	正常	
8303	7-4 (2-1药)	冰箱	242310258	2025/3/29 19:50:00	4.7℃	正常	
8304	7-4 (2-1药)	冰箱	242310258	2025/3/29 19:55:00	4.8℃	正常	
8305	7-4 (2-1药)	冰箱	242310258	2025/3/29 20:00:00	4.4℃	正常	
8306	7-4 (2-1药)	冰箱	242310258	2025/3/29 20:05:00	4.8℃	正常	
8307	7-4 (2-1药)	冰箱	242310258	2025/3/29 20:10:00	4.6℃	正常	
8308	7-4 (2-1药)	冰箱	242310258	2025/3/29 20:15:00	4.5℃	正常	

8309	7-4 (2-1药)	冰箱	242310258	2025/3/29 20:20:00	4.8℃	正常	
8310	7-4 (2-1药)	冰箱	242310258	2025/3/29 20:25:00	4.4℃	正常	
8311	7-4 (2-1药)	冰箱	242310258	2025/3/29 20:30:00	4.6℃	正常	
8312	7-4 (2-1药)	冰箱	242310258	2025/3/29 20:35:00	4.8℃	正常	
8313	7-4 (2-1药)	冰箱	242310258	2025/3/29 20:40:00	4.4℃	正常	
8314	7-4 (2-1药)	冰箱	242310258	2025/3/29 20:45:00	4.8℃	正常	
8315	7-4 (2-1药)	冰箱	242310258	2025/3/29 20:50:00	4.6℃	正常	
8316	7-4 (2-1药)	冰箱	242310258	2025/3/29 20:55:00	4.4℃	正常	
8317	7-4 (2-1药)	冰箱	242310258	2025/3/29 21:00:00	4.8℃	正常	
8318	7-4 (2-1药)	冰箱	242310258	2025/3/29 21:05:00	4.5℃	正常	
8319	7-4 (2-1药)	冰箱	242310258	2025/3/29 21:10:00	4.5℃	正常	
8320	7-4 (2-1药)	冰箱	242310258	2025/3/29 21:15:00	4.8℃	正常	
8321	7-4 (2-1药)	冰箱	242310258	2025/3/29 21:20:00	4.4℃	正常	
8322	7-4 (2-1药)	冰箱	242310258	2025/3/29 21:25:00	4.7℃	正常	
8323	7-4 (2-1药)	冰箱	242310258	2025/3/29 21:30:00	4.8℃	正常	
8324	7-4 (2-1药)	冰箱	242310258	2025/3/29 21:35:00	4.4℃	正常	
8325	7-4 (2-1药)	冰箱	242310258	2025/3/29 21:40:00	4.8℃	正常	
8326	7-4 (2-1药)	冰箱	242310258	2025/3/29 21:45:00	4.6℃	正常	
8327	7-4 (2-1药)	冰箱	242310258	2025/3/29 21:50:00	4.4℃	正常	
8328	7-4 (2-1药)	冰箱	242310258	2025/3/29 21:55:00	4.8℃	正常	
8329	7-4 (2-1药)	冰箱	242310258	2025/3/29 22:00:00	4.5℃	正常	
8330	7-4 (2-1药)	冰箱	242310258	2025/3/29 22:05:00	4.6℃	正常	
8331	7-4 (2-1药)	冰箱	242310258	2025/3/29 22:10:00	4.8℃	正常	
8332	7-4 (2-1药)	冰箱	242310258	2025/3/29 22:15:00	4.4℃	正常	
8333	7-4 (2-1药)	冰箱	242310258	2025/3/29 22:20:00	4.7℃	正常	
8334	7-4 (2-1药)	冰箱	242310258	2025/3/29 22:25:00	4.7℃	正常	
8335	7-4 (2-1药)	冰箱	242310258	2025/3/29 22:30:00	4.4℃	正常	
8336	7-4 (2-1药)	冰箱	242310258	2025/3/29 22:35:00	4.8℃	正常	
8337	7-4 (2-1药)	冰箱	242310258	2025/3/29 22:40:00	4.5℃	正常	
8338	7-4 (2-1药)	冰箱	242310258	2025/3/29 22:45:00	4.6℃	正常	
8339	7-4 (2-1药)	冰箱	242310258	2025/3/29 22:50:00	4.8℃	正常	
8340	7-4 (2-1药)	冰箱	242310258	2025/3/29 22:55:00	4.4℃	正常	
8341	7-4 (2-1药)	冰箱	242310258	2025/3/29 23:00:00	4.7℃	正常	
8342	7-4 (2-1药)	冰箱	242310258	2025/3/29 23:05:00	4.8℃	正常	
8343	7-4 (2-1药)	冰箱	242310258	2025/3/29 23:10:00	4.4℃	正常	
8344	7-4 (2-1药)	冰箱	242310258	2025/3/29 23:15:00	4.8℃	正常	
8345	7-4 (2-1药)	冰箱	242310258	2025/3/29 23:20:00	4.6℃	正常	
8346	7-4 (2-1药)	冰箱	242310258	2025/3/29 23:25:00	4.5℃	正常	
8347	7-4 (2-1药)	冰箱	242310258	2025/3/29 23:30:00	4.9℃	正常	
8348	7-4 (2-1药)	冰箱	242310258	2025/3/29 23:35:00	4.5℃	正常	
8349	7-4 (2-1药)	冰箱	242310258	2025/3/29 23:40:00	4.6℃	正常	
8350	7-4 (2-1药)	冰箱	242310258	2025/3/29 23:45:00	4.9℃	正常	
8351	7-4 (2-1药)	冰箱	242310258	2025/3/29 23:50:00	4.4℃	正常	
8352	7-4 (2-1药)	冰箱	242310258	2025/3/29 23:55:00	4.7℃	正常	
8353	7-4 (2-1药)	冰箱	242310258	2025/3/30 0:00:00	4.8℃	正常	
8354	7-4 (2-1药)	冰箱	242310258	2025/3/30 0:05:00	4.4℃	正常	
8355	7-4 (2-1药)	冰箱	242310258	2025/3/30 0:10:00	4.8℃	正常	
8356	7-4 (2-1药)	冰箱	242310258	2025/3/30 0:15:00	4.6℃	正常	
8357	7-4 (2-1药)	冰箱	242310258	2025/3/30 0:20:00	4.6℃	正常	
8358	7-4 (2-1药)	冰箱	242310258	2025/3/30 0:25:00	4.8℃	正常	
8359	7-4 (2-1药)	冰箱	242310258	2025/3/30 0:30:00	4.4℃	正常	
8360	7-4 (2-1药)	冰箱	242310258	2025/3/30 0:35:00	4.6℃	正常	
8361	7-4 (2-1药)	冰箱	242310258	2025/3/30 0:40:00	4.8℃	正常	
8362	7-4 (2-1药)	冰箱	242310258	2025/3/30 0:45:00	4.4℃	正常	
8363	7-4 (2-1药)	冰箱	242310258	2025/3/30 0:50:00	4.8℃	正常	
8364	7-4 (2-1药)	冰箱	242310258	2025/3/30 0:55:00	4.6℃	正常	
8365	7-4 (2-1药)	冰箱	242310258	2025/3/30 1:00:00	4.4℃	正常	
8366	7-4 (2-1药)	冰箱	242310258	2025/3/30 1:05:00	4.8℃	正常	
8367	7-4 (2-1药)	冰箱	242310258	2025/3/30 1:10:00	4.4℃	正常	
8368	7-4 (2-1药)	冰箱	242310258	2025/3/30 1:15:00	4.6℃	正常	
8369	7-4 (2-1药)	冰箱	242310258	2025/3/30 1:20:00	4.8℃	正常	
8370	7-4 (2-1药)	冰箱	242310258	2025/3/30 1:25:00	4.4℃	正常	
8371	7-4 (2-1药)	冰箱	242310258	2025/3/30 1:30:00	4.7℃	正常	
8372	7-4 (2-1药)	冰箱	242310258	2025/3/30 1:35:00	4.6℃	正常	

8373	7-4 (2-1药)	冰箱	242310258	2025/3/30 1:40:00	4.4℃	正常	
8374	7-4 (2-1药)	冰箱	242310258	2025/3/30 1:45:00	4.8℃	正常	
8375	7-4 (2-1药)	冰箱	242310258	2025/3/30 1:50:00	4.6℃	正常	
8376	7-4 (2-1药)	冰箱	242310258	2025/3/30 1:55:00	4.5℃	正常	
8377	7-4 (2-1药)	冰箱	242310258	2025/3/30 2:00:00	4.8℃	正常	
8378	7-4 (2-1药)	冰箱	242310258	2025/3/30 2:05:00	4.4℃	正常	
8379	7-4 (2-1药)	冰箱	242310258	2025/3/30 2:10:00	4.5℃	正常	
8380	7-4 (2-1药)	冰箱	242310258	2025/3/30 2:15:00	4.9℃	正常	
8381	7-4 (2-1药)	冰箱	242310258	2025/3/30 2:20:00	4.4℃	正常	
8382	7-4 (2-1药)	冰箱	242310258	2025/3/30 2:25:00	4.7℃	正常	
8383	7-4 (2-1药)	冰箱	242310258	2025/3/30 2:30:00	4.7℃	正常	
8384	7-4 (2-1药)	冰箱	242310258	2025/3/30 2:35:00	4.4℃	正常	
8385	7-4 (2-1药)	冰箱	242310258	2025/3/30 2:40:00	4.8℃	正常	
8386	7-4 (2-1药)	冰箱	242310258	2025/3/30 2:45:00	4.6℃	正常	
8387	7-4 (2-1药)	冰箱	242310258	2025/3/30 2:50:00	4.5℃	正常	
8388	7-4 (2-1药)	冰箱	242310258	2025/3/30 2:55:00	4.8℃	正常	
8389	7-4 (2-1药)	冰箱	242310258	2025/3/30 3:00:00	4.3℃	正常	
8390	7-4 (2-1药)	冰箱	242310258	2025/3/30 3:05:00	5.2℃	正常	
8391	7-4 (2-1药)	冰箱	242310258	2025/3/30 3:10:00	4.5℃	正常	
8392	7-4 (2-1药)	冰箱	242310258	2025/3/30 3:15:00	4.8℃	正常	
8393	7-4 (2-1药)	冰箱	242310258	2025/3/30 3:20:00	4.7℃	正常	
8394	7-4 (2-1药)	冰箱	242310258	2025/3/30 3:25:00	4.5℃	正常	
8395	7-4 (2-1药)	冰箱	242310258	2025/3/30 3:30:00	4.8℃	正常	
8396	7-4 (2-1药)	冰箱	242310258	2025/3/30 3:35:00	4.4℃	正常	
8397	7-4 (2-1药)	冰箱	242310258	2025/3/30 3:40:00	4.6℃	正常	
8398	7-4 (2-1药)	冰箱	242310258	2025/3/30 3:45:00	4.8℃	正常	
8399	7-4 (2-1药)	冰箱	242310258	2025/3/30 3:50:00	4.3℃	正常	
8400	7-4 (2-1药)	冰箱	242310258	2025/3/30 3:55:00	4.8℃	正常	
8401	7-4 (2-1药)	冰箱	242310258	2025/3/30 4:00:00	4.6℃	正常	
8402	7-4 (2-1药)	冰箱	242310258	2025/3/30 4:05:00	4.4℃	正常	
8403	7-4 (2-1药)	冰箱	242310258	2025/3/30 4:10:00	4.8℃	正常	
8404	7-4 (2-1药)	冰箱	242310258	2025/3/30 4:15:00	4.4℃	正常	
8405	7-4 (2-1药)	冰箱	242310258	2025/3/30 4:20:00	4.6℃	正常	
8406	7-4 (2-1药)	冰箱	242310258	2025/3/30 4:25:00	4.8℃	正常	
8407	7-4 (2-1药)	冰箱	242310258	2025/3/30 4:30:00	4.4℃	正常	
8408	7-4 (2-1药)	冰箱	242310258	2025/3/30 4:35:00	4.8℃	正常	
8409	7-4 (2-1药)	冰箱	242310258	2025/3/30 4:40:00	4.7℃	正常	
8410	7-4 (2-1药)	冰箱	242310258	2025/3/30 4:45:00	4.5℃	正常	
8411	7-4 (2-1药)	冰箱	242310258	2025/3/30 4:50:00	4.8℃	正常	
8412	7-4 (2-1药)	冰箱	242310258	2025/3/30 4:55:00	4.4℃	正常	
8413	7-4 (2-1药)	冰箱	242310258	2025/3/30 5:00:00	4.6℃	正常	
8414	7-4 (2-1药)	冰箱	242310258	2025/3/30 5:05:00	4.7℃	正常	
8415	7-4 (2-1药)	冰箱	242310258	2025/3/30 5:10:00	4.3℃	正常	
8416	7-4 (2-1药)	冰箱	242310258	2025/3/30 5:15:00	4.8℃	正常	
8417	7-4 (2-1药)	冰箱	242310258	2025/3/30 5:20:00	4.6℃	正常	
8418	7-4 (2-1药)	冰箱	242310258	2025/3/30 5:25:00	4.4℃	正常	
8419	7-4 (2-1药)	冰箱	242310258	2025/3/30 5:30:00	4.8℃	正常	
8420	7-4 (2-1药)	冰箱	242310258	2025/3/30 5:35:00	4.4℃	正常	
8421	7-4 (2-1药)	冰箱	242310258	2025/3/30 5:40:00	4.6℃	正常	
8422	7-4 (2-1药)	冰箱	242310258	2025/3/30 5:45:00	4.8℃	正常	
8423	7-4 (2-1药)	冰箱	242310258	2025/3/30 5:50:00	4.4℃	正常	
8424	7-4 (2-1药)	冰箱	242310258	2025/3/30 5:55:00	4.8℃	正常	
8425	7-4 (2-1药)	冰箱	242310258	2025/3/30 6:00:00	4.6℃	正常	
8426	7-4 (2-1药)	冰箱	242310258	2025/3/30 6:05:00	4.5℃	正常	
8427	7-4 (2-1药)	冰箱	242310258	2025/3/30 6:10:00	4.9℃	正常	
8428	7-4 (2-1药)	冰箱	242310258	2025/3/30 6:15:00	4.4℃	正常	
8429	7-4 (2-1药)	冰箱	242310258	2025/3/30 6:20:00	4.6℃	正常	
8430	7-4 (2-1药)	冰箱	242310258	2025/3/30 6:25:00	4.8℃	正常	
8431	7-4 (2-1药)	冰箱	242310258	2025/3/30 6:30:00	4.4℃	正常	
8432	7-4 (2-1药)	冰箱	242310258	2025/3/30 6:35:00	4.8℃	正常	
8433	7-4 (2-1药)	冰箱	242310258	2025/3/30 6:40:00	4.6℃	正常	
8434	7-4 (2-1药)	冰箱	242310258	2025/3/30 6:45:00	4.5℃	正常	
8435	7-4 (2-1药)	冰箱	242310258	2025/3/30 6:50:00	4.9℃	正常	
8436	7-4 (2-1药)	冰箱	242310258	2025/3/30 6:55:00	4.4℃	正常	

8437	7-4 (2-1药)	冰箱	242310258	2025/3/30 7:00:00	4.6℃	正常	
8438	7-4 (2-1药)	冰箱	242310258	2025/3/30 7:05:00	4.8℃	正常	
8439	7-4 (2-1药)	冰箱	242310258	2025/3/30 7:10:00	4.4℃	正常	
8440	7-4 (2-1药)	冰箱	242310258	2025/3/30 7:15:00	4.8℃	正常	
8441	7-4 (2-1药)	冰箱	242310258	2025/3/30 7:20:00	4.6℃	正常	
8442	7-4 (2-1药)	冰箱	242310258	2025/3/30 7:25:00	4.4℃	正常	
8443	7-4 (2-1药)	冰箱	242310258	2025/3/30 7:30:00	4.8℃	正常	
8444	7-4 (2-1药)	冰箱	242310258	2025/3/30 7:35:00	4.4℃	正常	
8445	7-4 (2-1药)	冰箱	242310258	2025/3/30 7:40:00	4.6℃	正常	
8446	7-4 (2-1药)	冰箱	242310258	2025/3/30 7:45:00	4.8℃	正常	
8447	7-4 (2-1药)	冰箱	242310258	2025/3/30 7:50:00	4.4℃	正常	
8448	7-4 (2-1药)	冰箱	242310258	2025/3/30 7:55:00	4.7℃	正常	
8449	7-4 (2-1药)	冰箱	242310258	2025/3/30 8:00:00	4.8℃	正常	
8450	7-4 (2-1药)	冰箱	242310258	2025/3/30 8:05:00	4.4℃	正常	
8451	7-4 (2-1药)	冰箱	242310258	2025/3/30 8:10:00	4.8℃	正常	
8452	7-4 (2-1药)	冰箱	242310258	2025/3/30 8:15:00	4.6℃	正常	
8453	7-4 (2-1药)	冰箱	242310258	2025/3/30 8:20:00	4.4℃	正常	
8454	7-4 (2-1药)	冰箱	242310258	2025/3/30 8:25:00	4.9℃	正常	
8455	7-4 (2-1药)	冰箱	242310258	2025/3/30 8:30:00	4.5℃	正常	
8456	7-4 (2-1药)	冰箱	242310258	2025/3/30 8:35:00	4.6℃	正常	
8457	7-4 (2-1药)	冰箱	242310258	2025/3/30 8:40:00	4.8℃	正常	
8458	7-4 (2-1药)	冰箱	242310258	2025/3/30 8:45:00	4.4℃	正常	
8459	7-4 (2-1药)	冰箱	242310258	2025/3/30 8:50:00	4.6℃	正常	
8460	7-4 (2-1药)	冰箱	242310258	2025/3/30 8:55:00	4.8℃	正常	
8461	7-4 (2-1药)	冰箱	242310258	2025/3/30 9:00:00	4.4℃	正常	
8462	7-4 (2-1药)	冰箱	242310258	2025/3/30 9:05:00	4.8℃	正常	
8463	7-4 (2-1药)	冰箱	242310258	2025/3/30 9:10:00	4.6℃	正常	
8464	7-4 (2-1药)	冰箱	242310258	2025/3/30 9:15:00	4.4℃	正常	
8465	7-4 (2-1药)	冰箱	242310258	2025/3/30 9:20:00	4.8℃	正常	
8466	7-4 (2-1药)	冰箱	242310258	2025/3/30 9:25:00	4.5℃	正常	
8467	7-4 (2-1药)	冰箱	242310258	2025/3/30 9:30:00	4.6℃	正常	
8468	7-4 (2-1药)	冰箱	242310258	2025/3/30 9:35:00	4.8℃	正常	
8469	7-4 (2-1药)	冰箱	242310258	2025/3/30 9:40:00	4.4℃	正常	
8470	7-4 (2-1药)	冰箱	242310258	2025/3/30 9:45:00	4.7℃	正常	
8471	7-4 (2-1药)	冰箱	242310258	2025/3/30 9:50:00	4.8℃	正常	
8472	7-4 (2-1药)	冰箱	242310258	2025/3/30 9:55:00	4.4℃	正常	
8473	7-4 (2-1药)	冰箱	242310258	2025/3/30 10:00:00	4.8℃	正常	
8474	7-4 (2-1药)	冰箱	242310258	2025/3/30 10:05:00	4.6℃	正常	
8475	7-4 (2-1药)	冰箱	242310258	2025/3/30 10:10:00	4.6℃	正常	
8476	7-4 (2-1药)	冰箱	242310258	2025/3/30 10:15:00	4.8℃	正常	
8477	7-4 (2-1药)	冰箱	242310258	2025/3/30 10:20:00	4.3℃	正常	
8478	7-4 (2-1药)	冰箱	242310258	2025/3/30 10:25:00	4.7℃	正常	
8479	7-4 (2-1药)	冰箱	242310258	2025/3/30 10:30:00	4.8℃	正常	
8480	7-4 (2-1药)	冰箱	242310258	2025/3/30 10:35:00	4.4℃	正常	
8481	7-4 (2-1药)	冰箱	242310258	2025/3/30 10:40:00	4.8℃	正常	
8482	7-4 (2-1药)	冰箱	242310258	2025/3/30 10:45:00	4.5℃	正常	
8483	7-4 (2-1药)	冰箱	242310258	2025/3/30 10:50:00	4.5℃	正常	
8484	7-4 (2-1药)	冰箱	242310258	2025/3/30 10:55:00	4.9℃	正常	
8485	7-4 (2-1药)	冰箱	242310258	2025/3/30 11:00:00	4.4℃	正常	
8486	7-4 (2-1药)	冰箱	242310258	2025/3/30 11:05:00	4.7℃	正常	
8487	7-4 (2-1药)	冰箱	242310258	2025/3/30 11:10:00	4.8℃	正常	
8488	7-4 (2-1药)	冰箱	242310258	2025/3/30 11:15:00	4.4℃	正常	
8489	7-4 (2-1药)	冰箱	242310258	2025/3/30 11:20:00	4.8℃	正常	
8490	7-4 (2-1药)	冰箱	242310258	2025/3/30 11:25:00	4.6℃	正常	
8491	7-4 (2-1药)	冰箱	242310258	2025/3/30 11:30:00	4.4℃	正常	
8492	7-4 (2-1药)	冰箱	242310258	2025/3/30 11:35:00	4.9℃	正常	
8493	7-4 (2-1药)	冰箱	242310258	2025/3/30 11:40:00	4.4℃	正常	
8494	7-4 (2-1药)	冰箱	242310258	2025/3/30 11:45:00	4.7℃	正常	
8495	7-4 (2-1药)	冰箱	242310258	2025/3/30 11:50:00	4.8℃	正常	
8496	7-4 (2-1药)	冰箱	242310258	2025/3/30 11:55:00	4.3℃	正常	
8497	7-4 (2-1药)	冰箱	242310258	2025/3/30 12:00:00	4.8℃	正常	
8498	7-4 (2-1药)	冰箱	242310258	2025/3/30 12:05:00	4.7℃	正常	
8499	7-4 (2-1药)	冰箱	242310258	2025/3/30 12:10:00	4.4℃	正常	
8500	7-4 (2-1药)	冰箱	242310258	2025/3/30 12:15:00	4.8℃	正常	

8501	7-4 (2-1药)	冰箱	242310258	2025/3/30 12:20:00	4.5℃	正常	
8502	7-4 (2-1药)	冰箱	242310258	2025/3/30 12:25:00	4.6℃	正常	
8503	7-4 (2-1药)	冰箱	242310258	2025/3/30 12:30:00	4.9℃	正常	
8504	7-4 (2-1药)	冰箱	242310258	2025/3/30 12:35:00	4.4℃	正常	
8505	7-4 (2-1药)	冰箱	242310258	2025/3/30 12:40:00	4.7℃	正常	
8506	7-4 (2-1药)	冰箱	242310258	2025/3/30 12:45:00	4.8℃	正常	
8507	7-4 (2-1药)	冰箱	242310258	2025/3/30 12:50:00	4.4℃	正常	
8508	7-4 (2-1药)	冰箱	242310258	2025/3/30 12:55:00	4.8℃	正常	
8509	7-4 (2-1药)	冰箱	242310258	2025/3/30 13:00:00	4.6℃	正常	
8510	7-4 (2-1药)	冰箱	242310258	2025/3/30 13:05:00	4.5℃	正常	
8511	7-4 (2-1药)	冰箱	242310258	2025/3/30 13:10:00	4.9℃	正常	
8512	7-4 (2-1药)	冰箱	242310258	2025/3/30 13:15:00	4.5℃	正常	
8513	7-4 (2-1药)	冰箱	242310258	2025/3/30 13:20:00	4.6℃	正常	
8514	7-4 (2-1药)	冰箱	242310258	2025/3/30 13:25:00	4.8℃	正常	
8515	7-4 (2-1药)	冰箱	242310258	2025/3/30 13:30:00	4.4℃	正常	
8516	7-4 (2-1药)	冰箱	242310258	2025/3/30 13:35:00	4.8℃	正常	
8517	7-4 (2-1药)	冰箱	242310258	2025/3/30 13:40:00	4.7℃	正常	
8518	7-4 (2-1药)	冰箱	242310258	2025/3/30 13:45:00	4.5℃	正常	
8519	7-4 (2-1药)	冰箱	242310258	2025/3/30 13:50:00	4.8℃	正常	
8520	7-4 (2-1药)	冰箱	242310258	2025/3/30 13:55:00	4.5℃	正常	
8521	7-4 (2-1药)	冰箱	242310258	2025/3/30 14:00:00	4.5℃	正常	
8522	7-4 (2-1药)	冰箱	242310258	2025/3/30 14:05:00	4.8℃	正常	
8523	7-4 (2-1药)	冰箱	242310258	2025/3/30 14:10:00	4.4℃	正常	
8524	7-4 (2-1药)	冰箱	242310258	2025/3/30 14:15:00	5.3℃	正常	
8525	7-4 (2-1药)	冰箱	242310258	2025/3/30 14:20:00	4.5℃	正常	
8526	7-4 (2-1药)	冰箱	242310258	2025/3/30 14:25:00	4.9℃	正常	
8527	7-4 (2-1药)	冰箱	242310258	2025/3/30 14:30:00	4.6℃	正常	
8528	7-4 (2-1药)	冰箱	242310258	2025/3/30 14:35:00	4.5℃	正常	
8529	7-4 (2-1药)	冰箱	242310258	2025/3/30 14:40:00	4.9℃	正常	
8530	7-4 (2-1药)	冰箱	242310258	2025/3/30 14:45:00	4.4℃	正常	
8531	7-4 (2-1药)	冰箱	242310258	2025/3/30 14:50:00	4.7℃	正常	
8532	7-4 (2-1药)	冰箱	242310258	2025/3/30 14:55:00	4.7℃	正常	
8533	7-4 (2-1药)	冰箱	242310258	2025/3/30 15:00:00	4.4℃	正常	
8534	7-4 (2-1药)	冰箱	242310258	2025/3/30 15:05:00	4.8℃	正常	
8535	7-4 (2-1药)	冰箱	242310258	2025/3/30 15:10:00	4.6℃	正常	
8536	7-4 (2-1药)	冰箱	242310258	2025/3/30 15:15:00	4.5℃	正常	
8537	7-4 (2-1药)	冰箱	242310258	2025/3/30 15:20:00	4.8℃	正常	
8538	7-4 (2-1药)	冰箱	242310258	2025/3/30 15:25:00	4.4℃	正常	
8539	7-4 (2-1药)	冰箱	242310258	2025/3/30 15:30:00	4.6℃	正常	
8540	7-4 (2-1药)	冰箱	242310258	2025/3/30 15:35:00	4.8℃	正常	
8541	7-4 (2-1药)	冰箱	242310258	2025/3/30 15:40:00	4.3℃	正常	
8542	7-4 (2-1药)	冰箱	242310258	2025/3/30 15:45:00	4.8℃	正常	
8543	7-4 (2-1药)	冰箱	242310258	2025/3/30 15:50:00	4.6℃	正常	
8544	7-4 (2-1药)	冰箱	242310258	2025/3/30 15:55:00	4.5℃	正常	
8545	7-4 (2-1药)	冰箱	242310258	2025/3/30 16:00:00	4.8℃	正常	
8546	7-4 (2-1药)	冰箱	242310258	2025/3/30 16:05:00	4.4℃	正常	
8547	7-4 (2-1药)	冰箱	242310258	2025/3/30 16:10:00	4.6℃	正常	
8548	7-4 (2-1药)	冰箱	242310258	2025/3/30 16:15:00	4.8℃	正常	
8549	7-4 (2-1药)	冰箱	242310258	2025/3/30 16:20:00	4.4℃	正常	
8550	7-4 (2-1药)	冰箱	242310258	2025/3/30 16:25:00	4.7℃	正常	
8551	7-4 (2-1药)	冰箱	242310258	2025/3/30 16:30:00	4.7℃	正常	
8552	7-4 (2-1药)	冰箱	242310258	2025/3/30 16:35:00	4.4℃	正常	
8553	7-4 (2-1药)	冰箱	242310258	2025/3/30 16:40:00	4.8℃	正常	
8554	7-4 (2-1药)	冰箱	242310258	2025/3/30 16:45:00	4.5℃	正常	
8555	7-4 (2-1药)	冰箱	242310258	2025/3/30 16:50:00	4.6℃	正常	
8556	7-4 (2-1药)	冰箱	242310258	2025/3/30 16:55:00	4.8℃	正常	
8557	7-4 (2-1药)	冰箱	242310258	2025/3/30 17:00:00	4.4℃	正常	
8558	7-4 (2-1药)	冰箱	242310258	2025/3/30 17:05:00	4.7℃	正常	
8559	7-4 (2-1药)	冰箱	242310258	2025/3/30 17:10:00	4.8℃	正常	
8560	7-4 (2-1药)	冰箱	242310258	2025/3/30 17:15:00	4.4℃	正常	
8561	7-4 (2-1药)	冰箱	242310258	2025/3/30 17:20:00	4.8℃	正常	
8562	7-4 (2-1药)	冰箱	242310258	2025/3/30 17:25:00	4.5℃	正常	
8563	7-4 (2-1药)	冰箱	242310258	2025/3/30 17:30:00	4.5℃	正常	
8564	7-4 (2-1药)	冰箱	242310258	2025/3/30 17:35:00	4.9℃	正常	

8565	7-4 (2-1药)	冰箱	242310258	2025/3/30 17:40:00	4.4℃	正常	
8566	7-4 (2-1药)	冰箱	242310258	2025/3/30 17:45:00	4.6℃	正常	
8567	7-4 (2-1药)	冰箱	242310258	2025/3/30 17:50:00	4.8℃	正常	
8568	7-4 (2-1药)	冰箱	242310258	2025/3/30 17:55:00	4.4℃	正常	
8569	7-4 (2-1药)	冰箱	242310258	2025/3/30 18:00:00	4.7℃	正常	
8570	7-4 (2-1药)	冰箱	242310258	2025/3/30 18:05:00	4.7℃	正常	
8571	7-4 (2-1药)	冰箱	242310258	2025/3/30 18:10:00	4.4℃	正常	
8572	7-4 (2-1药)	冰箱	242310258	2025/3/30 18:15:00	4.8℃	正常	
8573	7-4 (2-1药)	冰箱	242310258	2025/3/30 18:20:00	4.6℃	正常	
8574	7-4 (2-1药)	冰箱	242310258	2025/3/30 18:25:00	4.5℃	正常	
8575	7-4 (2-1药)	冰箱	242310258	2025/3/30 18:30:00	4.8℃	正常	
8576	7-4 (2-1药)	冰箱	242310258	2025/3/30 18:35:00	4.4℃	正常	
8577	7-4 (2-1药)	冰箱	242310258	2025/3/30 18:40:00	4.6℃	正常	
8578	7-4 (2-1药)	冰箱	242310258	2025/3/30 18:45:00	4.8℃	正常	
8579	7-4 (2-1药)	冰箱	242310258	2025/3/30 18:50:00	4.4℃	正常	
8580	7-4 (2-1药)	冰箱	242310258	2025/3/30 18:55:00	4.8℃	正常	
8581	7-4 (2-1药)	冰箱	242310258	2025/3/30 19:00:00	4.7℃	正常	
8582	7-4 (2-1药)	冰箱	242310258	2025/3/30 19:05:00	4.5℃	正常	
8583	7-4 (2-1药)	冰箱	242310258	2025/3/30 19:10:00	4.9℃	正常	
8584	7-4 (2-1药)	冰箱	242310258	2025/3/30 19:15:00	4.5℃	正常	
8585	7-4 (2-1药)	冰箱	242310258	2025/3/30 19:20:00	4.6℃	正常	
8586	7-4 (2-1药)	冰箱	242310258	2025/3/30 19:25:00	4.9℃	正常	
8587	7-4 (2-1药)	冰箱	242310258	2025/3/30 19:30:00	4.4℃	正常	
8588	7-4 (2-1药)	冰箱	242310258	2025/3/30 19:35:00	4.7℃	正常	
8589	7-4 (2-1药)	冰箱	242310258	2025/3/30 19:40:00	4.8℃	正常	
8590	7-4 (2-1药)	冰箱	242310258	2025/3/30 19:45:00	4.4℃	正常	
8591	7-4 (2-1药)	冰箱	242310258	2025/3/30 19:50:00	4.8℃	正常	
8592	7-4 (2-1药)	冰箱	242310258	2025/3/30 19:55:00	4.6℃	正常	
8593	7-4 (2-1药)	冰箱	242310258	2025/3/30 20:00:00	4.5℃	正常	
8594	7-4 (2-1药)	冰箱	242310258	2025/3/30 20:05:00	4.9℃	正常	
8595	7-4 (2-1药)	冰箱	242310258	2025/3/30 20:10:00	4.4℃	正常	
8596	7-4 (2-1药)	冰箱	242310258	2025/3/30 20:15:00	4.6℃	正常	
8597	7-4 (2-1药)	冰箱	242310258	2025/3/30 20:20:00	4.8℃	正常	
8598	7-4 (2-1药)	冰箱	242310258	2025/3/30 20:25:00	4.4℃	正常	
8599	7-4 (2-1药)	冰箱	242310258	2025/3/30 20:30:00	4.8℃	正常	
8600	7-4 (2-1药)	冰箱	242310258	2025/3/30 20:35:00	4.7℃	正常	
8601	7-4 (2-1药)	冰箱	242310258	2025/3/30 20:40:00	4.5℃	正常	
8602	7-4 (2-1药)	冰箱	242310258	2025/3/30 20:45:00	4.8℃	正常	
8603	7-4 (2-1药)	冰箱	242310258	2025/3/30 20:50:00	4.5℃	正常	
8604	7-4 (2-1药)	冰箱	242310258	2025/3/30 20:55:00	4.6℃	正常	
8605	7-4 (2-1药)	冰箱	242310258	2025/3/30 21:00:00	4.8℃	正常	
8606	7-4 (2-1药)	冰箱	242310258	2025/3/30 21:05:00	4.4℃	正常	
8607	7-4 (2-1药)	冰箱	242310258	2025/3/30 21:10:00	4.7℃	正常	
8608	7-4 (2-1药)	冰箱	242310258	2025/3/30 21:15:00	4.8℃	正常	
8609	7-4 (2-1药)	冰箱	242310258	2025/3/30 21:20:00	4.4℃	正常	
8610	7-4 (2-1药)	冰箱	242310258	2025/3/30 21:25:00	4.8℃	正常	
8611	7-4 (2-1药)	冰箱	242310258	2025/3/30 21:30:00	4.5℃	正常	
8612	7-4 (2-1药)	冰箱	242310258	2025/3/30 21:35:00	4.5℃	正常	
8613	7-4 (2-1药)	冰箱	242310258	2025/3/30 21:40:00	4.9℃	正常	
8614	7-4 (2-1药)	冰箱	242310258	2025/3/30 21:45:00	4.4℃	正常	
8615	7-4 (2-1药)	冰箱	242310258	2025/3/30 21:50:00	4.6℃	正常	
8616	7-4 (2-1药)	冰箱	242310258	2025/3/30 21:55:00	4.8℃	正常	
8617	7-4 (2-1药)	冰箱	242310258	2025/3/30 22:00:00	4.4℃	正常	
8618	7-4 (2-1药)	冰箱	242310258	2025/3/30 22:05:00	4.7℃	正常	
8619	7-4 (2-1药)	冰箱	242310258	2025/3/30 22:10:00	4.7℃	正常	
8620	7-4 (2-1药)	冰箱	242310258	2025/3/30 22:15:00	4.4℃	正常	
8621	7-4 (2-1药)	冰箱	242310258	2025/3/30 22:20:00	4.8℃	正常	
8622	7-4 (2-1药)	冰箱	242310258	2025/3/30 22:25:00	4.6℃	正常	
8623	7-4 (2-1药)	冰箱	242310258	2025/3/30 22:30:00	4.5℃	正常	
8624	7-4 (2-1药)	冰箱	242310258	2025/3/30 22:35:00	4.8℃	正常	
8625	7-4 (2-1药)	冰箱	242310258	2025/3/30 22:40:00	4.4℃	正常	
8626	7-4 (2-1药)	冰箱	242310258	2025/3/30 22:45:00	4.6℃	正常	
8627	7-4 (2-1药)	冰箱	242310258	2025/3/30 22:50:00	4.8℃	正常	
8628	7-4 (2-1药)	冰箱	242310258	2025/3/30 22:55:00	4.4℃	正常	

8629	7-4 (2-1药)	冰箱	242310258	2025/3/30 23:00:00	4.8℃	正常	
8630	7-4 (2-1药)	冰箱	242310258	2025/3/30 23:05:00	4.7℃	正常	
8631	7-4 (2-1药)	冰箱	242310258	2025/3/30 23:10:00	4.4℃	正常	
8632	7-4 (2-1药)	冰箱	242310258	2025/3/30 23:15:00	4.8℃	正常	
8633	7-4 (2-1药)	冰箱	242310258	2025/3/30 23:20:00	4.6℃	正常	
8634	7-4 (2-1药)	冰箱	242310258	2025/3/30 23:25:00	4.5℃	正常	
8635	7-4 (2-1药)	冰箱	242310258	2025/3/30 23:30:00	4.9℃	正常	
8636	7-4 (2-1药)	冰箱	242310258	2025/3/30 23:35:00	4.4℃	正常	
8637	7-4 (2-1药)	冰箱	242310258	2025/3/30 23:40:00	4.7℃	正常	
8638	7-4 (2-1药)	冰箱	242310258	2025/3/30 23:45:00	4.8℃	正常	
8639	7-4 (2-1药)	冰箱	242310258	2025/3/30 23:50:00	4.4℃	正常	
8640	7-4 (2-1药)	冰箱	242310258	2025/3/30 23:55:00	4.7℃	正常	
8641	7-4 (2-1药)	冰箱	242310258	2025/3/31 0:00:00	4.7℃	正常	
8642	7-4 (2-1药)	冰箱	242310258	2025/3/31 0:05:00	4.4℃	正常	
8643	7-4 (2-1药)	冰箱	242310258	2025/3/31 0:10:00	4.8℃	正常	
8644	7-4 (2-1药)	冰箱	242310258	2025/3/31 0:15:00	4.5℃	正常	
8645	7-4 (2-1药)	冰箱	242310258	2025/3/31 0:20:00	4.5℃	正常	
8646	7-4 (2-1药)	冰箱	242310258	2025/3/31 0:25:00	4.8℃	正常	
8647	7-4 (2-1药)	冰箱	242310258	2025/3/31 0:30:00	4.4℃	正常	
8648	7-4 (2-1药)	冰箱	242310258	2025/3/31 0:35:00	4.7℃	正常	
8649	7-4 (2-1药)	冰箱	242310258	2025/3/31 0:40:00	4.8℃	正常	
8650	7-4 (2-1药)	冰箱	242310258	2025/3/31 0:45:00	4.4℃	正常	
8651	7-4 (2-1药)	冰箱	242310258	2025/3/31 0:50:00	4.7℃	正常	
8652	7-4 (2-1药)	冰箱	242310258	2025/3/31 0:55:00	4.7℃	正常	
8653	7-4 (2-1药)	冰箱	242310258	2025/3/31 1:00:00	4.4℃	正常	
8654	7-4 (2-1药)	冰箱	242310258	2025/3/31 1:05:00	4.8℃	正常	
8655	7-4 (2-1药)	冰箱	242310258	2025/3/31 1:10:00	4.6℃	正常	
8656	7-4 (2-1药)	冰箱	242310258	2025/3/31 1:15:00	4.5℃	正常	
8657	7-4 (2-1药)	冰箱	242310258	2025/3/31 1:20:00	4.8℃	正常	
8658	7-4 (2-1药)	冰箱	242310258	2025/3/31 1:25:00	4.4℃	正常	
8659	7-4 (2-1药)	冰箱	242310258	2025/3/31 1:30:00	5.3℃	正常	
8660	7-4 (2-1药)	冰箱	242310258	2025/3/31 1:35:00	4.6℃	正常	
8661	7-4 (2-1药)	冰箱	242310258	2025/3/31 1:40:00	4.8℃	正常	
8662	7-4 (2-1药)	冰箱	242310258	2025/3/31 1:45:00	4.7℃	正常	
8663	7-4 (2-1药)	冰箱	242310258	2025/3/31 1:50:00	4.4℃	正常	
8664	7-4 (2-1药)	冰箱	242310258	2025/3/31 1:55:00	4.8℃	正常	
8665	7-4 (2-1药)	冰箱	242310258	2025/3/31 2:00:00	4.6℃	正常	
8666	7-4 (2-1药)	冰箱	242310258	2025/3/31 2:05:00	4.5℃	正常	
8667	7-4 (2-1药)	冰箱	242310258	2025/3/31 2:10:00	4.8℃	正常	
8668	7-4 (2-1药)	冰箱	242310258	2025/3/31 2:15:00	4.4℃	正常	
8669	7-4 (2-1药)	冰箱	242310258	2025/3/31 2:20:00	4.6℃	正常	
8670	7-4 (2-1药)	冰箱	242310258	2025/3/31 2:25:00	4.9℃	正常	
8671	7-4 (2-1药)	冰箱	242310258	2025/3/31 2:30:00	4.4℃	正常	
8672	7-4 (2-1药)	冰箱	242310258	2025/3/31 2:35:00	4.7℃	正常	
8673	7-4 (2-1药)	冰箱	242310258	2025/3/31 2:40:00	4.6℃	正常	
8674	7-4 (2-1药)	冰箱	242310258	2025/3/31 2:45:00	4.4℃	正常	
8675	7-4 (2-1药)	冰箱	242310258	2025/3/31 2:50:00	4.8℃	正常	
8676	7-4 (2-1药)	冰箱	242310258	2025/3/31 2:55:00	4.5℃	正常	
8677	7-4 (2-1药)	冰箱	242310258	2025/3/31 3:00:00	4.5℃	正常	
8678	7-4 (2-1药)	冰箱	242310258	2025/3/31 3:05:00	4.9℃	正常	
8679	7-4 (2-1药)	冰箱	242310258	2025/3/31 3:10:00	4.4℃	正常	
8680	7-4 (2-1药)	冰箱	242310258	2025/3/31 3:15:00	4.7℃	正常	
8681	7-4 (2-1药)	冰箱	242310258	2025/3/31 3:20:00	4.7℃	正常	
8682	7-4 (2-1药)	冰箱	242310258	2025/3/31 3:25:00	4.4℃	正常	
8683	7-4 (2-1药)	冰箱	242310258	2025/3/31 3:30:00	4.8℃	正常	
8684	7-4 (2-1药)	冰箱	242310258	2025/3/31 3:35:00	4.5℃	正常	
8685	7-4 (2-1药)	冰箱	242310258	2025/3/31 3:40:00	4.5℃	正常	
8686	7-4 (2-1药)	冰箱	242310258	2025/3/31 3:45:00	4.8℃	正常	
8687	7-4 (2-1药)	冰箱	242310258	2025/3/31 3:50:00	4.4℃	正常	
8688	7-4 (2-1药)	冰箱	242310258	2025/3/31 3:55:00	4.7℃	正常	
8689	7-4 (2-1药)	冰箱	242310258	2025/3/31 4:00:00	4.8℃	正常	
8690	7-4 (2-1药)	冰箱	242310258	2025/3/31 4:05:00	4.4℃	正常	
8691	7-4 (2-1药)	冰箱	242310258	2025/3/31 4:10:00	4.8℃	正常	
8692	7-4 (2-1药)	冰箱	242310258	2025/3/31 4:15:00	4.6℃	正常	

8693	7-4 (2-1药)	冰箱	242310258	2025/3/31 4:20:00	4.4℃	正常	
8694	7-4 (2-1药)	冰箱	242310258	2025/3/31 4:25:00	4.8℃	正常	
8695	7-4 (2-1药)	冰箱	242310258	2025/3/31 4:30:00	4.5℃	正常	
8696	7-4 (2-1药)	冰箱	242310258	2025/3/31 4:35:00	4.6℃	正常	
8697	7-4 (2-1药)	冰箱	242310258	2025/3/31 4:40:00	4.8℃	正常	
8698	7-4 (2-1药)	冰箱	242310258	2025/3/31 4:45:00	4.4℃	正常	
8699	7-4 (2-1药)	冰箱	242310258	2025/3/31 4:50:00	4.7℃	正常	
8700	7-4 (2-1药)	冰箱	242310258	2025/3/31 4:55:00	4.8℃	正常	
8701	7-4 (2-1药)	冰箱	242310258	2025/3/31 5:00:00	4.4℃	正常	
8702	7-4 (2-1药)	冰箱	242310258	2025/3/31 5:05:00	4.8℃	正常	
8703	7-4 (2-1药)	冰箱	242310258	2025/3/31 5:10:00	4.6℃	正常	
8704	7-4 (2-1药)	冰箱	242310258	2025/3/31 5:15:00	4.5℃	正常	
8705	7-4 (2-1药)	冰箱	242310258	2025/3/31 5:20:00	4.8℃	正常	
8706	7-4 (2-1药)	冰箱	242310258	2025/3/31 5:25:00	4.4℃	正常	
8707	7-4 (2-1药)	冰箱	242310258	2025/3/31 5:30:00	4.7℃	正常	
8708	7-4 (2-1药)	冰箱	242310258	2025/3/31 5:35:00	4.8℃	正常	
8709	7-4 (2-1药)	冰箱	242310258	2025/3/31 5:40:00	4.4℃	正常	
8710	7-4 (2-1药)	冰箱	242310258	2025/3/31 5:45:00	4.8℃	正常	
8711	7-4 (2-1药)	冰箱	242310258	2025/3/31 5:50:00	4.7℃	正常	
8712	7-4 (2-1药)	冰箱	242310258	2025/3/31 5:55:00	4.5℃	正常	
8713	7-4 (2-1药)	冰箱	242310258	2025/3/31 6:00:00	4.9℃	正常	
8714	7-4 (2-1药)	冰箱	242310258	2025/3/31 6:05:00	4.4℃	正常	
8715	7-4 (2-1药)	冰箱	242310258	2025/3/31 6:10:00	4.6℃	正常	
8716	7-4 (2-1药)	冰箱	242310258	2025/3/31 6:15:00	4.9℃	正常	
8717	7-4 (2-1药)	冰箱	242310258	2025/3/31 6:20:00	4.4℃	正常	
8718	7-4 (2-1药)	冰箱	242310258	2025/3/31 6:25:00	4.7℃	正常	
8719	7-4 (2-1药)	冰箱	242310258	2025/3/31 6:30:00	4.7℃	正常	
8720	7-4 (2-1药)	冰箱	242310258	2025/3/31 6:35:00	4.4℃	正常	
8721	7-4 (2-1药)	冰箱	242310258	2025/3/31 6:40:00	4.8℃	正常	
8722	7-4 (2-1药)	冰箱	242310258	2025/3/31 6:45:00	4.6℃	正常	
8723	7-4 (2-1药)	冰箱	242310258	2025/3/31 6:50:00	4.5℃	正常	
8724	7-4 (2-1药)	冰箱	242310258	2025/3/31 6:55:00	4.9℃	正常	
8725	7-4 (2-1药)	冰箱	242310258	2025/3/31 7:00:00	4.4℃	正常	
8726	7-4 (2-1药)	冰箱	242310258	2025/3/31 7:05:00	4.6℃	正常	
8727	7-4 (2-1药)	冰箱	242310258	2025/3/31 7:10:00	4.8℃	正常	
8728	7-4 (2-1药)	冰箱	242310258	2025/3/31 7:15:00	4.4℃	正常	
8729	7-4 (2-1药)	冰箱	242310258	2025/3/31 7:20:00	4.8℃	正常	
8730	7-4 (2-1药)	冰箱	242310258	2025/3/31 7:25:00	4.7℃	正常	
8731	7-4 (2-1药)	冰箱	242310258	2025/3/31 7:30:00	4.4℃	正常	
8732	7-4 (2-1药)	冰箱	242310258	2025/3/31 7:35:00	4.9℃	正常	
8733	7-4 (2-1药)	冰箱	242310258	2025/3/31 7:40:00	4.5℃	正常	
8734	7-4 (2-1药)	冰箱	242310258	2025/3/31 7:45:00	4.6℃	正常	
8735	7-4 (2-1药)	冰箱	242310258	2025/3/31 7:50:00	4.8℃	正常	
8736	7-4 (2-1药)	冰箱	242310258	2025/3/31 7:55:00	4.4℃	正常	
8737	7-4 (2-1药)	冰箱	242310258	2025/3/31 8:00:00	4.7℃	正常	
8738	7-4 (2-1药)	冰箱	242310258	2025/3/31 8:05:00	4.8℃	正常	
8739	7-4 (2-1药)	冰箱	242310258	2025/3/31 8:10:00	4.4℃	正常	
8740	7-4 (2-1药)	冰箱	242310258	2025/3/31 8:15:00	4.8℃	正常	
8741	7-4 (2-1药)	冰箱	242310258	2025/3/31 8:20:00	4.7℃	正常	
8742	7-4 (2-1药)	冰箱	242310258	2025/3/31 8:25:00	4.4℃	正常	
8743	7-4 (2-1药)	冰箱	242310258	2025/3/31 8:30:00	4.8℃	正常	
8744	7-4 (2-1药)	冰箱	242310258	2025/3/31 8:35:00	4.6℃	正常	
8745	7-4 (2-1药)	冰箱	242310258	2025/3/31 8:40:00	4.5℃	正常	
8746	7-4 (2-1药)	冰箱	242310258	2025/3/31 8:45:00	4.9℃	正常	
8747	7-4 (2-1药)	冰箱	242310258	2025/3/31 8:50:00	4.4℃	正常	
8748	7-4 (2-1药)	冰箱	242310258	2025/3/31 8:55:00	4.6℃	正常	
8749	7-4 (2-1药)	冰箱	242310258	2025/3/31 9:00:00	4.8℃	正常	
8750	7-4 (2-1药)	冰箱	242310258	2025/3/31 9:05:00	4.4℃	正常	
8751	7-4 (2-1药)	冰箱	242310258	2025/3/31 9:10:00	4.8℃	正常	
8752	7-4 (2-1药)	冰箱	242310258	2025/3/31 9:15:00	4.7℃	正常	
8753	7-4 (2-1药)	冰箱	242310258	2025/3/31 9:20:00	4.4℃	正常	
8754	7-4 (2-1药)	冰箱	242310258	2025/3/31 9:25:00	4.8℃	正常	
8755	7-4 (2-1药)	冰箱	242310258	2025/3/31 9:30:00	4.6℃	正常	
8756	7-4 (2-1药)	冰箱	242310258	2025/3/31 9:35:00	4.5℃	正常	

8757	7-4 (2-1药)	冰箱	242310258	2025/3/31 9:40:00	4.9℃	正常	
8758	7-4 (2-1药)	冰箱	242310258	2025/3/31 9:45:00	4.4℃	正常	
8759	7-4 (2-1药)	冰箱	242310258	2025/3/31 9:50:00	4.7℃	正常	
8760	7-4 (2-1药)	冰箱	242310258	2025/3/31 9:55:00	4.8℃	正常	
8761	7-4 (2-1药)	冰箱	242310258	2025/3/31 10:00:00	4.4℃	正常	
8762	7-4 (2-1药)	冰箱	242310258	2025/3/31 10:05:00	4.8℃	正常	
8763	7-4 (2-1药)	冰箱	242310258	2025/3/31 10:10:00	4.6℃	正常	
8764	7-4 (2-1药)	冰箱	242310258	2025/3/31 10:15:00	4.5℃	正常	
8765	7-4 (2-1药)	冰箱	242310258	2025/3/31 10:20:00	4.9℃	正常	
8766	7-4 (2-1药)	冰箱	242310258	2025/3/31 10:25:00	4.5℃	正常	
8767	7-4 (2-1药)	冰箱	242310258	2025/3/31 10:30:00	4.6℃	正常	
8768	7-4 (2-1药)	冰箱	242310258	2025/3/31 10:35:00	4.8℃	正常	
8769	7-4 (2-1药)	冰箱	242310258	2025/3/31 10:40:00	4.4℃	正常	
8770	7-4 (2-1药)	冰箱	242310258	2025/3/31 10:45:00	4.8℃	正常	
8771	7-4 (2-1药)	冰箱	242310258	2025/3/31 10:50:00	4.7℃	正常	
8772	7-4 (2-1药)	冰箱	242310258	2025/3/31 10:55:00	4.4℃	正常	
8773	7-4 (2-1药)	冰箱	242310258	2025/3/31 11:00:00	4.9℃	正常	
8774	7-4 (2-1药)	冰箱	242310258	2025/3/31 11:05:00	4.5℃	正常	
8775	7-4 (2-1药)	冰箱	242310258	2025/3/31 11:10:00	4.6℃	正常	
8776	7-4 (2-1药)	冰箱	242310258	2025/3/31 11:15:00	4.8℃	正常	
8777	7-4 (2-1药)	冰箱	242310258	2025/3/31 11:20:00	4.4℃	正常	
8778	7-4 (2-1药)	冰箱	242310258	2025/3/31 11:25:00	4.6℃	正常	
8779	7-4 (2-1药)	冰箱	242310258	2025/3/31 11:30:00	4.8℃	正常	
8780	7-4 (2-1药)	冰箱	242310258	2025/3/31 11:35:00	4.4℃	正常	
8781	7-4 (2-1药)	冰箱	242310258	2025/3/31 11:40:00	4.8℃	正常	
8782	7-4 (2-1药)	冰箱	242310258	2025/3/31 11:45:00	4.6℃	正常	
8783	7-4 (2-1药)	冰箱	242310258	2025/3/31 11:50:00	4.5℃	正常	
8784	7-4 (2-1药)	冰箱	242310258	2025/3/31 11:55:00	4.9℃	正常	
8785	7-4 (2-1药)	冰箱	242310258	2025/3/31 12:00:00	4.5℃	正常	
8786	7-4 (2-1药)	冰箱	242310258	2025/3/31 12:05:00	4.6℃	正常	
8787	7-4 (2-1药)	冰箱	242310258	2025/3/31 12:10:00	4.9℃	正常	
8788	7-4 (2-1药)	冰箱	242310258	2025/3/31 12:15:00	4.4℃	正常	
8789	7-4 (2-1药)	冰箱	242310258	2025/3/31 12:20:00	4.7℃	正常	
8790	7-4 (2-1药)	冰箱	242310258	2025/3/31 12:25:00	4.8℃	正常	
8791	7-4 (2-1药)	冰箱	242310258	2025/3/31 12:30:00	4.4℃	正常	
8792	7-4 (2-1药)	冰箱	242310258	2025/3/31 12:35:00	5.3℃	正常	
8793	7-4 (2-1药)	冰箱	242310258	2025/3/31 12:40:00	4.7℃	正常	
8794	7-4 (2-1药)	冰箱	242310258	2025/3/31 12:45:00	5.0℃	正常	
8795	7-4 (2-1药)	冰箱	242310258	2025/3/31 12:50:00	4.5℃	正常	
8796	7-4 (2-1药)	冰箱	242310258	2025/3/31 12:55:00	4.7℃	正常	
8797	7-4 (2-1药)	冰箱	242310258	2025/3/31 13:00:00	4.8℃	正常	
8798	7-4 (2-1药)	冰箱	242310258	2025/3/31 13:05:00	4.4℃	正常	
8799	7-4 (2-1药)	冰箱	242310258	2025/3/31 13:10:00	4.8℃	正常	
8800	7-4 (2-1药)	冰箱	242310258	2025/3/31 13:15:00	4.7℃	正常	
8801	7-4 (2-1药)	冰箱	242310258	2025/3/31 13:20:00	4.4℃	正常	
8802	7-4 (2-1药)	冰箱	242310258	2025/3/31 13:25:00	4.8℃	正常	
8803	7-4 (2-1药)	冰箱	242310258	2025/3/31 13:30:00	4.5℃	正常	
8804	7-4 (2-1药)	冰箱	242310258	2025/3/31 13:35:00	4.5℃	正常	
8805	7-4 (2-1药)	冰箱	242310258	2025/3/31 13:40:00	4.9℃	正常	
8806	7-4 (2-1药)	冰箱	242310258	2025/3/31 13:45:00	4.4℃	正常	
8807	7-4 (2-1药)	冰箱	242310258	2025/3/31 13:50:00	4.7℃	正常	
8808	7-4 (2-1药)	冰箱	242310258	2025/3/31 13:55:00	4.8℃	正常	
8809	7-4 (2-1药)	冰箱	242310258	2025/3/31 14:00:00	4.4℃	正常	
8810	7-4 (2-1药)	冰箱	242310258	2025/3/31 14:05:00	4.8℃	正常	
8811	7-4 (2-1药)	冰箱	242310258	2025/3/31 14:10:00	4.6℃	正常	
8812	7-4 (2-1药)	冰箱	242310258	2025/3/31 14:15:00	4.6℃	正常	
8813	7-4 (2-1药)	冰箱	242310258	2025/3/31 14:20:00	4.9℃	正常	
8814	7-4 (2-1药)	冰箱	242310258	2025/3/31 14:25:00	4.4℃	正常	
8815	7-4 (2-1药)	冰箱	242310258	2025/3/31 14:30:00	4.6℃	正常	
8816	7-4 (2-1药)	冰箱	242310258	2025/3/31 14:35:00	4.8℃	正常	
8817	7-4 (2-1药)	冰箱	242310258	2025/3/31 14:40:00	4.4℃	正常	
8818	7-4 (2-1药)	冰箱	242310258	2025/3/31 14:45:00	4.8℃	正常	
8819	7-4 (2-1药)	冰箱	242310258	2025/3/31 14:50:00	4.6℃	正常	
8820	7-4 (2-1药)	冰箱	242310258	2025/3/31 14:55:00	4.5℃	正常	

8821	7-4 (2-1药)	冰箱	242310258	2025/3/31 15:00:00	4.9℃	正常	
8822	7-4 (2-1药)	冰箱	242310258	2025/3/31 15:05:00	4.4℃	正常	
8823	7-4 (2-1药)	冰箱	242310258	2025/3/31 15:10:00	4.6℃	正常	
8824	7-4 (2-1药)	冰箱	242310258	2025/3/31 15:15:00	4.8℃	正常	
8825	7-4 (2-1药)	冰箱	242310258	2025/3/31 15:20:00	4.4℃	正常	
8826	7-4 (2-1药)	冰箱	242310258	2025/3/31 15:25:00	4.8℃	正常	
8827	7-4 (2-1药)	冰箱	242310258	2025/3/31 15:30:00	4.7℃	正常	
8828	7-4 (2-1药)	冰箱	242310258	2025/3/31 15:35:00	4.5℃	正常	
8829	7-4 (2-1药)	冰箱	242310258	2025/3/31 15:40:00	4.9℃	正常	
8830	7-4 (2-1药)	冰箱	242310258	2025/3/31 15:45:00	4.4℃	正常	
8831	7-4 (2-1药)	冰箱	242310258	2025/3/31 15:50:00	4.7℃	正常	
8832	7-4 (2-1药)	冰箱	242310258	2025/3/31 15:55:00	4.8℃	正常	
8833	7-4 (2-1药)	冰箱	242310258	2025/3/31 16:00:00	4.4℃	正常	
8834	7-4 (2-1药)	冰箱	242310258	2025/3/31 16:05:00	4.8℃	正常	
8835	7-4 (2-1药)	冰箱	242310258	2025/3/31 16:10:00	4.7℃	正常	
8836	7-4 (2-1药)	冰箱	242310258	2025/3/31 16:15:00	4.5℃	正常	
8837	7-4 (2-1药)	冰箱	242310258	2025/3/31 16:20:00	4.9℃	正常	
8838	7-4 (2-1药)	冰箱	242310258	2025/3/31 16:25:00	4.5℃	正常	
8839	7-4 (2-1药)	冰箱	242310258	2025/3/31 16:30:00	4.6℃	正常	
8840	7-4 (2-1药)	冰箱	242310258	2025/3/31 16:35:00	4.8℃	正常	
8841	7-4 (2-1药)	冰箱	242310258	2025/3/31 16:40:00	4.4℃	正常	
8842	7-4 (2-1药)	冰箱	242310258	2025/3/31 16:45:00	4.7℃	正常	
8843	7-4 (2-1药)	冰箱	242310258	2025/3/31 16:50:00	4.7℃	正常	
8844	7-4 (2-1药)	冰箱	242310258	2025/3/31 16:55:00	4.4℃	正常	
8845	7-4 (2-1药)	冰箱	242310258	2025/3/31 17:00:00	4.8℃	正常	
8846	7-4 (2-1药)	冰箱	242310258	2025/3/31 17:05:00	4.6℃	正常	
8847	7-4 (2-1药)	冰箱	242310258	2025/3/31 17:10:00	4.6℃	正常	
8848	7-4 (2-1药)	冰箱	242310258	2025/3/31 17:15:00	4.9℃	正常	
8849	7-4 (2-1药)	冰箱	242310258	2025/3/31 17:20:00	4.4℃	正常	
8850	7-4 (2-1药)	冰箱	242310258	2025/3/31 17:25:00	4.7℃	正常	
8851	7-4 (2-1药)	冰箱	242310258	2025/3/31 17:30:00	4.8℃	正常	
8852	7-4 (2-1药)	冰箱	242310258	2025/3/31 17:35:00	4.4℃	正常	
8853	7-4 (2-1药)	冰箱	242310258	2025/3/31 17:40:00	4.8℃	正常	
8854	7-4 (2-1药)	冰箱	242310258	2025/3/31 17:45:00	4.6℃	正常	
8855	7-4 (2-1药)	冰箱	242310258	2025/3/31 17:50:00	4.5℃	正常	
8856	7-4 (2-1药)	冰箱	242310258	2025/3/31 17:55:00	4.9℃	正常	
8857	7-4 (2-1药)	冰箱	242310258	2025/3/31 18:00:00	4.4℃	正常	
8858	7-4 (2-1药)	冰箱	242310258	2025/3/31 18:05:00	4.6℃	正常	
8859	7-4 (2-1药)	冰箱	242310258	2025/3/31 18:10:00	4.8℃	正常	
8860	7-4 (2-1药)	冰箱	242310258	2025/3/31 18:15:00	4.4℃	正常	
8861	7-4 (2-1药)	冰箱	242310258	2025/3/31 18:20:00	4.7℃	正常	
8862	7-4 (2-1药)	冰箱	242310258	2025/3/31 18:25:00	4.7℃	正常	
8863	7-4 (2-1药)	冰箱	242310258	2025/3/31 18:30:00	4.4℃	正常	
8864	7-4 (2-1药)	冰箱	242310258	2025/3/31 18:35:00	4.8℃	正常	
8865	7-4 (2-1药)	冰箱	242310258	2025/3/31 18:40:00	4.5℃	正常	
8866	7-4 (2-1药)	冰箱	242310258	2025/3/31 18:45:00	4.6℃	正常	
8867	7-4 (2-1药)	冰箱	242310258	2025/3/31 18:50:00	4.8℃	正常	
8868	7-4 (2-1药)	冰箱	242310258	2025/3/31 18:55:00	4.3℃	正常	
8869	7-4 (2-1药)	冰箱	242310258	2025/3/31 19:00:00	4.7℃	正常	
8870	7-4 (2-1药)	冰箱	242310258	2025/3/31 19:05:00	4.8℃	正常	
8871	7-4 (2-1药)	冰箱	242310258	2025/3/31 19:10:00	4.4℃	正常	
8872	7-4 (2-1药)	冰箱	242310258	2025/3/31 19:15:00	4.8℃	正常	
8873	7-4 (2-1药)	冰箱	242310258	2025/3/31 19:20:00	4.5℃	正常	
8874	7-4 (2-1药)	冰箱	242310258	2025/3/31 19:25:00	4.5℃	正常	
8875	7-4 (2-1药)	冰箱	242310258	2025/3/31 19:30:00	4.9℃	正常	
8876	7-4 (2-1药)	冰箱	242310258	2025/3/31 19:35:00	4.4℃	正常	
8877	7-4 (2-1药)	冰箱	242310258	2025/3/31 19:40:00	4.7℃	正常	
8878	7-4 (2-1药)	冰箱	242310258	2025/3/31 19:45:00	4.8℃	正常	
8879	7-4 (2-1药)	冰箱	242310258	2025/3/31 19:50:00	4.4℃	正常	
8880	7-4 (2-1药)	冰箱	242310258	2025/3/31 19:55:00	4.8℃	正常	
8881	7-4 (2-1药)	冰箱	242310258	2025/3/31 20:00:00	4.7℃	正常	
8882	7-4 (2-1药)	冰箱	242310258	2025/3/31 20:05:00	4.5℃	正常	
8883	7-4 (2-1药)	冰箱	242310258	2025/3/31 20:10:00	4.9℃	正常	
8884	7-4 (2-1药)	冰箱	242310258	2025/3/31 20:15:00	4.4℃	正常	

8885	7-4（2-1药）	冰箱	242310258	2025/3/31 20:20:00	4.6℃	正常	
8886	7-4（2-1药）	冰箱	242310258	2025/3/31 20:25:00	4.8℃	正常	
8887	7-4（2-1药）	冰箱	242310258	2025/3/31 20:30:00	4.4℃	正常	
8888	7-4（2-1药）	冰箱	242310258	2025/3/31 20:35:00	4.7℃	正常	
8889	7-4（2-1药）	冰箱	242310258	2025/3/31 20:40:00	4.7℃	正常	
8890	7-4（2-1药）	冰箱	242310258	2025/3/31 20:45:00	4.5℃	正常	
8891	7-4（2-1药）	冰箱	242310258	2025/3/31 20:50:00	4.8℃	正常	
8892	7-4（2-1药）	冰箱	242310258	2025/3/31 20:55:00	4.5℃	正常	
8893	7-4（2-1药）	冰箱	242310258	2025/3/31 21:00:00	4.6℃	正常	
8894	7-4（2-1药）	冰箱	242310258	2025/3/31 21:05:00	4.9℃	正常	
8895	7-4（2-1药）	冰箱	242310258	2025/3/31 21:10:00	4.4℃	正常	
8896	7-4（2-1药）	冰箱	242310258	2025/3/31 21:15:00	4.7℃	正常	
8897	7-4（2-1药）	冰箱	242310258	2025/3/31 21:20:00	4.8℃	正常	
8898	7-4（2-1药）	冰箱	242310258	2025/3/31 21:25:00	4.4℃	正常	
8899	7-4（2-1药）	冰箱	242310258	2025/3/31 21:30:00	4.8℃	正常	
8900	7-4（2-1药）	冰箱	242310258	2025/3/31 21:35:00	4.6℃	正常	
8901	7-4（2-1药）	冰箱	242310258	2025/3/31 21:40:00	4.5℃	正常	
8902	7-4（2-1药）	冰箱	242310258	2025/3/31 21:45:00	4.8℃	正常	
8903	7-4（2-1药）	冰箱	242310258	2025/3/31 21:50:00	4.4℃	正常	
8904	7-4（2-1药）	冰箱	242310258	2025/3/31 21:55:00	4.7℃	正常	
8905	7-4（2-1药）	冰箱	242310258	2025/3/31 22:00:00	4.8℃	正常	
8906	7-4（2-1药）	冰箱	242310258	2025/3/31 22:05:00	4.4℃	正常	
8907	7-4（2-1药）	冰箱	242310258	2025/3/31 22:10:00	4.8℃	正常	
8908	7-4（2-1药）	冰箱	242310258	2025/3/31 22:15:00	4.6℃	正常	
8909	7-4（2-1药）	冰箱	242310258	2025/3/31 22:20:00	4.5℃	正常	
8910	7-4（2-1药）	冰箱	242310258	2025/3/31 22:25:00	4.9℃	正常	
8911	7-4（2-1药）	冰箱	242310258	2025/3/31 22:30:00	4.5℃	正常	
8912	7-4（2-1药）	冰箱	242310258	2025/3/31 22:35:00	4.6℃	正常	
8913	7-4（2-1药）	冰箱	242310258	2025/3/31 22:40:00	4.8℃	正常	
8914	7-4（2-1药）	冰箱	242310258	2025/3/31 22:45:00	4.4℃	正常	
8915	7-4（2-1药）	冰箱	242310258	2025/3/31 22:50:00	4.7℃	正常	
8916	7-4（2-1药）	冰箱	242310258	2025/3/31 22:55:00	4.7℃	正常	
8917	7-4（2-1药）	冰箱	242310258	2025/3/31 23:00:00	4.4℃	正常	
8918	7-4（2-1药）	冰箱	242310258	2025/3/31 23:05:00	4.8℃	正常	
8919	7-4（2-1药）	冰箱	242310258	2025/3/31 23:10:00	4.6℃	正常	
8920	7-4（2-1药）	冰箱	242310258	2025/3/31 23:15:00	4.5℃	正常	
8921	7-4（2-1药）	冰箱	242310258	2025/3/31 23:20:00	4.9℃	正常	
8922	7-4（2-1药）	冰箱	242310258	2025/3/31 23:25:00	4.4℃	正常	
8923	7-4（2-1药）	冰箱	242310258	2025/3/31 23:30:00	4.6℃	正常	
8924	7-4（2-1药）	冰箱	242310258	2025/3/31 23:35:00	4.8℃	正常	
8925	7-4（2-1药）	冰箱	242310258	2025/3/31 23:40:00	4.4℃	正常	
8926	7-4（2-1药）	冰箱	242310258	2025/3/31 23:45:00	5.3℃	正常	
8927	7-4（2-1药）	冰箱	242310258	2025/3/31 23:50:00	4.6℃	正常	
8928	7-4（2-1药）	冰箱	242310258	2025/3/31 23:55:00	4.9℃	正常	