

树兰（杭州）医院有限公司温湿度记录数据

2025-09-01 00:00---2025-09-30 23:59

设备_通道
232301156_温度1

最大值
-81.2℃

最小值
-83.6℃

平均值
-82.69℃

序号	仪器名称	类别	SN	记录时间	通道1	设备状态	超标原因
1	7-17（4-4实）备	冰箱	232301156	2025/9/1 0:00:00	-82.0℃	正常	2024/5/7 17:27:34:校准,
2	7-17（4-4实）备	冰箱	232301156	2025/9/1 0:05:00	-82.0℃	正常	2024/5/7 17:27:34:校准,
3	7-17（4-4实）备	冰箱	232301156	2025/9/1 0:10:00	-82.1℃	正常	2024/5/7 17:27:34:校准,
4	7-17（4-4实）备	冰箱	232301156	2025/9/1 0:15:00	-82.2℃	正常	2024/5/7 17:27:34:校准,
5	7-17（4-4实）备	冰箱	232301156	2025/9/1 0:20:00	-82.3℃	正常	2024/5/7 17:27:34:校准,
6	7-17（4-4实）备	冰箱	232301156	2025/9/1 0:25:00	-82.4℃	正常	2024/5/7 17:27:34:校准,
7	7-17（4-4实）备	冰箱	232301156	2025/9/1 0:30:00	-82.5℃	正常	2024/5/7 17:27:34:校准,
8	7-17（4-4实）备	冰箱	232301156	2025/9/1 0:35:00	-82.4℃	正常	2024/5/7 17:27:34:校准,
9	7-17（4-4实）备	冰箱	232301156	2025/9/1 0:40:00	-82.2℃	正常	2024/5/7 17:27:34:校准,
10	7-17（4-4实）备	冰箱	232301156	2025/9/1 0:45:00	-82.1℃	正常	2024/5/7 17:27:34:校准,
11	7-17（4-4实）备	冰箱	232301156	2025/9/1 0:50:00	-82.0℃	正常	2024/5/7 17:27:34:校准,
12	7-17（4-4实）备	冰箱	232301156	2025/9/1 0:55:00	-82.1℃	正常	2024/5/7 17:27:34:校准,
13	7-17（4-4实）备	冰箱	232301156	2025/9/1 1:00:00	-82.2℃	正常	2024/5/7 17:27:34:校准,
14	7-17（4-4实）备	冰箱	232301156	2025/9/1 1:05:00	-82.3℃	正常	2024/5/7 17:27:34:校准,
15	7-17（4-4实）备	冰箱	232301156	2025/9/1 1:10:00	-82.4℃	正常	2024/5/7 17:27:34:校准,
16	7-17（4-4实）备	冰箱	232301156	2025/9/1 1:15:00	-82.5℃	正常	2024/5/7 17:27:34:校准,
17	7-17（4-4实）备	冰箱	232301156	2025/9/1 1:20:00	-82.4℃	正常	2024/5/7 17:27:34:校准,
18	7-17（4-4实）备	冰箱	232301156	2025/9/1 1:25:00	-82.3℃	正常	2024/5/7 17:27:34:校准,
19	7-17（4-4实）备	冰箱	232301156	2025/9/1 1:30:00	-82.1℃	正常	2024/5/7 17:27:34:校准,
20	7-17（4-4实）备	冰箱	232301156	2025/9/1 1:35:00	-82.0℃	正常	2024/5/7 17:27:34:校准,
21	7-17（4-4实）备	冰箱	232301156	2025/9/1 1:40:00	-82.0℃	正常	2024/5/7 17:27:34:校准,
22	7-17（4-4实）备	冰箱	232301156	2025/9/1 1:45:00	-82.0℃	正常	2024/5/7 17:27:34:校准,
23	7-17（4-4实）备	冰箱	232301156	2025/9/1 1:50:00	-82.1℃	正常	2024/5/7 17:27:34:校准,
24	7-17（4-4实）备	冰箱	232301156	2025/9/1 1:55:00	-82.3℃	正常	2024/5/7 17:27:34:校准,
25	7-17（4-4实）备	冰箱	232301156	2025/9/1 2:00:00	-82.4℃	正常	2024/5/7 17:27:34:校准,
26	7-17（4-4实）备	冰箱	232301156	2025/9/1 2:05:00	-82.6℃	正常	2024/5/7 17:27:34:校准,
27	7-17（4-4实）备	冰箱	232301156	2025/9/1 2:10:00	-82.6℃	正常	2024/5/7 17:27:34:校准,
28	7-17（4-4实）备	冰箱	232301156	2025/9/1 2:15:00	-82.5℃	正常	2024/5/7 17:27:34:校准,
29	7-17（4-4实）备	冰箱	232301156	2025/9/1 2:20:00	-82.3℃	正常	2024/5/7 17:27:34:校准,
30	7-17（4-4实）备	冰箱	232301156	2025/9/1 2:25:00	-82.1℃	正常	2024/5/7 17:27:34:校准,

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

8615	7-17（4-4实）备	冰箱	232301156	2025/9/30 21:55:00	-83.2℃	正常	2024/5/7 17:27:34:校准,
8616	7-17（4-4实）备	冰箱	232301156	2025/9/30 22:00:00	-83.3℃	正常	2024/5/7 17:27:34:校准,
8617	7-17（4-4实）备	冰箱	232301156	2025/9/30 22:05:00	-83.4℃	正常	2024/5/7 17:27:34:校准,
8618	7-17（4-4实）备	冰箱	232301156	2025/9/30 22:10:00	-83.3℃	正常	2024/5/7 17:27:34:校准,
8619	7-17（4-4实）备	冰箱	232301156	2025/9/30 22:15:00	-83.2℃	正常	2024/5/7 17:27:34:校准,
8620	7-17（4-4实）备	冰箱	232301156	2025/9/30 22:20:00	-83.1℃	正常	2024/5/7 17:27:34:校准,
8621	7-17（4-4实）备	冰箱	232301156	2025/9/30 22:25:00	-83.0℃	正常	2024/5/7 17:27:34:校准,
8622	7-17（4-4实）备	冰箱	232301156	2025/9/30 22:30:00	-83.0℃	正常	2024/5/7 17:27:34:校准,
8623	7-17（4-4实）备	冰箱	232301156	2025/9/30 22:35:00	-83.0℃	正常	2024/5/7 17:27:34:校准,
8624	7-17（4-4实）备	冰箱	232301156	2025/9/30 22:40:00	-83.1℃	正常	2024/5/7 17:27:34:校准,
8625	7-17（4-4实）备	冰箱	232301156	2025/9/30 22:45:00	-83.2℃	正常	2024/5/7 17:27:34:校准,
8626	7-17（4-4实）备	冰箱	232301156	2025/9/30 22:50:00	-83.3℃	正常	2024/5/7 17:27:34:校准,
8627	7-17（4-4实）备	冰箱	232301156	2025/9/30 22:55:00	-83.3℃	正常	2024/5/7 17:27:34:校准,
8628	7-17（4-4实）备	冰箱	232301156	2025/9/30 23:00:00	-83.2℃	正常	2024/5/7 17:27:34:校准,
8629	7-17（4-4实）备	冰箱	232301156	2025/9/30 23:05:00	-83.1℃	正常	2024/5/7 17:27:34:校准,
8630	7-17（4-4实）备	冰箱	232301156	2025/9/30 23:10:00	-83.0℃	正常	2024/5/7 17:27:34:校准,
8631	7-17（4-4实）备	冰箱	232301156	2025/9/30 23:15:00	-83.0℃	正常	2024/5/7 17:27:34:校准,
8632	7-17（4-4实）备	冰箱	232301156	2025/9/30 23:20:00	-83.1℃	正常	2024/5/7 17:27:34:校准,
8633	7-17（4-4实）备	冰箱	232301156	2025/9/30 23:25:00	-83.2℃	正常	2024/5/7 17:27:34:校准,
8634	7-17（4-4实）备	冰箱	232301156	2025/9/30 23:30:00	-83.3℃	正常	2024/5/7 17:27:34:校准,
8635	7-17（4-4实）备	冰箱	232301156	2025/9/30 23:35:00	-83.3℃	正常	2024/5/7 17:27:34:校准,
8636	7-17（4-4实）备	冰箱	232301156	2025/9/30 23:40:00	-83.3℃	正常	2024/5/7 17:27:34:校准,
8637	7-17（4-4实）备	冰箱	232301156	2025/9/30 23:45:00	-83.1℃	正常	2024/5/7 17:27:34:校准,
8638	7-17（4-4实）备	冰箱	232301156	2025/9/30 23:50:00	-83.0℃	正常	2024/5/7 17:27:34:校准,
8639	7-17（4-4实）备	冰箱	232301156	2025/9/30 23:55:00	-82.9℃	正常	2024/5/7 17:27:34:校准,